

Home (<https://www.tojqi.net/index.php/journal/index>)

/ Archives (<https://www.tojqi.net/index.php/journal/issue/archive>) / Vol. 12 No. 10 (2021)

Articles

Design and Implementation of Automated Diabetic Retinopathy Using Improved CNN (<https://www.tojqi.net/index.php/journal/article/view/7197>)

Lokesh Gupta, Dr. Saroj Hiranwal

01 – 08

PDF (<https://www.tojqi.net/index.php/journal/article/view/7197/5117>)

Implementation of Sentiment Analysis and Classification of Tweets Using Machine Learning (<https://www.tojqi.net/index.php/journal/article/view/7198>)

Manish Bhargav, Satish Kumar Alaria, Dr. Manish Kumar Mukhija

09 – 21

PDF (<https://www.tojqi.net/index.php/journal/article/view/7198/5118>)

The Financial Access Limitations and Investment Opportunities of Real Estate Development in Ethiopia (<https://www.tojqi.net/index.php/journal/article/view/7208>)

Mikiyas Mulugeta Gebreyohannes, Dr. Nidhi Nalwaya

22 – 33

PDF (<https://www.tojqi.net/index.php/journal/article/view/7208/5119>)

Impact and Role of Family and Social Factors in the Success of Women Entrepreneurs: An Empirical Study of Selected Small Women Entrepreneurs (<https://www.tojqi.net/index.php/journal/article/view/7209>)

Mrs. Pooja Prakash Srivastava, Dr. Rashmi Choudhary

34 – 44

PDF (<https://www.tojqi.net/index.php/journal/article/view/7209/5120>)

Challenges in Developing Critical Thinking Skills in Students (<https://www.tojqi.net/index.php/journal/article/view/7210>)

P. Janardhana Kumar Reddy, Dr. R. S. S. Nehru

45 – 69

PDF (<https://www.tojqi.net/index.php/journal/article/view/7210/5121>)

Derivatives Trading and Stock Market Volatility: A Systematic Review (<https://www.tojqi.net/index.php/journal/article/view/7211>)

Pranav Bansal, Dr. Khujan Singh

70 – 80

PDF (<https://www.tojqi.net/index.php/journal/article/view/7211/5122>)

An Investigation of the Representation of Racial Prejudice and Discrimination in the American Literature (<https://www.tojqi.net/index.php/journal/article/view/8003>)

Dr. Fatmir Ramadani
2555-2561

[pdf \(https://www.tojqi.net/index.php/journal/article/view/8003/5701\)](https://www.tojqi.net/index.php/journal/article/view/8003/5701)

Drawing Tools And Design Elements In Geometric Drawing (<https://www.tojqi.net/index.php/journal/article/view/8005>)

Boboeva Zulfiya, Sokhibov Rakhmonali, Kodirov Murodjon, Akhmedbekova Makhpuzakhon
2562-2564

[pdf \(https://www.tojqi.net/index.php/journal/article/view/8005/5703\)](https://www.tojqi.net/index.php/journal/article/view/8005/5703)

Modern Methods Of Teaching Fine Arts (<https://www.tojqi.net/index.php/journal/article/view/8006>)

Kurbanova Barchinoy, Sulaymanova Sevarakhon, Soliyev Ozodbek, Yunusaliyev Mukhammadkodir
2565-2570

[pdf \(https://www.tojqi.net/index.php/journal/article/view/8006/5704\)](https://www.tojqi.net/index.php/journal/article/view/8006/5704)

The Period Of Book Art (<https://www.tojqi.net/index.php/journal/article/view/8007>)

Yuldashev Ibromkhim, Akhmedova Nazokat, Madaminov Nodirjon, Mamurov Abdusalom
2571-2574

[pdf \(https://www.tojqi.net/index.php/journal/article/view/8007/5705\)](https://www.tojqi.net/index.php/journal/article/view/8007/5705)

Strengthening Awards To The Potential Of The Community And The Environment At Tao Silaban, Indonesia (<https://www.tojqi.net/index.php/journal/article/view/8014>)

Johari Manik, Ade Putra Panjaitan, Herlina Saragih
2575-2580

[pdf \(https://www.tojqi.net/index.php/journal/article/view/8014/5710\)](https://www.tojqi.net/index.php/journal/article/view/8014/5710)

Adiabatic switching of cell structures for Low power cmos devices (<https://www.tojqi.net/index.php/journal/article/view/8015>)

Y.Nagalakshmi, M.Chathar Singh, A.Subramanyam
2581-2592

[pdf \(https://www.tojqi.net/index.php/journal/article/view/8015/5711\)](https://www.tojqi.net/index.php/journal/article/view/8015/5711)

Understanding The Impact Of Selected Financial Crisis On Commercial Banks With Special Emphasis On Brics (<https://www.tojqi.net/index.php/journal/article/view/8016>)

Shruti Aggarwal, Dr. Pavitar Parkash Singh
2593-2608

[pdf \(https://www.tojqi.net/index.php/journal/article/view/8016/5712\)](https://www.tojqi.net/index.php/journal/article/view/8016/5712)

Quality of Life in Down Syndrome Children with Hypothyroidism During Covid-19 Pandemic (<https://www.tojqi.net/index.php/journal/article/view/8017>)

Muhammad Faizi, Nur Rochmah, Adkhiatul Muslihatin, Irwanto, Anang Endaryanto, Soetjipto
2609-2617

pdf (<https://www.tojqi.net/index.php/journal/article/view/8017/5713>)

A Study on Level of Satisfaction Towards Financial Inclusion Programme in Madurai District (<https://www.tojqi.net/index.php/journal/article/view/8018>)

Dr.Mary Benitta Rani, Dr.R.Stephen Chellakan, Dr. Baddela Udaykumar, Dr Saubhagyalaxmi Misra
2618-2624

pdf (<https://www.tojqi.net/index.php/journal/article/view/8018/5714>)

Comparative Study Of RC Building With And Without Dampers By Varying Heights Using E- Tabs (<https://www.tojqi.net/index.php/journal/article/view/8019>)

S Shivarani, Dr V B Reddy Sudha
2625-2643

pdf (<https://www.tojqi.net/index.php/journal/article/view/8019/5715>)

Analysis and Design of Pre-Engineering Building (<https://www.tojqi.net/index.php/journal/article/view/8020>)

B Uday, A Nagaraju
2644-2665

pdf (<https://www.tojqi.net/index.php/journal/article/view/8020/5716>)

Analysis and Behaviour of Lateral Load Resisting Systems for High Rise Buildings (<https://www.tojqi.net/index.php/journal/article/view/8021>)

A Manasa, A Nagaraju
2666-2686

pdf (<https://www.tojqi.net/index.php/journal/article/view/8021/5717>)

Comparative study on seismic analysis of square and rectangular building with varying heights (<https://www.tojqi.net/index.php/journal/article/view/8022>)

D Sravya, Dr V B Reddy Sudha
2687-2703

pdf (<https://www.tojqi.net/index.php/journal/article/view/8022/5718>)

Design And Analysis Of G+11 Residential Building Using Equivalent Static Method (<https://www.tojqi.net/index.php/journal/article/view/8025>)

Mr. Mukul Saxena, Mr. Rishabh Kashyap, Mr. Arstu Gautam
2704-2715

PDF (<https://www.tojqi.net/index.php/journal/article/view/8025/5720>)

Factor Analysis of the Pro Social Personality Scale (<https://www.tojqi.net/index.php/journal/article/view/8033>)

Zinah Abdulameer Abdul, Dr. Sanaa Yacoob Khudhaer
2716-2727

PDF (<https://www.tojqi.net/index.php/journal/article/view/8033/5721>)

Home (<https://www.tojqi.net/index.php/journal/index>) / Editorial Team

Editorial Team

Ahdi Hassan

CEO, Plcorpora, Islamabad Pakistan.
Web of Science Researcher ID AAW-8159-2020
Scopus Author ID: 57212417756

Assoc. Prof. Serdar Vural UYGUN

Nevşehir Hacı Bektaş Veli University, Turkey
View Profile (<https://dergipark.org.tr/en/pub/@svu01>)

Assoc. Prof. Dr. Burçin Yersel

Eskisehir technical university, Turkey
View Profile (<https://www.linkedin.com/in/burcin-yersel-2a7734152/?originalSubdomain=tr>)

Prof. Dr. Mustafa BÜTE

Faculty of Management;
Department of Business;
Department of Organizational Behavior,
Istanbul University, Turkey

Dr. Alexander Obskov

International eLearning Project,
“American Accent Program.” Austin, TX, USA
View Profile (<https://www.scopus.com/authid/detail.uri?authorId=56381555300>)

HR Mag. Eveline Wandl-Vogt

Austrian Academy of Sciences, Austria
View Profile (<https://www.oeaw.ac.at/acdh/team/current-team/eveline-wandl-vogt>)

Dr. Nhatphaphat Juicharoen

School of Management Science,
Sukhothai Thammathirat Open University,
Nonthaburi 11120, Thailand
View Profile (<https://www.stou.ac.th/main/en/schools.html>)

Prof. Dr. Oytun Sözüdoğru

Vice- Rector, University of City Island, North Cyprus
View Profile (<https://adakent.edu.tr/kadro/2/rektorluk>)

Prof. Dr, Rusudan Makhachashvili

Department Typology and Romance Languages,
Borys Grinchenko Kyiv University,
Ukraine
Scopus Author ID is 57218565160

Asst. Prof. Suradetch Wangthong

Sukhothai Thammathirat Open University, Thailand
View Profile (<https://www.stou.ac.th/main/en/>)

Dr Misbah Sadiq,

Assistant professor,

Department of economics College of economics and management ,
Al Qasimia university, Sharjah,UAE
Web of Science Researcher ID A-5920-2017
Scopus ID 55367847700

Dr. Manel Mouleme

Mentouri Brothers University,
Constantine 1
Algeria
View Profile (<https://www.researchgate.net/profile/Mouleme-Manel>)

Dr Sunil K Mishra

Amity University Haryana,
Amity Education Valley,
Pachgaon, Manesar, Gurgaon, Haryana 122413, India
View Profile (<https://www.amity.edu/faculty-detail.aspx?facultyID=1585>)

Rakhshanda fawad

Lecturer,
University of Central Punjab, Pakistan
View Profile (<https://www.ucp.edu.pk/member/rakhshanda-fawad/>)

Login (<http://tojqi.net/index.php/journal/login>)

Submit Articles (<http://tojqi.net/index.php/journal/about/submit>)

Submission Date

Start: November 01st, 2021

End: December 31st, 2021

Home (<https://tojqi.net/index.php/journal>)

Aims and Scope (https://tojqi.net/index.php/journal/aims_and_scope)

Author Guidelines (https://tojqi.net/index.php/journal/author_guidelines)

Ethical Principles and Publication Policy (https://tojqi.net/index.php/journal/ethics_and_policies)

Archive (<https://tojqi.net/index.php/journal/issue/archive>)

Editorial Board (<https://tojqi.net/index.php/journal/about/editorialTeam>)

Contact (<https://tojqi.net/index.php/journal/about/contact>)

Conflicts of Interest (https://tojqi.net/index.php/journal/conflicts_of_interest)

Publication Ethics & Malpractice (https://tojqi.net/index.php/journal/publication_ethics)

Copyright (<https://tojqi.net/index.php/journal/copyright>)

Open Access Policy (https://tojqi.net/index.php/journal/open_access_policy)

Publication Principles (https://tojqi.net/index.php/journal/publication_principles)

[Peer Review \(https://tojqi.net/index.php/journal/peer_review\)](https://tojqi.net/index.php/journal/peer_review)

[About \(https://tojqi.net/index.php/journal/about\)](https://tojqi.net/index.php/journal/about)

Abstracting and Indexing

 Scopus

 TR Dizin

Abstracting and Indexing



TR Dizin

Science Research Society © Contact

Quality of Life in Down Syndrome Children with Hypothyroidism During Covid-19 Pandemic

Muhammad Faizi^{a,b}, Nur Rochmah^{a,b}, Adkhiatul Muslihatin^b, Irwanto^{a,b},
Anang Endaryanto^{a,b}, Soetjipto^{a,c}

^aDoctoral Program of Medical Science, Faculty of Medicine, Universitas Airlangga, Surabaya, East Java, Indonesia.

^bFaculty of Medicine, Department of Child Health, Dr. Soetomo General Hospital, Universitas Airlangga, Surabaya, East Java, Indonesia.

^cDepartment of Medical Biochemistry, Faculty of Medicine, Universitas Airlangga, Surabaya, East Java, Indonesia.

Abstract

Down syndrome (DS) children with hypothyroidism are elevated risk for psychological disturbances and this risk has been compounded by the COVID-19 pandemic. Therefore quality of life is very important to be evaluated. The aim of this study is to evaluate factors influencing quality of life (QoL) among DS children with hypothyroidism during the COVID-19 pandemic. A cross-sectional study of 30 DS children with hypothyroidism (aged 2-18 years) was conducted from April-July 2021 by Pediatric Endocrine Outpatient Clinic of Dr. Soetomo Hospital. Participants were evaluated using The Peds QoL Generic core which evaluates physical (p), emotional (e), social (s), and school (sc) functioning dimension. A score below 70 was considered indicative of poor QoL. Differences in dimensional and total scores were evaluated among age groups, between sexes, and according to physical activity levels, number of siblings, parental education level, and parental employment status using Spearman's test, Mann-Whitney U-test, or independent-samples t-test as indicated. 30 DS children with hypothyroidism included in the study. Mean scores for all dimension was 58.3, whereas mean score for each dimension: p; e; s; sc was (54.1; 63.8; 56.6; 61.6) respectively. There was a significant difference between boy and girl on median physical functioning dimension score (57.8 vs 45.9) but not emotional, social, or school functioning dimension score. There was also a significant correlation between age and emotional functioning dimension ($P=0.02$; $r=-0.4$). Participants aged 2-4 years demonstrated lower mean scores than older children (57.2). DS children with hypothyroidism are experiencing poor QoL during COVID-19 pandemic, specially in the physical dimension. Interventions should focus on opportunities for safe physical activity.

Keywords : Down syndrome, hypothyroidism, children, quality of life.

1. Introduction

Coronavirus disease-2019 (COVID-19) that causes Severe Acute Respiratory Syndrome – Coronavirus 2 (SARS-Cov-2) infection is an ongoing global pandemic that has killed millions of people and disrupted the lives and livelihoods of millions more. The high risks of mortality for

certain vulnerable populations and the public health measures to limit transmission (lock-downs) have led to a sharp increase in mental illness. Further, it has greatly impeded the management of chronic diseases such as Down's syndrome (DS). Indeed, while social isolation may be an effective strategy to prevent infection and virus transmission, social interaction is an important aspect of DS management as it contributes to improved quality of life (QoL). Therefore, social isolation is a major challenge for DS patients. (Russo et al., 2020).

The prevalence of hypothyroidism is 28 times higher in DS than the normal population. Thyroid dysfunction is reported around 50% of DS children mostly are overt and subclinical hypothyroidism. Nonetheless, DS children need to visit hospital for routine medical check-ups and lifelong L-thyroxin dose adjustment. (Amr, 2018).

The COVID-19 pandemic has complicated the situation for DS children and their families by creating barriers to health services. This situation will influence the quality of life for both DS children and their families. (Pedrosa et al., 2020).

2. Significance of The Study

Hypothyroidism in DS children need to visit hospital to do routine medical check-ups and COVID-19 pandemic situations can make the condition more complicated and influence the quality of life both the patients and families.

3. Review of Related Studies

A previous study reported decreases in emotional and physical aspects QoL among DS children before COVID-19 pandemic. (Haddad et al., 2018; Lee et al., 2021). The older children with DS and hypothyroidism showed better social function QoL than emotional QoL, in accord with Xanthopoulos and colleagues, who reported that youth with DS scored poorer on psychosocial health than youth without DS, providing further evidence of relatively poor emotional well-being among this group. (Xanthopoulos et al., 2017).

4. Objective of The Studies

The aim of this study is to determine the impact of the COVID-19 pandemic on quality of life among DS children with hypothyroidism.

5. Hypotheses of The Study

There is an impact of the COVID-19 pandemic on quality of life in DS children with hypothyroidism.

6. Population and Sample

A cross-sectional study was conducted at Pediatric Endocrinology Outpatient Clinic Dr. Soetomo Hospital from April to July 2021. Inclusion criteria were DS patients aged 2-18 years, diagnosed with hypothyroidism, and signed informed consent by the parents. This study was approved by the ethics committee of Dr. Soetomo General Hospital, Surabaya, Indonesia.

Participant age, parent’s educational background and employment status, sex, number of siblings, and levels of daily activity in a week were evaluated. Physical activity (sport, dance, and game play for more than 20 minutes) was recorded for a week based on parental recall via telephone interview during study. Parents were interviewed using the Indonesian version of the Peds QoL questionnaire. The Validity of the English version was demonstrated by Vecili,&Weiss (2015). Meanwhile in Bahasa Indonesia version by Wardin.(Wardin, 2016). The Peds QoL instrument was used to examine factors reducing QoL among DS children with hypothyroidism during the COVID-19 pandemic. The peds QoL contains two sections, one for parents, the other one for children. There are also age group specific classifications (2-4, 5-7, 8-12, 13-18 years). The parents report was used for all subjects. Four functional dimensions of QoL were analyzed in this study: physical (p), emotional (e), social (s), and school (sc).

In this study, participants were divided into 4 age groups based on 4 domains in Peds QoL questionnaire. The parents were interviewed about their child’s physical, emotional, social, and school domains. All domains were answered on 5-point Likert scale from 0 (Never) to 4 (Almost always): 0 (Never), 1 (Almost never), 2 (Sometimes), 3 (Often), and 4 (Almost always). Scores were transformed on a scale from 0 to 100 s follows: 0=100, 1=75, 2=50, 3=25, 4=0. Children with score < 70 were rated as having a poor quality of life.

6.1.Statistical Techniques Used in the Present Study

Scores and other variables were first examined for normality using the Kolmogorov-Smirnov test. Scores were compared among age groups,according to parent’s educational level, number of siblings, weekly activity levels using Spearman test. Correlation between sex and parent’s emplyoment status were analyzed using the non-parametric Mann-Whitney (abnormal distribution) and Independent t test (normal distribution). $P \leq 0.05$ was considered significant for all tests. All statistical analyses were conducted using Collected using *Statistical Product and Service Solution (SPSS) for Windows version 25.0*.

6.2.Data Analysis and Interpretation

Table 1. Characteristics of DS children and their parents

	Characteristic	N (%)
Sex	Boy	20 (66.7%)
	Girl	10 (33.3%)
Age	2-4 years	18 (60%)
	5-7 years	8 (26.7%)
	8-12 years	4 (13.3%)
	13-18 years	0 (0%)
Mother’s education	Primary school	3 (10%)
	Junior high school	3 (10%)
	Senior high school	13 (43.3%)
	Diploma	3 10%)
	Bachelor	8 (26.7%)
Father’s education	Primary school	1 (3.3%)

	Junior high school	4 (13.3%)
	Senior high school	12 (40%)
	Diploma	3 (10%)
	Bachelor	10 (33.3%)
Mother's employment status	Working	10 (33.3%)
	Not working	20 (66.7%)
Father's employment status	Working	27 (90%)
	Not working	3 (10%)
Number of children	1 child	7 (23.3%)
	2 children	15 (50.0%)
	> 2 children	8 (26.7%)
Activity per week	0-2 days	1 (3.3%)
	3-4 days	16 (53.3%)
	≥ 5 days	13 (43.3%)

Interpretation of Table-1.

Baseline characteristics of the participants are presented in Table 1. All DS children were 12 years or younger. Physical activities included exercising, dancing, and playing reported for more than 20 minutes.

Table 2. Quality of life dimension scores based on age

No	Age	Physical	Emotional	Social Functioning	School	Mean
1	2-4 years	50.7	66.7	53.8	75.0	57.2
2	5-7 years	58.8	58.8	61.3	50.0	59.2
3	8-12 years	60.1	61.3	60.0	61.3	60.7
4	13-18 years	0.0	0.0	0.0	0.0	0.0
	Mean	56.5	62.2	58.4	62.1	59.0

Interpretation of Table-2

Based on age classification, The 2-4 years group had the lowest quality of life than the others, indicated by the lowest mean score (57.2).

Table 3. Quality of life dimension scores

Peds QoL dimension	N	Mean	SD
Physical	30	54.1	12.6
Emotional	30	63.8	7.5
Social functioning function	30	56.6	8.2
School	6	61.6	11.7

Interpretation of Table -3

Scores for each aspect of pediatric quality of life are shown in Table 3. Mean quality of life score was less than 70 points for every domain, with lowest mean score for the physical activity domain.

Table 4. Comparisons of QoL scores by sex and parental employment status

Characteristic	All Aspects	Physical	Emotional	Social function
Sex				
Boy	59 (6.5)	57.8 (26-71.9)	63.1 (7.28):	58.3 (40-75)
Girl	56.6 (6.0)	45.9 (25-62.5)	65.3 (8.2)	62.5 (45-66.6)
p-value	0.35*	0.012**	0.47*	0.22**
Mother's employment status				
Working	63.3 (4.7)	60.5 (9.4)	68.8 (60-70)	60.9 (6.9)
Not working	55.6 (5.5)	50.9 (12.9)	63.8 (43.7-80)	54.4 (8.0)
p-value	0.01*	0.04*	0.04**	0.036*
Father's employment status				
Working	57.9 (6.5)	56.2 (25-71.9)	65 (43.7-80)	58.3 (40-75)
Not working	61.4 (3.95)	55 (43.8-70)	68.8 (65-68.8)	58.3 (58.3-65)
p-value	0.36*	0.91**	0.34**	0.44**

*) Independent sample-t test

***) Mann-Whitney Bold type= significant

Interpretation of Table-4.

Various QoL dimension scores differed according to the child's sex and parent's employment status. Physical aspect dimension was significantly influenced by both boy and girl. Mother's employment

status had influence on QoL score, while the school aspect could not be examined due to the small number of subjects who attended school.

Table 5. Correlations between participant characteristics ands Ped QoL.

Characteristic	All aspects (r;p)	Physical (r;p)	Emotioanl (r;p)	Social functional (r;p)	School
Age group	0.12; 0.523	0.28; 0.12	-0.40; 0.028*	0.36; 0.045*	-0.14; 0.79
Mother's education	-0.11; 0.54	-0.15; 0.41	-0.16; 0.39	-0.98; 0.6	-0.36; 0.48
Father's education	-0.02; 0.92	-0.18; 0.93	-0.17; 0.36	-0.11; 0.55	-0.4; 0.43
Number of children	0.17; 0.38	0.21; 0.26	0.05; 0.78	0.04; 0,84	0.85; 0.03*
Physical activity per week	0.1; 0.58	-0.09; 0.61	-0.11; 0.54	0.4; 0.03*	-0.4; 0.43

*) p < 0.05

Interpretation of Table-5

The older children with DS and hypothyroidism demonstrated a poorer emotional quality of life but a better social quality of life. Social QoL was improved by increasing the number of physical activities per week.

Overall quality of life has been poor for DS children with hypothyroidism during the COVID-19 pandemic. Further, poor QoL was found in all domains, while a previous study reported dereases in emotional and physical aspects QoL among DS children before COVID-19 pandemic.(Haddad et al., 2018; Lee et al., 2021). A study in 2017 found decreased QoL among DS children except in emotional functioning.(Xanthopoulos et al., 2017). Therefore, the pandemic appears to be having a further detrimental effect on DS children, especially by limiting opportunities for physical activity.

From our study, boys were reported to have a better quality of life in the physical aspect than girls. Consistent with previous research which states that boys had a better score in quality of life in physical aspect than girls.(Brodani & Kovacova 2019). Boys are more active than girls at all ages measured using various self-report tools. (Thompson et al., 2003). Some parents are less supportive of physical activity of girls than boys.(Sallis et al., 1992). Further, boys may be more assertive about activities than girls .(Norris et al., 2001).

The older children with DS and hypothyroidism showed better social function QoL than emotional QoL, in accord to Xanthopoulos and colleagues, who reported that youth with DS scored poorer on psychosocial health than youth without DS, providing further evidence of relatively poor emotional well-being among this group. (Xanthopoulos et al., 2017). Significantly, levels of emotional well-being among adolescents aged 13-21 years compared to young children aged 4-5 years.(Lee et al., 2021). Adolescents with DS also show a greater propensity for internalizing symptoms.(Gameren-oosterom et al 2013; Grieco et al., 2015). The older children in our study group had better social function QoL than the younger. Likely due to greater linguistic ability as a previous study found that higher receptive vocabulary scores predicted fewer social problems in DS children.(Næss.2016).

Mother's employment status was associated with all domains of the child's QoL as well as the mother's QoL. A permanent job, can improve social life as well as mental health and psychosocial status. (Gibson-Davis & Gassman-Pines 2010). Many mothers must devote so much time and energy to their DS child that they have no time for relaxation or personal enjoyment, leading to mood swings, low self confidence, and reduced social participation.(Huiracocha et al., 2017). Parents of children with greater impairments also experience greater depression. Theoretically, maternal depression will also reduce QoL of children with special needs.(Gibson-Davis & Gassman-Pines 2010). However, parents of children with DS have reported greater well being than parents of other intellectually disabled children even though they may be anxious and afraid after first receiving the DS diagnosis. It is important that the health system and community organizations work with parents to improve the QoL of both children with DS and their parents. (Marshall et al., 2015; Skotko. 2005; Stoneman. 2007).

Children participating in a greater number of activities per week scored higher on the social function aspect of QoL, consistent with the finding of Haddad and colleagues that better functioning in activities of daily living was associated with improved QoL. Further, children participating in physical activity 3 or more days per week had higher QoL scores than those who were inactive (0-2 days per week). Sebire and colleagues reported a positive association between social acceptance and physical activity among boys. (Sebire et al., 2011). Active children exhibit more well-developed social skills including lower aggression, lower withdrawal, and greater sociability than less active children. It has also been reported that adolescents who have difficulty making friends report lower physical activity than those who find friends easily. (Newcomb et al., 1993; Page et al., 2007). In addition, peer problems, emotional symptoms, hyperactivity, and conduct problems in children are associated with lower levels of physical activity. (Hamer et al., 2009). Children with who have supportive and encouraging friends to their physical activities will be more physically active and demonstrate better social-emotional and social cognitive skills than children without such support. (Davison. 2004; Gifford-Smith & Brownell 2003; Hohepa et al., 2007; King et al., 2008; Panter et al., 2010).

7. Recommendations

- This study can provide information regarding the impact of the COVID-19 pandemic in Down syndrome children with hypothyroidism.
- This study can be used to improve the quality of life of down syndrome children with hypothyroidism.

- Further study is needed to identify the quality of life of DS children with hypothyroidism so the study can be able to conduct early intervention to achieve optimal quality of life.

8. Conclusions

DS children with hypothyroidism in Indonesia are experiencing uniformly poor quality of life during COVID-19 pandemic. There is no different between boy and girls except physical function.

References

- [1] Amr, N. H. (2018). Thyroid disorders in subjects with down syndrome: An update. *Acta Biomedica*, 89(1), 132–139. <https://doi.org/10.23750/abm.v89i1.7120>
- [2] Brodani, J., & Kovacova, N. (2019). The interaction of physical activity, joy of movement and quality of life of high school students at different ages. *Physical Activity Review*, 7, 134–142. <https://doi.org/10.16926/par.2019.07.16>
- [3] Davison, K. K. (2004). Activity-related support from parents, peers, and siblings and adolescents' physical activity: Are there gender differences? *Journal of Physical Activity and Health*, 1(4), 363–376. <https://doi.org/10.1123/jpah.1.4.363>
- [4] Gameren-oosterom, H. B. M. Van, Fekkes, M., Wouwe, J. P. Van, Detmar, S. B., Oudesluys-murphy, A. M., & Verkerk, P. H. (2013). Problem Behavior of Individuals with Down Syndrome in a Nationwide Cohort Assessed in Late Adolescence. *The Journal of Pediatrics*, 163(5), 1396–1401. <https://doi.org/10.1016/j.jpeds.2013.06.054>
- [5] Gibson-Davis, C. M., & Gassman-Pines, A. (2010). Early Childhood Family Structure and Mother-Child Interactions: Variation by Race and Ethnicity. *Developmental Psychology*, 46(1), 151–164. <https://doi.org/10.1037/a0017410>
- [6] Gifford-Smith, M. E., & Brownell, C. A. (2003). Childhood peer relationships: Social acceptance, friendships, and peer networks. *Journal of School Psychology*, 41(4), 235–284. [https://doi.org/10.1016/S0022-4405\(03\)00048-7](https://doi.org/10.1016/S0022-4405(03)00048-7)
- [7] Grieco, J., Pulsifer, M., Seligsohn, K., & Skotko, B. (2015). *Down Syndrome: Cognitive and Behavioral Functioning Across the Lifespan*. 149(May), 135–149. <https://doi.org/10.1002/ajmg.c.31439>
- [8] Haddad, F., Bourke, J., Wong, K., & Leonard, H. (2018). *An investigation of the determinants of quality of life in adolescents and young adults with Down syndrome*. 1–19.
- [9] Hamer, M., Stamatakis, E., & Mishra, G. (2009). Psychological distress, television viewing, and physical activity in children aged 4 to 12 years. *Pediatrics*, 123(5), 1263–1268. <https://doi.org/10.1542/peds.2008-1523>
- [10] Hohepa, M., Scragg, R., Schofield, G., Kolt, G. S., & Schaaf, D. (2007). Social support for youth physical activity: Importance of siblings, parents, friends and school support across a segmented school day. *International Journal of Behavioral Nutrition and Physical Activity*, 4, 1–9. <https://doi.org/10.1186/1479-5868-4-54>
- [11] Huiracocha, L., Almeida, C., Huiracocha, K., Arteaga, J., Arteaga, A., & Blume, S. (2017). Parenting children with Down syndrome: Societal influences. *Journal of Child Health Care*, 21(4), 488–497. <https://doi.org/10.1177/1367493517727131>
- [12] King, K. A., Tergerson, J. L., & Wilson, B. R. (2008). Effect of social support on adolescents' perceptions of and engagement in physical activity. *Journal of Physical Activity and Health*, 5(3), 374–384. <https://doi.org/10.1123/jpah.5.3.374>
- [13] Lee, A., Knafl, G., Knafl, K., & Van Riper, M. (2021). Quality of life in individuals with Down syndrome aged 4 to 21 years. *Child: Care, Health and Development*, 47(1), 85–93. <https://doi.org/10.1111/cch.12815>
- [14] Marshall, J., Tanner, J. P., Kozyr, Y. A., & Kirby, R. S. (2015). Services and supports for young children with Down syndrome: Parent and provider perspectives. *Child: Care, Health and Development*, 41(3), 365–373. <https://doi.org/10.1111/cch.12162>
- [15] Næss, K. A. B. (2016). Development of phonological awareness in down syndrome: A meta-analysis and empirical study. *Developmental Psychology*, 52(2), 177–190. <https://doi.org/10.1037/a0039840>
- [16] Newcomb, A. F., Bukowski, W. M., & Pattee, L. (1993). Children's peer relations: A meta-analytic review of popular, rejected, neglected, controversial, and average sociometric status. *Psychological Bulletin*, 113(1), 99–128. <https://doi.org/10.1037/0033-2909.113.1.99>
- [17] Norris, F. H., Perilla, J. L., & Murphy, A. D. (2001). Postdisaster stress in the United States and Mexico: A cross-

cultural test of the multicriterion conceptual model of posttraumatic stress disorder. *Journal of Abnormal Psychology*, 110(4), 553–563. <https://doi.org/10.1037/0021-843X.110.4.553>

- [18] Page, R. M., Ihasz, F., Simonek, J., Klarova, R., & Hantiu, I. (2007). Friendships and physical activity: Investigating the connection in Central-Eastern European adolescents. *International Journal of Adolescent Medicine and Health*, 19(2), 187–198. <https://doi.org/10.1515/IJAMH.2007.19.2.187>
- [19] Panter, J. R., Jones, A. P., Van Sluijs, E. M. F., & Griffin, S. J. (2010). Attitudes, social support and environmental perceptions as predictors of active commuting behaviour in school children. *Journal of Epidemiology and Community Health*, 64(1), 41–48. <https://doi.org/10.1136/jech.2009.086918>
- [20] Pedrosa, A. L., Bitencourt, L., Fróes, A. C. F., Cazumbá, M. L. B., Campos, R. G. B., de Brito, S. B. C. S., & Simões e Silva, A. C. (2020). Emotional, Behavioral, and Psychological Impact of the COVID-19 Pandemic. *Frontiers in Psychology*, 11(October), 1–18. <https://doi.org/10.3389/fpsyg.2020.566212>
- [21] Russo, G. C., Bernardes, N., Baraldi, N. R., Jeanine, D., Saraiva, B., Angelis, K. De, Janice, C., Lantieri, B., Saraiva, J. F., Nacional, S., Comercial, D. A., Paulo, S., & Paulo, S. (2020). *Actions Against Covid-19 in the Down Syndrome Population*. 939–941.
- [22] Sallis, J. F., Hovell, M. F., & Richard Hofstetter, C. (1992). Predictors of adoption and maintenance of vigorous physical activity in men and women. *Preventive Medicine*, 21(2), 237–251. [https://doi.org/10.1016/0091-7435\(92\)90022-A](https://doi.org/10.1016/0091-7435(92)90022-A)
- [23] Sebire, S. J., Jago, R., Fox, K. R., Page, A. S., Brockman, R., & Thompson, J. L. (2011). Associations between children's social functioning and physical activity participation are not mediated by social acceptance: A cross-sectional study. *International Journal of Behavioral Nutrition and Physical Activity*, 8, 1–9. <https://doi.org/10.1186/1479-5868-8-106>
- [24] Skotko, B. (2005). Mothers of children with Down syndrome reflect on their postnatal support. *Pediatrics*, 115(1), 64–77. <https://doi.org/10.1542/peds.2004-0928>
- [25] Stoneman, Z. (2007). Examining the Down syndrome advantage: Mothers and fathers of young children with disabilities. *Journal of Intellectual Disability Research*, 51(12), 1006–1017. <https://doi.org/10.1111/j.1365-2788.2007.01012.x>
- [26] Thompson, P. D., Buchner, D., Piña, I. L., Balady, G. J., Williams, M. A., Marcus, B. H., Berra, K., Blair, S. N., Costa, F., Franklin, B., Fletcher, G. F., Gordon, N. F., Pate, R. R., Rodriguez, B. L., Yancey, A. K., & Wenger, N. K. (2003). Exercise and physical activity in the prevention and treatment of atherosclerotic cardiovascular disease: A statement from the council on clinical cardiology (subcommittee on exercise, rehabilitation, and prevention) and the council on nutrition, physical. *Circulation*, 107(24), 3109–3116. <https://doi.org/10.1161/01.CIR.0000075572.40158.77>
- [27] Wardin, I. (2016). the Validity and Reliability Test of the Pediatric Quality of Life Inventory Multidimensional Fatigue Scale Versions of Indonesia (PedsqL Mfs-I) in Children Who Are Through Chemotherapy. *Jurnal Ilmu Kesehatan*, 4.
- [28] Xanthopoulos, M. S., Walega, R., Xiao, R., Prasad, D., Pipan, M. M., Zemel, B. S., Berkowitz, R. I., Magge, S. N., & Kelly, A. (2017). Caregiver-Reported Quality of Life in Youth with Down Syndrome. *The Journal of Pediatrics*, 1–8. <https://doi.org/10.1016/j.jpeds.2017.06.073>