## **VOLUME 3 ISSUE 6: NOV - DEC 2022**



# INTERNATIONAL JOURNAL OF SCIENTIFIC ADVANCES

ISSN: 2708 - 7972

WWW.IJSCIA.COM



VOLUME 3 I ISSUE 6: NOV - DEC 2022

Dietary Intake and Physical Activity in Relation to Obesity in 6-12 Years Old Children at SDN Banyu Urip III/364 Surabaya

Dietary Intake and Physical Activity in Relation to Obesity in 6-12 Years Old Children at SDN Banyu Urip III/364 Surabaya

Read More »

https://doi.org/10.51542/ijscia.v3i6.25

#### Exercise Intensity and Its Relation to Sperm Count on Healthy Male Adults

O 31 December 2022 • ≡ Volume3 Issue 6

Exercise Intensity and Its Relation to Sperm Count on Healthy Male Adults Samuel Davin1, Wardina Halim2, and Sundari Indah Wiyasihati3\*

Read More »

https://doi.org/10.51542/ijscia.v3i6.24

Relationship Between Obesity and Menstrual Cycle Disorders in Adolescent Girls at SMP Al-Izzah International Islamic Boarding School Batu in 2021

Q

International Islamic Boarding School Batu in 2021

Read More »

https://doi.org/10.51542/ijscia.v3i6.23

Performance Comparison Between Convolutional Neural Network-Based Artificial Intelligence SiCoSa with a Combination of 2 Radiology Specialists at Universitas Airlangga Hospital in Diagnosing COVID-19 on Chest X-Ray Images

Performance Comparison Between Convolutional Neural Network-Based Artificial Intelligence SiCoSa with a Combination of 2 Radiology Specialists at Universitas Airlangga Hospital

Read More »

https://doi.org/10.51542/ijscia.v3i6.22

Quality Assurance of Professional Studies and The Development of 21st C Skills Among Students in Cameroon Private Universities: The Case of Private Universities in Mfoundi Division

Quality Assurance of Professional Studies and The Development of 21st C Skills Among Students in Cameroon Private Universities: The Case

Read More »

https://doi.org/10.51542/ijscia.v3i6.21

Clinical Profile of Multidrug-Resistant Organisms at Burn Center Dr. Soetomo General Hospital Surabaya from June 2020 to June 2021

Clinical Profile of Multidrug-Resistant Organisms at Burn Center Dr. Soetomo General Hospital Surabaya from June 2020 to June 2021 Malikulsaleh1,

Read More »

https://doi.org/10.51542/ijscia.v3i6.20

Association Analysis of Individual Characteristics with Dietary Adherence of T2DM Patients as an Effort to Control Blood Glucose Levels

Association Analysis of Individual Characteristics with Dietary Adherence of T2DM Patients as an Effort to Control Blood Glucose Levels Fadhilah

Read More »

https://doi.org/10.51542/ijscia.v3i6.19

The Correlation Between Maternal Care for Breastfeeding and Complementary Foods with the Nutritional Status of Infants in Puskesmas Panekan Magetan Regency

Q

Read More »

https://doi.org/10.51542/ijscia.v3i6.18

#### Is Vitamin D the Elixir of Life?

24 December 2022 • 
 ■ Volume3 Issue 6

Is Vitamin D the Elixir of Life? Miew Leng Khoo2, Kris Ke Shyang See2\*, Romel Mario Soyza1, Kishan Kanan Yoqaratnam1,

Read More »

https://doi.org/10.51542/ijscia.v3i6.17

#### The Correlation Between Age at Onset and Metabolic Control with Anthropometrics Status in Children with Type 1 Diabetes

O 24 December 2022 • ≡ Volume3 Issue 6

The Correlation Between Age at Onset and Metabolic Control with Anthropometrics Status in Children with Type 1 Diabetes Khalimatus Sa'diyah1,

Read More »

https://doi.org/10.51542/ijscia.v3i6.16

#### Policy Issues Affecting the Health of Older Individuals in the United States

Policy Issues Affecting the Health of Older Individuals in the United States Oyintoun-emi Ozobokeme MD1, Okelue Edwards Okobi MD2\*, Uduak

Read More »

https://doi.org/10.51542/ijscia.v3i6.15

## Efficacy and Safety of Stem Cell Therapy in Diabetic Retinopathy: A Scoping Review

Efficacy and Safety of Stem Cell Therapy in Diabetic Retinopathy: A Scoping Review Alif Raihan Laksono1, Salma Firdaus1 and Reny

Read More »

https://doi.org/10.51542/ijscia.v3i6.14

# Correlation Between Gender and Random Plasma Glucose on The Outcome of Sepsis Patients with Type 2 Diabetes Mellitus in The Internal Medicine Room of Dr. Soetomo General Hospital

● 19 December 2022 • 

■ Volume3 Issue 6

Correlation Between Gender and Random Plasma Glucose on The Outcome of Sepsis Patients with Type 2 Diabetes Mellitus in The

Read More »

https://doi.org/10.51542/ijscia.v3i6.13

Q

riasic Limances brain bevelopment in Frematare infants. A Literature

#### Review

18 December 2022 • 
 Volume3 Issue 6

Music Enhances Brain Development in Premature Infants: A Literature Review Inggil Wirya Pranata1, Maulana Bagus Adi Cahyono1 and **Nur** Aisiyah

Read More »

https://doi.org/10.51542/ijscia.v3i6.12

#### The Comparison of Quality of Life in Children with Type 1 Diabetes Mellitus Based on Parents and Children Report

13 December 2022 • 
 Volume3 Issue 6

The Comparison of Quality of Life in Children with Type 1 Diabetes Mellitus Based on Parents and Children Report Hafidz

Read More »

https://doi.org/10.51542/ijscia.v3i6.11

#### Time Wave Function of the Universe

O 25 November 2022 • ≡ Volume3 Issue 6

Time Wave Function of the Universe Takaaki Musha Abstract Hartle and Hawaking have obtained expression for the wave function of

Read More »

https://doi.org/10.51542/ijscia.v3i6.10

# Globalization in Egypt in Historical Context: "Globalization, Transnational Mobilities, and the Local in Ancient Egypt"

• 18 November 2022 • 

■ Volume3 Issue 6

Globalization in Egypt in Historical Context: "Globalization, Transnational Mobilities, and the Local in Ancient Egypt" Hamed Abdelreheem Ead Abstract The

Read More »

https://doi.org/10.51542/ijscia.v3i6.9

#### Use of Rainwater in a Hydroponic Greenhouse

O 18 November 2022 • ≡ Volume3 Issue 6

Use of Rainwater in a Hydroponic Greenhouse José Luis Hernández Corona1, Jonny Carmona Reyes2\* and Noe Cervantes SanLuis1 Abstract The

Read More »

https://doi.org/10.51542/ijscia.v3i6.8

#### Beta Cell Death Mechanism in Type 2 Diabetes: An Overview

17 November 2022 • 
 Volume3 Issue 6

Beta Cell Death Mechanism in Type 2 Diabetes: An Overview Mikhael Akbar Rizky Siagian1, Bellinda Zalzabillah Tazkira1 and Lilik Herawati2\*

Read More »

https://doi.org/10.51542/ijscia.v3i6.7

4/17/23, 10:42 AM Editorial board -



**SCIENTIFIC ADVANCES** 



### **EDITORIAL BOARD**

Editor-in-Chief

Dr. T. J. Ashaolu

Email: editor@ijscia.com, ijsciaeditor@gmail.com

Assistant Editor-in-Chief

Joseph O. Ashaolu

National Yang-Ming University, Taipei, Taiwan

Q

4/17/23, 10:42 AM Editorial board -

Rp 199,0 JT	Rp 109,0 JT	Rp 80,0 JT	Rp 108,0 JT	

Beli Mobil Pasti Dapat Garansi

#### **EDITORIAL MEMBERS**

Prof. Emeritus MNO Sadiku Prairie View A&M University Texas, USA

Professor Ramesh C. Gupta Former Vice Chancellor, Radha Govind University Jharkhand, India

> Professor Massoud Kaykhaii University of Sistan & Baluchestan Zahedan, Iran

Professor Elżbieta Macioszek Silesian University of Technology Gliwice, Poland

Professor Dariusz Jacek Jakobczak Koszalin University of Technology Koszalin, Poland

Asst. Prof. Esam AL Lawati A' Sharqiyah University Ibra, Sultanate of Oman

Dr. S. A. O. Adeyeye Ton Duc Thang University Ho Chi Minh City, Vietnam

Asst. Prof. Ibrahim Khalifa Benha University Moshtohor, Egypt

Professor Dr. Ho Soon Min INTI International University Nilai, Malaysia

Dr. B. J. Alegbeleye St Elizabeth Catholic General Hospital Kumbo-Nso, Cameroon

Dr. Ridwan Babatunde Ibrahim Academia Sinica Taipei, Taiwan 4/17/23, 10:42 AM

#### Editorial board -

Prof. Dr. Eng. Ahmed kadhim Hussein Babylon University Babylon City, Hiila, Iraq

Dr. Murat Basar IVF Laboratories Bahçeci Sağlık Grubu Istanbul, Turkey

Dr. Bassam Saeed Farah Association for Child with Kidney Disease Damascus, Syria

Asst. Prof. Selezneva Irina Stanislavovna Ural Federal University Yekaterinburg, Russia

> Professor Michael Gr. Voskoglou GTES Institute of Western Greece Patras, Greece

Assoc. Prof. Thoudam Paraskumar Singh MGM College of Engineering and Technology Kamothe, Navi Mumbai, India

> Dr. Isaac Delali Kottoh Ghana Atomic Energy Commission Accra, Ghana

Assoc. Prof. Godfred A Menezes RAK Medical & Health Sciences University Ras Al Khaimah, United Arab Emirate

Assoc. Prof. Syed Kamran Sami Balochistan University of Information Technology Quetta, Pakistan

Asst. Prof. Muhammad Amin Balochistan University of Information Technology Quetta, Pakistan

Ma. Gladys B. Aquino De La Salle Medical and Health Sciences Institute Dasmariñas, Philippines

> Assoc. Prof. Vahe Davtyan Brusov State University Yerevan, Armenia

Dr. Sylvain Somé Marie National Yang-Ming University Taipei, Taiwan

Professor Teresa Orbera University of Oriente Santiago de Cuba, Cuba

Dr. Magdaline Joseph Kwaji Bioresources Development Center Odi, Bayelsa, Nigeria

#### Editorial board -

> Asst. Prof. Nisarg G. Gandhewar SB Jain Institute of Technology Nagpur, India

Dr. Manoj Khandelwal Federation University Ballarat, Victoria, Australia

> Dr. Taimur Sharif Newman University Birmingham, UK

Dr. Tinni Dutta University of Calcutta Kolkata, India

Professor Dr. Jacob Oluwoye Alabama A&M University Normal, Alabama, USA

Dr. Benjamin D. Sookhoo University of South Florida Tampa, Florida, USA

Victor Eyo Assi University of Uyo Uyo, Akwa Ibom, Nigeria

Dr. Bid D. Dhrubaprasad Sarvajanik College of Physiotherapy Gujarat, India

Dr. Ankit Bhargava Consultant Physio & Fitness Expert-Wendt India Ltd. India

> Dr. Manoranjan Tripathy Dev Sanskriti Vishwavidyalaya Uttarakhand, India

Asst. Prof. Abbas Ar. Mohamed PMBAH National Guard Health Affairs Al Madinah Al Munawwarah, Kingdom of Saudi Arabia

> Asst. Prof. Nurul Mohammad Zayed Daffodil International University Dhaka, Bangladesh

> > Prof. Dr. Hasibun Naher Brac University Dhaka, Bangladesh

Davis Ojima J.P. Bursar Ignatius Ajuru University of Education Port Harcourt, Rivers, Nigeria

Dr. Okogwu Antonia

#### Editorial board -

Oniversity or Fort Harcourt Port Harcourt, River, Nigeria

Dr. Garyfalia Charitaki Hellenic Open University ( University of Thessaly ) Volos, Greece

> Dr. Munish Kumar Sharma University of Alberta Edmonton, Canada

Dr. Niyonzima N. Francois Deputy Vice Chancellor Academic and Research INES Ruhengeri, Rwanda

> Dr. Srishti Sharma M. Patel College of Physiotherapy Gandhi Nagar, India

Professor R. K. Mathukia Junagadh Agricultural University Junagadh, Gujarat, India

Professor Hamid Ali Abed Al-Asadi Basra University Basra, Iraq

Dr. Firas Abdullah Thweny Al-Saedi Nahrain University Baghdad, Iraq and Private Researcher, New Jersey, USA

> Dr. George Fuh Kum University of Yaoundé I Yaoundé, Cameroon

Professor Mohamed El Houseny El Sebeay Shams Mansoura University Mansoura, Egypt

> Dr. Peter Ashlame Agu Nasarawa State University Keffi, Nigeria

Dr. Asadullah Baloch Mir Chakar Khan Rind University Quetta, Pakistan

Professor Ignatius Isaac Dambudzo Zimbabwe Open University, Harare, Zimbabwe

Professor Hamid Ali Abed Alasadi Iraq University College Basra, Iraq

Dr. Ammar Daher Bashatweh Independent Scholar Irbid, Jordan

Subrat Kumar Mahapatra
Central University

Suriumketum, vvest bengur

Dr. Xiong Chen Hubei University of Medicine Shiyan City, China



ISSN: 2708-7972



This work is licensed under a Creative Commons Attribution 4.0 (International) Licence.(CC BY-NC 4.0).

#### **Navigations**

- > About IJSCIA
- > Editorial Board
- > Achives
- > Research Areas
- > Ethical Guidelines
- > Article Processing Charges
- > Submit Paper
- > Payment Link

#### Download

- > Sample Paper Format
- > Copyright Form

#### Support

- > Contact Us
- > F.A.Q



Volume: 3 | Issue: 6 | Nov - Dec 2022 Available Online: www.ijscia.com

DOI: 10.51542/ijscia.v3i6.16

# The Correlation Between Age at Onset and Metabolic Control with Anthropometrics Status in Children with Type 1 Diabetes

# Khalimatus Sa'diyah<sup>1</sup>, Nur Rochmah<sup>2\*</sup>, Ummi Maimunah<sup>3</sup> and Taufiq Hidayat<sup>2</sup>

<sup>1</sup>Faculty of Medicine, Universitas Airlangga <sup>2</sup>Department of Child Health, Faculty of Medicine, Universitas Airlangga <sup>3</sup>Department of Internal Medicine, Faculty of Medicine, Universitas Airlangga

\*Corresponding author details: Nur Rochmah; nur-r@fk.unair.ac.id

#### **ABSTRACT**

**Background:** Type 1 Diabetes is the most prevalent chronic disease in childhood. The most common cause of T1DM is an autoimmune process. Age at onset and metabolic control can affect the anthropometric status of children with T1DM. This research intends to find the correlation between age at onset and metabolic control with the anthropometrics status of children with T1DM because it is still controversial. **Methods:** The design was a cross-sectional study. The inclusion criteria were medical records of patients with Type 1 Diabetes aged 2-18 years old who regularly control to pediatric endocrinology outpatient clinic, Dr. Soetomo Hospital, Surabaya from January 2020 - December 2021. Data collected were age at onset, HbA1c levels, height, and weight. The correlation between variables was analyzed by using Pearson test. **Result:** Twenty-six patients joined the study. The mean onset was  $8.38 \pm 3.07$  years. One (3.8%) patient had good metabolic control, 8 (30.8%) intermediate, and 17 (65.4%) had poor metabolic control. Around 73.1% had normal height and 65.4% had normal weight. The correlation of age at onset, height, and weight was [(r=0.774, p=<0.000); (r=0.555, p=0.003)] respectively. The correlation of metabolic control, height, and weight was [(r=0.224=0.271); -0.36, p=0.86)]. **Conclusion:** There is a correlation between age at onset and anthropometrics status. It is very important to monitor height and weight in Type 1 Diabetes Mellitus patient.

Keywords: age at onset; height; metabolic control; type 1 diabetes; weight

#### INTRODUCTION

Diabetes mellitus (DM) is defined as a chronic metabolic disease because of abnormalities in insulin secretion, insulin action, or both1. In children and young adults Type 1 Diabetes Mellitus (T1DM) is more prevalent than Type 2. Data shows that the increment in diabetes cases globally has reached 51%. In Indonesia, the incidence of T1DM in children increased by 700% (28.19 per 100 million population) from 2000-2010<sup>2</sup>.

The most common cause of T1DM is an autoimmune process that damages pancreatic beta cells and impairs the ability to produce insulin. Polyuria, polydipsia, polyphagia with weight loss, nocturia, and enuresis are the typical symptoms of this disease. If this abnormality is not treated appropriately, it will slow down children's growth rates¹. Poor glycemic control may cause growth problems³. The age of onset also affects the T1DM child's growth in height and weight⁴. T1DM is incurable but good metabolic control efforts can help children to maintain the quality of their growth⁴.

The correlation of age at onset and metabolic control with the anthropometrics status is still controversial. Studies on this subject are quite limited in Indonesia. This research aims to determine the correlation between age at onset and metabolic control with anthropometric status in children with T1DM in Dr. Soetomo Hospital Surabaya.

#### METHODS

This research was an analytic observational study with a cross-sectional design using secondary data. Medical record was taken randomly. Data obtained from the medical records of T1DM patients who were routinely controlled at the Children's Endocrine Outpatient Clinic at Dr. Soetomo Hospital Surabaya. Inclusion criteria were: 1) Medical records of T1DM children aged 2-18 years who are treated at Dr. Soetomo Hospital Surabaya with a period from January 2020 – December 2021; 2) Contains the data needed, such as: age at onset, HbA1c levels, height, and weight. This study using a consecutive sampling technique.

#### Operational definition

Age at onset is the time when the patients are initially diagnosed with T1DM. The age of onset is recorded by rounding up if the age if >6 months and rounding down if the age is <6 months. Metabolic control (HbA1C levels) were analyzed in Dr. Soetomo Hospital Surabaya. Height and weight as anthropometric status were measured using a stadiometer and standing scale done by the healthcare professionals in the pediatric endocrinology outpatient clinic, Dr. Soetomo Hospital, Surabaya. The height scale used was in centimeter while body weight was in kilogram. This study was approved by the Faculty of Medicine Health Research and Ethics Committee with ethical clearance number 0735/LOE/301.4.2/XII/2021 on 28 December 2021.

The data that has been collected will be tested for normality using the Kolmogorov-Smirnov test and then analyzed using the Pearson test to determine the correlation between the two variables and measure the strength of the correlation between research variables. The data is statistically processed through the Statistical Product and Service Solution (SPSS) program.

#### **RESULT**

This study involved 26 medical records of children with T1DM. The age range is from 2 to 18 years. The characteristic of the participants is shown in Table 1. The mean age of the subjects is  $11.5 \pm 3.14$  years old. The age onset distribution of subjects at least 2 years and 14 years of the oldest with an average of 8.38 ± 3.07 years. HbA1c levels showed various results with the lowest value being 6.9% and the highest being 16.1%, dominated by the patients with poor HbA1c levels of as much as 17 (65.4%). The shortest and tallest individuals measured 93 cm and 168 cm, respectively, with the average final height coming in at 137 ± 17.51 cm. Additionally, weight ranges from 12.5 kg to 68 kg, with a mean of  $33.6 \pm 12.38$  kg. The comparison between onset height and final height had a significance value of p = 0.013 (<0.05). Whereas the onset weight and final weight have significance with a value of p = 0.018(<0.05).

**TABLE 1:** Characteristics of the research subjects.

Characteristics	Frequency (n)	
Gender		
Girls	19	
Boys	7	
Age		
2-5 years	2	
6-10 years	7	
10-18 years	17	
Age at Onset		
0-5 years	6	
6-10 years	12	
11-15 years	8	
HbA1c Level		
Good <7.5%	1	
Intermediate 7.5-9.0%	8	
Poor >9.0%	17	
Anthropometrics Status		
Height		
Normal (p5-p95)	19	
Short stature ( <p5)< td=""><td colspan="2">7</td></p5)<>	7	
Weight		
Normal (p5-p95)	17	
Underweight ( <p5)< td=""><td>9</td></p5)<>	9	

**TABLE 2:** The comparison of the z score height and weight of onset according to age at onset group.

	0-5 years	6-10 years	11-15 years
HAZ	-1,44 ± 14,5	-1,23 ± 1,19	-0,66 ± 1,15
WAZ	-1,6 ± 2,14	-2,35 ± 2,34	$-1,18 \pm 2,24$

In the comparison of z scores (Table 4), it was found that children diagnosed at 0-5 years were the shortest and the lowest weight was in the 6-10 years age group.

**TABLE 3:** The correlation between age at onset and metabolic control with anthropometrics status.

Correlation					
Variable		Anthropometrics status			
		Height	Weight		
Age at onset	Coefficient correlation	0.774	0.555		
	p value	<0.000	0.003		
Metabolic control	Coefficient correlation	0.224	-0,36		
	p value	0.271	0.86		

Based on the data analysis, it shows that there is a correlation between age at onset and anthropometrics status, indicate by a significance value of p = <0.000 and 0.003 (<0.05). But there is no correlation between metabolic control and anthropometrics status cause the significance value was p = 0.271 and 0.86 (>0.05).

#### DISCUSSION

This study found a correlation between age at onset and anthropometric status. Data showed that children with onset age between 0 and 5 had the shortest heights (HAZ-1.44 to 1.45). The findings of several studies that have been conducted confirm this conclusion. According to research from Pakistan, a child's age and age of onset of T1DM will have an impact on their growth. Poorer growth is related to younger onset age<sup>5</sup>. Children diagnosed before 3 years are the most affected, while those diagnosed after 14 years have the least impact<sup>4</sup>.

The correlation between age at onset and the body weight of children with T1DM was also found to be related in this study. It is well known that children with T1DM tend to be underweight than normally healthy children<sup>4</sup>. The lack of the hormone insulin is the primary cause of the common weight loss that occurs in children with T1DM, which causes glucosuria, an increase in blood glucose levels, and then weight loss<sup>6</sup>.

The examination of HbA1c levels is used as a standard parameter of metabolic control<sup>3</sup>. This study was dominated by subjects with poor HbA1c levels. Similar to Saudi Arabian research which examined 189 T1DM children, the largest percentage of subjects was 43.2% with poor metabolic control (HbA1c > 9.0%), 32.2% with intermediate metabolic control (7.5-9.0%), and another 17.8% at a good level of metabolic control (<7.5%)<sup>6</sup>.

This study shows that there is no correlation between metabolic control and anthropometric status. The majority of the subjects had normal heights and weights even if 65.4% of them had poor metabolic control (HbA1c > 9.0%). Assar et al conducted that growth in T1DM children is not solely determined by metabolic control.

In this study, most of the subjects aged 10-18 years (65.4%) and 73.1% are female. This result is in line with the earlier research in Sudan, which discovered that the majority of T1DM patients were female and that over 70% of T1DM cases were in the 11–19 age group and another 8.5% were under 5 years old8.

However, the limitations of this study are not examining the factors of insulin therapy, nutrition, education, and physical activity which can also affect the level of metabolic control in children with T1DM. Therefore, it is necessary to do similar research that includes these factors as research variables.

#### CONCLUSION

According to this study, most of the children had normal height and weight. Dominated by children with poor metabolic control. There is a correlation between age at onset and anthropometrics status. But there is no correlation between metabolic control and anthropometrics status.

#### REFERENCES

- [1] Mayer Davis, E., Kahkoska, A., Jefferies, C., Dabelea, D., Balde, N., Gong, C., Aschner, P. and Craig, M., 2018. ISPAD Clinical Practice Consensus Guidelines 2018: Definition, epidemiology, and classification of diabetes in children and adolescents. Pediatric Diabetes, 19, pp.7-19.
- [2] Pulungan, A., Annisa, D. and Imada, S., 2019. Diabetes Melitus Tipe-1 pada Anak: Situasi di Indonesia dan Tata Laksana. Sari Pediatri, 20(6), p.392.
- [3] Tridjaya AAP, B., Yati, N., Faizi, M., Marzuki, A., Moelyo, A. and Soesanti, F., 2015. Konsensus Nasional Pengelolaan Diabetes Melitus Tipe 1. Jakarta: UKK Endokrinologi Anak dan Remaja.

- [4] Khadilkar, A., Chiplonkar, S., Borade, A., Khadilkar, V., Parthasarathy, L. and Mallade, B., 2013. Growth status of children and adolescents with type 1 diabetes mellitus. Indian Journal of Endocrinology and Metabolism, 17(6), p.1057.
- [5] Shaikh, W., Riaz, M., Askari, S. and Basit, A., 2022. Linear Growth and Final Height in People with Type 1 Diabetes: A Study from Karachi, Pakistan. Cureus,
- [6] Aljuhani FM, Al-Agha AE, Almunami BA, et al.: Growth status of children and adolescents with type 1 diabetes mellitus in Jeddah, Saudi Arabia: a cross-sectional study. Curr Pediatr Res. 2018, 22:249-54.
- [7] Assar, S., Riahi, K., Bashirnezhad, S., Yazdanpanah, L. and Latifi, S., 2015. The Relationship between Metabolic Control and Growth in Children with Type I Diabetes Mellitus in Southwest of Iran. Scientifica, 2015, pp.1-5.
- [8] Saad, F., Mahmoud, L., Ali, A., Omer, I. and Abdullah, M., 2020. Incidence and prevalence of type 1 diabetes mellitus in children and adolescents aged 6 months-19 years in Khartoum State, Sudan. Sudanese Journal of Paediatrics, pp.163-169.