ISSN: 1412-033X E-ISSN: 2085-4722

BIODIVERSITAS Journal of Biological Diversity Volume 22 - Number 3 - March 2021

Front cover: Paphiopedilum javanicum (Reinw. ex Lindl.) Pfitzer, Jahrb. (Рното: sunoocнi)

Published monthly











ISSN/E-ISSN: 1412-033X (printed edition), 2085-4722 (electronic)

EDITORIAL BOARD:

 Abdel Fattah N.A. Rabou (Palestine), Agnieszka B. Najda (Poland), Ajay Kumar Gautam (India), Alan J. Lymbery (Australia), Annisa (Indonesia), Bambang H. Saharjo (Indonesia), Daiane H. Nunes (Brazil), Darlina Md. Naim (Malaysia), Ghulam Hassan Dar (India), Hassan Pourbabaei (Iran), Joko R. Witono (Indonesia), Kartika Dewi (Indonesia), Katsuhiko Kondo (Japan), Kusumadewi Sri Yulita (Indonesia), Livia Wanntorp (Sweden), M. Jayakara Bhandary (India), Mahdi Reyahi-Khoram (Iran), Mahendra K. Rai (India), Mahesh K. Adhikari (Nepal), Maria Panitsa (Greece), Mochamad A. Soendjoto (Indonesia), Mohib Shah (Pakistan), Mohamed M.M. Najim (Srilanka), Nurhasanah (Indonesia),
Praptiwi (Indonesia), Rasool B. Tareen (Pakistan), Seyed Aliakbar Hedayati (Iran), Seyed Mehdi Talebi (Iran), Shahabuddin (Indonesia),
Shahir Shamsir (Malaysia), Shri Kant Tripathi (India), Subhash C. Santra (India), Sugeng Budiharta (Indonesia), Sugiyarto (Indonesia), Taufiq Purna Nugraha (Indonesia), Yosep S. Mau (Indonesia)

EDITOR-IN-CHIEF: Sutarno

EDITORIAL MEMBERS:

English Editors: Graham Eagleton (grahameagleton@gmail.com), Suranto (surantouns@gmail.com); Technical Editor: Solichatun (solichatun_s@yahoo.com), Artini Pangastuti (pangastuti_tutut@yahoo.co.id); Distribution & Marketing: Rita Rakhmawati (oktia@yahoo.com); Webmaster: Ari Pitoyo (aripitoyo@yahoo.com)

MANAGING EDITORS:

Ahmad Dwi Setyawan (unsjournals@gmail.com)

PUBLISHER:

The Society for Indonesian Biodiversity

CO-PUBLISHER:

Department of Biology, Faculty of Mathematics and Natural Sciences, Sebelas Maret University, Surakarta

ADDRESS:

Jl. Ir. Sutami 36A Surakarta 57126. Tel. +62-271-7994097, Tel. & Fax.: +62-271-663375, email: editors@smujo.id

ONLINE:

biodiversitas.mipa.uns.ac.id; smujo.id/biodiv

Society for In Biodiversity



Sebelas Maret University Surakarta

Published by Smujo International for The Society for Indonesian Biodiversity and Sebelas Maret University Surakarta

GUIDANCE FOR AUTHORS

Aims and Scope *Biodiversitas, Journal of Biological Diversity* or abbreviated as *Biodiversitas* encourages submission of manuscripts dealing with all biodiversity aspects of plants, animals and microbes at the level of the gene, species, and ecosystem as well as ethnobiology.

Article types The journal seeks original full-length research papers, reviews, and short communication. Manuscript of original research should be written in no more than 8,000 words (including tables and picture), or proportional with articles in this publication number. Review articles will be accommodated, while, short communication should be written at least 2,000 words, except for pre-study.

Submission The journal only accepts online submission, through open journal system (https://smujo.id/biodiv/about/submissions) or email to the editors at unsjournals@gmail.com. Submitted manuscripts should be the original works of the author(s). The manuscript must be accompanied by a cover letter containing the article title, the first name and last name of all the authors, a paragraph describing the claimed novelty of the findings versus current knowledge. Submission of a manuscript implies that the submitted work has not been published before (except as part of a thesis or report, or abstract); and is not being considered for publication elsewhere. When a manuscript written by a group, all authors should read and approve the final version of the submitted manuscript and its revision; and agree the submission of manuscripts for this journal. All authors should have made substantial contributions to the concept and design of the research, acquisition of the data and its analysis; drafting of the manuscript and correcting of the revision. All authors must be responsible for the quality, accuracy, and ethics of the work.

Ethics Author(s) must obedient to the law and/or ethics in treating the object of research and pay attention to the legality of material sources and intellectual property rights.

Copyright If and when the manuscript is accepted for publication, the author(s) still hold the copyright and retain publishing rights without restrictions. Authors or others are allowed to multiply article as long as not for commercial purposes. For the new invention, authors are suggested to manage its patent before published.

Open access The journal is committed to free-open access that does not charge readers or their institutions for access. Readers are entitled to read, download, copy, distribute, print, search, or link to the full texts of articles, as long as not for commercial purposes. The license type is CC-BY-NC-SA.

Acceptance The only articles written in English (U.S. English) are accepted for publication. Manuscripts will be reviewed by editors and invited reviewers(double blind review) according to their disciplines. Authors will generally be notified of acceptance, rejection, or need for revision within 1 to 2 months of receipt. The manuscript is rejected if the content does not in line with the journal scope, does not meet the standard quality, inappropriate format, complicated grammar, dishonesty (i.e. plagiarism, duplicate publications, fabrication of data, citations manipulation, etc.), or ignoring correspondence in three months. The primary criteria for publication are scientific quality and biodiversity significance. Uncorrected proofs will be sent to the corresponding author by email as .doc or .docx files for checking and correcting of typographical errors. To avoid delay in publication, corrected proofs should be returned in 7 days. The accepted papers will be published online in a chronological order at any time, but printed in the early of each month (12 times).

A charge Starting on January 1, 2019, publishing costs waiver is granted to authors of graduate students from Least Developed Countries, who first publish the manuscript in this journal. However, other authors are charged USD 250 (IDR 3,500,000). Additional charges may be billed for language editing, USD 75-150 (IDR 1,000,000-2,000,000).

Reprints The sample journal reprint is only available by special request. Additional copies may be purchased when ordering by sending back the uncorrected proofs by email.

Manuscript preparation Manuscript is typed on A4 (210x297 mm²) paper size, in a single column, single space, 10-point (10 pt) Times New Roman font. The margin text is 3 cm from the top, 2 cm from the bottom, and 1.8 cm from the left and right. Smaller lettering size can be applied in presenting table and figure (9 pt). Word processing program or additional software can be used, however, it must be PC compatible and Microsoft Word based (.doc or .rtf; not .docx). Scientific names of species (incl. subspecies, variety, etc.) should be written in italic, except for italic sentence. Scientific name (genera, species, author), and cultivar or strain should be mentioned completely for the first time mentioning it in the body text, especially for taxonomic manuscripts. Name of genera can be shortened after first mentioning, except generating confusion. Name of the author can be eliminated after first mentioning. For example, Rhizopus oryzae L. UICC 524, hereinafter can be written as R. oryzae UICC 524. Using trivial name should be avoided, otherwise generating confusion. Biochemical and chemical nomenclature should follow the order of the IUPAC - IUB. For DNA sequence, it is better used Courier New font. Symbols of standard chemical and abbreviation of chemistry name can be applied for common and clear used, for example, completely written butilic hydroxyl toluene (BHT) to be BHT hereinafter. Metric measurement use IS denomination, usage other system should follow the value of equivalent with the denomination of IS first mentioning. Abbreviations set of, like g, mg, mL, etc. do not follow by dot. Minus index (m-2, L-1, h-1) suggested to be used, except in things like "perplant" or "per-plot". Equation of mathematics does not always can be written down in one column with text, in that case can be written separately. **Number** one to ten are expressed with words, except if it relates to measurement, while values above them written in number, except in early sentence. The fraction should be expressed in decimal. In the text, it should be used "%" rather than "percent". Avoid expressing ideas with complicated sentence and verbiage, and used efficient and effective sentence.

Title of the article should be written in compact, clear, and informative sentence, preferably not more than 20 words. Name of author(s) should be completely written. **Name and institution** address should also be completely written with street name and number (location), postal code, telephone number, facsimile number, and email address. Manuscript written by a group, author for correspondence along with address is required. First page of the manuscript is used for writing above information.

Abstract should not be more than 200 words. Keywords is about five words, covering scientific and local name (if any), research theme, and special methods which used; and sorted from A to Z. All important abbreviations must be defined at their first mention. Running title is about five words. Introduction is about 400-600 words, covering the background and aims of the research. Materials and Methods should emphasize on the procedures and data analysis. Results and Discussion should be written as a series of connecting sentences, however, for manuscript with long discussion should be divided into subtitles. Thorough discussion represents the causal effect mainly explains for why and how the results of the research were taken place, and do not only re-express the mentioned results in the form of sentences. Concluding sentence should be given at the end of the discussion. Acknowledgments are expressed in a brief; all sources of institutional, private and corporate financial support for the work must be fully acknowledged, and any potential conflicts of interest are noted.

Figures and Tables of maximum of three pages should be clearly presented. Title of a picture is written down below the picture, while title of a table is written above the table. Colored figures can only be accepted if the information in the manuscript can lose without those images; chart is preferred to use black and white images. Author could consign any picture or photo for the front cover, although it does not print in the manuscript. All images property of others should be mentioned source. There is no appendix, all data or data analysis are incorporated into Results and Discussions. For broad data, it can be displayed on the website as a supplement.

References Author-year citations are required. In the text give the authors name followed by the year of publication and arrange from oldest to newest and from A to Z. In citing an article written by two authors, both of them should be mentioned, however, for three and more authors only the first author is mentioned followed by et al., for example: Saharjo and Nurhayati (2006) or (Boonkerd 2003a, b, c; Sugiyarto 2004; El-Bana and Nijs 2005; Balagadde et al. 2008; Webb et al. 2008). Extent citation as shown with word "cit" should be avoided. Reference to unpublished data and personal communication should not appear in the list but should be cited in the text only (e.g., Rifai MA 2007, pers. com. (personal communication); Setyawan AD 2007, unpublished data). In the reference list, the references should be listed in an alphabetical order (better, if only 20 for research papers). Names of journals should be abbreviated. Always use the standard abbreviation of a journal's name according to the ISSN List of Title Word Abbreviations (www.issn.org/2-22661-LTWA-online.php). The following examples are for guidance. Journal:

Saharjo BH, Nurhayati AD. 2006. Domination and composition structure change at hemic peat natural regeneration following burning; a case study in Pelalawan, Riau Province. Biodiversitas 7: 154-158.

Book:

Rai MK, Carpinella C. 2006. Naturally Occurring Bioactive Compounds. Elsevier, Amsterdam.

Chapter in book:

Webb CO, Cannon CH, Davies SJ. 2008. Ecological organization, biogeography, and the phylogenetic structure of rainforest tree communities. In: Carson W, Schnitzer S (eds) Tropical Forest Community Ecology. Wiley-Blackwell, New York.

Abstract:

Assaeed AM. 2007. Seed production and dispersal of *Rhazya stricta*. 50th annual symposium of the International Association for Vegetation Science, Swansea, UK, 23-27 July 2007.

Proceeding:

Alikodra HS. 2000. Biodiversity for development of local autonomous government. In: Setyawan AD, Sutarno (eds.) Toward Mount Lawu National Park; Proceeding of National Seminary and Workshop on Biodiversity Conservation to Protect and Save Germplasm in Java Island. Universitas Sebelas Maret, Surakarta, 17-20 July 2000. [Indonesian]

Thesis, Dissertation:

Sugiyarto. 2004. Soil Macro-invertebrates Diversity and Inter-Cropping Plants Productivity in Agroforestry System based on Sengon. [Dissertation]. Universitas Brawijaya, Malang. [Indonesian]

Information from internet:

Balagadde FK, Song H, Ozaki J, Collins CH, Barnet M, Arnold FH, Quake SR, You L. 2008. A synthetic *Escherichia coli* predator-prey ecosystem. Mol Syst Biol 4: 187. www.molecularsystemsbiology.com

ISSN: 1412-033X E-ISSN: 2085-4722

BIO	DIV	ERS	SITAS
Journa	l of Bic	ber 3 - M	Diversity
Volume	22-Num		arch 2021

Morphological, molecular and resistance responses to soft-rot disease variability among plantlets of <i>Phalaenopsis amabilis</i> regenerated from irradiated protocorms HALIDA ADISTYA PUTRI, AGUS PURWITO, SUDARSONO, DEWI SUKMA	1077-1090
Agronomic characters, genetic and phenotypic diversity coefficients, and heritability of 12 genotypes of rice JAENUDIN KARTAHADIMAJA, SETYO DWI UTOMO, ERWIN YULIADI, ABDUL KADIR SALAM, WARSONO, ANUNG WAHYUDI	1091-1097
A comparison of stand structure, species diversity and aboveground biomass between natural and planted mangroves in Sikka, East Nusa Tenggara, Indonesia JERIELS MATATULA, AHMAD YUSUF AFANDI, PANDU YUDHA ADI PUTRA WIRABUANA	1098-1103
The potency of actinomycetes extracts isolated from Pramuka Island, Jakarta, Indonesia as antimicrobial agents SETIAWATI SETIAWATI, TITIK NURYASTUTI, ETI NURWENING SHOLIKHAH, PUSPITA LISDIYANTI, SYILVIA UTAMI TUNJUNG PRATIWI, TRI RATNA SULISTIYANI, SHANTI RATNAKOMALA, JUMINA, MUSTOFA	1104-1111
Breed and age effects on concentration of adiponectin and reproductive performance in Anglo Nubian, Etawah grade and its crossbred bucks HAFIZUDDIN, NI WAYAN KURNIANI KARJA, LISA PRAHARANI, MOHAMAD AGUS SETIADI	1112-1119
The genus <i>Dolichandrone</i> (Fenzl.) Seem. (Bignoniaceae) in Thailand WEEREESA BOONTHASAK, CHATCHAI NGERNSAENGSARUAY	1120-1128
Diversity of endophytic fungi in <i>Syzygium aqueum</i> UMMI H. HABISUKAN, ELFITA, HARY WIDJAJANTI, ARUM SETIAWAN, ALFIA R. KURNIAWATI	1129-1137
Genetic diversity in seedling populations of <i>Dipterocarpus gracilis</i> in Kecubung Ulolanang Nature Conservation Reserve, Indonesia NESTY PRATIWI ROMADINI, SAPTO INDRIOKO, WIDIYATNO, ENY FARIDAH, YENI W.N RATNANINGRUM	1138-1145
Correlation and path analysis for agronomic traits contributing to yield in 30 genotypes of soybean ANNA SATYANA KARYAWATI, ENO SINTHIA VINKY PUSPITANINGRUM	1146-1151
The biological prospective of red-pigmented bacteria cultured from contaminated agar media ACHMAD ARIFIYANTO, HAPIN AFRIANI, MEISHY HANDERLIN PUTRI, BERLIANA DAMAYANTI, CINDY LUKYTA RATIH RIYANTO	1152-1159
Normalized Difference Vegetation Index (NDVI) analysis for vegetation cover in Leuser Ecosystem area, Sumatra, Indonesia ADISTI PERMATASARI PUTRI HARTOYO, ARZYANA SUNKAR, RAHMATULLOH RAMADANI, SYAHLAN FALUTHI, SYAFITRI HIDAYATI	1160-1171
Profile of cryptobrachytone C accumulation in <i>Cryptocarya pulchrinervia</i> leaves using MALDI-MSI JUJUN RATNASARI, RIZKITA RACHMI ESYANTI, MARSELINA IRASONIA TAN, LIA DEWI JULIAWATY, SHUICHI SHIMMA	1172-1178

GC-MS analysis of rhizome ethanol extracts from <i>Curcuma aeruginosa</i> accessions and their efficiency activities as anticancer agent WARAS NURCHOLIS, NURUL KHUMAIDA, MARIA BINTANG, MUHAMAD SYUKUR	1179-1186
Inhibition of α-amylase and α-glucosidase activities in vitro by extracts of selected medicinal plants DEEPAK RAJ PANT, BIVA ARYAL, DAMA PUN, SUSHILA SHARMA, GIRI PRASAD JOSHI	1187-1193
Combination on endophytic fungal as the Plant Growth-Promoting Fungi (PGPF) on cucumber (Cucumis sativus) SYAMSIA SYAMSIA, ABUBAKAR IDHAN, AMANDA PATAPPARI FIRMANSYAH, NOERFITRYANI NOERFITRYANI, IRADHATULLAH RAHIM, HENRY KESAULYA, RAKHMAD ARMUS	1194-1202
Salinity tolerance of Iarvae <i>Aedes aegypti</i> inland and coastal habitats in Pasangkayu, West Sulawesi, Indonesia ARINI RATNASARI, ARIF RAHMAN JABAL, SYAHRIBULAN, IRFAN IDRIS, NUR RAHMA, SRI NUR RAHMI NUR RUSTAM, MILA KARMILA, HAJAR HASAN, ISRAWAHID	1203-1210
Morpho-physiological changes of four tropical tree seedlings under aluminum stress CHARTINA PIDJATH, DIDY SOPANDIE , MAMAN TURJAMAN , SRI WILARSO BUDI	1211-1220
The association of follicle stimulating hormone receptor (<i>FSHR</i>) gene polymorphism of on egg productivity in hybrid chicken (<i>Gallus gallus gallus</i> , Linnaeus 1758) RIKHA RISKI KURNIA, INDRA LESMANA, ADITYA RAHMAN ERNANTO, AYUDHA BAHANA ILHAM PERDAMAIAN, TRIJOKO, BUDI SETIADI DARYONO	1221-1226
Exploring anticancer activity of wild and polyploid mutant of Artemisia cina SRI KASMIYATI, ELIZABETH B.E. KRISTIANI, MARIA M. HERAWATI, FERDY S. RONDONUWU	1227-1234
Forest cover changes in Indonesia's terrestrial national parks between 2012 and 2017 ASRI A. DWIYAHRENI,, HABIBURRACHMAN A.H. FUAD, SUNARYO, TRI EDHI BUDHI SOESILO, CHRIS MARGULES, JATNA SUPRIATNA	1235-1242
Characterization of banana bunchy top virus on Sumatra (Indonesia) wild banana RUTH FETI RAHAYUNIATI, SEDYO HARTONO, SUSAMTO SOMOWIYARJO, SITI SUBANDIYAH, JOHN E. THOMAS	1243-1249
Culturable endophytic fungal diversity in cassava tubers of Indonesia ANASTASIA TATIK HARTANTI, FELICIA NIKE SUSANTI, VIVITRI DEWI PRASASTY, NANI RADIASTUTI	1250-1260
Application of inorganic and liquid organic bio-fertilizers affects the vegetative growth and rhizobacteria populations of eight banana cultivars TRI HANDAYANI, TIRTA KUMALA DEWI, DIYAH MARTANTI, YUYU SURYASARI POERBA, SARJIYA ANTONIUS, WITJAKSONO	1261-1271
Short Communication: Cremanthodium indica (Asteraceae, Senecioneae), a new species from the Eastern Himalaya, India DIPANKAR BORAH, RAJEEV KUMAR SINGH, LOBSANGTASHI THUNGON	1272-1276
Molecular identification of five species of family Chaetomiaceae (Sordariomycetes, Ascomycota) from Iraqi soil MUSTAFA A. AL-DOSSARY, SHAYMAA S. RAHEEM, MAYSOON K. ALMYAH	1277-1284
Short Communication: A small-scale coprological survey of the endoparasites in the Himalayan goral Naemorhedus goral (Hardwick, 1825) in Nepal JAGAN NATH ADHIKARI, ROSHAN BABU ADHIKARI, BISHNU PRASAD BHATTARAI, TEJ BAHADUR THAPA, TIRTH RAJ GHIMIRE	1285-1290
Extracellular protease from <i>Bacillus subtilis</i> B315 with antagonistic activity against bacterial wilt pathogen (<i>Ralstonia solanacearum</i>) of chili NUR PRIHATININGSIH, ARI ASNANI, HERU ADI DJATMIKO	1291-1295

A pilot study into ecological burning in forests as part of a species conservation plan MATTHEW W. PEARSON	1296-1303
Traditional knowledge of medicinal plants in the Kampung Orang Asli Donglai Baru, Hulu Langat, Malaysia	1304-1309
Morphological diversity and heritability of nine local sorghum (Sorghum bicolor) genotypes in East Java MAFTUCHAH, LIA FEBRIANA, SULISTYAWATI, HELVI ARDANA RESWARI, ERFAN DANI SEPTIA	1310-1316
Evaluation of Indigenous <i>Pichia kudriavzevii</i> from cocoa fermentation for a probiotic candidate RAHAYU WULAN, RIKA INDRI ASTUTI, YAYA RUKAYADI, ANJA MERYANDINI	1317-1325
Short Communication: Identification of culturable marine fungi and bacteria from coastal region in Brunei Darussalam HUSSEIN TAHA, POOJA SHIVANAND, MOHAMAD ABDUL AZIM ZAINUDIN, NURUL AZIRAH HADANAN	1326-1331
Evaluation of the ambrosia beetles traps on <i>Pterocarpus indicus</i> in Indonesia HAGUS TARNO, YOGO SETIAWAN, BAMBANG TRI RAHARDJO, JIANGUO WANG	1332-1339
Short Communication: Taxonomy and the first report for pollen and leaf surfaces anatomy of the genus <i>Enkleia</i> (Thymelaeaceae) in Thailand PIYAPORN SAENSOUK, SURAPON SAENSOUK	1340-1344
Variations of grain physical properties, amylose and anthocyanin of upland red rice cultivars from East Nusa Tenggara, Indonesia JENNY E.R. MARKUS, A.S.S. NDIWA, SHIRLY S. OEMATAN, YOSEP S. MAU	1345-1353
Assessment of forest degradation condition in Natmataung National Park Watershed, Myanmar YADANAR OO, WATHINEE SUANPAGA, PONTHEP MEUNPONG	1354-1362
Prevalence, diversity and antimicrobial resistance of <i>Salmonella enterica</i> and <i>Pseudomonas aeruginosa</i> isolates from spring water in a rural area of Northwestern Morocco	1363-1370
ILHAM NASSRI, LATIFA TAHRI, AMAL SAIDI, NAJIA AMEUR, MOHAMMED FEKHAOUI	
Phenetic analysis and habitat preferences of wild orchids in Gunung Gajah, Purworejo, Indonesia THERESIA HENNY PRIMASIWI PURBA ABDUIL RAZAO CHASANI	1371-1377
The occurrence of Anisakis larvae on hairtail, Trichiurus lepturus caught from the Pangandaran Waters, West Java, Indonesia NISA QUROTA AYUN, LUTFI SEPTIANA DEWI, MURWANTOKO, EKO SETYOBUDI	1378-1384
Involvement of purple acid phosphatase gene into nitrogen uptake of oil palm (<i>Elaeis guineensis</i>) SIGIT DWI MARYANTO, ZULFIKAR ACHMAD TANJUNG, ROBERDI, WIDYARTINI MADE SUDANIA, PUJIANTO, HAIRINSYAH, CONDRO UTOMO, TONY LIWANG	1385-1390
Short Communication: Prediction of body weight based on body measurements in female Saburai goat AKHMAD DAKHLAN, MUHAMMAD DIMA IQBAL HAMDANI, DELSI RUSITAIMI PUTRI, SULASTRI, ARIF QISTHON	1391-1396
Natural dye plants used by Dayak Iban in Sungai Utik, Kapuas Hulu, West Kalimantan, Indonesia	1397-1404
Phytophagous insects and predatory arthropods in soybean and zinnia ERISE ANGGRAINI, WIDA NUR ANISA, SITI HERLINDA, CHANDRA IRSAN, SUPARMAN, SUWANDI, MUHAMMAD UMAR HARUN4	1405-1414

Cross shelf gradients of scleractinian corals in the Spermonde Islands, South Sulawesi, Indonesia SYAFYUDIN YUSUF, MARIA BEGER, ASMI CITRA MALINA A. R. TASSAKKA,	1415-1423
MAARTEN DE BRAUWER, AMANDA PRICELLA, RAHMI, WIDYASTUTI UMAR, GINO V. LIMMON, ABIGAIL MARY MOORE, JAMALUDDIN JOMPA Short Communication: Plant diversity utilization and land cover composition in the Subak Jatiluwih, Bali, Indonesia SUTOMO, RAJIF IRYADI, I DEWA DARMA, I PUTU AGUS HENDRA WIBAWA, AYYU RAHAYU, SITI FATIMAH HANUM, SYAMSUL RIZAL, LEDYA NOVAMIZANTI, JANGKUNG RAHARJO	1424-1432
Diversity of fungi associated with rhizosphere of healthy and diseased garlic crop BAIQ NURUL HIDAYAH, NANI HERAWATI, AI ROSAH AISAH, NITA RIZKY UTAMI	1433-1440
Morphological characteristics of Indonesian <i>Rubus</i> flowers SULUH NORMASIWI, ANDI SALAMAH, MUHAMMAD IMAM SURYA	1441-1447
Short Communication: Zooplankton as indicator of trophic status of lakes in Ilmen State Reserve, Russia IRINA V. MASHKOVA, ANASTASIYA M. KOSTRYUKOVA, ELENA E. SHCHELKANOVA, VIKTOR V. TROFIMENKO	1448-1455
Molecular characteristics and taxonomic status of morphologically similar barnacles (Amphibalanus) assessed using the cytochrome c oxidase 1 gene SRI RIANI, ROMANUS EDY PRABOWO, AGUS NURYANTO	1456-1466
Screening of endophytic fungi from oil palm (<i>Elaeis guineensis</i> Jacq.) in producing exopolysaccharides YURNALIZA YURNALIZA, IT JAMILAH, ADRIAN HARTANTO, ANISA LUTFIA	1467-1473
Identification of bioactive compounds in gambier (<i>Uncaria gambir</i>) liquid by-product in West Sumatra, Indonesia AKHIS SOLEH ISMAIL, YOSE RIZAL, ARMENIA, ANWAR KASIM	1474-1480
Identification of marine sponges-symbiotic bacteria and their application in degrading polycyclic aromatic hydrocarbons ISMAIL MARZUKI, MUDYAWATI KAMARUDDIN, RASHEED AHMAD	1481-1488
Mangrove ecosystem in North Sumatran (Indonesia) forests serves as a suitable habitat for mud crabs (<i>Scylla serrata</i> and <i>S. olivacea</i>) RIKA KARNIATI, NURDIN SULISTIYONO, RIZKA AMELIA, BEJO SLAMET, YUNTHA BIMANTARA, MOHAMMAD BASYUNI	1489-1496
Estimation Above Ground Biomass (AGB) and carbon stocks of <i>Tectona grandis</i> and <i>Gmelina arborea</i> stands in Gorontalo Province, Indonesia YOSEP RUSLIM, DAUD SANDALAYUK, ROCHADI KRISTININGRUM, ANDI SAHRI ALAM	1497-1508
Antifungal activities of the rhizome extract of five member Zingiberaceae against <i>Candida albicans</i> and <i>Trichophyton rubrum</i> MUHAMMAD EVY PRASTIYANTO, NI'MATUR ROHMAH, LESITA EFENDI, RAHMATIA ARIFIN, FANDHI ADI WARDOYO, WILDIANI WILSON, ANA HIDAYATI MUKAROMAH, SRI SINTO DEWI, SRI DARMAWATI	1509-1513
Surface ultrastructure of <i>Blastocystis</i> sp. isolated from cattle NI KOMANG APRILINA WIDISUPUTRI, NUNUK DYAH RETNO LASTUTI, ENDANG SUPRIHATI, POEDJI HASTUTIEK, HANI PLUMERIASTUTI, MUFASIRIN, HENI PUSPITASARI, LUCIA TRI SUWANTI	1514-1518
Indigeneous Streptomyces spp. isolated from Cyperus rotundus rhizosphere indicate high mercuric reductase activity as a pontential bioremediation agent HANUM MUKTI RAHAYU,2, WAHYU ARISTYANING PUTRI, ANIS USWATUN KHASANAH,6, LANGKAH SEMBIRING, YEKTI ASIH PURWESTRI	1519-1526
Fucoxanthin identification and purification of brown algae commonly found in Lombok Island, Indonesia YENI SULISTIYANI, AGUS SABDONO, NORMA AFIATI, HAERUDDIN	1527-1534

Inhibition of α-glucosidase activity, metals content, and phytochemical profiling of Andrographis paniculata from different geographical origins based on FTIR and UHPLC-Q-Orbitrap HRMS metabolomics MOHAMAD RAFI,, DEWI ANGGRAINI SEPTANINGSIH, ALFI HUDATUL KAROMAH, LUKMAN, BAMBANG PRAJOGO, MUHAMMAD BACHRI AMRAN, ABDUL ROHMAN	1535-1542
Valuing ecotourism in Bukit Merah Orang Utan Island, Malaysia based on visitors' experience NABILA FARHANA MOHD-ASRI, SITI NORSYUHADA KAMALUDDIN, SABAPATHY DHARMALINGAM, WAN MOHD RAZI IDRIS, BADRUL MUNIR MD-ZAIN	1543-1549
Molecular identification of coprophilous microfungi from Banyumas District, Central Java, Indonesia ARIS MUMPUNI, ADI AMURWANTO, DANIEL JOKO WAHYONO	1550-1557
Effect of fertilizer application on winter wheat productivity under precision agriculture in Kazakhstan ALIBEK BAIMURATOV, SHOLPAN BASTAUBAYEVA, MEHMET ARSLAN, ZHANAR YERALIYEVA	1558-1563
Molecular identification of a new isolate of actinobacteria ATIS61 and characterization of the protease activities FADHLIAH AMFAR, LENNI FITRI, SUHARTONO	1564-1569
Morphological evaluation and determination keys of 21 citrus genotypes at seedling stage RAHMAT BUDIARTO, ROEDHY POERWANTO, EDI SANTOSA, DARDA EFENDI	1570-1579
Diversity, conservation, potential uses, and alien species of lowland plants of Batang Toru, Sumatra, Indonesia HIRMAS F. PUTRA, WENDY A. MUSTAQIM	1580-1591

BIODIVERSITAS Volume 22, Number 3, March 2021 Pages: 1514-1518

Surface ultrastructure of *Blastocystis* sp. isolated from cattle

NI KOMANG APRILINA WIDISUPUTRI¹, NUNUK DYAH RETNO LASTUTI¹, ENDANG SUPRIHATI¹, POEDJI HASTUTIEK¹, HANI PLUMERIASTUTI², MUFASIRIN^{1,3}, HENI PUSPITASARI³, LUCIA TRI SUWANTI^{1,3,•}

¹Department of Veterinary Parasitology, Faculty of Veterinary Medicine, Universitas Airlangga. Jl. Mulyorejo, Kampus C Unair, Surabaya 60115, East Java, Indonesia

²Department of Veterinary Patology, Faculty of Veterinary Medicine, Universitas Airlangga. Jl. Mulyorejo, Kampus C Unair, Surabaya 60115, East Java, Indonesia

³Institute of Tropical Disease, Universitas Airlangga. Jl. Mulyorejo, Kampus C Unair, Surabaya, 60115, East Java, Indonesia. Tel./fax.: +62 31-5992785, [•]email: lucia-t-s@fkh.unair.ac.id

Manuscript received: 4 January 2021. Revision accepted: 26 February 2021.

Abstract. Widisuputri NKA, Lastuti NDR, Suprihati E, Hastutiek P, Plumeriastuti H, Mufasirin, Puspitasari H, Suwanti LT. 2021. Surface ultrastructure of Blastocystis sp. isolated from cattle. Biodiversitas 22: 1514-1518. Blastocystis sp is a protozoan parasite commonly detected in the intestinal tract of humans and various animals that causes zoonotic blastocystosis. The pathogenic potential of *Blastocystis* is still being evaluated, some *Blastocystis* sp are completely pathogenic, while others can be considered commensal and hypothetical, related to the role of the surface coat of *Blastocystis* sp. This study aimed to compare the surface ultrastructure of *Blastocystis* sp. in cattle with diarrhea and non diarrhea by Scanning Electron Microscope (SEM). Four *Blastocystis* sp. isolates were selected from the faeces of four positives cattle which consisted of two diarrhea and two non-diarrhea cattle. The result showed that *Blastocystis* sp. in cattle appeared in round shape and reproduced by binary fission. The surface cell of *Blastocystis* sp. isolates from diarrhea cattle faeces. In conclusion, the features of the surface structure of *Blastocystis* sp. correlated with symptomatic appearance. The surface structure of *Blastocystis* sp. isolates from cattle with diarrhea cattle faeces. In conclusion, the features of the surface structure of *Blastocystis* sp. correlated with symptomatic appearance. The surface structure of *Blastocystis* sp. isolates from cattle with diarrhea cattle faeces. In conclusion, the features of the surface structure of *Blastocystis* sp. correlated with symptomatic appearance.

Keywords: Blastocystis, cattle with diarrhea, scanning electron microscope, surface structure

INTRODUCTION

Blastocystis sp. is a protozoan parasite that commonly found in the intestinal tract of humans and varied of animals and its infection caused blastocystosis (Wawrzyniak et al. 2013). Animals that were infected include mammals, birds, amphibians, and reptiles (Cian et al. 2017). In recent years, researches on the identification and prevalence of Blastocystis sp. both in humans and animals have been reported throughout the world (Lee et al. 2012) and several studies have shown that Blastocystis infection is zoonotic, this is evidenced by the discovery of the same subtype (ST) in humans and animals (Osman et al. 2016). Blastocystis infection is a waterborne or foodborne disease, and oral transmission occurs due to ingestion of the infective stage, cysts, which contaminate water and food (Lee et al. 2012). The prevalence of Blastocystis infection in humans in developing countries is significantly higher than in developed countries (El Safadi et al. 2016). Poor hygiene practices, close contact with animals, and consumption of contaminated food or water are factors in the high prevalence of blastocystosis in people (Wawrzyniak et al. 2013). Symptoms of blastocystosis are non-specific such as diarrhea, abdominal pain, constipation, flatulence, fatigue, urticaria and skin rash (Parija and Jeremiah 2013; Wawrzyniak et al. 2013) and most of cases are asymptomatic (Yason and Tan 2018). Some researchers found *Blastocystis* sp both in the host

with or without clinical symptoms, this is the reason why the pathogenicity of Blastocystis is still being (Roberts et al. 2014; Skotarczak 2018). However, some researchers point to serious consequences due to this parasitic infection, in which, *Blastocystis* sp. was known to play a role in irritable bowel syndrome (IBS) (Ragavan et al. 2014; 2015) and induced precancerous polyp formation (Kumarasamy et al. 2017).

Diagnose of Blastocystis sp. generally based on the morphologically parasite in faeces by direct examination using the light microscope or by in vitro cultivation method. Blastocystis sp. is morphologically in the form of vacuoles, granular, amoeboid, or cysts (Wawrzyniak et al. 2013), but the morphology of Blastocystis sp. isolates from humans and animals, is difficult to be distinguished only by light microscopy examination, as they were morphologically similar (Zhang et al. 2012). Previous study by Suwanti et al. (2020a) reported thatthe morphology of *Blastocystis* sp. in cattle were varied widely in size with $2.78 - 35.35 \mu m$ (average 14.76 μm) in which100% of the cattle samples were positive for Blastocystis however differentiation between diarrhea and non-diarrheal cattle were not considered.

Examination using an electron microscope recently shed new light on the morphology of parasites, one of which by using Scanning Electron Microscope (SEM). Using SEM aimed to obtain detailed information on the morphology and topography of the cell surface of a microorganism (de Souza and Attias 2018). Research on surface ultrastructure *Blastocystis* sp. using SEM has been reported in humans, monkeys, pigs, chickens, rats and cockroaches which have varying d ifferences in their surface coat (Cassidy et al. 1994; Haziqah et al. 2017). According to Yason and Tan (2018), electron micrographs showed variations in the surface coats from the different *Blastocystis* isolates and these differences could be attributed to differences in the pathogenic potential of the *Blastocystis* subtype. It has also been proven by Ahmed et al. (2019) that the surface ultrastructure of *Blastocystis* sp. was rougher in isolates from patients with colorectal carcinoma.

Until now, the research of surface ultrastructure of *Blastocystis* sp. in cattle has not been reported. As already mentioned above, the results of previous studies showed the morphology of *Blastocystis* sp. in cattle with diarrhea and no diarrhea were the same. The aim of this study was to compare the surface structure of *Blastocystis* from cultured faeces samples of cattle with (symptomatic) and no diarrhea (asymptomatic) using SEM.

MATERIALS AND METHODS

Ethical approval

Ethical approval for this study was granted by the Animal Care and Use Committee of the Faculty of Veterinary Medicine, Universitas Airlangga (approval number: 2.KE. 095.05.2019)

Isolate of Blastocystis sp

Isolate was *Blastocystis* sp. isolated from the feces of Madura cattle in Kamal and Socah, Bangkalan, Madura, Indonesia. Isolation was carried out in 2018, by taking samples of fresh feces that had just fallen to the ground. A total of 108 samples were examined. The presence of *Blastocystis* sp. in feces was detected by both morphologically and genetically based on the 18S rRNA gene (Suwanti et al. 2020b). The Isolate were stored in the Department of Veterinary Parasitology, Faculty of Veterinary Medicine, Universitas Airlangga.

In Vitro Cultivation

Four *Blastocystis* sp. isolates were subcultured from four positive cattle samples consisting of two diarrhea and two non-diarrhea cattle. Each sample was cultured in RPMI 1640 medium (CP19-2763, Capricorn Saintific, Germany) and incubated at 37°C for 3 days. The growth of *Blastocystis* sp. in culture was observed morphologically under a light microscope (Nikon® E100, Japan) at 400X magnification. Microscope was connected to a camera (Optilab® MTN001, Indonesia) to capture the image of the parasites. The supernatant of the culture medium was inserted into the tube and centrifuged at 1500 rpm for 10 minutes. Supernatant was removed and pellets was resuspended with phosphate buffered saline (PBS) and stored for SEM observation.

Scanning Electron Microscope (SEM)

Cell of *Blastocystis* sp. were washed with PBS pH 7 forthree times by centrifugation. It was centrifugated with speed 3000 rpm for 5 minutes. Then each sample was fixed by adding 2.5% glutaraldehyde and post-fixation with 1% osmium tetroxide. The isolate was mounted on a polycarbonate membrane and dehydrated using ethanol in sequence 30%, 50%, 70%, 80%, 90%, and 100%. Each ethanol series was done for 15 minutes and the last step was added with amyl acetate. Critical Point Drying (CPD) was performed using carbon dioxide, then the specimen was coated using a gold coating, and observed using SEM (Ragavan et al. 2014). SEM images were captured at the Faculty of Mechanical Engineering, Institut Teknologi Sepuluh November (ITS) Surabaya.

RESULTS AND DISCUSSION

Morphology of Blastocystis in medium culture

On culture media Blastocystis sp. most of the vacuolar forms (Figure 1). In previous study, it was found that the diameter of Blastocystis sp. in cattles was varied widely with ranged about 2.78 to 35.35 µm (average 14.76µm) and the size of Blastocystis sp. in culture was smaller than in fresh stool (Suwanti et al. 2020a). The main morphology of Blastocystis sp. has four forms: vacuole, granular, amoeboid and cyst form (Wawrzyniak et al. 2013) and the vacuolar form was the most common cell form found in cultures (Natalia et al. 2018). Under a light microscope, the morphology of *Blastocystis* sp. from healthy cattle (without diarrhea) and diarrhea cattle could not be distinguished. According to Tan et al. (2008), Blastocystis poses considerable challenges for diagnostic laboratories. The morphology of Blastocystis sp. is difficult to distinguish by using light microscopy only (Zhang et al. 2012). Yanson and Tan (2018) using an electron microscope show variations in the membrane surface from three Blastocystis isolates and these differences could be associated with the differences in the pathogenic potential of Blastocystis subtypes.



Figure 1. Blastocystis sp. in cattle in medium culture. Bar 10 µm



Figure 2. The scanning electron micrograph showing the cell surface of *Blastocystis* sp.isolated from the *in vitro* culture. A and B *Blastocystis* sp. from feces of cattle with diarrhea. C. *Blastocystis* sp.from faeces of asymptomatic cattle. Red arrows are daughter cell. Black arrows are bacteria.

Appearance of the surface structure of *Blastocystis* sp. Using SEM

In this decade, SEM was used widely in the morphological studies of a cell based on the structural surface of the cell, including *Blastocystis* sp. (Boreham and Stenzel 1993; Zaman et al. 1999; Tan et al. 2008; Zhang et al. 2012; Ragavan et al. 2014; Ahmed et al. 2019). SEM revealed the external morphological shape of the cyst and various surface coat structures of the parasite (Zhang et al. 2012). The surface coat was a kind of fibrous substance in varying appearance, rough or fine, which adhere to the surface of the *Blastocystis* cells (Elsayad et al. 2019). This study is the first report on the surface structure of *Blastocystis* sp. in cattle, both in symptomatic (diarrhea) and asymptomatic cattle.

In this study, it was found that Blastocystis sp. in cattle appeared in round shape. This result was similar with the morphology of *Blastocystis* in human which presented by Boreham and Stenzel (1993), generally the shape of Blastocystisfrom in vitro culture were spherical in shape. Round shape was also found by Ahmed et al. (2019) in addition to other forms, oval and irregular. Blastocystis cells often possess one or two nuclei, and occasionally, quadrinucleate cells and cells possessing numerous nuclei have been reported (Tan 2008). According to Zhang et al. (2007), there were five modes of reproduction, namely, binary fission, endodyogeny, plasmotomy, budding and schizogeny. In this study, the reproduction of blastocystis sp is shown in Figures 2.A1 and 2.B1. Figure 2.A1 was probably the initial stage of plasmotomy reproduction. Plasmotomy reproduction occurred during the stage of vacuolar form, which a daughter cell came into being by forming a finger-like cytoplasmic extension from the cellular surface of the mother vacuolar cell (Zhang et al. 2007). Figure 2.B1, *Blastocystis* sp. was seen undergo binary fission similarly reported by Elsayad et al. (2019) and Mehlhorn et al. (2012).

The surface cell of Blastocystis sp. isolates from diarrheal cattle had a rough surface as shown in Figure 2.A and 2.B. Whereas organism of non diarrhea cattle isolates was very smooth (Figure 2.C). Elsayad et al. (2019), using SEM micrographs shown different outer morphology of Blastocystis in human covered by rough or smooth surface coat, but there was no further explanation regarding the differences. The smooth surface structure of Blastocystis sp. isolates from non diarrheal cattle is similar to Blastocystis in asymptomatic human isolates as described previously by Suresh et al. (1994). The rough surface cell illustration in diarrheal cattle in this study supported the results of a study previously reported by Boreham and Stenzel (1993) that rough morphology of cells was found on isolates of Blastocystis from a diarrhea patient. This cell surface structure may be related to the pathogenicity of organisms related to the symptoms shown. It is suggested that a rough surface *Blastocystis* is more pathogenic than a smooth surface and the features of the surface structure of Blastocystis sp. correlated with symptomatic appearance. Tan et al. (2008), Ragavan et al. (2014) and Ahmed et al. (2019) stated that there were differences in the surface ultrastructure of Blastocystis isolated from human derivated from symptomatic and asymptomatic persons; Blastocystis from symptomatic isolates have coarser surface structure while asymptomatic isolates have a smooth surface structure. Rougher with excessive indentation surface was drawn from isolates derivated from suffering patients IBS (Ragavan et al. 2014) and colorectal carcinoma (Ahmed et al. 2019).

Several studies using SEM to observed Blastocystis have indicated that the surface coat is associated with bacteria. The surface coat contains a variety of carbohydrates and has been postulated to play a role in trapping and degrading bacteria for nutrition (Tan 2008). In this study, bacteria were seen attached to the surface of *Blastocystis* sp. from cattle with diarrhea (Figure $2.B_1$). The attachment of bacteria to the surface of Blastocystis isolated from human samples had been confirmed by SEM studies. Attached bacteria on the surface of Blastocystis have been seen in close association with the surface coat and often causing an indentation (Boreham and Stenzel 1993). Although some surface coat functions are not yet known exactly, it is thought to be a mechanism for trapping bacteria for nutritional purposes and attachment to the intestinal epithelial lining (Zaman et al. 1999) and according to Yason and Tan (2018), the surface coat of Blastocystis sp. associates with potentially pathogenic of Blastocystis subtype. There was a hypothesis that surface coat protects the organism from innate host immune response as well as contribute to greater adhesion during colonization (Yason and Tan 2018).

In conclusion, by SEM, most of *Blastocystis* sp. isolated from the *in vitro* cultivation methodof cattle faeces appeared in round shape with and reproduced by binary fission. Meanwhile, the surfaces cell of *Blastocystis* sp. isolates from cattle with diarrhea had a rough surface while *Blastocystis* isolated from asymptomatic cattle isolates were having very smooth surface. Bacteria were seen attached to the surface of *Blastocystis* sp. from cattle with diarrhea. The features of the surface structure of *Blastocystis* sp. correlated with symptomatic appearance. The surface structure of *Blastocystis* sp. isolates from cattle with diarrhea was rougher than non diarrhea. Research on the determinants of the pathogenicity of *Blastocystis* is still needed.

ACKNOWLEDGEMENTS

The authors wish to express gratitude to Directorate General Research and Development Strengthening of Ministry of Research, Technology and Higher Education, for financial support with research grant through the Budget Execution Checklist 2019-2020.

REFERENCES

- Ahmed MM, Habib FS, Saad GA, El Naggar HM. 2019. Surface ultrastructure, protein profile and zymography of *Blastocystis* species isolated from patients with colorectal carcinoma. J Parasit Dis 43 (2): 294-303. DOI: 10.1007/s12639-019-01092-9.
- Boreham PFL, Stenzel DJ. 1993. *Blastocystis* in humans and animals: morphology, biology, and epizootiology. Adv Parasitol 32: 1-70. DOI: 10.1016/S0065-308X(08)60206-7.
- Cassidy MF, Stenzel DJ, Boreham PF. 1994. Electron microscopy of surface structures of *Blastocystis* sp. from different hosts. Parasitol Res 80 (6): 505-511. DOI: 10.1007/BF00932698.
- Cian A, El Safadi D, Osman M, Moriniere R, Gantois N, Benamrouz-Vanneste S, Delgado-Viscogliosi P, Guyot K, Li LL, Monchy S, Noël C. 2017. Molecular epidemiology of *Blastocystis* sp. in various animal groups from two french zoos and evaluation of potential

zoonotic risk. PLoS ONE 12 (1): e0169659. DOI: 10.1371/journal.pone.0169659.

- de Souza W, Attias M. 2018. New advances in scanning microscopy and its application to study parasitic protozoa. Exp Parasitol 190: 10-33. DOI: 10.1016/j.exppara.2018.04.018.
- Elsayad MH, Tolba MM, Argiah HA, Gaballah A, Osman MM, Mikhael IL. 2019. Electron microscopy of *Blastocystis hominis* and other diagnostic approaches. J Egypt Soc Parasitol 49 (2): 373-380. DOI: 10.21608/jesp.2019.68145.
- El Safadi D, Cian A, Nourrisson C, Pereira B, Morelle C, Bastien P, Bellanger AP, Botterel F, Candolfi E, Desoubeaux G, Lachaud L. 2016. Prevalence, risk factors for infection and subtype distribution of the intestinal parasite Blastocystis sp. from a large-scale multi-center study in France. BMC Infect Dis 16 (1): 451. DOI: 10.1186/s12879-016-1776-8.
- Haziqah FMT, Asyiqin NMN, Khalid MKN, Suresh K, Rajamanikam A, Chandrawathani P, Mohd Zain SN. 2017. Short Communication: Current status of *Blastocystis* in cockroaches. Trop Biomed 34 (3): 741-745.
- Kumarasamy V, Kuppusamy UR, Jayalakshmi P, Samudi C, Ragavan ND, Kumar S. 2017. Exacerbation of colon carcinogenesis by *Blastocystis* sp. PLoS ONE 12 (8): e0183097. DOI: 10.1371/journal.pone.0183097.
- Lee LI, Chye TT, Karmacharya BM, Govind SK. 2012. *Blastocystis sp.*: waterborne zoonotic organism, a possibility. Parasites Vectors 5: 130. DOI: 10.1186/1756-3305-5-130.
- Mehlhorn H, Tan KSW, Yoshikawa H. 2012. Blastocystis: pathogen or passenger?: An evaluation of 101 years of research. Springer, Heidelberg Berlin.
- Natalia F, Suwanti LT, Suprihati E, Koesdarto S, Srianto P. 2018. Morphological detection of the intestinal parasite *Blastocystis* Sp. in fresh and cultured feces of pet Sugar Glider (*Petaurus Breviceps*) (Mammalia: Marsupialia: Petauridae) in Surabaya, Indonesia. Philipp J Vet Med 55 (SI): 91-96.
- Osman M, El Safadi D, Cian A, Benamrouz S, Nourrisson C, Poirier P, Pereira B, Razakandrainibe R, Pinon A, Lambert C, Wawrzyniak I. 2016. Prevalence and risk factors for intestinal protozoan infections with *Cryptosporidium*, Giardia, *Blastocystis* and *Dientamoeba* among schoolchildren in Tripoli, Lebanon. PLoS Neglected Trop Dis 10 (3): e0004496. DOI: 10.1371/journal.pntd.0004496.
- Parija SC, Jeremiah SS. 2013. *Blastocystis*: Taxonomy, Biology and Virulence. Trop Parasitol 3 (1): 17-25. DOI: 10.4103/2229-5070.113894.
- Ragavan ND, Govind SK, Chye TT, Mahadeva S. 2014. Phenotypic variation in *Blastocystis* sp. ST3. Parasites Vectors 7 (404): 1-10. DOI: 10.1186/1756-3305-7-404.
- Ragavan ND, Kumar S, Chye TT, Mahadeva S, Shiaw-Hooi H. 2015. *Blastocystis* sp. in irritable bowel syndrome (IBS)-Detection in stool aspirates during colonoscopy. PLoS ONE 10 (9): e0121173. DOI: 10.1371/journal.pone.0121173.
- Roberts T, Stark D, Harkness J, Ellis J. 2014. Update on the pathogenic potential and treatment options for *Blastocystis* sp. Gut Pathog 6: 17. DOI: 10.1186/1757-4749-6-17.
- Skotarczak B. 2018. Genetic diversity and pathogenicity of *Blastocystis*. Ann Agric Environ Med 25 (3): 411-416. DOI: 10.26444/aaem/81315.
- Suresh K, Howe J, Chong SY, Ng GC, Ho LC, Loh AK, Ramachandran NP, Yap EH, Singh M. 1994. Ultrastructural changes during in vitro encystment of *Blastocystis hominis*. Parasitol Res 80: 327-335. DOI: 10.1007/BF02351875.
- Suwanti LT, Mufasirin, Lastuti NDR. 2020a. Molecular detection and morphological varied of *Blastocystis* sp in beef cattle in Siak Sri Indrapura Riau Indonesia. Eco Environ Cons 26 (April Suppl. Issue): S209- S212.
- Suwanti LT, Susana Y, Hastutiek P, Suprihati E, Lastuti ND. 2020b. *Blastocystis* spp. subtype 10 infected beef cattle in Kamal and Socah, Bangkalan, Madura, Indonesia. Vet World 13 (2): 231-237. DOI: 10.14202/vetworld.2020.231-237.
- Tan TC, Suresh KG, Smith HV. 2008. Phenotypic and genotypic characterization of *Blastocystis hominis* isolates implicates subtype 3 as a subtype with pathogenic potential. Parasitol Res 104: 85-93. DOI: 10.1007/s00436-008-1163-5.
- Wawrzyniak I, Poirier P, Viscogliosi E, Dionigia M, Texier C, Delbac F, Alaoui HE. 2013. *Blastocystis*, an unrecognized parasite: An overview of pathogenesis and diagnosis. Ther Adv Infect Dis 1(5): 167-178. DOI: 10.1177/2049936113504754.

- Yason JA, Tan KSW. 2018. Membrane surface features of *Blastocystis* Subtypes. Genes 9: 1-6. DOI: 10.3390/genes9080417.Zaman V, Howe J, Ng M, Goh TK. 1999. Scanning Electron Microscopy
- Zaman V, Howe J, Ng M, Goh TK. 1999. Scanning Electron Microscopy of the surface coat of *Blastocystis hominis*. Parasitol Res 85: 974-976. DOI: 10.1007/s004360050668.
- Zhang X, Qiao JY, Zhou XJ, Yao FR, Wei ZC. 2007. Morphology and reproductive mode of *Blastocystis hominis* in diarrhea and in vitro. Parasitol Res 101 (1): 43-51. DOI: 10.1007/s00436-006-0439-x.
- Zhang X, Zhang S, Qiao J, Wu X, Zhao L, Liu Y, Fan X. 2012. Ultrastructural insights into morphology and reproductive mode of *Blastocystis hominis*. Parasitol Res 110: 1165-1172. DOI: 10.1007/s00436-011-2607-x.