



# Source details

## PLoS ONE

Open Access ⓘ

Scopus coverage years: from 2006 to Present

Publisher: Public Library of Science

ISSN: 1932-6203

Subject area: Multidisciplinary

Source type: Journal

CiteScore 2021

**5.6**



SJR 2021

**0.852**



SNIP 2021

**1.368**



[View all documents >](#)

[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

**i** Improved CiteScore methodology ✕

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021 ▾

$$5.6 = \frac{365,216 \text{ Citations } 2018 - 2021}{65,549 \text{ Documents } 2018 - 2021}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022 ⓘ

$$5.9 = \frac{374,792 \text{ Citations to date}}{63,237 \text{ Documents to date}}$$

Last updated on 05 April, 2023 • Updated monthly

### CiteScore rank 2021 ⓘ

Category	Rank	Percentile
Multidisciplinary	#15/120	87th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site &](#)



## Level up your tech skills

Career changes aren't always a choice. Skill up so you're ready for an


Pluralsight


[Learn More](#)

## PLoS ONE

### COUNTRY

United States

 Universities and research institutions in United States

 Media Ranking in United States

### SUBJECT AREA AND CATEGORY

Multidisciplinary  
Multidisciplinary

### PUBLISHER

Public Library of Science

### H-INDEX

**404**

### PUBLICATION TYPE

Journals

### ISSN

19326203

### COVERAGE

2006-2022

### INFORMATION


[Homepage](#)

[How to publish in this journal](#)

[plosone@plos.org](mailto:plosone@plos.org)

### SCOPE

PLOS ONE welcomes original research submissions from the natural sciences, medical research, engineering, as well as the related social sciences and humanities, including: -Primary research that contributes to the base of scientific knowledge, including interdisciplinary, replication studies, and negative or null results. -Systematic reviews whose methods ensure the comprehensive and unbiased sampling of existing literature. -Submissions describing methods, software, databases, or other tools that meet the journal's criteria for utility, validation and availability. -Qualitative research that adheres to appropriate study design and reporting guidelines.

 Join the conversation about this journal



## Luxury Golf Brand

Luxury Golf Item International Free Shipping & Free Tax Everyday.

MARK & LONA

Open

 Quartiles



## Luxury Golf Brand

Luxury Golf Item International Free Shipping & Free Tax Everyday.

MARK & LONA

Open









1 <b>PeerJ</b> USA <b>76%</b>	2 <b>BMC Research Notes</b> GBR <b>73%</b>	3 <b>Scientific Reports</b> GBR <b>72%</b>	4 <b>Molecular Biology Reports</b> NLD <b>69%</b>	5 <b>BioMed Research International</b> USA <b>69%</b>
--	---	---	--	--

## Luxury Golf Brand

Luxury Golf Item International Free Shipping & Free Tax Everyday.

---

MARK & LONA
Open



**PLoS ONE**

**Q1** Multidisciplinary  
best quartile

**SJR 2022**  
**0.89**

powered by scimagojr.com

← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scim.
```

**SCImago Graphica**

Explore, visually communicate and make sense of data with our [new data visualization tool](#).

Metrics based on Scopus® data as of April 2023

G **Gezahegn** 2 months ago  
it is very good  
[reply](#)

300 results for **Wireless intravesical device for real-time bladder pressure measurement: Study of consecutive voiding in awake minipigs**

Sort By: **Relevance** ▼

SEARCH ALERT

Filters: PLOS ONE [Clear all filters](#)

**Journal**

- PLOS ONE
- PLOS Biology (12)
- PLOS Computational Biology (5)
- PLOS Neglected Tropical Diseases (5)
- PLOS Medicine (2)
- PLOS Pathogens (2)

**Subject Area**

- Biology and life sciences (282)
- Medicine and health sciences (271)
- Anatomy (202)
- Research and analysis methods (182)
- Physiology (166)
  - [show more](#)

**Article Type**

- Research Article (296)
- Study Protocol (4)

**Author**

- Hann-Chorng Kuo (4)
- Alice Y M Jones (3)
- Fang Liu (3)
- Mingchao Zhou (3)
- Raymond C C Tsang (3)
  - [show more](#)

**Where my keywords appear**

- Body (169)
- Materials and Methods (36)
- Results and Discussion (20)
- Introduction (3)
- Abstract (2)
  - [show more](#)

**Publication Date**

to

**Wireless intravesical device for real-time bladder pressure measurement: Study of consecutive voiding in awake minipigs**

Mohammad Ayodhia Soebadi, Marko Bakula, Lukman Hakim, Robert Puers, Dirk De Ridder  
 Research Article | published 02 Dec 2019 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0225821>  
**Views: 2380 • Citations: 9 • Saves: 0 • Shares: 0**

**Suburothelial Bladder Contraction Detection with Implanted Pressure Sensor**

Steve J. A. Majerus, Paul C. Fletter, Elizabeth K. Ferry, Hui Zhu, Kenneth J. Gustafson, Margot S. Damaser  
 Research Article | published 06 Jan 2017 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0168375>  
**Views: 3147 • Citations: 28 • Saves: 0 • Shares: 0**

**A Method for Recording Urethral Pressure Profiles in Female Rats**

Shengfei Xu, Xiaohui Li, Lei Xu, Biao Chen, Huibing Tan, Guanghui Du  
 Research Article | published 26 Oct 2015 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0140851>  
**Views: 2621 • Citations: 4 • Saves: 10 • Shares: 1**

**Catheterless Long-Term Ambulatory Urodynamic Measurement Using a Novel Three-Device System**

Sebastian Wille, Pauline Schumacher, Jenny Paas, Dirk Tenholte, Okyaz Eminaga, Ute Müller, Noemi Muthen, Jan Mehner, Oliver Cornely, Udo Engelmann  
 Research Article | published 19 May 2014 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0096280>  
**Views: 2573 • Citations: 12 • Saves: 30 • Shares: 1**

**Sensory Dysfunction of Bladder Mucosa and Bladder Oversensitivity in a Rat Model of Metabolic Syndrome**

Wei-Chia Lee, Po-Hui Chiang, You-Lin Tain, Chia-Ching Wu, Yao-Chi Chuang  
 Research Article | published 19 Sep 2012 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0045578>  
**Views: 3130 • Citations: 40 • Saves: 0 • Shares: 0**

**Diurnal Variation in Urodynamics of Rat**

Gerald M. Herrera, Andrea L. Meredith  
 Research Article | published 19 Aug 2010 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0012298>  
**Views: 5612 • Citations: 47 • Saves: 58 • Shares: 0**

**Intravesical CD74 and CXCR4, macrophage migration inhibitory factor (MIF) receptors, mediate bladder pain**

Shaojing Ye, Fei Ma, Dlovan F. D. Mahmood, Katherine L. Meyer-Siegler, Raymond E. Menard, David E. Hunt, Lin Leng, Richard Bucala, Pedro L. Vera  
 Research Article | published 23 Aug 2021 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0255975>  
**Views: 964 • Citations: 2 • Saves: 0 • Shares: 0**

**Macrophage Migration Inhibitory Factor Mediates PAR-Induced Bladder Pain**

Dimitrios E. Kouzoukas, Katherine L. Meyer-Siegler, Fei Ma, Karin N. Westlund, David E. Hunt, Pedro L. Vera  
 Research Article | published 28 May 2015 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0127628>  
**Views: 1821 • Citations: 23 • Saves: 21 • Shares: 2**

**Pharmacogenetic inhibition of lumbosacral sensory neurons alleviates visceral hypersensitivity in a mouse model of chronic pelvic pain**

Alison Xiaojiao Xie, Nao Iguchi, Taylor C. Clarkson, Anna P. Malykhina  
 Research Article | published 25 Jan 2022 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0262769>  
**Views: 935 • Citations: 1 • Saves: 11 • Shares: 1**

**External Urethral Sphincter Pressure Measurement: An Accurate Method for the Diagnosis of Detrusor External Sphincter Dyssynergia?**

Carlos H. Suzuki Bellucci, Jens Wöllner, Flavia Gregorini, Dorothee Birnböck, Marko Kozomara, Ulrich Mehnert, Thomas M. Kessler  
 Research Article | published 31 May 2012 PLOS ONE  
<https://doi.org/10.1371/journal.pone.0037996>

**Stability of the Acetic Acid-Induced Bladder Irritation Model in Alpha Chloralose-Anesthetized Female Cats**

F. Aura Kullmann, Grace I. Wells, Christopher L. Langdale, Jihong Zheng, Karl B. Thor

Research Article | published 09 Sep 2013 PLOS ONE

<https://doi.org/10.1371/journal.pone.0073771>

Views: 2684 • Citations: 13 • Saves: 0 • Shares: 0

**The preventive effect of a free radical scavenger on oxidative stress after the relief of partial bladder outlet obstruction in a rat model**

Min Soo Choo, SongZhe Piao, Seung-June Oh

Research Article | published 22 Oct 2018 PLOS ONE

<https://doi.org/10.1371/journal.pone.0199800>

Views: 929 • Citations: 6 • Saves: 0 • Shares: 0

**A pilot study of bladder voiding with real-time MRI and computational fluid dynamics**

Ryan Pewowaruk, David Rutkowski, Diego Hernando, Bunmi B. Kumapayi, Wade Bushman, Alejandro Roldán-Alzate

Research Article | published 19 Nov 2020 PLOS ONE

<https://doi.org/10.1371/journal.pone.0238404>

Views: 1644 • Citations: 10 • Saves: 0 • Shares: 0

**Anesthetic protocols for urodynamic studies of the lower urinary tract in small rodents—A systematic review**

Abdelkhalek Samy Abdelkhalek, Haroun Ali Youssef, Ahmed Sayed Saleh, Peter Bollen, Peter Zvara

Research Article | published 24 Jun 2021 PLOS ONE

<https://doi.org/10.1371/journal.pone.0253192>

Views: 1641 • Citations: 7 • Saves: 8 • Shares: 0

**Effects of water avoidance stress on peripheral and central responses during bladder filling in the rat: A multidisciplinary approach to the study of urologic chronic pelvic pain syndrome (MAPP) research network study**

Zhuo Wang, Harriet H. Chang, Yunliang Gao, Rong Zhang, Yumei Guo, Daniel P. Holschneider, Larissa V. Rodriguez

Research Article | published 08 Sep 2017 PLOS ONE

<https://doi.org/10.1371/journal.pone.0182976>

Views: 2063 • Citations: 35 • Saves: 36 • Shares: 2

## Editorial Board

The *PLOS ONE* Editorial Board is powered by thousands of academic experts from all over the world. Our board comprises working scientists who are established principal investigators/group leaders with extensive publication records.

Academic Editors oversee the peer review process for the journal, including evaluating submissions, selecting reviewers and assessing their comments, and making editorial decisions. Together with fellow Editorial Board Members and internal staff, Academic Editors uphold journal policies and ethics standards and work to promote the *PLOS ONE* mission to provide free public access to scientific research.

Editorial board members affiliated with the Centers for Disease Control and Prevention are serving in a personal capacity. The views expressed are their own and do not necessarily represent the views of the Centers for Disease Control and Prevention or the United States Government.

Editorial board members affiliated with the World Health Organization are serving in a personal capacity. The views expressed are their own and do not necessarily represent the decisions, policy or views of the World Health Organization.

## Interested in serving on the Editorial Board?

PLOS welcomes volunteers to the Editorial Board who support our mission, values, and commitment to providing a high-quality experience for our authors. [Explore the Academic Editor role](#) and [apply online](#).

## Academic Editors

To find a member, browse the list, search by name, or search by Section or [Keyword](#). To search for multiple sections or keywords, enter a comma-separated list of terms.

The list of Academic Editors is updated weekly. If you are an Editorial Board member and would like to update any of the information below, please contact [plosone@plos.org](mailto:plosone@plos.org)

Search for:

Displaying 1-50 of 10029 Editors.

< 1 2 3 4 5 ... 201 >

### Rana Muhammad Aadil

[orcid.org/0000-0002-0185-0096](https://orcid.org/0000-0002-0185-0096)

University of Agriculture Faisalabad  
PAKISTAN

**Sections:** Food science and technology, Nutrition

**Keywords:** Biology and life sciences, Nutrition, Medicine and health sciences, Nutrition, Diet, Food, Pathology and laboratory medicine, Pathogens

### Katriina Aalto-Setälä

University of Tampere

FINLAND

**Sections:** Developmental biology - Cell differentiation; Cell fate determination; Stem cells; Embryology; Fertilization

**Keywords:** Biology and life sciences, Cellular types, Stem cells, Induced pluripotent stem cells, Embryonic stem cells, Developmental biology, Cell differentiation, Genetics, Genetics of disease, Genetic testing, Human genetics, Genetic association studies, Molecular genetics, Cardiovascular anatomy, Electrophysiology, Medicine and health sciences, Cardiology, Arrhythmia, Clinical genetics, Personalized medicine, Animal models, Mouse models, Model organisms

### Mohd Nadhir Ab Wahab

[orcid.org/0000-0002-3549-6443](https://orcid.org/0000-0002-3549-6443)

Universiti Sains Malaysia  
MALAYSIA

**Sections:** Computer and information sciences - Artificial intelligence, machine learning and data science, Engineering and technology - Aerospace and automotive engineering, Robotics

**Keywords:** Computer and information sciences, Artificial intelligence, Real time computing, Engineering and technology, Mechanical engineering, Robotics, Robotics systems, Nanorobotics, Navigation, Optimization

### Nurul Hidayah Ab Rahman

Universiti Tun Hussein Onn Malaysia

MALAYSIA

**Sections:** Computer and information sciences - Cryptography and computer security

**Keywords:** Computer and information sciences, Computing systems, Digital computing, Information technology, Computer security, Computing methods, Cloud computing

### Andrew Max Abaasa

[orcid.org/0000-0002-6770-5588](https://orcid.org/0000-0002-6770-5588)

London School of Hygiene and Tropical Medicine Faculty of Epidemiology and Population Health  
UGANDA

**Sections:** Infectious diseases - Epidemiology and prevention, Public health and epidemiology - Biostatistics and methods

**Keywords:** Medicine and health sciences, Epidemiology, Health care, Clinical trials, Research and analysis methods, Research design

### Nidaa Ababneh

[orcid.org/0000-0002-2155-3013](https://orcid.org/0000-0002-2155-3013)

University of Jordan  
JORDAN

**Sections:** Genetics - Mutation; Genetics of disease; Heredity, Stem cells and regenerative medicine, Neuroscience - Neurodegenerative diseases and dementia

**Keywords:** Medicine and health sciences, Neurology

### Muktar Abadiga

[orcid.org/0000-0002-3006-3155](https://orcid.org/0000-0002-3006-3155)

Wollega University  
ETHIOPIA

**Sections:** Cardiovascular science and medicine - Epidemiology and prevention, Nursing, Health care - General

**Keywords:** Medicine and health sciences, Health care, Neurology

### Ukachukwu Okoroafor Abaraogu

[orcid.org/0000-0002-1967-1459](https://orcid.org/0000-0002-1967-1459)

Glasgow Caledonian University  
UNITED KINGDOM

**Sections:** Physiotherapy, Health care - Health services research, Cardiovascular science and medicine - Vascular diseases

**Keywords:** Medicine and health sciences, Health care, Cardiology, Cardiovascular medicine, Rehabilitation medicine, Vascular medicine, Complementary and alternative

**Francisco Martinez-Abarca**

Estacion Experimental del Zaidin - CSIC  
SPAIN

**Sections:** Agriculture - General

**Keywords:** Biology and life sciences, Genome evolution, Comparative genomics, Microbial ecology, Evolutionary biology, Transposable elements, Genomics, Metagenomics, Microbiology, Plant microbiology, Genome sequencing, Biochemistry, Nucleic acids, Biotechnology, Applied microbiology

**Behnam Abasht**

[id orcid.org/0000-0003-2374-8145](https://orcid.org/0000-0003-2374-8145)

University of Delaware

UNITED STATES

**Sections:** Agriculture - Animals, Genetics - Gene function, Genomics

**Keywords:** Biology and life sciences, Agriculture, Livestock, Genetics

**Kalkidan Hassen Abate**

Jimma University

ETHIOPIA

**Sections:** Sport and exercise science, Physiotherapy

**Keywords:** Nutrition, Physiology, Sports and exercise medicine, Medicine and health sciences

**Ayew Mose Abawa**

[id orcid.org/0000-0003-4353-7791](https://orcid.org/0000-0003-4353-7791)

Wolkite University

ETHIOPIA

**Sections:** Obstetrics and gynecology, Nursing

**Keywords:** Medicine and health sciences

**Eric Fosu Oteng-Abayie**

[id orcid.org/0000-0002-4598-2066](https://orcid.org/0000-0002-4598-2066)

Kwame Nkrumah University of Science and Technology

GHANA

**Sections:** Economics - Econometrics, Economics - General, Economics - Behavioral; Experimental

**Keywords:** Social sciences, Economics, Ecology and environmental sciences, Environmental economics

**Sani Isah Abba**

[id orcid.org/0000-0001-9356-2798](https://orcid.org/0000-0001-9356-2798)

King Fahd University of Petroleum and Minerals

SAUDI ARABIA

**Sections:** Computer and information sciences - Artificial intelligence, machine learning and data science, Engineering and technology - General

**Keywords:** Ecology and environmental sciences, Natural resources, Environmental chemistry, Engineering and technology, Membrane technology, Sanitary engineering, Chemical engineering, Civil engineering, Environmental engineering

**Gianmarco Abbadesse**

[id orcid.org/0000-0001-8912-3055](https://orcid.org/0000-0001-8912-3055)

University of Campania Luigi Vanvitelli: Universita degli Studi della Campania Luigi Vanvitelli

ITALY

**Sections:** Digital health, Neuroscience - Cellular and molecular, Neuroscience - Neurobiology of disease; Neuropathology

**Keywords:** Immunology, Clinical immunology, Neuroimmunology, Medicine and health sciences, Health care, Medical services, Telemedicine, Immunology, Clinical immunology, Autoimmune diseases, Multiple sclerosis, Neurology, Demyelinating disorders, Multiple sclerosis

**Cristiana Abbafati**

[id orcid.org/0000-0003-2811-6251](https://orcid.org/0000-0003-2811-6251)

Sapienza University of Rome

ITALY

**Sections:** Economics - Health economics, Health care - General, Public health and epidemiology - Health policies, systems and management

**Keywords:** Social sciences, Economics, Medicine and health sciences, Health care, Health care facilities, Hospitals, Outpatient clinics, Health care policy, Health care providers, Health care quality, Health care utilization, Health economics, Health services administration and management, Health services research, Health statistics, Morbidity, Community based intervention, Quality of life, Socioeconomic aspects of health, Public and occupational health

**Faisal Abbas**

[id orcid.org/0000-0002-9312-5659](https://orcid.org/0000-0002-9312-5659)

National University of Sciences and Technology

PAKISTAN

**Sections:** Economics - Health economics, Public health and epidemiology - Global health, Public health and epidemiology - Health policies, systems and management

**Keywords:** Nutrition, Social sciences, Economics, Agricultural economics, Economic models, Experimental economics, Health economics, Human capital, Macroeconomics, Welfare economics, Development economics, Economic development, Economic analysis, Economic crises

**Mazhar Abbas**

University of Ha'il Kingdom of Saudi Arabia

PAKISTAN

**Sections:** Management science

**Keywords:** Social sciences, Economics, Research and analysis methods, Research design

**Asad Abbas**

[id orcid.org/0000-0003-1395-4009](https://orcid.org/0000-0003-1395-4009)

Tecnologico de Monterrey

MEXICO

**Sections:** Education research, Management science

**Keywords:** Social sciences, Sociology, Education, Political science, Public administration

**Qaiser Abbas**

Ghazi University

PAKISTAN

**Sections:** Agriculture - General, Economics - General, Economics - Health economics

**Keywords:** Agricultural economics, Ecology, Ecological economics, Neuroeconomics, Behavioral economics, Social sciences, Economics, Economic history, Economic models, Experimental economics, Labor economics, Resource management, Development economics, Economic analysis, Soil science, Ecology and environmental sciences, Environmental impacts, Environmental management, Natural resources, Environmental protection, Environmental economics, Health economics

**Qaisar Abbas**

[id orcid.org/0000-0001-5176-5685](https://orcid.org/0000-0001-5176-5685)

The Shaikh Ayaz University Shikarpur, Pakistan

PAKISTAN

**Sections:** Education research

**Keywords:** Social sciences, Anthropology, Sociology, Education, Educational attainment, Training (education), Home education, Archaeology, Human geography, Law and legal sciences, Linguistics, Philosophy, Political science, Psychology, People and places, Population groupings, Educational status, Research and analysis methods,

**Alhamzah F. Abbas**

[id orcid.org/0000-0002-7508-9340](https://orcid.org/0000-0002-7508-9340)

UTM Skudai: Universiti Teknologi Malaysia

MALAYSIA

**Sections:** Management science, Economics - General

**Keywords:** Medicine and health sciences, Health care, Health care quality, Quality of care, Quality of life

**Mahdieh Abbasalizad Farhangi**

[id orcid.org/0000-0002-7036-6900](https://orcid.org/0000-0002-7036-6900)

Tabriz University of Medical Sciences

IRAN, ISLAMIC REPUBLIC OF

**Sections:** Nutrition, Cardiovascular science and medicine - Arrhythmias and cardiac electrophysiology, Health care - Health education

**Keywords:** Biology and life sciences, Genetics, Immunology, Neuroscience, Nutrition, Diet, Malnutrition, Nutrients, Nutritional deficiencies, Nutritional diseases, Nutritional disorders, Physiology, Medicine and health sciences, Endocrinology, Epidemiology, Cardiovascular medicine, Pharmacology, Drug research and development, Women's health, Clinical trials, Complementary and alternative medicine

**Mohsen Abbasi-Kangevari**

[id orcid.org/0000-0001-8405-7482](https://orcid.org/0000-0001-8405-7482)

Tehran University of Medical Sciences

IRAN, ISLAMIC REPUBLIC OF

**Sections:** Clinical trials, Digital health, Public health and epidemiology - Chronic diseases

**Keywords:** Social sciences, Political science, Public policy, Medicine and health sciences, Health care, Military medicine, Gulf War syndrome, Public and occupational health, Clinical medicine

**Mahdi Abbasi**

[id orcid.org/0000-0002-5373-5778](https://orcid.org/0000-0002-5373-5778)

Bu-Ali Sina University: Bu Ali Sina University

IRAN, ISLAMIC REPUBLIC OF

**Sections:** Computer and information sciences - Artificial intelligence, machine learning and data science, Computer and information sciences - Computer Hardware, Computer and information sciences - General

**Keywords:** Computer and information sciences, Artificial intelligence, Artificial neural networks, Expert systems, Genetic programming, Machine learning, Computing systems, Digital computing, Digital imaging, Network analysis, Network theory, Signaling networks, Network control, Neural networks, Feedforward neural networks, Recurrent neural networks, Random number generators, Real time computing, Computer applications, Computer architecture, Computer hardware, Microprocessors, Computer networks, Internet, Internet of Things, Computer vision, Computers, Computing methods

**A. M. Abd El-Aty**

[id orcid.org/0000-0001-6596-7907](https://orcid.org/0000-0001-6596-7907)

Cairo University

EGYPT

**Sections:** Veterinary science, Pharmacology, Food science and technology

**Keywords:** Antimicrobials, Phytochemicals, Environmental chemistry, Medicine and health sciences, Pharmacology, Drugs, Pharmacodynamics, Pharmacogenetics, Pharmacokinetics, Pharmacologic analysis, Pharmacokinetic analysis, Drug interactions, Drug-food interactions, Physical sciences, Chemistry, Analytical chemistry, Chemical analysis, Water analysis, Liquid chromatography-tandem mass spectrometry, Phytochemistry, Phytopharmacology, Research and analysis methods, Extraction techniques, Supercritical fluid extraction, Liquid-liquid extraction, Solid-phase extraction, Chromatographic techniques, Liquid chromatography

**Khaled Abd EL-Hamid Abd EL-Razik**

[id orcid.org/0000-0002-8895-2895](https://orcid.org/0000-0002-8895-2895)

National Research Center (NRC)

EGYPT

**Sections:** Infectious diseases - General, Microbiology - General, Veterinary science

**Keywords:** Biology and life sciences, Microbiology, Molecular biology, Veterinary science, Medicine and health sciences, Infectious diseases

**Mohamed Ezzat Abd El-Hack**

[id orcid.org/0000-0002-2831-8534](https://orcid.org/0000-0002-2831-8534)

Zagazig University Faculty of Agriculture

EGYPT

**Sections:** Veterinary science, Nutrition

**Keywords:** Biology and life sciences, Agriculture, Nutrition, Zoology

**Marwa Ibrahim Abd El-Hamid**

[id orcid.org/0000-0002-1560-6158](https://orcid.org/0000-0002-1560-6158)

Zagazig University Faculty of Veterinary Medicine

EGYPT

**Sections:** Veterinary science, Microbiology - Bacteriology, Molecular biology

**Keywords:** Biology and life sciences, Genetics, Immunology, Microbiology, Molecular biology, Mycology, Organisms, Veterinary science, Biotechnology

**Yasmina Abd-Elhakim**

[id orcid.org/0000-0002-3646-6385](https://orcid.org/0000-0002-3646-6385)

Zagazig University

EGYPT

**Sections:** Pharmacology, Pollution research and control, Toxicology

**Keywords:** Biology and life sciences, Agriculture, Toxicology, Veterinary science, Aquatic environments, Ecology and environmental sciences, Medicine and health sciences, Immunology, Pharmaceutics, Pharmacology, Research and analysis methods, Animal studies, Chromatographic techniques

**Diaa Abd El-Moneim**

[id orcid.org/0000-0003-3285-0563](https://orcid.org/0000-0003-3285-0563)

Arish university, Faculty of agricultural and environmental sciences

EGYPT

**Sections:** Agriculture - Plants, Genetics - Gene expression; Epigenetics; Alternative splicing; RNA splicing; Molecular genetics, Genetics - Population genetics; Evolutionary genetics

**Keywords:** Biology and life sciences, Agriculture, Genetics, Molecular biology, Plant science

**Mahfouz Mohamed Mostafa Abd-Elgawad**

[id orcid.org/0000-0002-4731-5988](https://orcid.org/0000-0002-4731-5988)

National Research Centre

EGYPT

**Sections:** Agriculture - Plants, Pathology

**Keywords:** Biology and life sciences, Agriculture, Pest control, Integrated control, Pesticides

**Atiyeh Abdallah**

[id orcid.org/0000-0003-4812-956X](https://orcid.org/0000-0003-4812-956X)

Qatar University, College of Health Sciences

QATAR

**Sections:** Genetics - Clinical genetics, Genetics - Population genetics; Evolutionary genetics, Health care - Health education

**Keywords:** Biology and life sciences, Molecular biology, Medicine and health sciences, Oncology, Cardiology



**Ashraf B. Abdel-Naim**

King Abdulaziz University  
SAUDI ARABIA

**Sections:** Pharmacology, Toxicology, Biochemistry - General

**Keywords:** Biology and life sciences, Rheumatoid arthritis, Toxicology, Oxidative damage, Medicine and health sciences, Basic cancer research, Cancer treatment, Cardiovascular pharmacology, Clinical pharmacology, Drug research and development, Clinical medicine, Complementary and alternative medicine, Animal models, Mouse models

**Ahmed S. Abdel-Moneim**

<https://orcid.org/0000-0002-3148-6782>

Taif University  
SAUDI ARABIA

**Sections:** Virology, Infectious diseases - Viral diseases, Microbiology - Virology

**Keywords:** Biology and life sciences, Viral evolution, Viral genetics, Microbiology, Virology, Emerging viral diseases, Viral disease diagnosis, Medical microbiology, Microbial pathogens, Viral pathogens, Orthomyxoviruses, Influenza viruses, Coronaviruses, SARS coronavirus, Avian influenza, Medicine and health sciences, Infectious diseases, Respiratory infections, Viral diseases, Influenza, SARS, Zoonoses, Pathology and laboratory medicine, Pathogens, Pulmonology

**Mohamed Abdel-Daim**

<https://orcid.org/0000-0002-4341-2713>

Suez Canal University  
EGYPT

**Sections:** Pharmacology, Toxicology, Drug discovery

**Keywords:** Biology and life sciences, Immunology, Neuroscience, Toxicology, Veterinary science, Veterinary toxicology, Biochemistry, Chemical biology, Social sciences, Anthropology, Cultural anthropology, Medicine and health sciences, Neurology, Neuropharmacology, Cardiology, Cardiovascular pharmacology, Pharmacology, Psychopharmacology, Theoretical pharmacology, Behavioral pharmacology, Clinical pharmacology, Physical sciences, Chemistry, Phytochemistry, Phytopharmacology

**Ahmed E. Abdel Moneim**

<https://orcid.org/0000-0002-2654-2591>

Helwan University  
EGYPT

**Sections:** Molecular biology, Neuroscience - General, Toxicology

**Keywords:** Biology and life sciences, Histology, Immunology, Neuroscience, Toxicology, Biochemistry

**Mervat Abdel-Halim Abdel-Latif**

<https://orcid.org/0000-0002-7996-0121>

Damanhour University  
EGYPT

**Sections:** Agriculture - Animals, Nutrition

**Keywords:** Biology and life sciences, Agriculture, Animal management, Animal performance, Animal production, Nutrition, Nutrients, Nutritional deficiencies, Iron deficiency, Micronutrient deficiencies, Vitamin D deficiency, Nutritional diseases, Biochemistry, Antioxidants, Metabolism, Amino acid metabolism, Carbohydrate metabolism

**Muhammad Tarek Abdel Ghafar**

<https://orcid.org/0000-0002-0621-4291>

Tanta University Faculty of Medicine  
EGYPT

**Sections:** Cancer - Biomarkers, molecular diagnostics and screening, Cancer - Immunotherapy and tumor immunology, Genetics - Gene expression; Epigenetics; Alternative splicing; RNA splicing; Molecular genetics

**Keywords:** Medicine and health sciences, Endocrinology, Epidemiology, Biomarker epidemiology, Genetic epidemiology, Molecular epidemiology, Cancer epidemiology, Hematology, Immunology, Autoimmunity, Clinical immunology, Genetics of the immune system, Oncology, Cancer risk factors, Genetic causes of cancer, Pathology and laboratory medicine, Clinical genetics, Clinical medicine, Diagnostic medicine

**Mohamed El-Sayed Abdel-Wanis**

<https://orcid.org/0000-0001-5038-2375>

Sohag University Faculty of Medicine  
EGYPT

**Sections:** Surgery - Orthopedic, Surgery - Trauma and emergency

**Keywords:** Biology and life sciences, Anatomy, Musculoskeletal system, Spine, Medicine and health sciences, Oncology, Cancers and neoplasms, Metastatic tumors, Pediatrics, Pediatric orthopedics, Surgical and invasive medical procedures, Musculoskeletal system procedures, Orthopedic surgery

**Muhammad Abdel-Gawad**

<https://orcid.org/0000-0002-0204-4715>

Al-Azhar University  
EGYPT

**Sections:** Gastroenterology and hepatology, Infectious diseases - Hepatitis

**Keywords:** Medicine and health sciences, Gastroenterology and hepatology, Enteropathies, Gastroesophageal reflux disease, Gastrointestinal cancers, Gastrointestinal infections, Dysentery, Hepatomegaly, Hepatosplenomegaly, Inflammatory bowel disease, Colitis, Crohn's disease, Liver diseases, Acute liver failure, Liver disease and pregnancy, Liver fibrosis, Nonalcoholic steatohepatitis, Portal hypertension, Wilson's disease, Alcoholic liver disease, Autoimmune hepatitis, Chronic liver disease, Cirrhosis, Fatty liver, Hemochromatosis, Hepatocellular carcinoma, Infectious hepatitis, Liver function tests, Megacolon, Pancreatitis, Peptic ulcer disease, Splenomegaly, Zollinger-Ellison syndrome, Ascites, Barrett's esophagus, Biliary disorders, Cholecystitis and biliary colic, Cholelithiasis, Primary biliary cirrhosis, Primary sclerosing cholangitis, Celiac disease, Constipation, Diarrhea

**Elsayed Abdelkreem**

<https://orcid.org/0000-0002-8976-2989>

Sohag University Faculty of Medicine  
EGYPT

**Sections:** Pediatrics, Genetics - Mutation; Genetics of disease; Heredity, Clinical trials

**Keywords:** Cystic fibrosis, Medicine and health sciences, Child abuse, Neonatal care, Pediatric critical care, Metabolic disorders, Inborn errors of metabolism, Congenital disorders, Developmental and pediatric neurology, Pediatrics, Neonatology, Clinical genetics, Chromosomal disorders, Genetic diseases, Autosomal recessive diseases, Phenylketonuria, Sickle cell disease, Tay-Sachs disease, Wilson's disease, Congenital adrenal hyperplasia, Galactosemia, Gaucher's disease, Glycogen storage diseases, Mucopolysaccharidoses, Niemann-Pick disease

**Gaber Abdellrazeq**

<https://orcid.org/0000-0002-8677-911X>

Washington State University College of Veterinary Medicine  
UNITED STATES

**Sections:** Veterinary science, Immunology - Immunity

**Keywords:** Biology and life sciences, Immunology, Microbiology, Veterinary science

**Antoine Fakhry AbdelMassih**

<https://orcid.org/0000-0001-8876-3229>

Cairo University Kasr Alainy Faculty of Medicine  
EGYPT

**Sections:** Pediatrics, Cardiovascular science and medicine - Interventional cardiology and cardiovascular surgery

**Keywords:** Medicine and health sciences, Epidemiology, Cardiology, Pediatrics

**Sara Abdelsalam**

[orcid.org/0000-0002-6434-8319](https://orcid.org/0000-0002-6434-8319)

The British University in Egypt

EGYPT

**Sections:**

**Keywords:** Physical sciences, Mathematics, Applied mathematics

**Mostafa Abdelsalam**

[orcid.org/0000-0002-4682-2777](https://orcid.org/0000-0002-4682-2777)

Mansoura University

EGYPT

**Sections:** Health care - General, Nephrology, Critical care and emergency medicine

**Keywords:** Medicine and health sciences, Nephrology, Clinical medicine

**Nourtan F. Abdeltawab**

[orcid.org/0000-0002-1290-2197](https://orcid.org/0000-0002-1290-2197)

Cairo University - Faculty of Pharmacy

EGYPT

**Sections:** Microbiology - Host-pathogen interactions, Immunology - General, Complementary and alternative medicine

**Keywords:** Biology and life sciences, Evolutionary systematics, Phylogenetics, Genetics, Animal genetics, Mammalian genetics, Genetics of disease, Microbial genetics, Bacterial genetics, Molecular genetics, Immunology, Clinical immunology, Infectious disease immunology, Genetics of the immune system, Microbiology, Bacteriology, Molecular biology, Molecular biology techniques, Reverse genetics, Systems biology, Taxonomy, Biochemistry, Medicine and health sciences, Infectious diseases, Inflammatory diseases, Clinical medicine, Complementary and alternative medicine, Research and analysis methods, Database and informatics methods, Bioinformatics

**Zhaleh Abdi**

Tehran University of Medical Sciences

IRAN, ISLAMIC REPUBLIC OF

**Sections:** Health care - Health services research, Public health and epidemiology - Health policies, systems and management, Health care - Health policy

**Keywords:** Nutrition, Medicine and health sciences, Health care, Health care providers

**Zaid Abdo**

[orcid.org/0000-0002-8272-7734](https://orcid.org/0000-0002-8272-7734)

Colorado State University

UNITED STATES

**Sections:** Computational biology - Proteomics; Systems biology

**Keywords:** Computational biology, Population modeling, Infectious disease modeling, Comparative genomics, Evolutionary modeling, Microbial ecology, Evolutionary genetics, Microbial ecology

**Mohammed S. Abdo**

Hodeidah University

YEMEN

**Sections:** Mathematics - Applied mathematics

**Keywords:** COVID 19, Tuberculosis, Nonlinear systems, System stability, Fractional calculus, Integrals, Differential equations, Fractals, Mathematical and statistical techniques, Forecasting, Mathematical models, Mathematical modeling

<

1 2 3 4 5 ... 201

>


## RESEARCH ARTICLE

# Wireless intravesical device for real-time bladder pressure measurement: Study of consecutive voiding in awake minipigs

Mohammad Ayodhia Soebadi<sup>1,2,3</sup>, Marko Bakula<sup>4</sup>, Lukman Hakim<sup>2,3</sup>, Robert Puers<sup>4</sup>, Dirk De Ridder<sup>1\*</sup>

**1** Laboratory of Experimental Urology, Department of Development and Regeneration, KU Leuven, Belgium, **2** Department of Urology, Faculty of Medicine, Dr Soetomo General Academic Hospital, Universitas Airlangga, Surabaya, Indonesia, **3** Department of Urology, Universitas Airlangga Hospital, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia, **4** ESAT-MICAS, KU Leuven, Belgium

\* [dirk.deridder@uzleuven.be](mailto:dirk.deridder@uzleuven.be)



## OPEN ACCESS

**Citation:** Soebadi MA, Bakula M, Hakim L, Puers R, De Ridder D (2019) Wireless intravesical device for real-time bladder pressure measurement: Study of consecutive voiding in awake minipigs. PLoS ONE 14(12): e0225821. <https://doi.org/10.1371/journal.pone.0225821>

**Editor:** Yingchun Zhang, University of Houston, UNITED STATES

**Received:** February 6, 2019

**Accepted:** November 13, 2019

**Published:** December 2, 2019

**Copyright:** © 2019 Soebadi et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

**Data Availability Statement:** All relevant data are within the paper and its Supporting Information files.

**Funding:** The first author acknowledges support from the Indonesia Endowment Fund for Education (LPDP). The research leading to these results has received funding from the European Research Council under the European Union's Seventh Framework Program (FP7/2007-2013) / ERC grant agreement n° 340931, and from the Flemish Government through the FWO project G0862.12 R.

## Abstract

Traditional urodynamics have poor correlation with urological symptoms. Ambulatory urodynamics may improve this correlation but the need for a transurethral catheter and the time-consuming nature of this examination limits its use. Therefore, the objective of this study was to develop a wireless real-time bladder pressure measurement device for repeated and prolonged-term measurement of bladder behavior in awake pigs. The Bladder Pill is an intravesical device with a pressure microsensor and a 3-dimensional inductive coupling coil for energy supply. A corresponding external coil provides wireless power transmission and real-time communication of bladder pressure data. To test the correlation between the pressure data measured by the device and by standard methods, we compared static water column pressures with this device and water-filled urodynamic catheter systems. In vivo assessment of awake voiding by the pill was done by introducing the bladder pill into the bladder of Göttingen minipigs. An air-charged urodynamic catheter was introduced transurethally as control for pressure measurements. The optimal physical configuration of the pill was investigated to maximize the containment in the bladder. We used two versions of external signal receivers (one waistband and one rectangular frame) to test the optimal external signal capture. Next to that, we performed short-term and medium-term comparative pressure studies. The in vitro static pressure measurement demonstrated a mean difference of less than 1 cm H<sub>2</sub>O between the methods. The optimal design of the pill for maximal retainment in the bladder proved to be a pigtail configuration. The bending of the device during bladder contractions caused offset of 2.7 +/- 1.4 cm H<sub>2</sub>O (mean +/- SD) on the pressure measurements. The rectangular frame performed signal capture during 5 consecutive voids with a good correlation of the pressure measurements. The device can be inserted through the urethra and is retrieved using string or endoscopic extraction. In conclusion, wireless long-term measurement of bladder pressure is demonstrated and yields comparable results to current available catheter methods of measurement in a pig model.

**Competing interests:** The authors have declared that no competing interests exist.

## Introduction

Bladder pressure is a key parameter measured in the objective assessment of lower urinary tract dysfunction. [1] In neurogenic bladder conditions, abnormal patterns of intravesical pressure are associated with increased risk for upper urinary tract damage and renal dysfunction. [2] In the condition of idiopathic overactive bladder syndrome, findings from urodynamic investigations have poor correlation with reported symptoms. In 36% of patients with symptoms, there are no overactive detrusor contractions and vice-versa in 20–36% of examinations where overactive contractions are measured, patients have no symptoms. [3,4] To improve this correlation, ambulatory urodynamics have been introduced. The longer duration of observation has increased detection of urodynamic abnormalities such as detrusor overactivity. [5,6] However, this technique has seen limited usage in practice. Catheters may cause discomfort or become dislocated. [7] The equipment is cumbersome and the examination requires more time from patients, care/nursing staff and interpreting urologists. [8,9]

The standard recommendation for bladder pressure monitoring is a urethral catheter connected to a fluid-filled external transducer. [1] Other mechanisms are air-filled catheters and microtip sensors, with limitations specific to each catheter type. [10] However, common inconveniences to all catheter types are the limited observation time and subject awareness of the measuring instrument.

Several implantable devices based on pressure microsensors have been proposed as alternative to catheters. [11–15] Key features of these devices are data readout and power supply which both contribute to the device dimensions. Other problems in common with catheters are the insertion methods and intravesical retainment mechanism.


In this study, we use the Bladder Pill, a device with a novel radio frequency induction system for both power and real-time pressure readout. A previous version of this device used battery and memory storage within the device, limiting duration of observation and necessitating extraction and disassembly for data analysis. [11] Recently, an updated design has implemented wireless induction technology and showed promising results in limited *in vivo* testing. [16] The primary aim of this study was to determine the feasibility and characteristics of pressure measurement using the Bladder Pill in comparison to current catheter systems *in vitro* and *in vivo*. The secondary aim was to study techniques to extend the duration of measurements.

## Materials and methods

### Intravesical device and external circuit

The measurement system consists of the Bladder Pill and a corresponding external device (Fig 1). The pill contains an MS5637 pressure sensor microchip (Measurement Specialties, New Jersey, USA) and a custom 3-dimensional power receiving coil encapsulated in medical-grade silicone tubing (4.6 mm diameter–Hilltop Products Ltd., Kirkstead Way, Golborne, Warrington, UK) and is vacuum-potted with Sylgard 184 silicone elastomer (Dow Corning, USA) Specifications are listed in Table 1 and we refer to previous publications for further technical details. [11,16] The design of the Bladder Pill featured soft encapsulation and flexibility for urethral insertion in humans through a customized 16 Fr urinary catheter. This insertion technique was not yet applicable for this study due to difficulty of urethral access in the animal model.

The external device contains a transmitting coil to energize and to exchange data, as well as all the mandatory power and communication circuits. Pressure and temperature data were transmitted in real-time. Two different designs of this external device were elaborated: a



**Fig 1. The Bladder Pill. Device design and components of a wireless intravesical real-time bladder pressure monitoring device.** (A) Non-encapsulated internal components. (B) Encapsulated Bladder Pill alongside an 18 Fr catheter. (C) Pill with the waistband containing external transmitting coil, circuit and battery (Used by permission from Bakula et al, 2016). (D) External frame device. (E) Close-up view of electronics on external frame. (F) Operating range of a Bladder Pill specimen with 5W input power. Operating range was defined as the distance in centimeters where the average sampling rate decreased <1 Hz. Best orientation was the Bladder Pill axis in parallel to the y-axis of the diagram. Worst orientation was pill in parallel to x-axis and rotated until weakest power transfer was attained.

<https://doi.org/10.1371/journal.pone.0225821.g001>



**Table 1. Device specifications.**

<b>Implantable device</b>	
Dimensions	Length 30–40 mm Diameter 4.6 mm
Equivalent French diameter	15 Fr
Weight	1.0 g
Sampling rate	Up to 10 Hz
Pressure range	300–1200 mbar
<b>External device</b>	
Waistband circumference	75 cm
Rectangular frame	36 x 55 cm

<https://doi.org/10.1371/journal.pone.0225821.t001>

waistband and a free-standing rectangular frame (Fig 1C, 1D, 1E and 1F). The waistband was used for in vitro bench studies. The waistband-formed external device had a sinusoidal coil layout and covered by 3-mm thick neoprene. [16] There was a rechargeable battery and 3 printed circuit boards on the exterior interlinked with ribbon cables.

Initial animal pilot studies proved that the belt was not well tolerated by the pigs, which led to the design of a rectangular “frame” to avoid direct cutaneous contact (Fig 2). This frame was used to obtain all quantitative data from animal experiments. The inductive powering frame is fabricated from 15mm-thick PVC plastic sheet which encases a single-turn inductive loop. Inside dimensions of the frame were 36 x 55 x 10 cm—width, height and length, respectively. The electronic circuits from the belt device were re-used with an addition of an RF step-up transformer and an external power supply, which replaced the battery to increase the possible output power to over 5W. Functional range of the Bladder Pill was considered as the distance where average sampling rate fell below 1 Hz. As shown in Fig 1F, this distance was more than 20 cm, as measured from the center of the frame in the most optimal orientation of the pill (longest dimension pointing towards the center of the frame). The pill can operate in a wide range of angles anywhere within the frame, except for a small subset of angular “dead zones” where little or no magnetic flux is captured by any of the 3 internal power-receiving coils. This typically occurs when the axis of the pill is near-parallel to the frame face, suggesting that this configuration is close to practical limits of pure inductive powering and communication due to its very weak coupling coefficient. Nevertheless, this caused little interference with the experiments since the position of the pill was fixed by tying it to the catheter. Most interruptions were caused by the animals walking out of range, requiring adjustment of the frame position. On the contrary, the belt-type data logging unit, which remains a much more likely candidate for future use in humans, showed stable reception with no dead zones at a cost of being less well tolerated by the animals.

## Bench testing

Linear response of the Bladder Pill device was previously characterized in pressure chambers for values up to 300 cm H<sub>2</sub>O above atmospheric pressure. [11] We compared measurement of static water columns by the Bladder Pill and the waistband external device to a fluid-filled catheter system. A PE-50 polyethylene catheter was connected to a fluid pressure transducer (TSD104A, BIOPAC Systems, Goleta, USA). To simulate the effect of bladder contractions on the Bladder Pill measurements, we inserted the device into a syringe and compressed the Pill longitudinally, as shown in Fig 3. Data presented in this section was obtained using the Pill combined with the waistband external device.




**Fig 2. Principle of Bladder Pill for pressure measurement in animals.** (A) Diagram of working mechanism of Bladder Pill in vivo, wireless induction as represented by coils (dotted lines) contained within a corresponding external device. (B) Waistband-form external device tested in vivo. (C) Rectangular frame.

<https://doi.org/10.1371/journal.pone.0225821.g002>

### Experimental animals

Animal experiments were approved by the Ethical Committee for Animal Research of University of Leuven. Animal care and procedures were performed in accordance with national regulations on animal studies and the Guide for the Care and Use of Laboratory Animals (National Institutes of Health). [17] Urethral insertion of devices was performed in five adult female Gottingen minipigs of 24 months age weighing 60–70 kg (Ellegaard Minipig A/S, Dalmose Denmark). To limit artefacts in awake animal measurements, we used TDOC-7FDR three-way air-charged catheters (ACC) connected to a Laborie Aquarius TT urodynamic system (Laborie Medical Technologies Europe, Bristol, UK). [18] Animals went inside a transport cart measuring 60 x 130 x 90 cm during experiments. Anesthesia was necessary for urethral instrumentation with ketamine (15 mg/ml i.m.) and xylazine (2 mg/kg i.m.). The urethra was identified by a combination of palpation and speculum visualization. Access into the urethra and bladder was confirmed by successful insertion of an 8 Fr catheter and urine flow. A guidewire was



**Fig 3. In vitro study of Bladder Pill and fluid-filled pressure measurement catheter.** (A) Bladder Pill with polyurethane tail attached as retention mechanism. (B) Schematic diagram of longitudinal compression. (C) Simultaneous measurement of pressure generated by static water column between Bladder Pill and fluid-filled pressure transducer. (D) Effect of longitudinal compression on difference in measured pressure between Bladder Pill and fluid-filled pressure transducer. (The Bladder Pill was used in combination with waistband device for these studies).

<https://doi.org/10.1371/journal.pone.0225821.g003>

introduced through the catheter and the catheter was then replaced by a cystoscope sheath. For simultaneous comparison study, the Bladder Pill was secured adjacent to the air-charged catheter balloon sensor and inserted through the sheath lumen. This helped to minimize the effects of hydrostatic pressure offset by keeping the pill and balloon at the same location and also be able to easily retrieve the pill without anesthesia. The external circuit, either the waist-band or the frame, was placed around the animal midsection. After recovery from anesthesia marked by spontaneous return to standing, we infused normal saline at body temperature at a rate of 50 ml/minute. This rate was chosen based on medium fill rate and the practice of filling cystometry in children (10% of voided volume/minute). [1,19] Baseline urine collection and filling cystometry of the minipigs used in this study were performed, with voided volumes of 516 +/- 364 ml (n = 34 voids) similar to published values. [20] Filling was continued until voiding was observed by characteristic sustained pressure rise and visual observation of urine flow. Once the measured intravesical pressure in either pill or catheter measurement returned to baseline, infusion was restarted. This was repeated until 5 consecutive voiding events were observed. During pilot urodynamic studies, no residual urine measurement was obtained by disconnection of infusion tubing and spontaneous drainage. Meanwhile, syringe aspiration resulted in occasional inadvertent catheter removal and limited aspirated volume possibly due to the small caliber of catheter infusion port of the 3-way catheters. We chose to focus on simultaneous pressure measurement of multiple voids while minimizing the need for additional anesthetic administration in case of catheter dislodgement. The protocol of filling cystometry as performed is available ([dx.doi.org/10.17504/protocols.io.3eggjbw](https://doi.org/10.17504/protocols.io.3eggjbw)). During filling cystometry, we observed the animal continuously and logged relevant events. Time registration of voids was noted when identified from the typical rise in bladder pressure and flow of urine was visually observed.

### Data processing and statistical analysis

Pressure values were reported in cm H<sub>2</sub>O. Results are expressed as means +/- standard deviation unless otherwise specified. To compare the measurement systems, values were corrected for initial deviation from zero baseline as described by Gammie (2016). [1,21] Both catheter and device pressure measurements were filtered using a 0.5 Hz fourth-order low-pass Chebyshev filter based on human physiologic bladder events. [22] We also compared baseline pressure for each filling cycle as measured. This was defined as the minimum pressure between voiding as determined from a smoothed original record (running smoothing average of 50 data points, sampling rate 10 Hz). Data filtering and further processing was performed with Origin Pro 9.0 (OriginLab Corporation, Northampton, MA, USA).

The intraclass correlation coefficient was calculated to quantify the reliability between the measurement methods. [23] Bland-Altman analysis was used to quantify the difference in values measured. Baseline pressures between the two devices were compared, with means compared by unpaired t-test and variances by F-testing. A p value < 0.05 was considered to indicate a statistically significant difference. Statistical analyses were performed using GraphPad Prism 7.0 (GraphPad Software Inc., San Diego, California).

### Results

Design considerations of the Bladder Pill accounted for suitability of later use in humans. The intravesical device is small enough to pass through a cystoscope or to be mounted at the tip of a catheter. Soft and flexible external encapsulation allows later extraction by a string attachment without additional instruments (comparable to indwelling ureteric stents). [24]



In vitro static water column pressures measured by the Bladder Pill in combination with the waistband external device demonstrated agreement with fluid-filled transducers (difference  $0.263 \pm 0.154$  cm H<sub>2</sub>O, ICC 1.0) and ACC (difference  $0.079 \pm 0.076$  cm H<sub>2</sub>O, ICC 0.996). Longitudinal compression increased the difference of the Pill measurement compared to fluid-filled catheters by  $1.06 \pm 0.38$  cm H<sub>2</sub>O at shortening of 0.5 cm and  $2.66 \pm 1.42$  cm H<sub>2</sub>O at 1 cm (Fig 3).


Initial testing of the system with the waistband on minipigs established a satisfactory wireless induction tuning. However, we encountered several limitations of our animal model. First, the minipigs voided infrequently under anesthesia even with bladder filled to capacity. Second, attempts to restrain the minipigs in a custom hammock was unsuccessful due to excitation and animal struggling during recovery from anesthesia. In contrast, animals with only urethral urodynamic catheters inserted were able to tolerate observation of multiple consecutive filling and voiding cycles. This forced us to design a non-contact rectangular frame within the inside of the animal cage, containing the inductive powering loop along with the same circuits as used in the waistband device. This allowed continuous induction powering and repeated measurement of voiding while the animal is standing freely. With this frame, every animal tolerated 5 consecutive fill-void cycles (duration  $119.4 \pm 43.7$  minutes, filling volume  $900 \pm 360$  ml, Fig 4B, 4C & 4D). Corresponding changes in bladder pressures were observed on both the Bladder Pill and the reference catheter measurement (Fig 4, ICC  $r = 0.727$ ). The pressure measured by both methods, Bladder Pill and the air-charged catheter (ACC), differed by  $-2.7 \pm 7.9$  cm H<sub>2</sub>O (Fig 4F). In comparison of baseline pressures by episodes of consecutive voiding, there were no difference in means of voids 1–5, however, the ACC had larger variance in voids 2, 4 and 5 than the Bladder Pill (Fig 4G).

We explored longer term implantation by attaching a 3 cm section of polyurethane loop from a self-retaining ureteral catheter to the dummy pills as to prevent expulsion (Fig 3A). Pills were retained in the bladder until extraction at 7 days in all 5 animals. Extraction was performed by endoscopy using human instruments in 4 animals. In 1 animal, inadequate length of instruments necessitated open surgery.

## Discussion

Catheters are accepted as the standard in bladder pressure measurement with specific limitations to each catheter technology. Intravesical devices have the potential for less intrusive and longer term bladder pressure monitoring. Overall, the results from this study showed that the Bladder Pill system is feasible for measurements of bladder pressure in an animal model. In conditions of repeated voiding measurements, this system outperforms catheters in quality of data. With an external device in the form of a waistband, this system can potentially measure bladder pressure continuously over a 24 to 48 hour period, avoiding the discomfort of an indwelling urethral catheter.

Telemetry of bladder pressure was previously reported with surgically implanted devices in minipigs [13]. Previous designs of intravesical devices had data storage within the device, therefore measurement data was only available after completion of measurement and successful retrieval. [12,25] Clasbrummel et al have independently proposed a similar wireless system as described in this study. [15] Majerus et al have also reported their work on a pressure sensor for submucosal implantation with wireless battery recharging. [14,26] In this study, we have demonstrated the feasibility of wireless induction in vivo for pressure measurement using a catheterless device in the bladder lumen for both power and real-time data communications. Pressure data were immediately available during the measurement procedure.



**Fig 4. Awake consecutive voiding study in minipigs.** (A) Pill tied adjacent to the sensing membrane of the air-charged catheter (ACC). (B) Detail of a single void, events as marked on the graph. (C) & (D) Sample recording 1 & 2, illustrating five consecutive voids in a single measurement session. The baseline drift and the reduced responsiveness of the ACC was observed at the last filling of Fig 4C and starting from third filling of Fig 4D. The ACC unexpectedly registered reduced variation expected from breathing. Arrowheads mark start of filling, and horizontal lines mark voiding events. (E) Correlation plot of pressure at all time periods (Intraclass correlation coefficient  $r = 0.725$ , 95% confidence interval 0.723–0.727). Diagonal reference line shows where all points would fall if both measurements agreed perfectly. (F) Bland-Altman plot of differences between pressures measured by Bladder Pill and ACC (bias =  $-2.7$  cm H<sub>2</sub>O, 95% limits of agreement  $-15.7$  to  $10.4$  cm H<sub>2</sub>O). (G) Change of baseline pressure in each micturition cycle between Bladder Pill and ACC (initial void = 0). Statistical analysis using unpaired t test with Welch’s correction for unequal variance (Void 2  $p = 0.85$ , Void 3  $p = 0.78$ , Void 4  $p = 0.63$ , Void 5  $p = 0.61$ ). Larger variance of baseline value changes were observed from the ACC than the Bladder Pill in the second, fourth and fifth voids (F test for variance Void 2  $p = 0.023$ , Void 3  $p = 0.054$ , Void 4  $p = 0.034$ , Void 5  $p = 0.010$ ). Data presented in red was obtained from the air-charged catheters (ACC), data in black from the Bladder Pill or a direct comparison of both methods (Fig 4E & 4F).

<https://doi.org/10.1371/journal.pone.0225821.g004>

The pressures measured in this study were within the expected physiological range of intravesical pressures observed in previous porcine studies. [13,27] We showed, *in vitro*, the agreement of pressures measured by the Bladder Pill with catheters connected to fluid-filled transducers. However these catheters are susceptible to movement and tube knock artefacts and therefore not suitable for awake animal experiments. [28,29] Therefore, we used the ACC as a comparison pressure method. We decided to compare values from the entire observation period. The detrusor pressure was not calculated because we did not measure abdominal pressure values.

The mean difference between the measurements seen in this study is comparable to other studies of this catheter type. [30,31] Furthermore, pressure values measured by different methods have a wide range. Studies attempting simultaneous pressure measurement *in vivo* using two instruments in the bladder are limited. Comparison of ACC with fluid-filled catheters in women showed similar spreads of pressure measurement, although this study did not include analysis of cough or void events. [32] In 62 patients recruited for simultaneous comparison of catheters, more than half of the recordings were excluded due to data issues where 12 of these were problems in the voiding phase. [21] In comparative studies of other catheter types, increased difference at higher pressures were also observed but with fewer observation points. [31,33] These comparison studies have reported a wide spread of values despite small mean differences. Gammie et al. compared ACC with fluid-filled catheters during change in posture, from supine to standing. This study found a mean difference of 0.9 +/- 5.0 cm H<sub>2</sub>O (mean +/- SD), with 95% limits of agreement of -10.7 to 8.8 cm H<sub>2</sub>O. [21] A second study comparing the same catheter types concluded that ACC measurements were consistently higher, wide variations in readings were found, but these differences did not change the urodynamic diagnoses in the study population of women. [32] Hundley et al. compared microtip catheters with fluid-filled catheters at cough and Valsalva maneuver and reported differences of at minimal Valsalva 7 +/- 12 cm H<sub>2</sub>O (mean +/- SD) to 24 +/- 27 cm H<sub>2</sub>O (mean +/- SD) at maximum cough. [33]

In 4 of 25 filling cycles we observed an unexpected reduction in pressure variation from the ACC (Fig 4C and 4D), while the Bladder Pill had a more stable output. Furthermore, the baseline pressure between micturations of ACC showed a larger spread of values compared to the Bladder Pill (Fig 4D & 4G). Possible reasons for this variance may originate from a true change in the baseline pressure measured or from drift of the sensing system. The pressure may increase due to residual urine which was not evacuated after each void, although in this case changes in baseline pressure would have equally affected both measurement systems. After micturition, the empty bladder may cause vertical displacement of both measurement systems. The pendulous abdominal wall or shift in other abdominal contents may also account for variation in intraabdominal pressure. Finally, prolonged measurement using the ACC has been reported with average drift of 4% at 2 hours, which corresponds to the median duration of continuous measurement in the current study. [18]

The voiding curve of minipigs had features similar to murine cystometry except for the absence of the oscillatory sphincter activity [34]. At the end of the detrusor contraction, a rise in bladder pressure was observed in our study, similar to previous findings in minipigs [13,27] as well as in a proportion of child [35] and adult cystometry in humans. [36,37] From the scatterplots of measured pressures (Fig 4E & 4F) we observe a wider spread of pressure measurements in higher pressure values. The factors affecting baseline pressures as previously discussed may also contribute to this finding. The high pressures measured may originate external from the bladder (i.e. coughing and straining) as well as from bladder contractions during voiding. We considered the impact of static bending on Bladder Pill measurement characteristics in bench experiments and found a deviation of less than 5 cm H<sub>2</sub>O, although dynamic transient increases by powerful bladder contraction cannot be excluded (Fig 3). Finally, timestamps of the separate pressure registrations may be slightly misaligned.

During observation of animals in short term and longer indwelling experiments, no change in animal behavior was observed. Any effect of the device on sensation and voiding mechanics remain uncertain. Additional design features can provide buoyancy and device retention mechanisms while minimizing effect on bladder sensation and voiding mechanics.

Further development of this device can address the current limitations. The Bladder Pill used in these experiments were sufficiently small to pass through a cystoscope or to attach at the end of a urethral catheter. The current device utilizes off the shelf components, therefore use of more integrated components in future development may further decrease the dimensions. Technical solutions for current limiting factors of wireless connection and durability are available. Implantable devices employing similar principles are already widely used in capsule endoscopy and temperature measurement, [22,38,39] although use of pressure sensors require extra attention to calibration and drift. [22] Algorithms based on signal properties of bladder contraction and extravasical motion can classify relevant bladder events to substitute for abdominal pressure measurement. [40] In future human studies, the absence of instruments remaining within the urethra and disrupting the sphincter mechanism can contribute to improved urodynamic fidelity and improved comfort.

## Conclusions

We demonstrated feasibility and performance of a small wireless bladder pressure measurement device in vitro and in vivo. Bench testing demonstrated agreement of pressure measurement with catheter-based methods. The effect of longitudinal compression of the pill on pressure measurement is minor, and probably clinically irrelevant. From animal studies, there is no difference in voiding pressures compared to the catheter-based methods. Additionally, the Bladder Pill outperforms the air-charged catheters for measurements of multiple voids and longer duration. Moreover, the Bladder Pill device allows for unobstructed daytime recording of bladder function without hindering the comfort of the patient. This creates a new opportunity in understanding human bladder behavior.

## Supporting information

### S1 File. ARRIVE checklist.

(PDF)

### S2 File. Operating range data.

(TXT)

### S3 File. In vitro data.

(ZIP)

### S4 File. In vivo data.

(ZIP)

**S1 Fig. Previous version of Fig 1.** Original figure from previous publication by the same authors adapted for a previous version of Fig 1.

(JPG)

## Acknowledgments

The first author acknowledges support from the Indonesia Endowment Fund for Education (LPDP). The research leading to these results has received funding from the European Research Council under the European Union's Seventh Framework Program (FP7/2007-2013)

/ ERC grant agreement n° 340931, and from the Flemish Government through the FWO project G0862.12 R. We thank Laborie Medical Technologies Europe for technical support and generous donation of catheters used in this study.

## Author Contributions

**Conceptualization:** Mohammad Ayodhia Soebadi, Marko Bakula, Lukman Hakim, Robert Puers, Dirk De Ridder.

**Data curation:** Marko Bakula.

**Formal analysis:** Mohammad Ayodhia Soebadi, Dirk De Ridder.

**Funding acquisition:** Lukman Hakim, Robert Puers, Dirk De Ridder.

**Investigation:** Mohammad Ayodhia Soebadi, Marko Bakula.

**Methodology:** Mohammad Ayodhia Soebadi, Marko Bakula, Robert Puers, Dirk De Ridder.

**Project administration:** Lukman Hakim, Dirk De Ridder.

**Resources:** Marko Bakula, Robert Puers, Dirk De Ridder.

**Software:** Marko Bakula.

**Supervision:** Lukman Hakim, Robert Puers, Dirk De Ridder.

**Validation:** Robert Puers, Dirk De Ridder.

**Visualization:** Robert Puers.

**Writing – original draft:** Mohammad Ayodhia Soebadi, Dirk De Ridder.

**Writing – review & editing:** Mohammad Ayodhia Soebadi, Lukman Hakim, Robert Puers, Dirk De Ridder.

## References

1. Rosier PFWM, Schaefer W, Lose G, Goldman HB, Guralnick M, Eustice S, et al. International Continence Society Good Urodynamic Practices and Terms 2016: Urodynamics, uroflowmetry, cystometry, and pressure-flow study. *Neurourol Urodyn*. John Wiley & Sons, Ltd; 2017; 36: 1243–1260. <https://doi.org/10.1002/nau.23124> PMID: 27917521
2. Musco S, Padilla-Fernández B, Del Popolo G, Bonifazi M, Blok BFM, Groen J, et al. Value of urodynamic findings in predicting upper urinary tract damage in neuro-urological patients: A systematic review. *Neurourology and Urodynamics*. John Wiley & Sons, Ltd; 2018. pp. 1522–1540. <https://doi.org/10.1002/nau.23501> PMID: 29392753
3. Hashim H, Abrams P. Is the Bladder a Reliable Witness for Predicting Detrusor Overactivity? *J Urol*. Elsevier; 2006; 175: 191–194. [https://doi.org/10.1016/S0022-5347\(05\)00067-4](https://doi.org/10.1016/S0022-5347(05)00067-4) PMID: 16406907
4. Leitner L, Walter M, Sammer U, Knüpfer SC, Mehnert U, Kessler TM. Urodynamic Investigation: A Valid Tool to Define Normal Lower Urinary Tract Function? Shore N, editor. *PLoS One*. Public Library of Science; 2016; 11: e0163847. <https://doi.org/10.1371/journal.pone.0163847> PMID: 27736908
5. Rademakers KL, Drossaerts JM, Rahnama'i MS, van Koeveringe GA. Differentiation of lower urinary tract dysfunctions: The role of ambulatory urodynamic monitoring. *Int J Urol*. John Wiley & Sons, Ltd; 2015; 22: 503–507. <https://doi.org/10.1111/iju.12723> PMID: 25711671
6. Digesu GA, Gargasole C, Hendricken C, Gore M, Kocjancic E, Khullar V, et al. ICS teaching module: Ambulatory urodynamic monitoring. *Neurourol Urodyn*. John Wiley & Sons, Ltd; 2017; 36: 364–367. <https://doi.org/10.1002/nau.22933> PMID: 26594872
7. Pannek J, Pieper P. Clinical usefulness of ambulatory urodynamics in the diagnosis and treatment of lower urinary tract dysfunction. *Scand J Urol Nephrol*. 2008; 42: 428–432. <https://doi.org/10.1080/00365590802299056> PMID: 18759165

8. Oh S-J, Son H, Yun Jeong J, Hyeon Ku J, Hyeon JK. Patients' experience with ambulatory urodynamic. *Scand J Urol Nephrol*. 2006; 40: 391–396. <https://doi.org/10.1080/00365590600744014> PMID: [17060086](https://pubmed.ncbi.nlm.nih.gov/17060086/)
9. Van Koeveringe GA, Rahnama'i MS, Berghmans BCM. The additional value of ambulatory urodynamic measurements compared with conventional urodynamic measurements. *BJU Int*. 2010; 105: 508–513. <https://doi.org/10.1111/j.1464-410X.2009.08790.x> PMID: [19673868](https://pubmed.ncbi.nlm.nih.gov/19673868/)
10. Vírveda-Chamorro M, Salinas-Casado J, de la Marta-García M, Esteban-Fuertes M, Méndez S. Comparison of ambulatory versus video urodynamics in patients with spinal cord injury. *Spinal Cord. International Spinal Cord Society*; 2014; 52: 551–5. <https://doi.org/10.1038/sc.2014.9> PMID: [24663000](https://pubmed.ncbi.nlm.nih.gov/24663000/)
11. Jourand P, Puers R. The BladderPill: An in-body system logging bladder pressure. *Sensors Actuators A Phys. Elsevier B.V.*; 2010; 162: 160–166.
12. Wille S, Schumacher P, Paas J, Tenholte D, Eminaga O, Müller U, et al. Catheterless long-term ambulatory urodynamic measurement using a novel three-device system. Barbosa MA, editor. *PLoS One. Public Library of Science*; 2014; 9: e96280. <https://doi.org/10.1371/journal.pone.0096280> PMID: [24840482](https://pubmed.ncbi.nlm.nih.gov/24840482/)
13. Huppertz ND, Kirschner-Hermanns R, Tolba RH, Grosse JO. Telemetric monitoring of bladder function in female Göttingen minipigs. *BJU Int*. 2015; 116: 823–32. <https://doi.org/10.1111/bju.13089> PMID: [25682883](https://pubmed.ncbi.nlm.nih.gov/25682883/)
14. Majerus SJA, Fletter PC, Ferry EK, Zhu H, Gustafson KJ, Damaser MS. Suburothelial Bladder Contraction Detection with Implanted Pressure Sensor. Zhang Y, editor. *PLoS One*. 2017; 12: e0168375. <https://doi.org/10.1371/journal.pone.0168375> PMID: [28060842](https://pubmed.ncbi.nlm.nih.gov/28060842/)
15. Clasbrummel B, Muhr G, Jettkant B, Dehm J, Schlierf R, Mokwa W, et al. Mikro- und Nanosystemtechnik—medizinische Aspekte am Beispiel eines Blasendrucksensors. *Chir Gastroenterol. Karger Publishers*; 2005; 21: 38–42. <https://doi.org/10.1159/000089346>
16. Bakula M, Soebadi A, Ridder D De, Puers R, De Ridder D, Puers R. The Bladder Pill: Developments Toward Bladder Pressure Measurement in Wake Mini-pigs. *Procedia Eng*. 2016; 168: 193–196. <https://doi.org/10.1016/j.proeng.2016.11.215>
17. Animals NRC (US) C for the U of the G for the C and U of L. Guide for the Care and Use of Laboratory Animals. Guide for the Care and Use of Laboratory Animals. National Academies Press (US); 2011. <https://doi.org/10.1258/la.2010.010031>
18. Couri BM, Bitzos S, Bhardwaj D, Lockhart E, Yue A, Goping I. Performance analysis of the T-DOC air-charged catheters: An alternate technology for urodynamics. *Neurourol Urodyn. Wiley-Blackwell*; 2018; 37: 619–625. <https://doi.org/10.1002/nau.23342> PMID: [28715147](https://pubmed.ncbi.nlm.nih.gov/28715147/)
19. Abrams P, Cardozo L, Fall M, Griffiths D, Rosier P, Ulmsten U, et al. The standardisation of terminology of lower urinary tract function: report from the Standardisation Sub-committee of the International Continence Society. *Neurourol Urodyn*. 2002; 21: 167–78. <https://doi.org/10.1002/nau.10052> PMID: [11857671](https://pubmed.ncbi.nlm.nih.gov/11857671/)
20. Huppertz N, Tolba R, Grosse J. Micturition in Göttingen minipigs: first reference in vivo data for urological research and review of literature. *Lab Anim. SAGE PublicationsSage UK: London, England*; 2015; 49: 336–344. <https://doi.org/10.1177/0023677215570993> PMID: [25660835](https://pubmed.ncbi.nlm.nih.gov/25660835/)
21. Gammie A, Abrams P, Bevan W, Ellis-Jones J, Gray J, Hassine A, et al. Simultaneous in vivo comparison of water-filled and air-filled pressure measurement catheters: Implications for good urodynamic practice. *Neurourol Urodyn. Wiley-Blackwell*; 2016; 35: 926–933. <https://doi.org/10.1002/nau.22827> PMID: [26250500](https://pubmed.ncbi.nlm.nih.gov/26250500/)
22. Basu AS, Majerus S, Ferry E, Makovey I, Zhu H, Damaser MS. Is submucosal bladder pressure monitoring feasible? *Proc Inst Mech Eng Part H J Eng Med. SAGE PublicationsSage UK: London, England*; 2019; 233: 100–113. <https://doi.org/10.1177/0954411918754925> PMID: [30799738](https://pubmed.ncbi.nlm.nih.gov/30799738/)
23. Cicchetti D V. Interreliability Standards in Psychological Evaluations. *Psychol Assess*. 1994; 284–290.
24. Oliver R, Wells H, Traxer O, Knoll T, Aboumarzouk O, Biyani CS, et al. Ureteric stents on extraction strings: a systematic review of literature. *Urolithiasis. Springer Berlin Heidelberg*; 2018; 46: 129–136. <https://doi.org/10.1007/s00240-016-0898-1> PMID: [27324264](https://pubmed.ncbi.nlm.nih.gov/27324264/)
25. Jourand P, Puers R. An Autonomous, Capacitive Sensor Based and Battery Powered Internal Bladder Pressure Monitoring System. *PROCHE. Elsevier B.V.*; 2009; 1: 1263–1266.
26. Majerus SJA, Fletter PC, Damaser MS, Garverick SL. Low-power wireless micromanometer system for acute and chronic bladder-pressure monitoring. *IEEE Trans Biomed Eng. Department of Electrical Engineering and Computer Science, Case Western Reserve University, Cleveland, OH 44106, USA. steve.majerus@case.edu*; 2011; 58: 763–767. <https://doi.org/10.1109/TBME.2010.2085002> PMID: [20934942](https://pubmed.ncbi.nlm.nih.gov/20934942/)



27. Guan Z, Kiruluta G, Coolsaet B, Elhilali M. Conscious minipig model for evaluating the lower urinary tract. *Neurourol Urodyn*. John Wiley & Sons, Ltd; 1994; 13: 147–158. <https://doi.org/10.1002/nau.1930130207> PMID: 8032358
28. Hogan S, Gammie A, Abrams P. Urodynamic features and artefacts. *Neurourol Urodyn*. John Wiley & Sons, Ltd; 2012; 31: 1104–1117. <https://doi.org/10.1002/nau.22209> PMID: 22473568
29. Gammie A, D'Ancona C, Kuo H-C, Rosier PFW. ICS teaching module: Artefacts in urodynamic pressure traces (basic module). *Neurourol Urodyn*. John Wiley & Sons, Ltd; 2017; 36: 35–36. <https://doi.org/10.1002/nau.22881> PMID: 26372678
30. Zehnder P, Roth B, Burkhard FC, Kessler TM. Air charged and microtip catheters cannot be used interchangeably for urethral pressure measurement: a prospective, single-blind, randomized trial. *J Urol*. 2008; 180: 1013–7. <https://doi.org/10.1016/j.juro.2008.05.028> PMID: 18639301
31. Hundley AF, Brown MB, Brubaker L, Cundiff GW, Kreder K, Lotze P, et al. A multicentered comparison of measurements obtained with microtip and external water pressure transducers. *Int Urogynecol J*. 2006; 17: 400–406. <https://doi.org/10.1007/s00192-005-0027-0> PMID: 16284710
32. Digesu GA, Derpapas A, Robshaw P, Vijaya G, Hendricken C, Khullar V. Are the measurements of water-filled and air-charged catheters the same in urodynamics? *Int Urogynecol J*. 2014; 25: 123–130. <https://doi.org/10.1007/s00192-013-2182-z> PMID: 23903819
33. Hundley AF, Visco AG. Comparison of measurements obtained with microtip and external water pressure transducers. *Int Urogynecol J Pelvic Floor Dysfunct*. 15: 276–80. <https://doi.org/10.1007/s00192-004-1157-5> PMID: 15517674
34. Andersson K-E, Soler R, Füllhase C. Rodent models for urodynamic investigation. *Neurourol Urodyn*. 2011; 30: 636–46. <https://doi.org/10.1002/nau.21108> PMID: 21661007
35. Hoebeke PB, Van Gool JD, Van Laecke E, Vande Walle J, Plancke H. The after-contraction in paediatric urodynamics. *Br J Urol*. 1996; 78: 780–2. <https://doi.org/10.1046/j.1464-410x.1996.19822.x> PMID: 8976779
36. Rodrigues P, Hering F, Campagnari JC. Urodynamic after-contraction waves: a large observational study in an adult female population and correlation with bladder and ureter emptying functions in women. *Urol Int*. Karger Publishers; 2014; 93: 431–6. <https://doi.org/10.1159/000360139> PMID: 25059632
37. Veeratterapillay R, Coates J, Leonard A, Pickard R, Drinnan M, Harding C. Detrusor after-contraction on ambulatory urodynamics in symptomatic women. *Int J Urol*. Wiley/Blackwell (10.1111); 2015; 22: 1058–1062. <https://doi.org/10.1111/iju.12887> PMID: 26300214
38. W G Bongers CC, M Daanen HA, Bogerd CP, E Hopman MT, H Eijsvogels TM. Validity, Reliability, and Inertia of Four Different Temperature Capsule Systems. *Med Sci Sport Exerc*. 2018; 50: 169–175. <https://doi.org/10.1249/MSS.0000000000001403> PMID: 28816921
39. Bruaene C Van de. Small bowel capsule endoscopy: Where are we after almost 15 years of use? *World J Gastrointest Endosc*. Baishideng Publishing Group Inc; 2015; 7: 13. <https://doi.org/10.4253/wjge.v7.i1.13> PMID: 25610531
40. Karam R, Bourbeau D, Majerus S, Makovey I, Goldman H, Damaser M, et al. Real-Time Classification of Bladder Events for Effective Diagnosis and Treatment of Urinary Incontinence. *IEEE Trans Biomed Eng*. 2015; 63: 1–1. <https://doi.org/10.1109/TBME.2015.2469604> PMID: 26292331