

An optimal control of malaria transmission model with mosquito seasonal factor

Fatmawati, Faishal Farrel Herdicho, Windarto, Williams Chukwu, Hengki Tasman

Available online at

<https://www.sciencedirect.com/science/article/pii/S2211379721003806>

Results in Physics

Volume 25 June 2021

<https://doi.org/10.1016/j.rinp.2021.104238>

ISSN: 2211-3797



Documents

Export Date: 27 Nov 2022

Search: AU-ID("Windarto, undefined" 41862696300)

- 1) Fatmawati, Herdicho, F.F., Windarto, Chukwu, W., Tasman, H.

[An optimal control of malaria transmission model with mosquito seasonal factor](#)

(2021) Results in Physics, 25, art. no. 104238, . Cited 13 times.

- 1) <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85105455886&doi=10.1016%2fj.rinp.2021.104238&partnerID=40&md5=f>

DOI: 10.1016/j.rinp.2021.104238

Document Type: Article

Publication Stage: Final

Source: Scopus



Source details

Results in Physics

Open Access ⓘ

Scopus coverage years: from 2011 to Present

Publisher: Elsevier

E-ISSN: 2211-3797

Subject area: Physics and Astronomy: General Physics and Astronomy

Source type: Journal

CiteScore 2021

7.6

SJR 2021

0.662

SNIP 2021

1.396

[View all documents >](#)

[Set document alert](#)

[Save to source list](#) [Source Homepage](#)

[CiteScore](#) [CiteScore rank & trend](#) [Scopus content coverage](#)

i Improved CiteScore methodology

CiteScore 2021 counts the citations received in 2018-2021 to articles, reviews, conference papers, book chapters and data papers published in 2018-2021, and divides this by the number of publications published in 2018-2021. [Learn more >](#)

CiteScore 2021 ⌵

$$7.6 = \frac{26,931 \text{ Citations } 2018 - 2021}{3,561 \text{ Documents } 2018 - 2021}$$

Calculated on 05 May, 2022

CiteScoreTracker 2022 ⓘ

$$8.1 = \frac{28,649 \text{ Citations to date}}{3,546 \text{ Documents to date}}$$

Last updated on 05 November, 2022 • Updated monthly

CiteScore rank 2021 ⓘ

Category	Rank	Percentile
Physics and Astronomy		
General Physics and Astronomy	#28/240	88th

[View CiteScore methodology >](#) [CiteScore FAQ >](#) [Add CiteScore to your site ↗](#)

About Scopus

[What is Scopus](#)

[Content coverage](#)

[Scopus blog](#)

[Scopus API](#)

[Privacy matters](#)

Language

[日本語版を表示する](#)

[查看简体中文版本](#)

[查看繁體中文版本](#)

[Просмотр версии на русском языке](#)

Customer Service

[Help](#)

[Tutorials](#)

[Contact us](#)

ELSEVIER


[Terms and conditions ↗](#) [Privacy policy ↗](#)

Copyright © Elsevier B.V. ↗. All rights reserved. Scopus® is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies ↗.




Results in Physics

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
Netherlands  Universities and research institutions in Netherlands	Physics and Astronomy Physics and Astronomy (miscellaneous)	Elsevier BV	<h1>69</h1>

PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
Journals	22113797	2011-2021	Homepage How to publish in this journal Contact








SCOPE



Results in Physics is an open access journal offering authors the opportunity to publish in all fundamental and interdisciplinary areas of physics, materials science, and applied physics. Papers of a theoretical, computational, and experimental nature are all welcome. Results in Physics accepts papers that are scientifically sound, technically correct and provide valuable new knowledge to the physics community. Topics such as three-dimensional flow and magnetohydrodynamics are not within the scope of Results in Physics. Results in Physics welcomes three types of papers: 1. Full research papers 2. Microarticles: very short papers, no longer than two pages. They may consist of a single, but well-described piece of information, such as: - Data and/or a plot plus a description - Description of a new method or instrumentation - Negative results - Concept or design study 3. Letters to the Editor: Letters discussing a recent article published in Results in Physics are welcome. These are objective, constructive, or educational critiques of papers published in Results in Physics. Accepted letters will be sent to the author of the original paper for a response. Each letter and response is published together. Letters should be received within 8 weeks of the article's publication. They should not exceed 750 words of text and 10 references.

 [Join the conversation about this journal](#)

FIND SIMILAR JOURNALS ?

<p>1 Applied Physics A: Materials Science and Processing DEU</p> <p>55% similarity</p>	<p>2 Materials Research Express GBR</p> <p>54% similarity</p>	<p>3 Indian Journal of Physics IND</p> <p>53% similarity</p>	<p>4 Bulleti IND</p>
--	---	--	-------------------------------------





Results in Physics

Q2 Physics and Astronomy (miscellaneous) best quartile

SJR 2021
0.66

powered by scimagojr.com


← Show this widget in your own website

Just copy the code below and paste within your html code:

```
<a href="https://www.scimaç
```

SCImago Graphica

Explore, visually communicate and make sense of data with our **new data visualization tool**.



Metrics based on Scopus® data as of April 2022



ScienceDirect®

Results in Physics

Open access

7.6

CiteScore

4.565

Impact Factor

[Submit your article](#)

[Guide for authors](#)

Menu




Search in this journal

- [> Aims and scope](#)
- [> **Editorial board**](#)
- [> Abstracting & indexing](#)
- [> Call for papers](#)
- [> News](#)
- [> Announcements](#)
- [> Highlighted Articles](#)
- [> Featured Articles](#)
- [> Watch the Video](#)

Gender diversity of editors

Based on 100.00% responding editors



70% man

20% woman

10% prefer not to disclose

0% non-binary or gender diverse

Editorial board by country/region

41 editors and editorial board members in 18 countries/regions

1 United States of America (7)

2 China (5)

3 Poland (4)

[> See more editors by country/region](#)

Editorial board

Editor-in-Chief



Cong-Feng Qiao, PhD

University of the Chinese Academy of Sciences, Beijing, China

Particle Physics, Quantum Theory

[> View full biography](#)

[Email this editor](#) ↗

Editors



Abdon Atangana

University of the Free State, Faculty of Natural and Agricultural Sciences, Bloemfontein, South Africa

Methods and application of nonlinear equations, Fractional calculus and their applications to real world problems, Application of partial, ordinary and fractional differential equation to groundwater problems, Perturbation and asymptotic methods, Iteration methods for differential equations, Numerical method for partial differential equations, Numerical methods for ordinary differential equations, Analytical methods for partial differential equation, Analytical methods for ordinary differential equation, Integral transforms, Groundwater flow models, Groundwater transport models

[> View full biography](#)

[Email this editor](#) ↗




Fabio Baronio

University of Brescia, Brescia, Italy

Photonics; Optics; Nonlinear Optics, Optics, Nonlinear Optics, Nonlinear Physics, Solitons

[> View full biography](#)

[Email this editor](#) ↗



Amin Chabchoub

Kyoto University, Kyoto, Japan

Nonlinear Physics, Solitons, Fluid Dynamics, Physical Oceanography, Rogue Waves

[Email this editor](#) ↗



Shanshan Chen

Renmin University of China, Beijing, China

Low dimensional physics, Material Science

[Email this editor](#) ↗



Eugenio Del Re

University of Rome La Sapienza, Department of Physics, Roma, Italy

Solid State Physics, Complex Systems, Functional Materials

[Email this editor](#) ↗



Vadim Markel

University of Pennsylvania, Philadelphia, Pennsylvania, United States of America

Optics, Atomic and Molecular Physics, Condensed Matter Physics, inverse problems, imaging

[View full biography](#)

[Email this editor](#) ↗



Shuang-Yong Zhou

University of Science and Technology of China, Hefei, Anhui, China

Gravitation, Quantum Field Theory, Astrophysics and Cosmology

[Email this editor](#) ↗

Managing Editor



Eva Nováková

Den Haag, Netherlands

[> View full biography](#)

[Email this editor](#) ↗

Scientific Managing Editor'

Ali Basaran, PhD

University of California San Diego, La Jolla, United States of America

International Advisory Board



Omid Akhavan, PhD

Sharif University of Technology, Tehran, Iran

Bionanomaterials, Graphene, Photocatalysts, Antibacterial nanomaterials, Biosensors, Stem cell-based tissue engineering



Maxim Avdeev, PhD

Australian Nuclear Science and Technology Organisation, Kirrawee, Australia

Crystal and magnetic structure of inorganic materials; Neutron scattering; Classical and ab initio atomistic modelling; Data mining



Michel Barsoum, PhD

Drexel University, Department of Materials Science and Engineering, Philadelphia, Pennsylvania, United States of America

Ceramic materials; Ternary carbides and nitrides; MAX phases and their 2D derivatives; MXenes

Frank R. de Boer, PhD

University of Amsterdam Van der Waals-Zeeman Institute, Amsterdam, Netherlands



Boris Bokstein, D.Sc

National University of Science and Technology MISiS,, Department of Physical Chemistry, Moscow, Russian Federation

Metals, Alloys, Diffusion, Phase transformations, Grain boundaries



Mikhail Brik, Dr. hab.

University of Tartu Institute of Physics, Tartu, Estonia

Crystal field theory, Calculations of energy levels of 3d and 4f ions in crystals, Ab initio calculations of physical properties of pure and doped crystals, Computational materials science

Ekkes Brück

Delft University of Technology, Delft, Netherlands



Charles Doering

University of Michigan, Ann Arbor, Michigan, United States of America

Nonlinear Science; Statistical Physics; Biological Physics; Plasma and Fluid Physics



William Fahrenholtz, PhD

Missouri University of Science and Technology, Rolla, Missouri, United States of America

Materials Science



Eric Gaffet, PhD, HDR

National Centre for Scientific Research, Paris, France

Nanomaterials: Synthesis and Characterization, Solid State Reaction, Mechanical alloying, Mechanochemistry / Ball Milling, Powder Metallurgy, Responsible Development of Nanomaterials, Safer by design / by process (nanomaterials), Chemistry, Physics



Manoj Gupta, PhD

National University of Singapore, Singapore, Singapore

Processing, microstructure and properties evaluation of advanced light weight structural materials inclusive of Al and Mg light-metal alloys/micro/nano/metastable-composites and lightweight high entropy alloys, Materials

Young-Woo Heo

Kyungpook National University, Daegu, South Korea

Azam Irajizad

Sharif University of Technology, Tehran, Iran

Ryosuke Kainuma

Tohoku University, Sendai, Japan

Materials science, phase diagrams, phase transformations, microstructure



Vladislav Kharton, PhD

Institute of Solid State Physics Russian Academy of Sciences, Chernogolovka, Russian Federation

Solid oxide fuel cells, Ceramic membranes, High-temperature electrochemistry and chemistry of solids, Electrocatalysis, Mixed ionic-electronic conductors, Solid electrolytes, Modeling of ionic and ambipolar transport processes, Ceramic technologies, Oxide and composite materials, Oxygen and hydrogen separation



Iwan Kityk†

Czestochowa Technical University,, Faculty of Electrical Engineering, Institute of Optoelectronics and Measuring Systems, Częstochowa, Poland

Condensed Matter Physics, Spectroscopy of condensed matter, Nonlinear optical effects in solids, Band structure of crystals



Xiaoguang Li, PhD

University of Science and Technology of China, Department of Physics, Hefei, Anhui, China

Research interests include the synthesis, microstructure, physical properties, and prototype devices of transitional metal oxides such as ferroelectric and multiferroic based electronic devices.

Zi-Kui Liu

The Pennsylvania State University, Department of Materials Science and Engineering, University Park, Pennsylvania, United States of America

Jörg Löffler

ETH Zurich, Zurich, Switzerland

(1) Bulk metallic glasses , (2) Biodegradable metallic implants



Wilfrid Prellier, PhD

Laboratory of Crystallography and Materials Science, Caen, France

materials science, thin films, oxides, synthesis



Czesław Rudowicz, PhD

West Pomeranian University of Technology, Szczecin, Poland, and A. Mickiewicz University, Poznan, Poland

magnetism, optical & , , , EMR (EPR/ESR) spectroscopy of transition ions, ligand/crystal field theory, foundations of EMR



David Schmool, DPhil

Versailles Saint-Quentin-en-Yvelines University, Versailles, France

Ferromagnetic resonance (FMR) and spin dynamics in nanoscale systems; Magneto-transport measurements; Magnetic thin films and multilayers; Magnetic oxides; Nanostructured magnetic materials and magnetic nanoparticles; Ultrafast magnetisation dynamics, Physics, Nanotechnology, Magnetism

Penelope Schobinger-Papamantellos

ETH Zurich, Zurich, Switzerland

Magnetic structures of Rare earth intermetallics and Boracites . I am basically a chemist and diffractionist (x-ray and neutron).



David Sellmyer

University of Nebraska-Lincoln, Lincoln, Nebraska, United States of America

Quantum and spin phenomena in nanomagnetic structures

Zbigniew Stadnik, PhD, BEd

University of Ottawa, Ottawa, Ontario, Canada

Magnetism, quasicrystals, high-Tc superconductors, novel compounds



Wieslaw Streck

Institute of Low Temperature and Structure Research Polish Academy of Sciences, Wroclaw, Poland

Rare earth ions and transition metal ions, doped sol-gel materials, photonic structures, nanomaterials, nanoceramics and crystals.

Andrez Wisniewski

Polish Academy of Sciences, Warszawa, Poland

Magnetism (Impact of pressure on magnetic properties; Magnetic nanoparticles; Magnetic properties of manganites and cobaltites) and Superconductivity (Impact of pressure on superconducting properties; Properties of vortex matter; Impact of irradiation defects and chemical substitutions on vortex lattice properties; High-Tc superconductors; Iron-based superconductors)

Thomas G. Woodcock, PhD

Leibniz Institute for Solid State and Materials Research Institute for Metallic Materials, Dresden,
Germany

Electron microscopy; Electron backscatter diffraction; Magnetic materials; Microstructure



Chun-Liang Yeh, Ph.D.

Feng Chia University, Taichung, Taiwan

Self-propagating High-temperature Synthesis (SHS), Transition metal borides and
nitrides, Intermetallics, MAX phases, Thermite Reaction



Yufeng Zheng, PhD

Peking University, Beijing, China

Biomaterials, Metals and alloys, Metallic biomaterials, Magnesium alloys, Zinc alloys, Iron-based
alloys, Titanium alloys

Cordt Zollfrank, PhD

Technical University of Munich School of Life Sciences Weihenstephan, Freising, Germany

Biomimetics, Biomaterials

All members of the Editorial Board have identified their affiliated institutions or organizations,
along with the corresponding country or geographic region. Elsevier remains neutral with regard
to any jurisdictional claims.



Copyright © 2022 Elsevier B.V. or its licensors or contributors.
ScienceDirect® is a registered trademark of Elsevier B.V.





ScienceDirect®

Results in Physics

Open access

7.6

CiteScore

4.565

Impact Factor

[Submit your article](#)

[Guide for authors](#)

Menu



Search in this journal

Volume 25

June 2021

[← Previous vol/issue](#)

[Next vol/issue >](#)

Receive an update when the latest issues in this journal are published

[Sign in to set up alerts](#)

Open access

International Advisory Board

Article 104400

[Download PDF](#)

Acoustics

Research article *Open access*

A fourth-order approximation Rayleigh-Plesset equation written in volume variation for an adiabatic-gas bubble in an ultrasonic field: Derivation and numerical solution

Christian Vanhille

Article 104193

[Download PDF](#) Article preview 

Research article *Open access*

Parameterization of localized states of liquid surface waves in non-Bragg structures

Joshua Masinde Kundu, Ting Liu, Jia Tao, Ya-Xian Fan, Zhi-Yong Tao

Article 104190

[Download PDF](#) Article preview 

Research article *Open access*

Machine learning for predicting the bubble-collapse strength as affected by physical conditions

Xiaojiao Wang, Zhi Ning, Ming Lv, Chunhua Sun

Article 104226

[Download PDF](#) Article preview 

Research article *Open access*

Optimal functional surface coating considering internal flow behavior of viscous-liquids driven by vertical ultrasonic waves

Dong-Su Park, Kyoung-Su Park

Article 104255

[Download PDF](#) Article preview 

Research article *Open access*

Acoustic analysis of gas compositions based on molecular relaxation features

Tingting Liu, Yi Hu, Xiangqun Zhang, Ming Zhu

Article 104304

[Download PDF](#) Article preview 

Research article *Open access*

Fatigue damage evaluation of metallic components based on the maximum Lyapunov exponent of modified Duffing system

Yuhua Zhang, Silong Quan, Guoquan Liu

Article 104252

[Download PDF](#) Article preview 

Condensed Matter Physics

Open access

Fabrication of PVA/Ag-TiO₂ nanofiber mats for visible-light-active photocatalysis

Arantxa Danielle S. Montallana, Magdaleno R. Vasquez

Article 104205

[Download PDF](#) Article preview 

Research article *Open access*

Coherence length versus transition temperature of hydride-based and room temperature superconductors

R. Abd-Shukor

Article 104219

[Download PDF](#) Article preview 

Research article *Open access*

Consequences of frequency and temperature on the ac-conductivity in ϵ -GaSe semiconductor single crystal

M.M. Abdullah

Article 104220

[Download PDF](#) Article preview 

Research article *Open access*

Study of structural, electronic, and conducting properties of Cu_{2-x}Mn_xO ($0 \leq x \leq 0.07$) system

Akbar Ali, Shahzad Hussain, Humaira Safdar Bhatti, Babar Shabbir

Article 104224


[Download PDF](#) Article preview 

Research article *Open access*

Spin asymmetry originating from densities of states: Criterion for ferromagnetism, structures and magnetic properties of $3d$ metals from crystal field based DOSs

Cristian M. Teodorescu

Article 104241


[Download PDF](#) [Article preview](#) 

Research article *Open access*

Polarization-independent multiband double-negative metamaterial through ferrite-based flexible substrate with tunable microwave dielectric properties

Md. Atiqur Rahman, Mohammad Tariqul Islam, Mandeep Singh Jit Singh, Md. Samsuzzaman

Article 104214


[Download PDF](#) [Article preview](#) 

Research article *Open access*

First-principles study on structural stability and reaction with H_2O and O_2 of vacancy-ordered double perovskite halides: $Cs_2(Ti, Zr, Hf)X_6$

Chaiyawat Kaewmeechai, Yongyut Laosiritaworn, Atchara Punya Jaroenjittichai

Article 104225

[Download PDF](#) [Article preview](#) 

Research article *Open access*

A type-II $WSe_2/HfSe_2$ van der Waals heterostructure with adjustable electronic and optical properties

Weiwei Ju, Yi Zhang, Tongwei Li, Donghui Wang, ... Haisheng Li

Article 104250

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Effect of In on superparamagnetic $CoIn_xFe_{2-x}O_4$ ($x = 0-0.15$) synthesized through hydrothermal method

Antaz Ali, M.S.I. Sarker, Minhajul Islam, M.K.R. Khan, ... M.M. Rahman

Article 104251

[Download PDF](#) [Article preview](#) 

Open access

Fabrication of electrospun poly(vinyl alcohol) nanofibers loaded with zinc oxide particles

Mary Lizeth A. Anero, Arantxa Danielle S. Montallana, Magdaleno R. Vasquez

Article 104223

[Download PDF](#) Article preview 

Research article *Open access*

Atomistic simulations of the graded residual elastic fields in metallic nanowires

Shuai Wang, Yin Yao, Bo Zhang

Article 104272

[Download PDF](#) Article preview 

Research article *Open access*

Friction performance and corrosion resistance of MoS₂/DLC composite films deposited by magnetron sputtering

Aihua Jiang, Xueli Cao, Zhiyong Wang, Jiafeng Ma, ... Songshan Ma

Article 104278

[Download PDF](#) Article preview 

Open access

Negative differential resistance in Si/GaAs tunnel junction formed by single crystalline nanomembrane transfer method

Kwangeun Kim, Jaewon Jang, Hyungtak Kim

Article 104279

[Download PDF](#) Article preview 

Research article *Open access*

MOCVD growth and characterization of conductive homoepitaxial Si-doped Ga₂O₃

Armando Hernandez, Md Minhazul Islam, Pooneh Saddatkia, Charles Coddling, ... F.A. Selim

Article 104167

[Download PDF](#) Article preview 

Research article *Open access*

Investigation of high threshold voltage E-mode AlGa_N/Ga_N MIS-HEMT with triple barrier layer

Fan Xia, Huiqing Sun, Zhibin Liu, Xiaoyu Xia, ... Zhiyou Guo

Article 104189

[Download PDF](#) Article preview 

Research article *Open access*

Graphene Tamm plasmon-induced enhanced and tunable photonic spin hall effect of reflected light in terahertz band

Haishan Tian, Yang Yang, Jiao Tang, Leyong Jiang, Yuanjiang Xiang

Article 104300

[Download PDF](#) Article preview 

Research article *Open access*

Fabrication of superhydrophilic and underwater superoleophobic Cu_xO/TiO₂ mesh for oil–water separation

Christian B. Agano, Abbie Gail C. Villanueva, Anna Patricia S. Cristobal, Rozen Grace B. Madera, ...

Magdaleno R. Vasquez

Article 104257

[Download PDF](#) Article preview 

Research article *Open access*

Dynamics of kicked spin-orbit-coupled Bose-Einstein condensates

Qingbo Wang, Wenjing Zhao, Linghua Wen

Article 104317

[Download PDF](#) Article preview 

Research article *Open access*

Group 14 semiconductor alloys in the $P4_12_12$ phase: A comprehensive study

Qingyang Fan, Bingqian Hao, Li Jiang, Xinhai Yu, ... Sining Yun

Article 104254

[Download PDF](#) Article preview 

Research article *Open access*

Transition of spin gapless semiconductor to semiconductor and half-metal in ferromagnetic $\text{Ba}_2\text{MnTeO}_6$

Hai-Ming Huang, Qiang Yu, Rui Tong, Chen-Rui Wu, ... Shi-Jun Luo

Article 104315

[Download PDF](#) Article preview 

Research article *Open access*

Force chain characteristics of dense particles sheared between parallel-plate friction system

Fanjing Meng, Huabo Liu, Shaozhen Hua, Minghua Pang

Article 104328

[Download PDF](#) Article preview 

Research article *Open access*

Annealing effect on structural and optical properties of nanostructured carbon of oil fly ash modified titania thin-film

Saleh M. Alluqmani, Mehrez Loulou, Jalel Ouerfelli, Ahmed Alshahrie, Numan Salah

Article 104335

[Download PDF](#) Article preview 

Fluids and Plasmas

Research article *Open access*

Magnetic dipole and thermal radiation effects on hybrid base micropolar CNT_s flow over a stretching sheet: Finite element method approach

Bagh Ali, Imran Siddique, Ilyas Khan, Bilal Masood, Sajjad Hussain

Article 104145


[Download PDF](#) Article preview 

Correspondence *Open access*

Comments on “Entropy optimized radiative heat transportation in axisymmetric flow of Williamson nanofluid with activation energy”

M.M. Awad

Article 104237

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Influence of multi-ion on the dust grain surface potential of complex plasmas using non-Maxwellian approach

Abdullah Khan, B.M. Alotaibi, A.A. Abid, S. Ali, ... Amin Esmaili

Article 104150

[Download PDF](#) [Article preview](#) 


Gravitation and Cosmology

Research article *Open access*

Proper homothetic vector fields of Bianchi type I spacetimes via Rif tree approach

Ashfaq H. Bokhari, Tahir Hussain, Jamshed Khan, Uzma Nasib

Article 104299

[Download PDF](#) [Article preview](#) 

Instruments and Instrumentation

Research article *Open access*

Gas pressure measurement using micro-corona-discharging effect in surface acoustic wave resonators

Baofa Hu, Zhiwei Li, Yuanjie Wan, Mingpo Li, Haisheng San

Article 104221

[Download PDF](#) [Article preview](#) 

Laser, Optics and Photonics

Research article *Open access*

Near-infrared plasma cavity metasurface with independently tunable double Fano resonances

Yuanhe Sun, Lei Zhang, Hao Shi, Shuqi Cao, ... Yanqing Wu

Article 104204

[Download PDF](#) Article preview 

Research article *Open access*

Independently tunable double Fano-like resonances arising from the interference coupling of localized surface plasmons with waveguide modes


Yiqun Ji, Zhendong Yan, Chaojun Tang, Fanxin Liu, ... Zhong Huang
Article 104218

[Download PDF](#) Article preview 

Research article *Open access*

Electronically controlled polarization beat length in Kerr nonlinear media

Artorix de la Cruz, Montasir Qasymeh, Jaromir Pistora, Michael Cada
Article 104232

[Download PDF](#) Article preview 

Research article *Open access*

Brillouin-Raman fiber laser with switchable wavelength spacing based on Brillouin pump distribution

Abdulmoghni Wazae Al-Alimi, Noran Azizan Cholan, Sameer Salam, Yasmin Mustapha Kamil, ... Mohd Adzir Mahdi
Article 104149

[Download PDF](#) Article preview 

Research article *Open access*

Study on spectral properties of local graphene-assisted micro-nanostructures


Yingzhuo Tong, Bing Wang, Chao Ge, Haiying Song, Shibing Liu
Article 104207

[Download PDF](#) Article preview 

Research article *Open access*

A vortex-focused beam metalens array in the visible light range based on computer-generated holography

JinPing Zhang, Jiagui Wu, Huan Yuan, Zehao Wang, ... Junbo Yang
Article 104211

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Application of the joint algorithm of smooth pseudo Wigner-Ville distribution and four-parameter particle swarm optimization to BOTDR


Xuan Li, Lixia Xi, Yang'an Zhang, Xueguang Yuan, Xiaoguang Zhang
Article 104215

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Tunable multi-band terahertz absorber based on composite graphene structures with square ring and Jerusalem cross


Baohe Zhang, Yunping Qi, Ting Zhang, Yu Zhang, ... Zao Yi
Article 104233

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Dual-function tuneable asymmetric transmission and polarization converter in terahertz region

Huiyun Zhang, Chuanhao Yang, Meng Liu, Yuping Zhang
Article 104242

[Download PDF](#) [Article preview](#) 

Research article *Open access*

Realization of multi-band perfect absorber in graphene based metal-insulator-metal metamaterials

Yuanlin Jia, Huaiyuan Yin, Huawei Yao, Junqiao Wang, Chunzhen Fan
Article 104301


[Download PDF](#) [Article preview](#) 

Research article *Open access*

Polarization-maintaining terahertz anti-resonant fibers based on mode couplings between core and cladding

Shuai Sun, Wei Shi, Quan Sheng, Zhongbao Yan, ... Jianquan Yao


Article 104309

[Download PDF](#) Article preview 

Research article *Open access*

Sensing properties of graphene-oxide-functionalized single-mode-no-core-single-mode fiber structure


Shaokang Yan, Shengli Pu, Yuxiu Zhang, Min Yuan, Chencheng Zhang
Article 104310

[Download PDF](#) Article preview 

Research article *Open access*

Fano-resonance-based refractive index sensor with ultra-high sensitivity

Shuocheng She, Sanmin Shen, Ziyi Wang, Qiulin Tan, ... Wendong Zhang
Article 104327

[Download PDF](#) Article preview 

Research article *Open access*

Multi-bias graphene-based THz super absorber


Masoud Soltani-Zanjani, Sadegh Biabanifard, Sirous Hemmatiyengejeh, Mohamadreza Soltani, Hassan Sadrnia
Article 104326

[Download PDF](#) Article preview 

Research article *Open access*

Cellular automata ray tracing in flow field near the optical window of the optical dome

Liang Luo, Junsheng Liu, Jiale Fei, Hui Xia, Wenke Xie
Article 104319

[Download PDF](#) Article preview 


Mathematical Physics

Research article *Open access*

Solution of third order linear and nonlinear boundary value problems of integro-differential equations using Haar Wavelet method

M.M. Alqarni, Rohul Amin, Kamal Shah, Shah Nazir, ... Emad E. Mahmoud

Article 104176

[Download PDF](#) Article preview 

Research article *Open access*

On the solutions and conserved vectors for the two-dimensional second extended Calogero-Bogoyavlenskii-Schiff equation

Chaudry Masood Khalique, Anila Mehmood

Article 104194

[Download PDF](#) Article preview 

Research article *Open access*

Effects of fractional order time derivative on the solitary wave dynamics of the generalized ZK–Burgers equation

Naeem Faraz, Maasoomah Sadaf, Ghazala Akram, Iqra Zainab, Yasir Khan

Article 104217

[Download PDF](#) Article preview 

Research article *Open access*

Nonlinear self-adjointness, conserved vectors, and traveling wave structures for the kinetics of phase separation dependent on ternary alloys in iron (Fe-Cr-Y (Y = Mo, Cu))

Muhammad Bilal Riaz, Dumitru Baleanu, Adil Jhangeer, Naseem Abbas

Article 104151

[Download PDF](#) Article preview 

Research article *Open access*

Lump, multi-wave, kinky breathers, interactional solutions and stability analysis for general $(2 + 1)$ -rth dispersionless Dym equation

S. Ahmed, R. Ashraf, Aly R. Seadawy, S.T. R. Rizvi, ... Ahmed M. El-Shehawi

Article 104160


[Download PDF](#) Article preview 

Research article *Open access*

Sensitive visualization of the fractional wazwaz-benjamin-bona-mahony equation with fractional derivatives: A comparative analysis

Nauman Raza, Adil Jhangeer, Riaz Ur Rahman, Asma Rashid Butt, Yu-Ming Chu

Article 104171


[Download PDF](#) Article preview 

Research article *Open access*

Analytical solutions of D-dimensional Klein–Gordon equation with modified Mobius squared potential

C.P. Onyenegecha, A.I. Opara, I.J. Njoku, S.C. Udensi, ... A. Omame

Article 104144


[Download PDF](#) Article preview 

Research article *Open access*

N-lump and interaction solutions of localized waves to the $(2 + 1)$ -dimensional generalized KP equation

Haixia Zhang, Jalil Manafian, Gurpreet Singh, Onur Alp Ilhan, Angelina Olegovna Zekiy

Article 104168

[Download PDF](#) Article preview 

Research article *Open access*

Application of scaling invariance approach, P-test and soliton solutions for couple of dynamical models

Azhar Bashir, Aly R. Seadawy, Syed Tahir Raza Rizvi, Muhammad Younis, ... Abd Allah A. Mousa

Article 104227

[Download PDF](#) Article preview 

Research article *Open access*

Soliton solutions to the Boussinesq equation through sine-Gordon method and Kudryashov method

M. Ali Akbar, Lanre Akinyemi, Shao-Wen Yao, Adil Jhangeer, ... Mustafa Inc

Article 104228

[Download PDF](#) Article preview 

Discussion *Open access*

Comments on “Optical singular and dark solitons to the $(2 + 1)$ -dimensional time–space fractional nonlinear Schrödinger equation” [Results Phys 22:2021;103870]

Mohamed A.E. Herzallah

Article 104166


[Download PDF](#) Article preview 

Research article *Open access*

Analytical solutions of fractional wave equation with memory effect using the fractional derivative with exponential kernel

B. Cuahutenango-Barro, M.A. Taneco-Hernández, Yu-Pei Lv, J.F. Gómez-Aguilar, ... Ayman A. Aly

Article 104148

[Download PDF](#) Article preview 

Research article *Open access*

Fluid model using recursive approach: Application to permeable slit with uniform reabsorption and velocity slip

Hameed Ullah, Dianchen Lu, Abdul Majeed Siddiqui, Khadija Maqbool, Shaukat Iqbal

Article 104196


[Download PDF](#) Article preview 

Research article *Open access*

An optimal control of malaria transmission model with mosquito seasonal factor

Fatmawati, Faishal Farrel Herdicho, Windarto, Williams Chukwu, Hengki Tasman

Article 104238

[Download PDF](#) Article preview 

Open access

A mathematical dimensionless model for electrohydrodynamics

Jorge A. Estrada-Díaz, Daniel Olvera-Trejo, Alex Elías-Zúñiga, Oscar Martínez-Romero

Article 104256

[Download PDF](#) Article preview 

Research article *Open access*

Radial solutions of the elliptic Liouville equation

Lazhar Bougoffa, Ammar Khanfer

Article 104276

[Download PDF](#) Article preview 

Research article *Open access*

New exact solitary wave solutions for the 3D-FWBBM model in arising shallow water waves by two analytical methods

Shafqat-Ur-Rehman, Muhammad Bilal, Jamshad Ahmad

Article 104230

[Download PDF](#) Article preview 

Research article *Open access*

Comments on the paper: “On the solution of a parabolic PDE involving a gas flow through a semi-infinite porous medium” by Daniel N. Pop et al. [Results Physics 22 (2021) 103884]

Lazhar Bougoffa

Article 104234

[Download PDF](#) Article preview 

Research article *Open access*

Numerical comparison of Caputo and Conformable derivatives of time fractional Burgers-Fisher equation

Asif Yokus, Hülya Durur, Doğan Kaya, Hijaz Ahmad, Taher A. Nofal

Article 104247

[Download PDF](#) Article preview 

Research article *Open access*

Fundamental solutions to the stochastic perturbed nonlinear Schrödinger’s equation via gamma distribution

Yousef F. Alharbi, M.A. Sohaly, Mahmoud A.E. Abdelrahman

Article 104249


[Download PDF](#) Article preview 

Research article *Open access*

Fractal and multifractal characteristics of shale nanopores

Fuyong Wang, Yun Zai

Article 104277


[Download PDF](#) Article preview 

Research article *Open access*

On the modulation instability analysis and deeper properties of the cubic nonlinear Schrödinger's equation with repulsive δ -potential

Yi-Xia Li, Ercan Celik, Juan L.G. Guirao, Tareq Saeed, Haci Mehmet Baskonus

Article 104303

[Download PDF](#) Article preview 

Nonlinear Science

Research article *Open access*

Sub-10-fs-pulse propagation between analytical and numerical investigation

Mostafa M.A. Khater, S.K. Elagan, A.A. Mousa, M.A. El-Shorbagy, ... Dianchen Lu

Article 104133


[Download PDF](#) Article preview 

Research article *Open access*

Driven damped n th-power anharmonic oscillators with time-dependent coefficients and their integrals of motion

J.E. Macías-Díaz, E. Urenda-Cázares, A. Gallegos

Article 104169

[Download PDF](#) Article preview 

Research article *Open access*

Abundant optical soliton solutions for an integrable (2+1)-dimensional nonlinear conformable Schrödinger system

Lanre Akinyemi, Mehmet Şenol, Hadi Rezazadeh, Hijaz Ahmad, Hao Wang


Article 104177

[Download PDF](#) Article preview 

Discussion *Open access*

Comments on the paper: Bilinear form and exact solutions for a new extended (2 + 1)-dimensional Boussinesq equation by Ping Cui [Results Phys 22 (2021) 103919]

Lazhar Bougoffa
Article 104185

[Download PDF](#) Article preview 

Research article *Open access*

Factors determining the relaxation time for elasto-hydrodynamic synchronization of adjacent beating flagella

Yoji Kawamura
Article 104261

[Download PDF](#) Article preview 

Research article *Open access*

Computational and approximate solutions of complex nonlinear Fokas–Lenells equation arising in optical fiber

Mostafa M.A. Khater, A. El-Sayed Ahmed, S.H. Alfalqi, J.F. Alzaidi, ... Aliaa Mahfooz Alabdali
Article 104322

[Download PDF](#) Article preview 

Nuclear Physics and Radiation

Research article *Open access*

Dose response features of quenched and reconstructed, TL and deconvolved OSL signals in BeO

G.S. Polymeris, S. Çoskun, E. Tsoutsoumanos, P. Konstantinidis, ... G. Kitis
Article 104222

[Download PDF](#) Article preview 

Research article *Open access*

Probing of nuclear radiation attenuation and mechanical features for lithium bismuth borate glasses with improving Bi_2O_3 content for $\text{B}_2\text{O}_3 + \text{Li}_2\text{O}$ amounts

G. Lakshminarayana, Ashok Kumar, H.O. Tekin, Shams A.M. Issa, ... Taejoon Park
Article 104246

[Download PDF](#) Article preview 

Particle and High Energy Physics

Research article Open access

Chitosan as biopolymer binder for graphene in supercapacitor electrode

Nor Azmira Salleh, Soorathep Kheawhom, Ahmad Azmin Mohamad
Article 104244

[Download PDF](#) Article preview 

Quantum Physics

Correspondence Open access

Remarks on: Ground state eigenvalue of the anharmonic potential $x^4 + \lambda x^6$ by high accuracy analytic functions, Pablo Martin, Daniel-Diaz-Almeida and Fernando Maass [Results Phys 18 (2020) 103291].

Biswanath Rath, Prachiprava Mohapatra
Article 104197

[Download PDF](#) Article preview 

Special Issue on Epidemiological Modelling; Edited by Abdon Atangana, Seda İĞRET ARAZ, Muhammad Altaf Khan

Research article Open access

Analysis of fractal-fractional model of tumor-immune interaction

Shabir Ahmad, Aman Ullah, Thabet Abdeljawad, Ali Akgül, Nabil Mlaiki
Article 104178

[Download PDF](#) Article preview 

Research article *Open access*

On the necessity of proper quarantine without lock down for 2019-nCoV in the absence of vaccine

Prasanta Sahoo, Himadri S. Mondal, Zakia Hammouch, Thabet Abdeljawad, ... Motahar Reza

Article 104063

[Download PDF](#) Article preview 

Research article *Open access*

Mathematical modeling and analysis of the novel Coronavirus using Atangana–Baleanu derivative

Ebraheem Alzahrani, M.M. El-Dessoky, Dumitru Baleanu

Article 104240


[Download PDF](#) Article preview 

Research article *Open access*

Factor analysis approach to classify COVID-19 datasets in several regions

Mohammad Reza Mahmoudi, Dumitru Baleanu, Shahab S. Band, Amir Mosavi

Article 104071

[Download PDF](#) Article preview 

Research article *Open access*

Global dynamics of SVIR epidemic model with distributed delay and imperfect vaccine

Salih Djilali, Soufiane Bentout

Article 104245


[Download PDF](#) Article preview 

Research article *Open access*

Using artificial intelligence techniques for detecting Covid-19 epidemic fake news in Moroccan tweets

Youness Madani, Mohammed Erritali, Belaid Bouikhalene

Article 104266

[Download PDF](#) Article preview 

Research article *Open access*

A novel study of Morlet neural networks to solve the nonlinear HIV infection system of latently infected cells

Muhammad Umar, Zulqurnain Sabir, Muhammad Asif Zahoor Raja, Hacı Mehmet Baskonus, ... Esin İlhan

Article 104235

[Download PDF](#) Article preview 

Research article *Open access*

A fuzzy graph approach analysis for COVID-19 outbreak

Nurfarhana Hassan, Tahir Ahmad, Azmirul Ashaari, Siti Rahmah Awang, ... Amirul Aizad Ahmad Fuad

Article 104267

[Download PDF](#) Article preview 

Research article *Open access*

Fractal analysis and the relationship between efficiency of capital market indices and COVID-19 in Iran

Mehrzad Alijani, Bahman Banimahd, Hashem Nikoomaram, Ahmad Yaghobnezhad

Article 104262

[Download PDF](#) Article preview 

Research article *Open access*

A study on canine distemper virus (CDV) and rabies epidemics in the red fox population via fractional derivatives

Pushpendra Kumar, Vedat Suat Erturk, Abdullahi Yusuf, Kottakkaran Sooppy Nisar, Sayed F. Abdelwahab

Article 104281

[Download PDF](#) Article preview 

Research article *Open access*

An improved SIR model describing the epidemic dynamics of the COVID-19 in China

Wen-jing Zhu, Shou-feng Shen

Article 104289

[Download PDF](#) Article preview 

Research article *Open access*

A time-fractional HIV infection model with nonlinear diffusion

J. Manimaran, L. Shangerganesh, A. Debbouche, J.-C. Cortés

Article 104293

[Download PDF](#) Article preview 

Research article *Open access*

Artificial neural networks and statistical models for optimization studying COVID-19

Azhari A. Elhag, Tahani A. Aloafi, Taghreed M. Jawa, Neveen Sayed-Ahmed, ... J. Bouslimi

Article 104274

[Download PDF](#) Article preview 

Research article *Open access*

Mathematical modeling of the COVID-19 pandemic with intervention strategies

Subhas Khajanchi, Kankan Sarkar, Jayanta Mondal, Kottakkaran Sooppy Nisar, Sayed F. Abdelwahab

Article 104285

[Download PDF](#) Article preview 

Research article *Open access*

A new SEIAR model on small-world networks to assess the intervention measures in the COVID-19 pandemics

Jie Li, Jiu Zhong, Yong-Mao Ji, Fang Yang

Article 104283

[Download PDF](#) Article preview 

Research article *Open access*

Early prediction of coronavirus disease epidemic severity in the contiguous United States based on deep learning

I-Hsi Kao, Jau-Woei Perng

Article 104287

[Download PDF](#) Article preview 

Research article *Open access*

Modeling the underestimation of COVID-19 infection

Ichiro Nakamoto, Jilin Zhang

Article 104271

[Download PDF](#) Article preview [▼](#)

Research article *Open access*

Establishment of a mathematical model for predicting malignancy of lung cancer complicated with *Talaromyces Marneffei* infection and its chest imaging characteristics

Yiling Feng, Xiaoping Li, Yanqin Wang

Article 104312

[Download PDF](#) Article preview [▼](#)


Research article *Open access*

Evaluation of single exponential, double exponential and tensile exponential models based multi-b-value diffusion-weighted imaging for intelligent diagnosis of benign and malignant prostatic tumors infected by *Escherichia coli*

Ting Zheng, Jiangtao Wang, Qian Liu, Jingzhong Wang, Yongjuan Wu

Article 104313

[Download PDF](#) Article preview [▼](#)



An optimal control of malaria transmission model with mosquito seasonal factor

Fatmawati^{a,*}, Faishal Farrel Herdicho^a, Windarto^a, Williams Chukwu^b, Hengki Tasman^c

^a Department of Mathematics, Faculty of Science and Technology, Universitas Airlangga, Surabaya 60115, Indonesia

^b Mathematics and Applied Mathematics Department, University of Johannesburg, Auckland Park 2006, South Africa

^c Department of Mathematics, Faculty of Mathematics and Natural Sciences, Universitas Indonesia, Depok 16424, Indonesia

ARTICLE INFO

Keywords:

Infectious disease
Malaria model
Seasonal factor
Sensitivity analysis
Optimal control

ABSTRACT

Malaria is an infectious disease which causes a global health problem. This paper aims to construct and analyze a malaria model with a seasonal factor and also apply optimal control variables in the form of insecticide, prevention, and treatment. The malaria model without seasonal factor has two equilibria, namely, the disease-free equilibrium (DFE) and the endemic equilibrium (EE). The existence and local stability of the equilibria depend on the basic reproduction number. We further analyze the sensitivity of the parameters to determine which parameters are the most influential in the model. Then, the malaria model by considering a seasonal factor is presented. The simulation results indicate that the seasonal factor tends to be more influential on the dynamics of the infected mosquitoes and humans population in region with hot climate. Furthermore, the existence of the optimal control variable in the malaria model with seasonal factor is determined through the Pontryagin Maximum Principle. Numerical simulation of the model with the optimal control shows that providing controls in the form of insecticide, prevention, and treatment simultaneously are effective in reducing the number of the exposed and infectious of the human population and also the infectious mosquito population.

Introduction

Malaria is an infectious disease caused by the presence of *Plasmodium* parasites in the red blood cells. The four types of *Plasmodium* that can infect humans are namely; *Plasmodium vivax*, *Plasmodium falciparum*, *Plasmodium malariae*, and *Plasmodium ovale*. Among the four types of *Plasmodium*, *Plasmodium falciparum* and *Plasmodium vivax* are dominant in Indonesia [1]. Malaria is transmitted to humans through the bite of malaria infected female *Anopheles* mosquitoes. On the other hand, other forms of transmissions of malaria can be from pregnant women infected with malaria to their fetuses through the placenta, and as well as through blood transfusion of a person contaminated by the *Plasmodium* parasite [2]. According to World Health Organization, there are 228 million cases of malaria with a total of 405 thousand deaths worldwide in 2018 [3].

Indonesia is located in the tropics and has two kinds of seasons, which are the rainy season and the dry season. In each of these seasons, climatic conditions will change according to the influence of the environmental factors. This is very influential in the spread of malaria, with the reason being that mosquitoes are cold-blooded, so climate change

drastically affects its population distribution, bite rate, survival, and the time of development of pathogens in mosquitoes. An increase in temperature of only half a degree Celsius can increase 30% to 100% of the mosquito population [4]. With higher temperature, mosquitoes and malaria parasites can mature more quickly so that the spread of malaria increases at a very fast rate. However, if the temperature becomes too high, the mosquitoes or malaria parasite cannot survive. Notwithstanding, stationary water such as dams which is a breeding ground for mosquitoes also affects the spread of malaria. The higher rainfall causes an increase in the breeding of larvae which in turn produces more mosquitoes to spread malaria [5].

Mathematical models are tools to understand the dynamics of the transmission of infectious diseases (see [6–12] and the references therein). Another form of mathematical models that can be used to control the spread of diseases is by incorporating optimal control strategies that are effective in preventing and treating the infectious diseases [13–19]. Some of the researchers have used optimal control theory to study the transmission dynamics of malaria, for instance, the authors in [20] have reviewed an optimal control which reduces the spread of malaria by using durable mosquitoes nets, residual spraying indoors,

* Corresponding author.

E-mail address: fatmawati@fst.unair.ac.id (Fatmawati).

<https://doi.org/10.1016/j.rinp.2021.104238>

Received 4 March 2021; Received in revised form 18 April 2021; Accepted 22 April 2021

Available online 5 May 2021

2211-3797/© 2021 The Author(s).

Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Table 1
The parameters and description.

Parameter	Description	Unit
β_h	Infection rate from mosquito to human	day ⁻¹
β_v	Infection rate from human to mosquito	day ⁻¹
μ_h	Natural death/birth rate of human	day ⁻¹
μ_v	Natural death/birth rate of mosquito	day ⁻¹
ρ	Probability of exposed humans going through short-term incubation periods	-
$1/\alpha_s$	Short-term latent period for human	day
$1/\alpha_l$	Long-term latent period for human	day
ω	Spontaneous recovery rate	day ⁻¹
q	Waning immunity rate	day ⁻¹

screening for the treatment of symptomatic and asymptomatic individuals. Fatmawati and Tasman [21] have discussed an optimal control model which aims to reduce the spread of malaria with treatment and insecticides as optimal control. Authors in [22] reviewed a mathematical model of the relationship of climate factors in the form of changes in temperature and rainfall in malaria which plays an important role in the rate of malaria spread. Authors in [23] analyzed a mathematical model considering the relationship of climate factors in malaria and the breakdown of exposed individuals into exposed individuals with short-term and long-term incubation periods. The influence of seasonal factors has also been discussed by [24,25], who researched on the spread of dengue fever by administering the effects of seasons on mosquitoes births.

Based on the description above, the authors are interested in modifying the mathematical model of malaria transmission by subdividing the exposed individuals into two categories, which are individuals based on the incubation periods, that is, exposed individuals with short-term and long-term incubation periods with addition of seasonal factors to the model. The difference in incubation period for malaria infection usually occurs in cases of *P. vivax* malaria [26]. In addition, we will formulate an optimal control problem which takes into account the permissible controls in the form of using insecticides, prevention, and treatment effort on the control of malaria.

This paper is organized as follows. First, we give the formulation of a malaria model without seasonal factor. The stability analysis of the equilibria is done in Section “Stability Analysis of Equilibrium” and parameter sensitivity analysis presented in Section “Global Sensitivity Analysis”. The mathematical model of malaria with seasonal factor is given in Section “Malaria Model with Seasonal Factor”. The optimal control model and the completion of optimal control are given in Sections “Model Formulation with Control Variables” and “Completion of Optimal Control” respectively. Further, in Section “Numerical Simulation” we present the results from numerical simulations of the optimal control model. Finally, Section “Conclusion” concludes the paper.

A malaria model without seasonal factor

In this section we formulate a mathematical model of malaria transmission without seasonal factor. The mosquito population consists of the susceptible mosquito subpopulation S_v and the infectious mosquito subpopulation I_v . While the human population consists of the susceptible human subpopulation S_h , the exposed human with short-term incubation period subpopulation E_{sh} , the exposed human with long-term incubation period subpopulation E_{lh} , the infectious human subpopulation I_h , and the recovered human subpopulation R_h .

The assumptions used for the construction of the model are as follows. All newborn humans and mosquitoes are susceptible. The birth rate is equal to the death rate in both of mosquito and human populations. No malaria transmission in blood transmission. The human and mosquito populations are constant. Malaria immunity in human recovering from malaria is temporary.




Fig. 1. The transmission diagram.

The parameters that are used for the model are presented in Table 1. All of the parameters are assumed positive and constant. In this case, the infection rates β_h and β_v are computed as $\beta_h = \theta \beta_{vh}$ and $\beta_v = \theta \beta_{hv}$, where parameter θ is the biting rate. Moreover, β_{vh} denotes the transmission probability from the infected mosquitoes to humans, and β_{hv} denotes the transmission probability from infected humans to susceptible mosquitoes.

Based on the assumptions and descriptions of the variables that have been explained previously, the transmission diagram of the model is presented in Fig. 1. The mathematical model of the malaria transmission without seasonal factor can be written as follows.

$$\begin{aligned}
 \frac{dS_v}{dt} &= \mu_v N_v - \frac{\beta_v S_v I_h}{N_h} - \mu_v S_v, \\
 \frac{dI_v}{dt} &= \frac{\beta_v S_v I_h}{N_h} - \mu_v I_v, \\
 \frac{dS_h}{dt} &= \mu_h N_h + q R_h - \frac{\beta_h S_h I_v}{N_h} - \mu_h S_h, \\
 \frac{dE_{sh}}{dt} &= \rho \frac{\beta_h S_h I_v}{N_h} - (\alpha_s + \mu_h) E_{sh}, \\
 \frac{dE_{lh}}{dt} &= (1 - \rho) \frac{\beta_h S_h I_v}{N_h} - (\alpha_l + \mu_h) E_{lh}, \\
 \frac{dI_h}{dt} &= \alpha_s E_{sh} + \alpha_l E_{lh} - (\mu_h + \omega) I_h, \\
 \frac{dR_h}{dt} &= \omega I_h - \mu_h R_h - q R_h,
 \end{aligned}
 \tag{1}$$

where $N_v = S_v + I_v$ is the total population of mosquitoes and $N_h = S_h + E_{sh} + E_{lh} + I_h + R_h$ is the total population of humans. Both of the total populations are constant due to $\frac{dN_v}{dt} = 0$ and $\frac{dN_h}{dt} = 0$.

The biologically feasible region of model (1) is given by $\Omega = \Omega_v \times \Omega_h$, where

$$\Omega_v = \{ (S_v, I_v) \in \mathbb{R}_+^2 : S_v + I_v = N_v \},$$

and

$$\Omega_h = \{ (S_h, E_{sh}, E_{lh}, I_h, R_h) \in \mathbb{R}_+^5 : S_h + E_{sh} + E_{lh} + I_h + R_h = N_h \}.$$

Stability analysis of equilibrium

In this section, we analyze the local stability of equilibria of model (1). First, we determine the equilibrium with its conditions of existence and the basic reproduction number. From model (1), we obtain two

equilibria, namely the disease-free equilibrium and the endemic equilibrium. The disease-free equilibrium is given by

$$E_0 = (N_v, 0, N_h, 0, 0, 0, 0).$$

Next, we determine the basic reproduction number R_0 that can be used to measure the potential of infection distribution in a population. By using the Next Generation Matrix method [27], we obtain the basic reproduction number R_0 as

$$R_0 = \sqrt{\frac{\beta_h \beta_v N_v [\alpha_s \mu_h \rho + \alpha_l (\mu_h (1 - \rho) + \alpha_s)]}{\mu_v N_h (\omega + \mu_h) (\alpha_l + \mu_h) (\alpha_s + \mu_h)}}.$$

The term $\frac{\beta_h}{\mu_v}$ represents the number of new infected hosts produced from one infectious mosquito. Moreover, the term $\frac{\beta_v N_v [\alpha_s \mu_h \rho + \alpha_l (\mu_h (1 - \rho) + \alpha_s)]}{N_h (\omega + \mu_h) (\alpha_l + \mu_h) (\alpha_s + \mu_h)}$ represents the number of new infected mosquitoes produced from one infectious host during infectious period.

Furthermore, model (1) has the endemic equilibrium $E_1 = (S_v^*, I_v^*, S_h^*, E_{sh}^*, E_{ih}^*, I_h^*, R_h^*)$ where

$$S_v^* = \frac{\mu_v N_v N_h}{\beta_v I_h^* + \mu_v N_h},$$

$$I_v^* = \frac{\beta_v N_v I_h^*}{\beta_v I_h^* + \mu_v N_h},$$

$$S_h^* = \frac{N_h [\mu_h N_h (\mu_h + q) + q \omega I_h^*]}{(\beta I_v + \mu_h N_h) (\mu_h + q)},$$

$$E_{sh}^* = \frac{\rho \beta_h \beta_v N_v S_h^* I_h^*}{N_h (\alpha_s + \mu_h) (\beta_v I_h^* + \mu_v N_h)},$$

$$E_{ih}^* = \frac{(1 - \rho) \beta_h \beta_v N_v S_h^* I_h^*}{N_h (\alpha_l + \mu_h) (\beta_v I_h^* + \mu_v N_h)},$$

$$R_h^* = \frac{\omega I_h^*}{q + \mu_h},$$

$$I_h^* = \frac{\mu_v N_h \Delta_1 (R_0^2 - 1)}{\beta_v \Delta_1 + \mu_v R_0^2 \Delta_2},$$

and $\Delta_1 = (\mu_h + q) [\alpha_s \mu_h \rho + \alpha_l (\mu_h (1 - \rho) + \alpha_s)]$ and $\Delta_2 = \mu_h (\mu_h + \omega) (\mu_h + q) + \alpha_s [\mu_h (\omega + \mu_h + q) + q \omega (1 - \rho)] + \alpha_l [(\mu_h + \alpha_s) (\omega + \mu_h + q) + \omega \rho q]$.

The endemic equilibrium E_1 exists if $R_0 > 1$.

The stability of disease-free equilibrium is given in the following theorem.

Theorem 1. The disease-free equilibrium E_0 is locally asymptotically stable if $R_0 < 1$.

Proof. First, we linearized model (1) near the disease-free equilibrium. The Jacobian matrix of model (1) at E_0 is as following.

$$J_{E_0} = \begin{pmatrix} -\mu_v & 0 & 0 & 0 & 0 & \frac{-\beta_v N_v}{N_h} & 0 \\ 0 & -\mu_v & 0 & 0 & 0 & \frac{\beta_v N_v}{N_h} & 0 \\ 0 & -\beta_h & -\mu_h & 0 & 0 & 0 & q \\ 0 & \rho \beta_h & 0 & -(\alpha_s + \mu_h) & 0 & 0 & 0 \\ 0 & (1 - \rho) \beta_h & 0 & 0 & -(\alpha_l + \mu_h) & 0 & 0 \\ 0 & 0 & 0 & \alpha_s & \alpha_l & -(\mu_h + \omega) & 0 \\ 0 & 0 & 0 & 0 & 0 & \omega & -(\mu_h + q) \end{pmatrix}.$$

Table 2
The parameter value.

Parameter	Unit	Value	Source
β_h	day ⁻¹	0.0044	[24,25,29]
β_v	day ⁻¹	0.0044	[24,25,29]
μ_h	day ⁻¹	1	[7]
μ_v	day ⁻¹	$\frac{1}{70 \times 365}$	[29]
ρ	-	$\frac{1}{15}$	[23]
α_s	day ⁻¹	0.25	[23]
α_l	day ⁻¹	1	[23]
ω	day ⁻¹	$\frac{25.9}{360.3}$	[22]
q	day ⁻¹	0.005	[22]




Fig. 2. PRCC results for the parameters of R_0 .

The Jacobian matrix gives seven eigenvalues, these are $-\mu_v, -\mu_h,$ and $-(q + \mu_h)$. The other eigenvalues are the roots of quartic equation

$$\lambda^4 + a_1 \lambda^3 + a_2 \lambda^2 + a_3 \lambda + a_4 = 0, \tag{2}$$

where

$$a_1 = 3\mu_h + \mu_v + \alpha_s + \alpha_l + \omega,$$

$$a_2 = (\mu_h + \omega) (\mu_h + \mu_v + \alpha_l) + \mu_v (\mu_h + \alpha_l) + (\mu_h + \alpha_s) (2\mu_h + \mu_v + \alpha_l + \omega),$$

$$a_3 = \mu_v (\alpha_s + \mu_h) (\alpha_l + \mu_h) + (\alpha_s + \mu_h) (\alpha_l + \mu_h) (\omega + \mu_h) + \mu_v (\alpha_s + \mu_h) (\omega + \mu_h) \left(1 - \frac{\beta_h \beta_v N_v \alpha_s \rho}{\mu_v N_h (\alpha_s + \mu_h) (\omega + \mu_h)}\right) + \mu_v (\alpha_l + \mu_h) (\omega + \mu_h) \left(1 - \frac{\beta_h \beta_v N_v \alpha_l (1 - \rho)}{\mu_v N_h (\alpha_l + \mu_h) (\omega + \mu_h)}\right),$$

$$a_4 = \mu_v (\mu_h + \alpha_s) (\mu_h + \alpha_l) (\mu_h + \omega) (1 - R_0^2),$$

Based on the Routh-Hurwitz criteria, the quartic Eq. (2) has roots whose real parts are negative if and only if $a_1, a_2, a_3, a_4 > 0$, and $a_1 a_2 a_3 > a_3^2 + a_1^2 a_4$. It is clear that the coefficients $a_1, a_2 > 0$. It is also clear that the coefficient a_4 is positive if $R_0 < 1$. If $R_0 < 1$, then $\beta_h \beta_v N_v$

$$\frac{\alpha_s \rho}{\mu_v N_h (\alpha_s + \mu_h) (\omega + \mu_h) + \frac{\beta_h \beta_v N_v \alpha_l (1 - \rho)}{\mu_v N_h (\alpha_l + \mu_h) (\omega + \mu_h)}} < 1$$

Hence, the coefficient a_3 is positive if $R_0 < 1$. It also can be verified that the condition $a_1 a_2 a_3 > a_3^2 + a_1^2 a_4$ is satisfied. Therefore, the disease-free




Fig. 3. Contour plots of R_0 in (a) plane $\beta_h \beta_v$ and (b) plane $\mu_v \beta_h$.

equilibrium E_0 is locally asymptotically stable if $R_0 < 1$. Theorem 1 shows that malaria will disappear from the population whenever $R_0 < 1$.

Global sensitivity analysis

In this section, we perform the global sensitivity analysis using Partial Rank Correlation Coefficient (PRRC) to determine the parameters that have a large influence on the basic reproduction number. We use the approach described in [28]. The parameter values to plot the PRCC of the malaria model are placed in the Table 2. The parameters $\theta, \beta_{vh}, \beta_{hv}$ are given as $\theta = 0.022$ and $\beta_{vh} = \beta_{hv} = 0.2$. The PRCC plot of the model (1) can be seen in Fig. 2.

Based on the Fig. 2, the parameters that have great influence are parameters $\beta_v, \omega, \mu_v, \alpha_s, \rho$, and β_h . The sensitivity of parameters β_v, β_h , and μ_v to the R_0 are shown in Fig. 3. From Fig. 3a, it can be seen that the increasing value of β_h (using positive slope line) would increase the value of R_0 . On the contrary, based on the Fig. 3b, the decreasing value of μ_v (using negative slope line) will reach the endemic condition.

Malaria model with seasonal factor

In this section, the model of malaria transmission (1) is modified with addition of a seasonal factor. It is assumed that the birth rate of mosquito varies seasonally following the cosine function with a period of 1 year as follows:

$$\mu_v \left(1 + \alpha \cos \left(\frac{2\pi t}{365} + \varphi \right) \right)$$

where μ_v is the natural birth rate of mosquito which is constant, α is the amplitude of the seasonal variation, and $0 \leq \alpha \leq 1$, and φ is the season phase with the value is constant. Hence, the model of malaria transmission with a seasonal factor can be written as follows.

$$\begin{aligned} \frac{dS_v}{dt} &= \mu_v \left(1 + \alpha \cos \left(\frac{2\pi t}{365} + \varphi \right) \right) N_v - \frac{\beta_v S_v I_h}{N_h} - \mu_v S_v, \\ \frac{dI_v}{dt} &= \frac{\beta_v S_v I_h}{N_h} - \mu_v I_v, \\ \frac{dS_h}{dt} &= \mu_h N_h + q R_h - \frac{\beta_h S_h I_v}{N_h} - \mu_h S_h, \\ \frac{dE_{sh}}{dt} &= \rho \frac{\beta_h S_h I_v}{N_h} - (\alpha_s + \mu_h) E_{sh}, \\ \frac{dE_{lh}}{dt} &= (1 - \rho) \frac{\beta_h S_h I_v}{N_h} - (\alpha_l + \mu_h) E_{lh}, \\ \frac{dI_h}{dt} &= \alpha_s E_{sh} + \alpha_l E_{lh} - (\mu_h + \omega) I_h, \\ \frac{dR_h}{dt} &= \omega I_h - \mu_h R_h - q R_h. \end{aligned} \tag{3}$$

Table 3

The parameter values for three scenarios.

Parameter	Scenario 1	Scenario 2	Scenario 3
β_{vh}	0.12	0.99	0.2
β_{hv}	0.11	0.95	0.2
μ_v	0.04	0.03	$\frac{1}{15}$

In carrying out numerical simulations of model (3), we use 400 days for the time horizon. The initial values used in the simulation are $S_v(0) = 10,000, I_v(0) = 2,000, S_h(0) = 5,000, E_{sh}(0) = 500, E_{lh}(0) = 350, I_h(0) = 100$, and $R_h(0) = 50$. There are three amplitudes of the seasonal variations to be simulated which are $\alpha = 0.3, \alpha = 0.5$ and $\alpha = 0.8$, with $\varphi = 0$, as stated in [25].

Temperature conditions greatly affect the transmission both from mosquitoes to humans and vice versa as well mosquito lifespan. Hence, we consider 3 scenarios for the effect of temperature on the spread of malaria in the population. The first scenario concerns with cold climate where the temperature is 14 °C. The second one is correlated with hot climate where the temperature is 26 °C. The third scenario is used to simulate mild climate which has temperature between 18 °C and 24 °C. Furthermore, we assume that the three scenarios provide different values for the three parameters as indicated in the Table 3 [24,25].

Using the parameter values in Table 2 and Table 3, the results of the numerical simulation are shown in Figs. 4–6. Figs. 4–6 give the dynamics of the infectious mosquito subpopulation I_h and the infected human subpopulations E_{sh}, E_{lh}, I_h with and without the seasonal variation in the three scenarios.

Fig. 4 gives simulation of Scenario 1 (cold climate). We see that there is a small different in the dynamics of the subpopulations with and without seasonal factor.

Fig. 5 gives simulation of Scenario 2 (hot climate). As shown in Fig. 5a and Fig. 5b, the seasonal variation has the most effect on the malaria exposed with short-term incubation period subpopulation E_{sh} and the malaria exposed with long-term incubation period subpopulation E_{lh} . As Fig. 5d shows, the seasonality has little effect on the infectious human population I_h .

For dengue cases, the authors in [24,25] found that the simulations with the seasonal variations provide more infected people. The model used by [24,25] does not pay attention to the exposed human population. This differs from the malaria model presented here. We also consider the exposed human with two incubation periods, namely the short term and the long term, which are estimated at 25.9 days and 360.3 days, respectively [23,26]. Thus, in this study, seasonal variation has a more significant effect on the exposed human subpopulations E_{sh} and E_{lh} compared to the infectious human subpopulation I_h .

Fig. 6 gives simulation of Scenario 3 (mild climate). From the result, We see that there is a small different in the dynamics of the subpopulations with and without seasonal factor.




Fig. 4. Dynamics of malaria model with and without seasonal factor for Scenario 1.




Fig. 5. Dynamics of malaria model with and without seasonal factor for Scenario 2.

From the simulation of three scenarios, we obtain that seasonal factor greatly affect the dynamics of infected malaria populations for region with hot climate (Scenario 2).

Model formulation with control variables

In this section, the mathematical model of malaria transmission with seasonal factors is formulated by incorporating the control variables.

Based on the sensitivity analysis, a control strategy of the transmission rate will sufficiently reduce the spread of malaria in the community. Moreover, a strategy that increases the natural death rate of mosquitoes will be effective in diminishing the spread of malaria in the community. Therefore, the control variables are used in the form of insecticide effort u_1 , prevention effort u_2 and treatment effort u_3 in order to mitigate the malaria transmission in the population. Insecticide includes spraying and fogging against mosquitoes, while prevention refers to the use of




Fig. 6. Dynamics of malaria model with and without seasonal factor for Scenario 3.

mosquito nets and mosquito repellent lotion. Furthermore, treatment control represents a giving antimalarial drug to the infectious humans.

The malaria model with seasonal factors and the presence of controls is as follows.

$$\begin{aligned}
 \frac{dS_v}{dt} &= \mu_v \left(1 + \alpha \cos \left(\frac{2\pi t}{365} + \varphi \right) \right) N_v - \frac{\beta_v S_v I_h}{N_h} - \mu_v S_v - a u_1 S_v, \\
 \frac{dI_v}{dt} &= \frac{\beta_v S_v I_h}{N_h} - \mu_v I_v - a u_1 I_v, \\
 \frac{dS_h}{dt} &= \mu_h N_h + q R_h - \left(1 - u_2 \right) \frac{\beta_h S_h I_v}{N_h} - \mu_h S_h, \\
 \frac{dE_{sh}}{dt} &= \left(1 - u_2 \right) \rho \frac{\beta_h S_h I_v}{N_h} - \left(\alpha_s + \mu_h \right) E_{sh}, \\
 \frac{dE_{lh}}{dt} &= \left(1 - u_2 \right) \left(1 - \rho \right) \frac{\beta_h S_h I_v}{N_h} - \left(\alpha_l + \mu_h \right) E_{lh}, \\
 \frac{dI_h}{dt} &= \alpha_s E_{sh} + \alpha_l E_{lh} - \left(\mu_h + \omega \right) I_h - b u_3 I_h, \\
 \frac{dR_h}{dt} &= \omega I_h - \mu_h R_h - q R_h + b u_3 I_h,
 \end{aligned}
 \tag{4}$$

where a and b are the rate of insecticide use in mosquito population and the rate of treatment in infectious human population respectively. The aim of the objective function is to minimize the infectious mosquito population, the exposed human with short and long-term incubation period, the infectious human population and the implementing controls with smallest cost. Thus, the objective function is given by

$$\begin{aligned}
 \min \mathcal{J} \left(u_1, u_2, u_3 \right) &= \int_0^{t_f} \left(A_1 I_v + A_2 E_{sh} + A_3 E_{lh} + A_4 I_h + \frac{1}{2} \left(C_1 u_1^2 + C_2 u_2^2 \right. \right. \\
 &\quad \left. \left. + C_3 u_3^2 \right) \right) dt,
 \end{aligned}
 \tag{5}$$

where t_f is the final time and $u_1(t), u_2(t), u_3(t) \in [0, 1]$. The coefficients $A_1, A_2, A_3,$ and $A_4,$ respectively declare weighting constants of $I_v, E_{sh}, E_{lh},$ and I_h subpopulations, while $C_1, C_2,$ and C_3 are the weighting constants in the form of costs for insecticides, prevention, and treatment, respectively.

In this study, we consider a quadratic objective functional in order to quantify the control cost due to the cost of the interventions is non-linear. This is confirmed by the fact that there is no linear relationship between the impact of the intervention and the cost of intervention of the infective populations. The quadratic form of the control cost is consistent with some previous works, such as in literature [30–33].

The purpose of this problem is to find an optimal control u_1^*, u_2^* and u_3^* such that

$$J \left(u_1^*, u_2^*, u_3^* \right) = \min_{\Omega} J \left(u_1, u_2, u_3 \right),
 \tag{6}$$

where $\Omega = \{ (u_1, u_2, u_3) \}$

u_i is Lebesguemeasurablefunction $[0, 1], 0 \leq u_i(t) \leq 1, i = 1, 2, 3$

Completion of optimal control

The problem of optimal control in the malaria transmission model with season factor is solved by applying the Pontryagin Maximum Principle [34]. Suppose the state variable in the model is accompanied by optimal control as follows:

$$x = [S_v, I_v, S_h, E_{sh}, E_{lh}, I_h, R_h]^T.$$

Based on the Pontryagin Maximum principle, the first step is to form the Hamiltonian function as follows:




Fig. 7. Simulations of the malaria model using controls u_1 and u_2 .

$$\mathcal{H} = A_1 I_v + A_2 E_{sh} + A_3 E_{lh} + A_4 I_h + \frac{1}{2} (C_1 u_1^2 + C_2 u_2^2 + C_3 u_3^2) + \gamma^T(t) f(x(t), u(t)), \tag{7}$$

where $f(x(t), u(t))$ is the right hand side of model (4). The variable $\gamma(t)$ is the Lagrange multiplier or co-state variable, where $\gamma^T(t)$ is transpose of $\gamma(t)$.

The existence of the optimal control $u_i \in \Omega, i = 1, 2, 3$ is ensured by the result in [35] from the convexity of the objective function (6) with respect to the controls and the boundedness and Lipschitz property of the state system (4).

In order to obtain optimal conditions, the \mathcal{H} -function must fulfill stationary conditions

$$\frac{\partial \mathcal{H}}{\partial u} = 0 \text{ where } u = (u_1, u_2, u_3). \tag{8}$$

Based on Eq. (8), it is obtained the values for u_1, u_2 , and u_3 , where $0 \leq u_i(t) \leq 1, i = 1, 2, 3$ as follows:

$$u_1^* = \begin{cases} 0 & \text{if } u_1 \leq 0, \\ \frac{\alpha(\gamma_1 S_v + \gamma_2 I_v)}{C_1} & \text{if } 0 < u_1 < 1, \\ 1 & \text{if } u_1 \geq 1, \end{cases}$$

$$u_2^* = \begin{cases} 0 & \text{if } u_2 \leq 0, \\ \frac{\beta_h S_h I_v (\gamma_5 - \gamma_3) + \rho \beta_h S_h I_v (\gamma_4 - \gamma_5)}{N_h C_2} & \text{if } 0 < u_2 < 1, \\ 1 & \text{if } u_2 \geq 1, \end{cases}$$

$$u_3^* = \begin{cases} 0 & \text{if } u_3 \leq 0, \\ \frac{b I_h (\gamma_6 - \gamma_7)}{C_3} & \text{if } 0 < u_3 < 1, \\ 1 & \text{if } u_3 \geq 1. \end{cases}$$

Hence, we have the following theorem.

Theorem 2. Given the optimal controls (u_1^*, u_2^*, u_3^*) and the solutions $S_v^*, I_v^*, S_h^*, E_{sh}^*, E_{lh}^*, I_h^*, R_h^*$ of the state system (4) that minimize J , then there exists adjoint variables γ_i for $i = 1, 2, \dots, 7$ that satisfying

with transversality conditions $\gamma_i(t_f) = 0$ for $i = 1, 2, \dots, 7$, and the control




Fig. 8. Simulations of the malaria model using controls u_1 and u_3 .

$$\begin{aligned} \dot{\gamma}_1 &= -\left[\gamma_1 \left[\frac{\beta_v I_h}{N_h} - \mu_v - au_1\right] + \gamma_2 \frac{\beta_v I_h}{N_h}\right] \\ \dot{\gamma}_2 &= -\left[A_1 + \gamma_2[-\mu_v - au_1] + \gamma_3 \left[-(1-u_1) \frac{\beta_h S_h}{N_h}\right] + \gamma_4 \left[(1-u_2) \frac{\rho \beta_h S_h}{N_h}\right] + \gamma_5 \left[(1-u_2)(1-\rho) \frac{\rho \beta_h S_h}{N_h}\right]\right] \\ \dot{\gamma}_3 &= -\left[\gamma_3 \left[-(1-u_1) \frac{\beta_h I_v}{N_h} - \mu_h\right] + \gamma_4 \left[(1-u_2) \frac{\rho \beta_h I_v}{N_h}\right] + \gamma_5 \left[(1-u_2)(1-\rho) \frac{\rho \beta_h I_v}{N_h}\right]\right] \\ \dot{\gamma}_4 &= -[A_2 + \gamma_4[-\alpha_s - \mu_h] + \gamma_6 \alpha_s] \\ \dot{\gamma}_5 &= -[A_3 + \gamma_5[-\alpha_l - \mu_h] + \gamma_6 \alpha_l] \\ \dot{\gamma}_6 &= -\left[A_4 + \gamma_1 \left[\frac{-\beta_v S_v}{N_h}\right] + \gamma_2 \frac{\beta_v S_v}{N_h} + \gamma_6[-\mu_h - \omega - bu_3] + \gamma_7[\omega + bu_3]\right] \\ \dot{\gamma}_7 &= -[\gamma_3 q + \gamma_7(-\mu_h - q)]. \end{aligned}$$




Fig. 9. Simulations of the malaria model using controls u_2 and u_3 .

variables

$$\begin{aligned}
 u_1^* &= \min \left\{ \max \left(0, \frac{\alpha(\gamma_1 S_v + \gamma_2 I_v)}{C_1} \right), 1 \right\}, \\
 u_2^* &= \min \left\{ \max \left(0, \frac{\beta_h S_h I_v (\gamma_5 - \gamma_3) + \rho \beta_h S_h I_v (\gamma_4 - \gamma_5)}{N_h C_2} \right), 1 \right\}, \\
 u_3^* &= \min \left\{ \max \left(0, \frac{b I_h (\gamma_6 - \gamma_7)}{C_3} \right), 1 \right\}.
 \end{aligned} \tag{9}$$

Proof. The adjoint system is determined by taking the derivative of the Hamiltonian \mathcal{H} with respect to each state variables: $\dot{\gamma}_1(t) = -\frac{\partial \mathcal{H}}{\partial S_v}$, $\dot{\gamma}_2(t) = -\frac{\partial \mathcal{H}}{\partial I_v}$, $\dot{\gamma}_3(t) = -\frac{\partial \mathcal{H}}{\partial S_h}$, $\dot{\gamma}_4(t) = -\frac{\partial \mathcal{H}}{\partial E_{sh}}$, $\dot{\gamma}_5(t) = -\frac{\partial \mathcal{H}}{\partial E_{ih}}$, $\dot{\gamma}_6(t) = -\frac{\partial \mathcal{H}}{\partial I_h}$, and $\dot{\gamma}_7(t) = -\frac{\partial \mathcal{H}}{\partial R_h}$, with $\gamma_i(t_f) = 0$ for $i = 1, 2, \dots, 7$. To find the optimal controls (9), we employ $\frac{\partial \mathcal{H}}{\partial u_i} = 0$, for $i = 1, 2, 3$.

Numerical simulation

The purpose of this section is to examine the numerical simulation of the control problem for the malaria model with seasonal factor (4) and without control (3). To demonstrate the simulation, we use the forward-backward iterative method [36].

The initial values used in this simulation are $S_v(t_0) = 10,000$, $I_v(t_0) = 2,000$, $S_h(t_0) = 5,000$, $E_{sh}(t_0) = 500$, $E_{ih}(t_0) = 350$, $I_h(t_0) = 100$, $R_h(t_0) = 50$. The amplitude of the season variations that will be simulated is $\alpha = 0.5$. The start and end times of observations in this simulation are $t_0 = 0$ and $t_f = 100$ in units of days. The weighting constants of population are $A_1 = A_2 = A_3 = A_4 = 1$ and weighting constants for the controls are $C_1 = 10$, $C_2 = 10$ and $C_3 = 20$. The rate of use of insecticides in mosquitoes and the rate of treatment in humans are respectively $a = 0.5$ and $b = 0.75$.

We used the parameter values from Scenario 2 (hot climate region) due to in this case the infected mosquito population was more volatile. This can lead to an increased spread of malaria in the community. Hence, the parameter values refer to Table 2 and the value of Scenario 2 in Table 3.

The simulation experiment is deployed to investigate the effectiveness of insecticide, prevention, and treatment efforts carried out through




Fig. 10. Simulations of the malaria model using controls u_1, u_2 and u_3 .

four cases in providing control strategies as follows.

Case 1: Optimal use of insecticide control u_1 and prevention control u_2 .

In this case, we utilize the control variables u_1 and u_2 only and set $u_3 = 0$. The simulation results are depicted in Fig. 7. As shown in Fig. 7 (a)-(d) that the number of the exposed and infectious humans and also infectious mosquitoes are lower when the controls u_1 and u_2 are applied than the Case without controls. The optimal control profiles in the present Case are given in Fig. 7(e). In Fig. 7(e), we can see that the insecticide is maintained at 100% for 97 days before reduces to zero in the final time intervention, while prevention is kept at 100% for around 11 days before decreasing to 14 % on day 20 and then fluctuating until the end of the observation to zero.

Case 2: Optimal use of insecticide control u_1 and treatment control u_3 .

In this case, we employ the control variables u_1 and u_3 only and set $u_2 = 0$. The numerical simulations of this strategy are displayed in Fig. 8 (a)-(d). Looking at Fig. 8 that the number of the infectious humans more decrease compared to the result in Case 1, while the exposed human with the long-term period (E_{lh}) increased ia a small number. The exposed human with short-term period (E_{sh}) and also the infectious mosquitoes show the same behaviour with Case 1. The optimal control profiles in

this Case are summarized in Fig. 8(e). In this strategy, it is recognized that insecticide effort has adhered at the maximum level of 100% for 12 days before decreasing to 48 % on day 23 and then given fluctuating until the rest of the intervention to zero, while the treatment is attempted at the maximum level of 100% for 12 days before declining to zero in the final time of the intervention.

Case 3: Optimal use of prevention control u_2 and treatment control u_3 .

In this case, we explore the control variables u_2 and u_3 only and set $u_1 = 0$. The graphical results of this Case can be seen in Fig. 9 (a)-(d). Fig. 9 shows that the size of the infectious mosquitoes increases less compared to the result in Case 1 and Case 2, while the exposed and infectious humans show the same behaviour with Case 1 and Case 2. The optimal control profiles in this Case are set out in Fig. 9(e). As shown in Fig. 9(e), the prevention effort should be sustained at the maximum coverage 100% until 95 days before it reduces to zero in the final time, whereas the treatment effort is retained at the maximum level 100% for about 31 days before gradually declining to zero in the final time of the intervention.

Case 4: Optimal use of insecticide control u_1 , prevention control u_2 and treatment control u_3 .

In this case, we implement all the control variables u_1, u_2 and u_3 . The

graphical simulations of this Case are presented in Fig. 10. Looking at Fig. 10(a)-(d), one can observe that the number of the infectious humans (I_h), the exposed human with the long-term period (E_{lh}), and the infectious mosquitoes (I_v) decrease more sharply compared to Case 1, Case 2 and Case 3 respectively. While the number of the exposed human with the short-term period (E_{sh}) gives the same result with other strategies. The optimal control profiles of the last Case are displayed in Fig. 10(e). As can be seen from Fig. 10(e), the insecticide is given at a maximum level for around 13 days before decreasing to 47 % on day 23 and then given fluctuating until the end of the intervention to zero. Furthermore, the prevention is kept at maximum coverage for just 11 days before it reduces to 2% on day 23 and reaching to zero in the final time, while the treatment is sustained at full effort for about 11 days and then gradually decreases to zero at the end of the intervention.

Based on Case 1 to Case 4, it can be seen that combination of the three optimal control variables simultaneously is the most prominent strategy to minimize the malaria disease in the community as well. In particular, insecticides can be applied in a fluctuating manner when combined with treatment measures alone or in combination with all controls. Meanwhile, prevention can be given fluctuating when combined with insecticides alone.

Conclusion

In this paper, we have studied some mathematical models of malaria transmission with and without seasonal factor. The model without seasonal factor has two equilibria, namely the disease-free equilibrium and the endemic equilibrium. The disease-free equilibrium is locally asymptotically stable if $R_0 < 1$. The malaria model has a unique endemic equilibrium when $R_0 > 1$. The global sensitivity analysis is then investigated using Partial rank correlation coefficient (PRCC) to reveal the parameters that give the most influence on malaria transmission. The analysis result exhibits that the transmission rate and mosquitoes life-span show the most strong sensitive parameters.

The simulation results of the malaria model with seasonal factor have been implemented in three scenarios. From the three scenarios, the seasonal factors have the most influence on infectious mosquitoes and also human populations exposed in region with hot climate.

Thereafter, we have integrated the optimal control strategy in the form of insecticide, prevention, and treatment efforts to minimize the spread of malaria in the population. We have demonstrated four different strategies for malaria mitigation. From the simulation experiments, it can be seen that the number of infected (exposed and infectious) humans and infectious mosquitoes can be reduced by various combinations of the control variables. However, activating the three controls simultaneously is the best intervention strategy to minimize malaria transmission in the community. These results are in line with previous studies which show that temperature and rainfall are important factors in modeling seasonal vector-borne diseases that can affect the biting rate, survival, and abundance of mosquitoes.

CRedit authorship contribution statement

Fatmawati: Conceptualization, Formal analysis, Funding acquisition, Methodology, Software, Writing - review & editing. **Faishal Farrel Herdicho:** Conceptualization, Writing - original draft, Software, Visualization. **Windarto:** Writing - original draft, Formal analysis. **Williams Chukwu:** Writing - original draft, Visualization, Writing - review & editing. **Hengki Tasman:** Formal analysis, Visualization, Writing - review & editing.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgments

This research was supported by the Ministry of Research and Higher Education, Republic of Indonesia, through Penelitian Dasar 2020. Authors would like to thank you their respective universities for the production of this manuscript.

References

- [1] Prabowo A. *Malaria: Mencegah dan Mengatasinya*. Jakarta: Pustaka Swara; 2004.
- [2] CDC, 2020, What is malaria? <https://www.cdc.gov/malaria/about/faqs.html>, accessed on January 6, 2021.
- [3] WHO, 2019, World Malaria Report 2019, <https://www.sho.int/publications-detail/world-malaria-report-2019>, accessed on December 8, 2020.
- [4] Frumkin H. *Environmental Health: From Global to Local*, 3rd Edition. San Francisco: Jossey-Bass; 2016.
- [5] Wilkinson P. *Environmental Epidemiology*, 1st Edition. London: Licensing Agency Ltd; 2006.
- [6] Tasman H, Soewono E, Sidarto KA, Syafruddin D, Rogers WO, A model for transmission of partial resistance to anti-malarial drugs, *Math Biosci Eng*, 6 (2009), 649.
- [7] Fatmawati, Tasman H. A malaria model with controls on mass treatment and insecticide. *Appl Math Sci* 2013;7:3379–91.
- [8] Agosto FB, Del Valle SY, Blayneh KW, Ngonghala NC, Goncalves MJ, Li N, Zhao R, Gong H. The impact of bed-net use on malaria prevalence. *J Theor Biol* 2013;320: 58–65.
- [9] Obabiyi OS, Olaniyi S. Global Stability Analysis of Malaria Transmission Dynamics With Vigilant Compartment. *Electron J Differ Eq* 2019;1–10.
- [10] Windarto, Khan MA, Fatmawati., Parameter estimation and fractional derivatives of dengue transmission model. *AIMS Math* 2020;2758–79.
- [11] Fatmawati, Khan MA, Odinsyah HP. Fractional model of HIV transmission with awareness effect. *Chaos Soliton Fract* 2020;109967.
- [12] Khan MA, Ullah S, Khan Y, Farhan M. Modeling and scientific computing for the transmission dynamics of Avian influenza with half-saturated incidence. *Int J Model Simul Sci Comput* 2020;11:2050035.
- [13] Agosto FB, Khan MA. Optimal control strategies for dengue transmission in Pakistan. *Math Biosci* 2018;305:102–21.
- [14] Pongsumpun P, Tang M, Wongvanich N. Optimal control of the dengue dynamical transmission with vertical transmission. *Adv. Differ. Equ* 2019;176.
- [15] Fatmawati, Purwati UD, Riyudha F, Tasman H. Optimal control of a discrete age-structured model for tuberculosis transmission. *Heliyon* 2020;6:e03030.
- [16] Chukwu W, Nyabadza F. A mathematical model and optimal control for Listeriosis disease from ready-to-eat food products, medRxiv; 2020. Accessed 5 February 2021, <https://www.medrxiv.org/content/medrxiv/early/2020/10/13/2020.10.11.20210856.full.pdf>.
- [17] Olaniyi S, Obabiyi OS, Okosun KO, Oladipo AT, Adewale SO. Mathematical modelling and optimal cost-effective control of COVID-19 transmission dynamics. *Eur Phys J Plus* 2020;135:938.
- [18] Nyabadza F, Chukwu W, Chirove F, Gatyeni P, Fatmawati, Application of optimal control to long term dynamics of COVID-19 disease in South Africa, medRxiv; 2020. Accessed 4 February 2021, <https://www.medrxiv.org/content/10.1101/2020.08.10.20172049v1>.
- [19] Olaniyi S, Okosun KO, Adesanya SO, Lebelo RS. Modelling malaria dynamics with partial immunity and protected travellers: optimal control and cost-effectiveness analysis. *J Biol Dyn* 2020;14:90–115.
- [20] Mwangi GG, Heikki H, Capasso V. Optimal control problems of epidemic systems with parameter Uncertainties: Application to malaria two-age-classes transmission model with asymptomatic carriers. *Math Biosci* 2015;261:1–112.
- [21] Fatmawati, Tasman H. An optimal control strategy to reduce the spread of malaria resistance. *Math Biosci* 2015;262:73–9.
- [22] Abiodun GJ, Witbooi P, Okosun KO. Modelling the impact of climatic variables on malaria transmission. *Hacet J Math Stat* 2018;47:219–35.
- [23] Kim JE, Choi Y, Lea CH. Effects of climate change on Plasmodium vivax malaria transmission dynamics: A mathematical modeling approach. *Appl Math Comput* 2019;347:616–30.
- [24] Rodrigues HS, Monteiro MTT, Torres DFM. Seasonality effects on dengue: basic reproduction number, sensitivity analysis and optimal control. *Math Methods Appl Sci* 2016;39:4671–9.
- [25] Buonomo B, Marca RD. Optimal bed net use for a dengue disease model with mosquito seasonal pattern. *Math Methods Appl Sci* 2017;41:573–92.
- [26] Nah K, Kim Y, Lee JM. The dilution effect of the domestic animal population on the transmission of p. vivax malaria. *J Theor Biol* 2010;266:299–306.
- [27] van den Driessche P, Watmough J. Reproduction numbers and sub-threshold endemic equilibria for compartmental models of disease transmission. *Math Biosci* 2002;180:29–48.
- [28] Blower SM, Dowlatabadi H. Sensitivity and uncertainty analysis of complex models of disease transmission: an HIV model, as an example. *Int Stat Rev* 1994;62: 229–43.
- [29] Okuneva K, Gumel AB. Analysis of a temperature- and rainfall-dependent model for malaria transmission dynamics. *Math Biosci* 2017;287:79–92.
- [30] Khan MA, Shah SW, Ullah S, Gómez-Aguilar JF. A dynamical model of asymptomatic carrier zika virus with optimal control strategies. *Nonlinear Anal Real World Appl* 2019;50:144–70.

- [31] Ullah S, Khan MA, Gómez-Aguilar JF. Mathematical formulation of hepatitis B virus with optimal control analysis. *Optim Contr Appl Met* 2019;40:529–44.
- [32] Ullah S, Khan MF, Shah SAA, Farooq M, Khan MA, Mamat M. Optimal control analysis of vector-host model with saturated treatment. *Eur Phys J Plus* 2020;135: 839.
- [33] Ullah S, Khan MA, Farooq M. Mathematical modeling of hepatitis B infection with vaccination and optimal control interventions. *J Comput Methods Sci Eng* 2020;20: 331–49.
- [34] Pontryagin LS, Boltyanskii VG, Gamkrelidze RV, Mishchenko EF. *The Mathematical Theory of Optimal Processes*. New York: Wiley; 1962.
- [35] Rishel RW, Fleming WH. *Deterministic and Stochastic Optimal Control*. New York: Springer Verlag; 1975.
- [36] Lenhart S, Workman JT. *Optimal Control Applied to Biological Models*. New York: Chapman and Hall/CRC; 2007.