by Windarto Windarto

Submission date: 22-Feb-2023 12:31PM (UTC+0800)

Submission ID: 2020196700

File name: firefly_algorithm_in_parameter_estimation_of_Lotka-Volterra.pdf (455.68K)

Word count: 2449

Character count: 13892

Cite as: AIP Conference Proceedings 2268, 050008 (2020); https://doi.org/10.1063/5.0017245 Published Online: 17 September 2020

Windarto Windarto, and Eridani Eridani





ARTICLES YOU MAY BE INTERESTED IN

On modification and application of Lotka-Volterra competition model

AIP Conference Proceedings 2268, 050007 (2020); https://doi.org/10.1063/5.0017242

Stability analysis of mathematical model of virus therapy and chemotherapy for cancer AIP Conference Proceedings 2268, 050005 (2020); https://doi.org/10.1063/5.0017021

On the numerical solutions of a one-dimensional heat equation: Spectral and Crank Nicolson method

AIP Conference Proceedings 2268, 050006 (2020); https://doi.org/10.1063/5.0017131



Your Qubits. Measured.

Meet the next generation of quantum analyzers

- Readout for up to 64 qubits
- Operation at up to 8.5 GHz, mixer-calibration-free
- Signal optimization with minimal latency



Instruments



AIP Conference Proceedings 2268, 050008 (2020); https://doi.org/10.1063/5.0017245 © 2020 Author(s).

2268, 050008

Windarto Windarto a) and Eridani Eridani

Department of Mathematics, Faculty of Science and Technology, Universitas Airlangga, Indonesia

a)Corresponding author: windarto@fst.unair.ac.id

Abstract. Lotka-Volterra competition model has been applied in life sciences including competition between species, predicting the Aeromonas hydrophila growth on fish surface. The competition model also has been used in social sciences, including competition in the Korean stock market and competition between two types of bank, namely commercial bank and rural bank in Indonesia. It is well-known that the analytical solution of the Lotka-Volterra is unknown. Here gradient-base methods such as Newton method and Levenberg-Marquardt are difficult to be implemented to estimate paramaters of the model. In order to estimate parameters in the model, one need to use heuristic method such as genetic algorithm, particle swarm optimization, firefly algorithm or other heuristic methods. In this paper, we compared performance of particle swarm optimization and firefly algorithm in parameter estimation of Lotka-Volterra type competition model. Here we used the profit data of commercial bank and rural bank, where the data cited from literature. We found the mean absolute percentage error (MAPE) of firefly algorithm is a little bit smaller than the error of particle swarm optimization method. We also found variance of the error of firefly algorithm is lower than the particle swarm optimization method. Hence, for parameter estimation of Lotka-Volterra competition model, firefly algorithm is more beneficial than the particle swarm optimization method.

Keywords: particle swarm optimization, firefly algorithm, parameter estimation, competition model

INTRODUCTION

In general, a mathematical model contains one or more parameters. Many mathematical models are represented either in the form of a non-linear differential equation or in the form of systems of non-linear differential equations. Hence the exact solutions of the mathematical models could not be determined. As a result, parameter values in the model cannot or are difficult to determine using standard optimization methods such as the Newton method, the Levenberg- Marquardt method and the steepest descent method. In addition, the gradient-based methods typically converge to a local optimum solution [1]. In this condition, one can use heuristic methods such as genetic algorithms, particle swarm optimization, or firefly algorithms to obtain parameter values from a system of nonlinear differential equations [2, 3].

The Lotka-Volterra competition mathematical model is widely applied in the field of biological sciences, includ- ing inter-species competition and prediction of Aeromonas hydrophila growth on surface of fish during the refrigerated storage [4]. The competition model has also been utilized in social sciences, including competition of the Korean stock market [5], retail industry competition in Taiwan [6], retailing formats competition [7] and competition between com- mercial banks and rural banks in Indonesia [8]. The competition model is a system of nonlinear differential equations. Hence the analytic solution of the model is unknown.

Like genetic algorithms, particle swarm optimization and firefly algorithms are bio-inspired optimization metho ds. Basically, the particle swarm optimization method is a continuous optimization method. Moreover, the particle Swarm Optimization method has been applied to combinatorial optimization problems including scheduling problems [9, 10], travelling salesman problems [11], flow shop [12], and vehicle routing problems [13]. Firefly

algorithm also has been applied to many areas including design optimization of a robotic gripper [14], modelling and study of SSSC compensator [15] and optimization design of FIR digital filter [16].

Some researchers performed a performance comparison of particle swarm optimization and firefly algorithm. Palmieri et al. analyzed performance of particle swarm optimization and firefly algorithm in terms of total energy used by the robots to finished an assignment [17]. Hussain and Jenkins compared the methods for system identifica-tion with various types of nonlinear systems [18]. Farzana and Mahadevan compared performance of the methods on congestion management of deregulated power market [19]. In this article, we compare performance of particle swarm optimization and firefly algorithm in parameter estimation of Lotka-Volterra type competition model.

We organized this paper as follows. In section 2 we briefly presents particle swarm optimization and firefly algorithm. We present performance comparison of the methods in parameter estimation of Lotka-Volterra competition model in section 3. Finally, we draw some conclusions in the last section.

PARTICLE SWARM OPTIMIZATION AND FIREFLY ALGORITHM

Particle swarm optimization (PSO) is an optimization method inspired from the behavior of birds in a swarm. In PSO method, value of a solution is represented by position of a particle. PSO procedure consists of following main

- (1) Generate initial solutions (initial positions) and initial velocities.
- (2) Fitness evaluation of every particle.
- (3) Renew the individual best solution (pbest particle) and the global best solution (gbest particle).
- (4) Renew velocity (v) and position (x) of every particle.

The PSO procedure is repeated until a termination condition is achieved.

In PSO method, particle velocity update is performed by using the following equation

$$v_{j}(k+1) = wv_{j}(k) + c_{1}r_{1}(p_{j}(k) - x_{j}(k)) + c_{2}r_{2}(g(k) - x_{j}(k)), j = 1, 2, ..., np.$$
(1)

Here $v_i(k)$ and $x_i(k)$ are the j-th particle velocity and particle position respectively, while $p_i(k)$ and g(k) are individual best particle and global best particle at k iteration. In eq. (1), w, c_1 and c_2 are initial weight parameter, individual cognitive parameter and social cognitive parameter respectively. Here r_1 and r_2 are random numbers between zero and one with uniform distribution. The typical values of w, c_1 and c_2 are w = 1, $c_1 = c_2 = 2.2$. Position update is performed by using the following equation

$$x_j(k+1) = x_j(k) + x_j(k+1).$$
 (2)

Firefly algorithm is an optimization method inspired from fireflies flashing behaviour, where a firefly moves to another brighter firefly. In the algorithm, a solution is represented by a firefly position. Firefly algorithm consists of three main steps namely generate initial solutions, evaluate fitness of every solution and update the solutions until some termination condition is reached. In a minimization problem of a function f, the main update of firefly position of xi and x j where f(x j) < f(xi), is given by the following equation

$$x_i(k+1) = x_i(k) + \beta \exp(-\gamma r_{ij}^2) \left(x_i(k) - x_j(k) \right) + \alpha(k) \varepsilon(k). \tag{3}$$

 $x_j(k+1) = x_i(k) + \beta \exp(-\gamma r_{ij}^2) \left(x_i(k) - x_j(k)\right) + \alpha(k)\varepsilon(k). \tag{3}$ Here r_{ij} is distance between position x_i and x_j , while $\alpha(k)$ is a parameter controlling the step size at the k iteration and $\varepsilon(k)$ is a random vector with Gaussian or other distribution at the k iteration. In eq. (3) β and γ are scalar parameters.

Premature convergence is commonly problem in implementation of a heuristic method including in the PSO method and the firefly algorithm. In order to obtain the best solution from PSO and FA, both algorithm should be applied many times. In the next section, we compared performance comparison of the methods in parameter estimation of a dynamical system model, namely the Lotka-Volterra competition model.

A COMPARISON OF PARTICLE SWARM OPTIMIZATION AND FIREFLY ALGORITHM

In this section, we study performance of PSO and FA in estimating the parameters of the LotkaVolterra competition model. The Lotka-Volterra competition model could be represented as

$$\frac{dy_1}{dt} = r_1 y_1 \left(1 - \frac{y_1}{K_1} \right) - b_1 y_1 y_2,$$

$$\frac{dy_2}{dt} = r_2 y_2 \left(1 - \frac{y_2}{K_2} \right) - b_2 y_1 y_2.$$
(4)

$$\frac{dy_2}{dt} = r_2 y_2 \left(1 - \frac{y_2}{\kappa_2} \right) - b_2 y_1 y_2. \tag{5}$$

Fatmawati et al. applied the model to describe the competition between commercial banks and rural banks in Indonesia. Here $y_1(t)$ and $y_2(t)$ are annual profit of commercial bank and rural bank in Indonesia at t year. Parameters r_1 and r_2 are annual profit growth rate, while K_1 and K_2 are maximum profit of commercial bank and rural bank respectively. Parameters b_1 and b_2 are reduction rate of the annual profit of the banks due to competition.

We apply PSO and FA to estimate parameters of the competition model by using annual profit of commercial bank and rural bank in Indonesia from 2004 (t = 0) until 2018 (t = 14). Here the profit unit is in billion rupiah. The annual profit data is cited from the Indonesia Banking Statistic data [20]. The annual profit data dynamics of commercial bank and rural bank are presented in the Table 1.

TABLE 1. Annual profit (in billion IDR) of commercial bank and rural bank.

t	Year	y1	y2
0	2004	29463	539
1	2005	24899	604
2	2006	28334	509
3	2007	35015	663
4	2008	30606	849
5	2009	45215	1158
6	2010	57309	1447
7	2011	75077	1853
8	2012	92830	2328
9	2013	106707	2661
10	2014	112160	2682
11	2015	104628	2755
12	2016	106544	2936
13	2017	131156	3210
14	2018	150013	3371

We estimated parameters in the Lotka-Volterra competition model such that the mean absolute percentage error (MAPE)

$$MAPE = \frac{1}{2n} \sum_{i=1}^{n} \left(\left| \frac{y_{1i} - \widehat{y_{1i}}}{y_{1i}} \right| + \left| \frac{y_{2i} - \widehat{y_{2i}}}{y_{2i}} \right| \right)$$
 is minimum. Here n is number of observation data. (6)

Table 2 presents performance comparison of Firefly Algorithm and the Particle Swarm Optimization (PSO) from 20 trials. Both algorithms are stopped after 200 iterations.

TABLE 2. Statistics of MAPE from 20 trials.

Statistics	FA	PSO	
Minimum (the best results)	0.1429895	0.144149	
Mean	0.1429920a	0.148925^{b}	
Standard deviation	0.0000049^{a}	0.001895^{b}	
Maximum	0.1430123	0.151836	

a,b different superscripts showed significant difference between group at the level 0.05.

From the Table 2, we found that the MAPE average of firefly algorithm was little bit smaller than the MAPE average of particle swarm optimization. We also found that MAPE variance of firefly algorithm was much smaller than MAPE variance of particle swarm optimization. Hence the firefly algorithm is more robust the the particle swarm optimization method. This results indicate that for parameter estimation of Lotka-Volterra competition model, firefly algorithm is more beneficial than the particle swarm optimization method.

CONCLUSIONS

We have compared performance of particle swarm optimization and firefly algorithm to estimate parameters from Lotka-Volterra competition model. We found that both algorithms could be applied to estimate parameters of the

Lotka-Volterra competition mathematical model. We found that the firefly algorithm is more beneficial than the particle swarm optimization, since the firefly algorithm gives a smaller error and smaller variance than the particle swarm optimization method.

ACKNOWLEDGMENTS

The authors would like thank to the Ministry of Research, Technology, and Higher Education Republic of Indonesia for supporting this research.

REFERENCES

- 1. Haupt, R. L. & Haupt, S. E., Practical genetic algorithms, 2nd ed., John Wiley & Sons, 10-13 (2004).
- Windarto, Indratno, S. W., Nuraini, N., & Soewono, E., A comparison of binary and continuous genetic algorithm in parameter estimation of a logistic growth model, AIP Conference Proceedings 1587, 139142 (2014).
- Windarto, Eridani & Purwati, U.D., A Comparison of Continuous Genetic Algorithm and Particle Swarm Optimization in Parameter Estimation of Gompertz Growth Model, AIP Conference Proceedings 2084, 020017 (2019).
- Giuffrida, A., Ziino, G., Valenti, D., Donato, G., & Panebianco, A., Application of an interspecific competition model to predict the growth of Aeromonas hydrophila on fish surfaces during the refrigerated storage, Archiv fr lebensmittelhygiene 58(4), (2008).
- Lee, S., Lee, D., Oh, H., Technological forecasting at the Korean stock market: A dynamic competition analysis using LotkaVolterra model, Technological Forecasting and Social Change Change 72(8), 1044-1057 (2005).
- 6. Hung, H., Tsai, Y., & Wu, M., A modified LotkaVolterra model for competition forecasting in Taiwans retail industry, Computers & Industrial Engineering 77, 7079 (2014).
- Hung, H., Chiu, Y., Huang, H., & Wu, M., An enhanced application of LotkaVolterra model to forecast the sales
 of two competing retail formats, Computers & Industrial Engineering 109, 325334 (2017).
- Fatmawati, Khan, M.A., Azizah, M., Windarto, & Ullah, S., A fractional model for the dynamics of competition between commercial and rural banks in Indonesia, Chaos, Solitons and Fractals 122, 3246 (2019).
- Koay, C.A. & Srinivasan, D., Particle swarm optimization-based approach for generator maintenance scheduling. In: Proceedings of the 2003 IEEE swarm intelligence symposium, 167173 (2003).
- Weijun, X., Zhiming, W., Wei, Z. & Genke, Y., A new hybrid optimization algorithm for the job-shop scheduling problem, Proceedings of the 2004 American Control Conference, 55525557 (2004).
- Wang, K.P., Huang, L., Zhou, C.G. & Pang, W., Particle swarm optimization for traveling salesman problem, 2003 International Conference on Machine Learning and Cybernetics, 15831585 (2003).
- 12. Liao, C. J., Chao-Tang Tseng, Luarn, P., A discrete version of particle swarm optimization for flowshop scheduling problems, Computers and Operations Research Vol. 34, No. 10, pp. 3099-3111 (2017).
- 13. Wu, B., Yanwei, Z., Yaliang, M., Hongzhao, D. & Weian, W., Particle swarm optimization method for vehicle routing problem, Fifth World Congress on Intelligent Control and Automation, 22192221 (2004).
- Mahanta, G.B., Rout, A., Deepak, B.B.V.L., & Biswal, B.B., Application of meta-heuristic optimization techniques for design optimization of a robotic gripper, International Journal of Applied Metaheuristic Computing 10(3), 107-133 (2019).
- Panigrahi, T.K., Mishra, D.K., Pati, S.S., & Mohanty, A., A contribution to modelling and study of SSSC compensator employing firefly algorithm, International Journal of Innovative Technology and Exploring Engineering 8(7), 569-573 (2019).
- Hang, D., Li, X., Application of Improved Particle Swarm Optimization Algorithm Based on GSO in Optimization Design of FIR Digital Filter, Proceedings of 2018 IEEE International Conference of Safety Produce Informatization, IICSPI 201812 April 2019, 8690503, pp. 84-87 (2019).
- Palmieri, N., Yang, X.-S., De Rango, F., & Marano, S., Comparison of bio-inspired algorithms applied to the coordination of mobile robots considering the energy consumption, Neural Computing and Applications 31(1), 263-286 (2019).
- Hussain, M., & Jenkins, W.K., Effectiveness of the bio-inspired firefly algorithm in adaptive signal processing for nonlinear systems, Proceedings - IEEE International Symposium on Circuits and Systems Vol. 2019, 87020832019 (2019).
- 19. Farzana, D.F., & Mahadevan, K., Performance comparison using firefly and PSO algorithms on congestion

20.	management of deregulated power market involving renewable energy sources, Soft Computing (2019). Otoritas Jasa Keuangan, Statistik Perbankan Indonesia 2004-2018, http://www.ojk.go.id/data-statistik-perbankan-indonesia [Accessed on 28 July 2019].
	050008-5

ORIGINALITY REPORT SIMILARITY INDEX **INTERNET SOURCES PUBLICATIONS** STUDENT PAPERS **PRIMARY SOURCES** amadeus.csam.iit.edu Internet Source media.neliti.com Internet Source www.scilit.net Internet Source Mukesh Gupta, S.N. Tazi, Akansha Jain, Deepika. "Edge Detection Using Modified Firefly Algorithm", 2014 International Conference on Computational Intelligence and Communication Networks, 2014 **Publication** Windarto, Utami Dyah Purwati, Nadiyah 5 Amalia. "A Mathematical Model of Social Media Popularity with Standard Incidence Rate", IOP Conference Series: Materials Science and Engineering, 2019 Publication

7	Changjin Xu, Zixin Liu, Maoxin Liao, Lingyun Yao. "Theoretical analysis and computer simulations of a fractional order bank data model incorporating two unequal time delays", Expert Systems with Applications, 2022 Publication	1 %
8	Olumuyiwa Otegbeye, Md Sharifuddin Ansari. "A finite difference based simple iteration method for solving boundary layer flow problems", AIP Publishing, 2022 Publication	1 %
9	Wu, L "Estimation the parameters of Lotka- Volterra model based on grey direct modelling method and its application", Expert Systems With Applications, 201106	1 %
10	A. R. Batista-Tomás, Andrea De Martino, Roberto Mulet. "Path-integral solution of MacArthur's resource-competition model for large ecosystems with random species- resources couplings", Chaos: An Interdisciplinary Journal of Nonlinear Science, 2021	1 %

Jian Liu, Zhihai Cai, Dongyu He, Xiangling Zeng, Zhen Peng, Rui Wang, Jing Li. "Effect of Si on the mechanical and tribological

11

%

properties of FeCoNiBSiNb amorphous alloy composites prepared by laser melting", Research Square Platform LLC, 2023

Publication

12	Submitted to North Florida Community College Student Paper	1 %
13	rp2u.unsyiah.ac.id Internet Source	1 %
14	Gabriel Zambrano-Rey, Héctor López-Ospina, Juan Pérez. "Retail store location and pricing within a competitive environment using constrained multinomial logit", Applied Mathematical Modelling, 2019 Publication	1 %
15	blog.hoamon.info Internet Source	1%
16	www.rit.ac.in Internet Source	1%
17	"Advances in Mechanical Engineering", Springer Science and Business Media LLC, 2020 Publication	<1%
18	Multidiscipline Modeling in Materials and Structures, Volume 6, Issue 1 (2013-05-27) Publication	<1%

Exclude quotes Off Exclude bibliography On

Exclude matches

Off

GRADEMARK REPORT	
FINAL GRADE	GENERAL COMMENTS
/0	Instructor
,	
PAGE 1	
PAGE 2	
PAGE 3	
PAGE 4	
PAGE 5	
PAGE 6	