



**SIPS** | SURABAYA  
**2017** | INTERNATIONAL  
PHYSIOLOGY  
SEMINAR

## PROCEEDINGS OF THE SURABAYA INTERNATIONAL PHYSIOLOGY SEMINAR

Surabaya, October 12-14, 2017

**Editors:**

Soetjipati  
Muhammad Miftahulwanar  
Perry Dendi  
Purwa Sri Rajeki  
Bambang Purvanto






## Proceedings

### Proceedings of Surabaya International Physiology Seminar

October 12-14, 2017, in Jawa Timur, Indonesia



**Editors:** Soetjipto ; Muhammad Miftahussurrur ; Ferry Efendi ; Purwo Sri Rejeki and Bambang Purwanto

**Affiliation:** Universitas Airlangga, Indonesia

**ISBN:** 978-989-758-340-7

**Conference Link:** <http://sipsfk.conference.unair.ac.id/>

**Foreword:** Assalamu'alaikum Wr. Wb. Distinguished Guests, all the Participants, Ladies and Gentlemen On behalf of Faculty of Medicine, Universitas Airlangga, it is my great pleasure to welcome all the speakers, moderators, and participants on Surabaya International Physiology Seminar 2017 (SIPS 2017), which will be held from today, October 12th until October 14th, 2017. I would like to express my hearty welcome to all the international speakers, Prof. Cheng Hwee Ming, from University of Malaya, Malaysia; Prof. Daniel John Green, from University of

Western Australia; Dr. Fadzil Hamzah, from Sport Center of Changi General Hospital, Singapore and Dr. Deanne Helena Skelly, from Griffith University, Australia. The aim of SIPS 2017 is to provide a platform for academicians, educators, researchers, practitioners, undergraduate and postgraduate students to share and discuss the knowledge of the recent issues, opinions, researchers about the development and innovation of physiology in medical **(More)**

**Volumes:**

Vol. 1 - 978-989-758-340-7

Papers Authors

Show 50 papers

**The Dominant Personality Type in Vertigo Patients**

P. 5 - 9

Nanda Rizky FS , Netty Herawati , Nyilo Purnami , Nining Febriyana and Abdurachman

DOI:10.5220/000733160

**The Role of Osteocytes in Alveolar Bone During Tooth Movement**

P. 10 - 14

Agni Febrina Pargaputri1 and Noengki Prameswari

DOI:10.5220/000733170

**Body Movement and Islamic Energy Psychology Acupressure to Improve the Future Orientation In A Person With HIV**

P. 15 - 20

Ambar Sulianti and Fenti Hikmawati

DOI:10.5220/000733180

**White Matter Changes in Neurodegenerative and Global Cortical Atrophy Scale Correlation in Older Patients Using Magnetic Resonance Imaging**

P. 21 - 25

Anggraini Dwi Sensusiaty

DOI:10.5220/000733190

**The Influence of Mass Basic Life Support Training on The Skills and Attitude in Undertaking Life Support Using the Method of the Faculty of Medicine, Universitas Airlangga**

P. 26 - 29

Arie Utariani , Teguh Sylvaranto , April Poerwanto Basoeki , Prananda Surya Airlangga , Windy Ari Wijaya , Soni Sunarso Sulistiawan , Bambang Pujo Semedi , Hamzah , Christrijogo Sumartono , Kohar Hari Santoso , Philia Setiawan and Eddy Rahardjo

DOI:10.5220/000733200

**Reflections of a Physiology Teacher**

P. 30 - 32

Cheng Hwee Ming

DOI:10.5220/000733210

**Does Sequential Diabetes Dance Improve on Glucose Level and Glucose Tolerance?**

P. 33 - 36

Cynthia Wahyu Asrizal and Bambang Purwanto

DOI:10.5220/000733220



## The Influence of Mass Basic Life Support Training on The Skills and Attitude in Undertaking Life Support Using the Method of the Faculty of Medicine, Universitas Airlangga

In Proceedings of Surabaya International Physiology Seminar - Volume 1: SIPS, 26-29, 2017 , Jawa Timur, Indonesia

### The Influence of Mass Basic Life Support Training on The Skills and Attitude in Undertaking Life Support Using the Method of the Faculty of Medicine, Universitas Airlangga

Arie Utami<sup>1</sup>, Teguh Sylvianto<sup>1</sup>, Apri Poeswanto Basoeki<sup>1</sup>, Prananda Surya Airlangga<sup>1</sup>, Windy Ari Wijaya<sup>1</sup>, Sani Sunario Sulistawan<sup>1</sup>, Bambang Pajo Setiadi<sup>1</sup>, Christijogo Samartono<sup>1</sup>, Hamzah<sup>1</sup>, Kohar Hari Santoso<sup>1</sup>, Philia Setiawan<sup>1</sup> and Uddy Rahardjo<sup>2</sup>

<sup>1</sup> *Staff of Anesthesiology and Resuscitation Department, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia*

<sup>2</sup> *Professor of Anesthesiology and Resuscitation, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia*

**Keywords:** Airlangga University Method, Basic Life Support Training, Non-Medical Personnel, Skill and Attitude

**Abstract:** The quality of basic life support training given by medical students to the public, using methods from the Faculty of Medicine, Airlangga University, appears to be effective. There is hope that it will allow the increase rate of resuscitation by non-medical personnel. This study uses a quasi-experimental design, with total subjects of 178 persons. We compared the level of attitude before a pre-post test, then linked this to the skill level in performing basic life support after training. The conclusion test results show a significant relationship between attitude and skill. Basic life support training for non-medical personnel, using methods from the Faculty of Medicine at Airlangga University, enhances the level of attitude and skill of all participants.

#### 1 INTRODUCTION

Cardiac arrest is one of the leading causes of death in the world, as the sudden cardiac death rate is quite high. Cardiac pulmonary resuscitation given by people nearby to the victim is a basic life support for patients who suffer a cardiac arrest. Cardiac arrest events can occur anywhere, and often no medical personnel are present at the scene. Basic life support performed less than four minutes after the incident, followed by cardiac advanced life support, will increase the rate of successful cardiac pulmonary resuscitation. The basic life support training provided by medical staff to the layman or common person is regarded as being effective, and is hoped to positively affect the result of resuscitation performed by the layman. Basic life support training has long been promoted, and has attempted to be popularized within the community. Many other countries have already mandated basic life support training to the general public, yet this has not been implemented in Indonesia. Until now, no evidence-based data has proven the benefits and influence of basic life

support training on the level of assessing the skills and attitudes of ordinary people in performing cardiopulmonary resuscitation in Indonesia. It is important that a study is carried out involving a large number of lay participants, to evaluate and assess the outcomes of such training. Good basic life support training is very important to show the effects of this on the quality of the training results provided. Evaluation should be carried out according to scientific rules. Therefore, there must be research into the effects of basic life support training for the layman, in order to assess the skill and attitude levels of the participants using methods from the Faculty of Medicine of Airlangga University.

#### 2 METHODS

This study uses a quasi-experimental study design and involves students from Pondok Pesantren Gontor in Kediri. Students are trained over five hours in basic life support (BLS) and their pre- and post- knowledge levels and attitudes are then

**Authors:** Arie Utariani<sup>1</sup>; Teguh Sylvaranto<sup>1</sup>; April Poerwanto Basoeki<sup>1</sup>; Prananda Surya Airlangga<sup>1</sup>; Windy Ari Wijaya<sup>1</sup>; Soni Sunarso Sulistiawan<sup>1</sup>; Bambang Pujo Semedi<sup>1</sup>; Christrijogo Sumartono<sup>1</sup>; Hamzah<sup>1</sup>; Kohar Hari Santoso<sup>1</sup>; Philia Setiawan<sup>1</sup> and Eddy Rahardjo<sup>2</sup>

**Affiliations:** <sup>1</sup>Anesthesiology and Reanimation Department, Faculty of Medicine and Universitas Airlangga, Indonesia ; <sup>2</sup>Professor of Anesthesiology and Reanimation, Faculty of Medicine and Universitas Airlangga, Indonesia

**ISBN:** 978-989-758-340-7

**ISSN:** 2184-3678

**Keyword(s):** Basic Life Support Training, Airlangga University method, non-medical personnel, skill and attitude

**Abstract:** Abstract: The quality of bBasic lLife sSupport training given by medical students to the public, using methods from the Ffaculty of Mmedicine, Airlangga University, appears to be effective. There is hope that it will affect the success rates of resuscitation by non-medical personnel. This study uses a quasi-experimental design, with total subjects of 1,378 persons. We compared the level of attitudes using a pre-post test, then linked this to the skill level in performing bBasic lLife sSupport after training. The correlation test results show a significant relationship between attitude and skill. Basic lLife sSupport training for non-medical personnel, using methods from the Ffaculty of Mmedicine at Airlangga University, enhances the level of attitude and skill of all participants.



Full Text  
Download



CC BY-NC-ND 4.0



Guest: Register as new SciTePress user now for free.



SciTePress user: please login.

You are not signed in, therefore limits apply to your IP address 125.167.81.101



My Papers

In the current month:

Recent papers: 100 available of 100 total

2+ years older papers: 200 available of 200 total

#### Paper citation in several formats:

Harvard

Bibtex

EndNote

Utariani, A.; Sylvaranto, T.; Poerwanto Basoeki, A.; Surya Airlangga, P.; Ari Wijaya, W.; Sunarso Sulistiawan, S.; Pujo Semedi, B.; Sumartono, C.; Hamzah, .; Hari Santoso, K.; Setiawan, P. and Rahardjo, E. (2017). **The Influence of Mass Basic Life Support Training on The Skills and Attitude in Undertaking Life Support Using the Method of the Faculty of Medicine, Universitas Airlangga.**In *Proceedings of Surabaya International Physiology*

---

## Reviews

Login or register to post comments.

**Comments on this Paper:** Be the first to review this paper.



**SCITEPRESS - SCIENCE AND TECHNOLOGY PUBLICATIONS, LDA.**

## RESOURCES

[Proceedings](#)

[Papers](#)

[Authors](#)

[Ontology](#)

## CONTACTS

Science and Technology  
Publications, Lda  
Avenida de S. Francisco  
Xavier, Lote 7 Cv. C,  
2900-616 Setúbal, Portugal.

Phone: +351 265 520 185

Fax: +351 265 520 186

Email: [info@scitepress.org](mailto:info@scitepress.org)

## EXTERNAL LINKS

[PRIMORIS](#)

[INSTICC](#)

[SCITEVENTS](#)

[CROSSREF](#)

## PROCEEDINGS SUBMITTED FOR INDEXATION BY:

[Thomson Reuters](#)

[dblp](#)

[Ei Compendex](#)

[SCOPUS](#)

[Semantic Scholar](#)

# The Influence of Mass Basic Life Support Training on The Skills and Attitude in Undertaking Life Support Using the Method of the Faculty of Medicine, Universitas Airlangga

Arie Utariani<sup>1</sup>, Teguh Sylvaranto<sup>1</sup>, April Poerwanto Basoeki<sup>1</sup>, Prananda Surya Airlangga<sup>1</sup>, Windy Ari Wijaya<sup>1</sup>, Soni Sunarso Sulistiawan<sup>1</sup>, Bambang Pujo Semedi<sup>1</sup>, Christrijogo Sumartono<sup>1</sup>, Hamzah<sup>1</sup>, Kohar Hari Santoso<sup>1</sup>, Philia Setiawan<sup>1</sup> and Eddy Rahardjo<sup>2</sup>

<sup>1</sup>Staff of Anesthesiology and Reanimation Department, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia

<sup>2</sup>Professor of Anesthesiology and Reanimation, Faculty of Medicine, Universitas Airlangga, Surabaya, Indonesia  
arie\_utariani@yahoo.co.uk

**Keywords:** Airlangga University Method, Basic Life Support Training, Non-Medical Personnel, Skill and Attitude.

**Abstract:** The quality of basic life support training given by medical students to the public, using methods from the Faculty of Medicine, Airlangga University, appears to be effective. There is hope that it will affect the success rates of resuscitation by non-medical personnel. This study uses a quasi-experimental design, with total subjects of 1,378 persons. We compared the level of attitudes using a pre-post test, then linked this to the skill level in performing basic life support after training. The correlation test results show a significant relationship between attitude and skill. Basic life support training for non-medical personnel, using methods from the Faculty of Medicine at Airlangga University, enhances the level of attitude and skill of all participants.

## 1 INTRODUCTION

Cardiac arrest is one of the leading causes of death in the world, as the sudden cardiac death rate is quite high. Cardiac pulmonary resuscitation given by people nearby to the victim is a basic life support for patients who suffer a cardiac arrest. Cardiac arrest events can occur anywhere, and often no medical personnel are present at the scene. Basic life support performed less than four minutes after the incident, followed by cardiac advanced life support, will increase the rate of successful cardiac pulmonary resuscitation. The basic life support training provided by medical staff to the layman or common person is regarded as being effective, and is hoped to positively affect the result of resuscitation performed by the layman. Basic life support training has long been pioneered, and has attempted to be popularized within the community. Many other countries have already mandated basic life support training to the general public, yet this has not been implemented in Indonesia. Until now, no evidence-based data has proven the benefits and influence of basic life

support training on the level of assessing the skills and attitudes of ordinary people to performing cardiopulmonary resuscitations in Indonesia. It is important that a study is carried out involving a large number of lay participants, to evaluate and assess the outcomes of such training. Good basic life support training is very important to show the effects of this on the quality of the training results provided. Evaluation should be carried out according to scientific rules. Therefore, there must be research into the effects of basic life support training for the layman, in order to assess the skill and attitude levels of the participants using methods from the faculty of medicine of Airlangga University.

## 2 METHODS

This study uses a quasi-experimental study design, and involves students from Pondok Pesantren Gontor in Kediri. Students are trained over five hours in basic life support (BLS), and their pre- and post- knowledge levels and attitudes are then

compared (pre-post test design is then linked to the skill level of students in BLS after training). The research was conducted in Gontor Kediri Pondok Pesantren Hall on December 26, 2016, for one day. The population comprised students of Pondok Pesantren Gontor in Kediri, who fit the inclusion criteria. We excluded basic life trainee support (BLS), which is involved in the health sector, and does not follow the training activities from beginning to end. All of the students were tested for attitude levels one hour before BLS training. One hour after BLS training, we evaluated the levels of skill and attitude. A validity test and a check to see whether each participant has ever undertaken BLS were carried out; the data from the questionnaire results was then analyzed. The first analysis uses the Pearson Product Moment method. It is said to be valid if the significance is less than 0.05 and r value count > r table, while reliability was tested with Cronbach's Alpha with a standard of more than 0.5.

### 2.1 Statistical Analysis

The attitude level data was tested using a paired sample t test; knowledge data was also tested using a paired sample t test; skill data had the scale ratio connected with attitude level and knowledge, which was tested using the Pearson correlation if normal distribution, and if not distributed normally, using Spearman's correlation.

## 3 RESULTS

The results of the validity test on attitude variables based on the Pearson test have a significant level of less than 0.05 (0.702–0.810), and an r value count of more than r table. With this result, all indicators of attitude stated are valid. Then, the reliability test obtained the value from Cronbach's Alpha of 0.893. The value is greater than 0.5, so the attitude variable is reliable.

The result of the validity test on the knowledge variable based on the Pearson test has a significant level of less than 0.05 (the r value ranges from 0.221 to 0.479) and obtained all r values from r table r. With this result, all indicators of attitude are valid. Following this, the reliability test obtained the value from Cronbach's Alpha of 0.591. This value is more than 0.5, and is considered to be reliable. The next stage eliminated the variable number 14, because it has a low Pearson correlation value (0.221). Additionally, if this item is eliminated it will increase the Cronbach's Alpha value to 0.608. The

results of the validity test on the knowledge variables after the knowledge question 14 were eliminated, based on the Pearson test having a significance level of less than 0.05 (r values ranging from 0.342 to 0.480) and obtaining all values of r count? r table. With this result, all indicators of attitude are valid. Then, the reliability test obtained the value from Cronbach's Alpha of 0.608.

Table 1: Description and independent test variable result.

Variable	Group	Pre/Post	N	Min	Max	Mean	Gap	t value	P
Attitude	Female	Pre	53	4.03	4.60	4.37±0.15	0.39	17.581	0.000
		Post	53	4.47	4.95	4.76±0.10			
	Male	Pre	101	3.84	4.78	4.34±0.21	0.32	17.902	0.000
		Post	101	4.20	5.00	4.66±0.18			
	Total	Pre	154	3.84	4.78	4.35±0.19	0.35	24.245	0.000
		Post	154	4.20	5.00	4.70±0.17			
Skill	Female	Post	53	10.77	15.00	14.22±0.83			
	Male	Post	101	11.60	15.00	14.34±0.83			
	Total	Post	154	10.77	15.00	14.30±0.83			

This value is more than 0.5, and is considered to be reliable. The results of the validity test on the skill variable, based on the Pearson test, has a significance level less than 0.05 (r value ranges from 0.183 to 0.472) with the r arithmetic? r table. With this result, all indicators of attitude are valid. Next, the reliability test obtained Cronbach's Alpha value of 0.556. This value is more than 0.5, so the questionnaire is considered reliable and acceptable. Further, confirmed by Cronbach's Alpha test, it was not found that if the item question is removed, this will increase the reliability value of Cronbach's Alpha.

Table 2: Correlation test.

Correlation		Skill		
		Female	Male	Total
Attitude	Female	0.327* (0.017)		
	Male		0.316** (0.001)	



	Total			0.220** (0.006)
--	-------	--	--	--------------------

\* Significantly correlated at 0.05 level (2 tailed)

\*\* Significantly correlated at 0.01 level (2 tailed)

Kolmogorov Smirnov is used to determine from the statistical test that the roots of normality are normal if the significance of the results obtained are more than 0.05. All subsequent data is used to test the data normality. Normal distribution test results are gained, except on the male skill data (Kolmogorov Smirnov 0.000 test scores) and overall sample skill (Kolmogorov Smirnov 0.000 test scores). Normally distributed data will be tested using abnormally distributed statistics to be tested with nonparametric statistics. Normally distributed data will be tested before and after parametric statistics with a paired sample t test and correlation test using Pearson correlation, while abnormal data is tested using Wilcoxon, and correlation using Spearman correlation.

## 4 DISCUSSION

Information can improve someone's knowledge about problems, which in turn can contribute to behavioral changes. Having knowledge is not always followed by behavioral changes, and such distances exist between them. Ideally, every knowledge improvement is followed by behavioral and attitude changes, but some factors can disrupt that ideal condition (Wik, 1994). Gaining knowledge can be a foundation to behavioral and attitude changes. Repeated strengthening and efforts are needed to make behavior and attitude advance according to the knowledge. Strengthening can be done based on a theory of planned behavior, which encourages everyone around us to learn BLS. BLS should be seen as a good thing based on social norms, so everybody can be motivated if they believe in the norm. Each person's behavioral beliefs will perceive and receive the social acknowledgment that BLS is a positive thing. A combination of 'motivation to comply' and 'behavioral belief' will push everybody to know how to perform BLS properly, which is manifested in people's behavior and confidence in doing BLS (perceived behavioral control). Knowledge, skill, and behavior are important for proper basic life support, which will manifest in people if there is a balanced theory of planned behavior. It cannot be done solely by method, or one person alone. It needs a social effort to motivate and give support to every person to reach the objectives,

which is "saving lives for everybody, and by everybody".

## 5 CONCLUSIONS

Our research concludes that mass BLS training undertaken by the method of Faculty of Medicine, Universitas Airlangga, was successful in improving knowledge, skills, and behavior. Repeated efforts should be made to reach our social objectives. Our kind of method in training for BLS should be tried and tested in another population, making it into a better method for the future.

## REFERENCES

- Committee E., Subcommittees and Task Forces and the American Heart Association. American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. *Circulation*. 2005;112(24 Suppl):1-203.
- Departemen Kesehatan, 2006. Pharmaceutical care untuk pasien penyakit jantung
- Hinton, P., Brownlow, C, B, McMurray, I., 2004. *SPSS Explained*. New York: 10. Spehr K, Curnow R. 2011. Are Your Objectives Really About Behaviour Change? Or coroner: Fokus sindrom coroner akut. [Thhttp://circ.ahajournals.org/content/129/3/e28](http://circ.ahajournals.org/content/129/3/e28) Routledge Inc.
- Meaney, P-A, Bobrow, B.J., Mancini, M.E., Christenson, J, de Caen, A.R., Bhanji, F. et al. Cardiopulmonary Res Outcomes Both Inside and Outside the Hospital: A Consensus Statement from the American Heart Association. *Circulation*. 2013 Jul 23;128(4):417-35
- Wik, L., Steen, P.A, Bircher, N.G. Quality of Bystander Cardiopulmonary Resuscitation Influences Outcome After Prehospital Cardiac Arrest. *Resuscitation*. 1994 Dec; 28(3):195-203. *uscitation Quality: [corrected] Improving Cardiac Resuscitation*
- Nichol, G., Aufderheide, T.P., Eigel, B., Neumar, R.W., Lurie, K.G., Bufalino, V.J., et al, Regional Systems of Care for Out-Of Hospital Cardiac Arrest: A Policy Statement From The American Heart Association. *Circulation* 2010;121:709-29. Sans, S., Kesteloot, H. & Kromhout, D. The Burden Of Cardiovascular Diseases Mortality
- Philippon, A.L., Bokobza, J., Pernet, J., Medical Students Teach Basic Life Support to Non-Medical Students: A Pilot Study. *Resuscitation*. 2013: e135-e136
- Sans, S.M., Kesteloot, H. & Kromhout, D. The Burden of Cardiovascular Disease Mortality in Europe. Task Force of the European Society of Cardiology on Cardiovascular Mortality and Morbidity Statistics in Europe. *Eur Heart J* 1997;18:1231-48.

Spehr K, Curnow R., 2011. Are They Really About Knowledge and Attitudes? <http://www.communitychange.com.au/insights-and-tools/21-insights-and-tools/improving-your-program/are-your-objectives-really-about-behaviour-change/12.html>

The American Heart Association Heart Disease and Stroke Statistics, 2014-update, [<http://circ.ahajournals.org/content/129/3/e28>]

Wik, L., Steen, P.A., Bircher, N.G. Quality of Bystander Cardiopulmonary Resuscitation Influence Outcome after Prehospital Cardiac Arrest. *Resuscitation*. 1994 Dec; 28(3):195-203.

