

## BUKTI KORESPONDENSI

Judul Artikel : The Real Benefits of Exercise in Marfan Syndrome Associated Aortic Dissection  
Base on FITT Exercise Prescription Method

Jurnal : Gac Med Bilbao

Author : Rizkiawan Ronaldi, Sawitri Ayuni, Dewi Ivana-Purnama, Ardiana Meity

Corresponding: Meity Ardiana

No.	Perihal	Tanggal	Komentar Editor Jurnal	Komentar Penulis
1	Pengiriman Artikel : Artikel disubmit melalui web jurnal dan masuk seleksi jurnal	3 Januari 2022	-	-
2	Pengiriman Revisi	8 Februari 2022	-	Revisi artikel telah dikirim oleh Penulis pada web jurnal. Keterangan revisi:  Memberi informasi lebih lanjut terkait penggunaan FITT exercise prescription method untuk penelitian. Lampiran hal 118-119 (highlight)
3	Penerimaan Artikel	1 Maret 2022	Editor mengirimkan LoA tertera tanggal 1 Maret 2022, namun LoA tersebut baru dikirim oleh pihak jurnal pada tanggal 18 Maret 2022.	-
4	Publikasi Artikel	21 Maret 2022	Editor jurnal memberitahu bahwa artikel akan	-

			dipublikasi pada isu kedua pada Juni 2022. Artikel secara resmi dipublikasi oleh jurnal Gac Med Bilbao pada edisi Juni 2022.	
--	--	--	--	--



ardiana, Meity &lt;meityardiana@fk.unair.ac.id&gt;

---

**Re: Paypal for APC**

11 pesan

---

**Ivana Purnama Dewi** <916ivana@gmail.com>

1 Maret 2022 20.51

Kepada: Marcelo Curto Nates &lt;mcurto@docorcomunicacion.com&gt;

Cc: ronadirizkiawan@gmail.com, Saúl Vicente del Hierro &lt;svicente@docorcomunicacion.com&gt;, meityardiana@fk.unair.ac.id

Dear Marcelo Curto Nantes,

Thank you for your email. I will process the payment as soon as possible

However, can you send us formal article acceptance letter/email

Thank you very much

Best regards

Ivana Purnama Dewi

On Tue, Mar 1, 2022, 8:45 PM Marcelo Curto Nates &lt;mcurto@docorcomunicacion.com&gt; wrote:

Dear Ivan,

We have not yet opened a PayPal account.

However, the Academy of Medical Sciences of Bilbao, publisher of the Bilbao Medical Gazette, has enabled an online payment gateway for the entry of articles. You can access it at the following URL:

<https://buy.stripe.com/b1YcNoaf9accblubl1>

Kind regards,

Marcelo Curto Nates

Ejecutivo de cuentas

Tel.: 94 423 48 25 / 661 414 696

Plaza San José n.º 3, 1.º dcha.

48009 Bilbao

Síguenos en [Facebook](#) y [Twitter](#)[www.docorcomunicacion.com](http://www.docorcomunicacion.com)[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal **PZA. SAN JOSÉ, NÚM. 3, PISO 1.º DCHA. 48009, BILBAO (BIZKAIA)** o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y

puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

El vie, 25 feb 2022 a las 7:01, Ivana Purnama Dewi (<[916ivana@gmail.com](mailto:916ivana@gmail.com)>) escribió:

Dear Marcelo Curto Nates,

Greetings, hope you save and well

I want to ask about the continuation of my manuscript process

Is there any news about the paypal account?

Thank you

Best regards,  
Ivana Purnama Dewi

On Tue, Feb 8, 2022, 5:45 PM Marcelo Curto Nates <[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)> wrote:

Hello Ivana:

I confirm you that your manuscript is already accepted. We are trying to open a PayPal account to make the process easier (and cheaper) for foreign authors.

We hope to get it done as soon as possible.

Just give us some days, so we can get the approval.

Kind regards,

Marcelo Curto Nates  
Ejecutivo de cuentas  
Tel.: 94 423 48 25 / 661 414 696  
Plaza San José n.º 3, 1.º dcha.  
48009 Bilbao  
Síguenos en [Facebook](#) y [Twitter](#)  
[www.docorcomunicacion.com](http://www.docorcomunicacion.com)  
[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)



**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal PZA. SAN JOSÉ, NÚM. 3, PISO 1.ª DCHA. 48009, BILBAO (BIZKAIA) o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

El mar, 8 feb 2022 a las 9:37, Ivana Purnama Dewi (<[916ivana@gmail.com](mailto:916ivana@gmail.com)>) escribió:

Dear Marcelo Curto Nates,

Greetings., hope you save and well

I want to ask about my manuscript result  
Is there any news about the reviewer decision?

Thank you

Best regards,  
Ivana Purnama Dewi

On Mon, Jan 10, 2022, 7:18 PM Ivana Purnama Dewi <[916ivana@gmail.com](mailto:916ivana@gmail.com)> wrote:

Thank you for your information

On Mon, Jan 10, 2022, 7:12 PM Marcelo Curto Nates <[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)> wrote:

Dear Ivana Purnama Dewi ,

I confirm you that the article processing charge (APC) must be paid after peer review, when the article is accepted.

Kind regards,

Marcelo Curto Nates  
Ejecutivo de cuentas  
Tel.: 94 423 48 25 / 661 414 696  
Plaza San José n.º 3, 1.º dcha.  
48009 Bilbao  
Síguenos en [Facebook](#) y [Twitter](#)  
[www.docorcomunicacion.com](http://www.docorcomunicacion.com)  
[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)



**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal [PZA. SAN JOSÉ, NÚM. 3, PISO 1.ª DCHA. 48009, BILBAO \(BIZKAIA\)](#) o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

El mié, 5 ene 2022 a las 8:00, Ivana Purnama Dewi (<[916ivana@gmail.com](mailto:916ivana@gmail.com)>) escribió:

Dear Marcelo Curto Nates,

For the article processing charge (APC)  
We pay after acceptance or before the peer review?

Thank you

On Tue, Jan 4, 2022, 6:33 PM Marcelo Curto Nates <[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)> wrote:

OK. Just let me know when you make the wire transfer to get the peer review process in motion.

Thank you very much in advance.

Marcelo Curto Nates  
Ejecutivo de cuentas  
Tel.: 94 423 48 25 / 661 414 696  
Plaza San José n.º 3, 1.º dcha.  
48009 Bilbao  
Síguenos en [Facebook](#) y [Twitter](#)  
[www.docorcomunicacion.com](http://www.docorcomunicacion.com)  
[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)



**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal [PZA. SAN JOSÉ, NÚM. 3, PISO 1.ª DCHA. 48009, BILBAO \(BIZKAIA\)](#) o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

El mar, 4 ene 2022 a las 12:19, Ivana Purnama Dewi (<[916ivana@gmail.com](mailto:916ivana@gmail.com)>) escribió:

Dear Marcelo Curto Nantes,

If the manuscript accepts for publication. I will pay the cost of the manuscript publication (250 euros) by bank transfer

Thank You

Best Regards,  
Ivana Purnama Dewi

On Tue, Jan 4, 2022, 6:14 PM Marcelo Curto Nates <[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)> wrote:

Dear Ivana:

Before peer reviewing, since January 1, 2022, it is necessary to pay to publish a manuscript in the Gaceta Médica de Bilbao. The economic cost for the publication of an article is 250 euros. This cost must be covered by those authors who are not members of the Bilbao Academy of Medical Sciences. The members of the Bilbao Academy of Medical Sciences will have no cost for the publication of their articles. Once the article is admitted for publication in the journal, the editorial committee will contact the authors who are not members of the Academy to proceed with the payment of the publication cost.

Payment of the cost of the manuscript (250 euros) will be made by bank transfer, indicating name and two surnames to the following account number: ES95 2095 0000 7320 00135988.

On the other hand, if the authors wish to become members of the Bilbao Academy of Medical Sciences (60 euros per year), they can do so through the following link: <https://www.acmbilbao.org/inscripcion-de-academicos/>.

We look forward to hearing from you soon.

Kind regards,

Marcelo Curto Nates  
Ejecutivo de cuentas  
Tel.: 94 423 48 25 / 661 414 696  
Plaza San José n.º 3, 1.º dcha.  
48009 Bilbao  
Síguenos en [Facebook](#) y [Twitter](#)  
[www.docorcomunicacion.com](http://www.docorcomunicacion.com)  
[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)



Aviso legal:

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal [PZA. SAN JOSÉ, NÚM. 3, PISO 1.ª DCHA. 48009, BILBAO \(BIZKAIA\)](#) o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

El lun, 3 ene 2022 a las 9:30, Ivana Purnama Dewi (<[916ivana@gmail.com](mailto:916ivana@gmail.com)>) escribió:

Dear Editor in chief,

We hereby submit our manuscript entitled "**The Real Benefits of Exercise in Marfan Syndrome Associated Aortic Dissection Base on FITT Exercise Prescription Method**"

Hereby we would like to offer our manuscript to the editorial board of **Gaceta Medica de Bilbao**. In our paper, we present an exercise prescription for patients with Marfan Syndrome due to lack of literacy that discusses this method. We hope through this review, the doctor can encourage patients with Marfan to do exercise according to their level of safety by considering complications of aortic dissection.

We state that none of this manuscript's content has been previously published or is under consideration for publication in any other peer-reviewed media. All authors listed have contributed sufficiently to the project to be included as authors. They all read and critically revised the manuscript for important intellectual content and approved the final manuscript for submission to board of **Gaceta Medica de Bilbao**. None of the authors have any relationship with industry or other conflicts of interest to disclose. We did not obtain any ethical for our submission.

We sincerely hope that you will consider this work for publication in board of **Gaceta Medica de Bilbao**.

Your sincerely,

Ivana Purnama Dewi, MD (submitting author on behalf of all author)

Kepada: Ivana Purnama Dewi <916ivana@gmail.com>

Cc: Marcelo Curto Nates <mcurto@docorcomunicacion.com>, ronaldirizkiawan@gmail.com, Saúl Vicente del Hierro <svicente@docorcomunicacion.com>, meityardiana@fk.unair.ac.id

Ok. I'm going to ask for it.

Marcelo Curto Nates  
Ejecutivo de cuentas  
Tel.: 94 423 48 25 / 661 414 696  
Plaza San José n.º 3, 1.º dcha.  
48009 Bilbao  
Síguenos en [Facebook](#) y [Twitter](#)  
[www.docorcomunicacion.com](http://www.docorcomunicacion.com)  
[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)



**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal [PZA. SAN JOSÉ, NÚM. 3, PISO 1.ª DCHA. 48009, BILBAO \(BIZKAIA\)](#) o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

[Kutipan teks disembunyikan]

---

**ardiana, Meity** <meityardiana@fk.unair.ac.id>

11 Maret 2022 08.37

Kepada: Marcelo Curto Nates <mcurto@docorcomunicacion.com>

Cc: 916ivana@gmail.com, svicente@docorcomunicacion.com, ronaldirizkiawan@gmail.com

Dear Marcelo Curo Nates,

Warm greetings,

My name is Meity Ardiana, MD, Ph.D as the corresponding author

I want to ask about the continuing process of the article Title **"The Real Benefits of Exercise in Marfan Syndrome Associated Aortic Dissection Base on FITT Exercise Prescription Method"**

It already accepted but we still waiting for the formal acceptance letter from Gaceta Medica de Bilbao Journal, so we can proceed to APC payment

Hope we can hear from you soon

Thank you,

Best regards,  
Meity Ardiana, MD, Ph.D

[Kutipan teks disembunyikan]



17 Maret 2022 18.33

**Marcelo Curto Nates** <mcurto@docorcomunicacion.com>

Kepada: "ardiana, Meity" &lt;meityardiana@fk.unair.ac.id&gt;

Cc: 916ivana@gmail.com, Saúl Vicente del Hierro &lt;svicente@docorcomunicacion.com&gt;, ronadirizkiawan@gmail.com

Dear Dr. Meity Ardian:

Today I have requested again, this time urgently, the acceptance certificate.

I trust they will send it to me today.

Please forgive the inconvenience.

Best regards,

Marcelo Curto Nates

Ejecutivo de cuentas

Tel.: 94 423 48 25 / 661 414 696

Plaza San José n.º 3, 1.º dcha.

48009 Bilbao

Síguenos en [Facebook](#) y [Twitter](#)

[www.docorcomunicacion.com](http://www.docorcomunicacion.com)

[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)



**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal **PZA. SAN JOSÉ, NÚM. 3, PISO 1.º DCHA. 48009, BILBAO (BIZKAIA)** o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

[Kutipan teks disembunyikan]

---

**Marcelo Curto Nates** <mcurto@docorcomunicacion.com>

18 Maret 2022 00.03

Kepada: "ardiana, Meity" &lt;meityardiana@fk.unair.ac.id&gt;

Cc: 916ivana@gmail.com, Saúl Vicente del Hierro &lt;svicente@docorcomunicacion.com&gt;, ronadirizkiawan@gmail.com

Dear Meity Ardiana:

Please find attached the acceptance letter regarding your article.

I'm really sorry for the delay.

Best regards,

Marcelo Curto Nates

Ejecutivo de cuentas

Tel.: 94 423 48 25 / 661 414 696

Plaza San José n.º 3, 1.º dcha.

48009 Bilbao

Síguenos en [Facebook](#) y [Twitter](#)

[www.docorcomunicacion.com](http://www.docorcomunicacion.com)  
[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)




**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal **PZA. SAN JOSÉ, NÚM. 3, PISO 1.ª DCHA. 48009, BILBAO (BIZKAIA)** o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

El vie, 11 mar 2022 a las 2:37, **ardiana, Meity** (<[meityardiana@fk.unair.ac.id](mailto:meityardiana@fk.unair.ac.id)>) escribió:

[Kutipan teks disembunyikan]

---

 **0459GMB Acceptance letter.pdf**  
678K

---

**ardiana, Meity** <[meityardiana@fk.unair.ac.id](mailto:meityardiana@fk.unair.ac.id)>  
Kepada: Marcelo Curto Nates <[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)>

18 Maret 2022 01.25

Thank you..

We will proceed the payment

best regards,  
Meity Ardiana, MD, Ph.D  
[Kutipan teks disembunyikan]

---

**ardiana, Meity** <[meityardiana@fk.unair.ac.id](mailto:meityardiana@fk.unair.ac.id)>  
Kepada: Marcelo Curto Nates <[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)>  
Cc: [ronaldirizkiawan@gmail.com](mailto:ronaldirizkiawan@gmail.com), [916ivana@gmail.com](mailto:916ivana@gmail.com), [svicente@docorcomunicacion.com](mailto:svicente@docorcomunicacion.com)

19 Maret 2022 21.11

Dear Marcelo Curo Nates,

Kind regards,

My name is Meity Ardiana, MD, Ph.D as correspondence writer


I would like to inform you that my APC payment has been made (attached)

Thank You,

Greetings,  
Meity Ardiana, MD, Ph.D  
[Kutipan teks disembunyikan]

---

**WhatsApp Image 2022-03-19 at 20.21.58.jpeg**



32K

---

**Marcelo Curto Nates** <mcurto@docorcomunicacion.com>

21 Maret 2022 18.16

Kepada: "ardiana, Meity" &lt;meityardiana@fk.unair.ac.id&gt;

Cc: ronadirizkiawan@gmail.com, 916ivana@gmail.com, Saúl Vicente del Hierro &lt;svicente@docorcomunicacion.com&gt;

Hello:

I confirm you that we have a payment made by Makhyhan Jibril Al-Farabi. Is it from you?

BR,

Marcelo Curto Nates  
Ejecutivo de cuentas  
Tel.: 94 423 48 25 / 661 414 696  
Plaza San José n.º 3, 1.º dcha.  
48009 Bilbao  
Síguenos en [Facebook](#) y [Twitter](#)  
[www.docorcomunicacion.com](http://www.docorcomunicacion.com)  
[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)

**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal **PZA. SAN JOSÉ, NÚM. 3, PISO 1.ª DCHA. 48009, BILBAO (BIZKAIA)** o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

[Kutipan teks disembunyikan]

---

**ardiana, Meity** <meityardiana@fk.unair.ac.id>

21 Maret 2022 19.06

Kepada: Marcelo Curto Nates &lt;mcurto@docorcomunicacion.com&gt;

Cc: ronadirizkiawan@gmail.com, 916ivana@gmail.com, Saúl Vicente del Hierro &lt;svicente@docorcomunicacion.com&gt;

Dear Marcelo Curo Nates,

Kind regards,

Yes it is. I confirm that the payment made from Makhyan Jibril Al-Farabi.

Thank You,

Greetings,  
Meity Ardiana, MD, Ph.D

[Kutipan teks disembunyikan]

---

**Marcelo Curto Nates** <mcurto@docorcomunicacion.com>

21 Maret 2022 19.36

Kepada: "ardiana, Meity" <meityardiana@fk.unair.ac.id>

Cc: ronadirizkiawan@gmail.com, 916ivana@gmail.com, Saúl Vicente del Hierro <svicente@docorcomunicacion.com>

Hello:

OK. It is all correct then. I guess we will be able to publish your article in the second issue of 2022 (june). Before that, we will send you the draft, to make sure everything in it is OK.

Thank you again for your confidence and patience.

Best regards,

Marcelo Curto Nates  
Ejecutivo de cuentas  
Tel.: 94 423 48 25 / 661 414 696  
Plaza San José n.º 3, 1.º dcha.  
48009 Bilbao  
Síguenos en [Facebook](#) y [Twitter](#)  
[www.docorcomunicacion.com](http://www.docorcomunicacion.com)  
[mcurto@docorcomunicacion.com](mailto:mcurto@docorcomunicacion.com)



**Aviso legal:**

La información contenida en este mensaje y/o archivo(s) adjunto(s), enviada desde DOCOR COMUNICACION SOCIEDAD LIMITADA, es confidencial/privilegiada y está destinada a ser leída sólo por la(s) persona(s) a la(s) que va dirigida. Le recordamos que sus datos han sido incorporados en el sistema de tratamiento de DOCOR COMUNICACION SOCIEDAD LIMITADA y que siempre y cuando se cumplan los requisitos exigidos por la normativa, usted podrá ejercer sus derechos de acceso, rectificación, limitación de tratamiento, supresión ("derecho al olvido"), portabilidad, oposición y revocación, en los términos que establece la normativa vigente y aplicable en materia de protección de datos, dirigiendo su petición a la dirección postal **PZA. SAN JOSÉ, NÚM. 3, PISO 1.ª DCHA. 48009, BILBAO (BIZKAIA)** o bien a través de correo electrónico [administracion@docorcomunicacion.com](mailto:administracion@docorcomunicacion.com). Si usted lee este mensaje y no es el destinatario señalado, el empleado o el agente responsable de entregar el mensaje al destinatario, o ha recibido esta comunicación por error, le informamos de que está totalmente prohibida, y puede ser ilegal, cualquier divulgación, distribución o reproducción de esta comunicación, y le rogamos que nos lo notifique inmediatamente y nos devuelva el mensaje original a la dirección arriba mencionada. Gracias.

[Kutipan teks disembunyikan]

---

**ardiana, Meity** <meityardiana@fk.unair.ac.id>

21 Maret 2022 20.23

Kepada: Marcelo Curto Nates <mcurto@docorcomunicacion.com>

Cc: ronadirizkiawan@gmail.com, 916ivana@gmail.com, Saúl Vicente del Hierro <svicente@docorcomunicacion.com>

Dear Marcelo Curo Nates,  
Kind regards,

Thank you for your kindness. We will wait for the continuation.

Greetings,  
Meity Ardiana, MD, Ph.D  
[Kutipan teks disembunyikan]

# REVISIÓN



Gac Med Bilbao. 2022;119(2):113-121

## The Real Benefits Of Exercise in Marfan Syndrome Associated Aortic Dissection Base on FITT Exercise Prescription Method

Rizkiawan Ronaldi<sup>a,b</sup>, Sawitri Ayuni<sup>a</sup>, Dewi Ivana-Purnama<sup>a,b,c</sup>, Ardiana Meity<sup>a,b</sup>

(a) *Airlangga University. Faculty of Medicine. Surabaya, Indonesia*

(b) *Dr Soetomo General Hospital Surabaya. Department of Cardiology and Vascular Medicine. Surabaya, Indonesia*

(c) *Duta Wacana Christian University. Faculty of Medicine. Yogyakarta, Indonesia*

Recibido el 3 de enero de 2022; aceptado el 17 de marzo de 2022

### KEYWORDS

Marfan Syndrome  
Aortic dissection.  
Rehabilitation.  
Exercise prescription.

### Abstract:

Marfan Syndrome (MS) is an inherited autosomal dominant disease involving connective tissue. While aortic dissection remains the first cause of death in patients with MS, it remains controversial whether patients can perform physical activities or are not associated with aortic dissection. Several studies/guidelines have shown that exercise has beneficial effects on the aorta. This review discusses and provides exercise prescriptions for MS patients by prioritising their safety. We designed an exercise prescription in FITT method (frequency, intensity, time, and type) based on several guidelines and some results of studies related exercise to MS. This prescription aims to encourage patients with MS to improve their physical and mental condition.

© 2022 Academia de Ciencias Médicas de Bilbao. All rights reserved.

### PALABRAS CLAVE

Síndrome de Marfan  
Disección aórtica.  
Rehabilitación.  
Prescripción de ejercicios.

### Los verdaderos beneficios del ejercicio en el síndrome de Marfan Base de la disección aórtica asociada al método de prescripción de ejercicio FITT

### Resumen:

El síndrome de Marfan (SM) es una enfermedad hereditaria autosómica dominante que afecta al tejido conectivo. Aunque la disección aórtica sigue siendo la primera causa de muerte en los pacientes con SM, sigue siendo controvertido que los pacientes puedan realizar actividades físicas o que no se asocien a la disección aórtica. Varios estudios/directrices han demostrado que el ejercicio tiene efectos beneficiosos en la aorta. Esta revisión discute y proporciona prescripciones de ejercicios para los pacientes con EM priorizando su seguridad. Se diseñó una prescripción de ejercicios en el método FITT (frecuencia, intensidad, tiempo y tipo) basada en varias directrices y algu-

nos resultados de estudios relacionados con el ejercicio para la SM. El objetivo de esta prescripción es animar a los pacientes con SM a mejorar su condición física y mental.  
© 2022 Academia de Ciencias Médicas de Bilbao. Todos los derechos reservados.

## Introduction

Professor Antonie Marfan, a French paediatrician, firstly described Marfan Syndrome in 1896<sup>1</sup>. Marfan Syndrome (MS) is an autosomal dominant inherited disorder, with 75% inherited diseases and 25% new mutation cases. It is caused by the FBN1 mutation gene. This gene encodes fibrillin-1, a member of the fibrillin family in human protein. It is known that fibrillin is the primary structure of microfibrils and plays its role to provide elastin deposition in the human body<sup>2</sup>.

This protein has an essential role in forming the extracellular matrix (ECM). It involves regulating the bioavailability of growth factor  $\beta$  (TGF- $\beta$ ) receptor-1 on chromosome 9 and receptor-2 on chromosome 3<sup>3</sup>. Mutation of FBN1 causes overactivity and overexpression of TGF- $\beta$  resulting in an imbalance of ECM and vascular remodelling. This abnormal signalling process increased the activity and expression of matrix metalloproteinase (MMP) 2 and 9. Collagen and elastin of the matrix are degraded by MMP and cause an aortic aneurysm and lead to aortic dissection<sup>4,5</sup>. This mutation affected many connective tissues, including the respiratory, ocular, musculoskeletal, and cardiovascular systems<sup>2</sup>.

This syndrome occurs in 2-3 out of 10000 individuals<sup>6</sup>. National data from Pusat Jantung Nasional Harapan Kita in Jakarta, Indonesia, reported 39 cases in 2006-2012, and 6 cases including aortic valve surgery<sup>7</sup>. The survival rate of these patients is still low compared to the general population. A study in Norway described that men had about 8x higher risk of death than women (about 4x higher). This study also concluded that men had a median survival rate of 63 years compared to women at 73 years<sup>8</sup>.

Marfan Syndrome has three main characteristics; aneurysm of thoracic aortic (TAA)/dissection (TAAD), ectopia lentis, and other systemic manifestations with two genetic characteristics. The first-degree family had been diagnosed by Ghent-2 criteria and FBN1 mutation. The diagnosis can be made using Ghent-2 criteria (Table I) that are easier than previous criteria (Table II)<sup>2,9</sup>.

MS has many clinical manifestations associated with fibrillin. The skeletal system may feature tall, disproportionately long arms, legs, fingers, arachnodactyly, an abnormally curved spine, and pectus abnormalities<sup>10</sup>. The ocular system may manifest with ectopia lentis, in the pulmonary system may affect pneumothorax, other organ system affected is skin striae, very loose skin.

Cardiac manifestations include aortic dilatation that may lead to aortic dissection, mitral regurgitation (MR), tricuspid regurgitation (TR), dilatation of pulmonary artery (PA), and cardiomyopathy<sup>1,11</sup>. Children

with valvular abnormalities may increased higher risk of endocarditis.

Patients with MS have complications in the mitral valve. The prevalence of mitral valve prolapse (MVP) is 40%, and severe MR is 12%<sup>12</sup>. MR causes volume overload in the left atrium and ventricle related to congestive heart failure<sup>11</sup>. Dilatation of PA was also reported significantly in patients with MS, leading to PA aneurysms in 15,3% of Marfan's patients<sup>13,14</sup>. MS is often associated with the bicuspid aortic valve (BAV). BAV is often related to Thoracic Aortic Disease (TAD), including aortic aneurysms and dissection. People with BAV usually have a larger diameter of the aortic root and ascending aorta<sup>15</sup>.

The aortic root occurs only with slight enlargement in normal athletes, so the incidence of sudden death in athletes is infrequent. Arrhythmias are life-threatening manifestations of this syndrome caused by abnormalities of microfibrils in the myocardium, leading to impaired cardiac conduction<sup>11,16</sup>. Ventricular arrhythmias and non-sustained ventricular tachycardia (VT) occurred in 21% of patients. Another study reported that approximately 6.5% cases had sustained VT, and 2.1% of MS patients had sudden cardiac death<sup>17,18</sup>.

One of the most important manifestations is the dilatation of the aorta. This aortic dilatation occurs in 60-80% of patients, 50-60% of adults, and 50% in paediatrics. It leads to an aortic aneurysm<sup>2,19</sup>. Another study reported that 50% of patients with MS had dissection of the aorta at <40 years and 2% at > 40 years<sup>20</sup>. There are two important components in the aortic wall formation; elastin fibres and collagen fibrils that cause the aortic wall to become elastic.

However, there is disorganisation of elastin and fibrils in MS patients, weakening the aortic wall<sup>16</sup>. Strenuous activity and heavy exercise will increase the aortic diameter related to increased heart rate (HR) and blood pressure (BP)<sup>21</sup>. During dynamic exercise, peripheral vascular resistance and diastolic pressure will be decreased. Based on that, patients should avoid high-intensity static exercise and contact sports, leading to a high risk of aortic dissection<sup>22</sup>.

## Rehabilitation in Marfan Syndrome

Rehabilitation is an activity or process to help patients with serious illnesses or disabilities who require medical treatment to give their fullest potential for their physical, psychological and social abilities rather than focusing on their diagnosis<sup>23</sup>.

Rehabilitation can be given in various situations, whether outpatient or inpatient, in the hospital or clinic, individual or communal setting. People with MS need to be rehabilitated to improve physical and mental health.

**Table I: Ghent 2 criteria for Marfan Syndrome diagnosis<sup>2</sup>.**

No family history	With family history
AD (Z $\geq 2$ ) + EL	EL + family history
AD (Z $\geq 2$ ) + FBN1 mutation	Systemic score $\geq 7$ points + family history
AD (Z $\geq 2$ ) + systemic criteria score $\geq 7$ points	AD (Z $\geq 2$ for $>20$ y.o, $\geq 3$ for $<20$ y.o) + family history
Mutation of FBN1 + EL with AD	

Note: AD= aortic dilatation; EL= ectopia lentis; y.o = years old. No family history: 4 criterias. With family history: 3 criterias.

**Table II: Systemic criteria score<sup>9</sup>.**

Sign	Score
Wrist and thumb sign	3 (wrist OR thumb sign =1)
Pectus carinatum	2
Pectus excavatum/ chest asymmetry	1
Hindfoot deformity	2
Plain pes planus	1
Pneumothorax	2
Dural ectasia	2
Protrusion of acetabuli	2
Reduce US/ LS, increase arm/height, and no severe scoliosis	1
Scoliosis / thoracolumbar kyphosis	1
Reduced elbow extension	1
Facial features 3/5 (dolichocephaly, enophthalmos, downslanting palpebral fissures, malar hypoplasia, retrognathia)	1
Skin striae	1
Myopia $> 3D$	1
Mitral valve prolapse	1
Max total 20 points; if score $\geq 7$ indicates involve systemic criteria	

Note: US/ LS = upper segment/lower segment.

Therefore, they should be encouraged to do physical activity. National Marfan Foundation has made physical guidelines for patients with MS. They ensure that the patient can perform the exercises safely and get the maximum benefit without worsening their condition<sup>24</sup>.

Rehabilitation in physical exercise has the following advantages: optimising functional capacity regardless of the chronicity of the disease and improving cardio-respiratory work<sup>23,25</sup>. Physical activities are a therapeutic option that has been investigated by experts related to aortic remodelling<sup>26</sup>. However, MS patients need to be

alert to do physical activities related to aortic dilatation instead of preventing aortic dissection. The aortic root in MS is stiffer than in normal individuals<sup>16</sup>.

#### **Benefits of Exercise in Marfan Syndrome**

A case report by Gibson et al. used six Marfan's mice and six control mice. There are three groups; voluntary cage-wheel (they have no limit exercise and can use running wheels during the day/ night), forced treadmill (treated to mild aerobic exercise at 55% capacity), and sedentary (no exercise) lifestyle. The forced group was exercised at



55%, 65%, 75%, and 85% VO<sub>2</sub>max in 5 times/week for 30 minutes or until exhaustion for five months. This research showed that the voluntary and forced groups had shaped normal sigmoidal with a rising fibre length and reduced aortic elastin fragments. Both groups showed a thickening of elastic fibres in the aortic wall compared to the sedentary group<sup>4</sup>.

The effect of exercise related to pressure and diameter in the aortic wall showed that routine exercise can prevent aortic wall weakening and reduce aortic diameter compared with the control group, preventing aortic dilatation. Both voluntary and forced groups showed a significant improvement in the elasticity of the aortic wall.

The data also showed a significant reduction in elastin fragments and disorganisation in the aortic wall with exercise intensity between 55-65% but the group with 75-85% intensity is not as beneficial and effective as the mild intensity (55-66%). However, no effect on TGF- $\beta$  and Phos-Smad2 expression in the mild (55%) or high (85%) intensity exercise. TGF- $\beta$  and Phos-Smad2 are indicators to measure the level of MMP 2 and 9. These enzymes are increased in MS aortic than in control. Overall, exercise at a low intensity of 55% of VO<sub>2</sub> max had a protective effect on Marfan's aortic mice<sup>4</sup>.

A protective effect on regular exercise causes a decrease in elastic fragments and expression of MMP 2 and 9 in the aorta, leading to blockage of elastin fragments and aneurysm progression<sup>4</sup>.

Another case-control study by Stachurska et al. reported moderate dynamic exercise to mice gave a good outcome, including a reduction in aortic diameter, LV dilatation, and hypertrophy<sup>27</sup>. Regular low-moderate exercise also has a good effect on aortic prevention leading to aortic dissection associated with sudden death in MS patients besides physical capacity and strength improvement<sup>23</sup>.

### Harm Effect of Exercise in Marfan Syndrome

Despite the benefits, exercise in Marfan's patient can lead to bad things if done without considering several related conditions. According to Vanem et al., cardiac manifestations is the main cause of death for Marfan's patient. 11 out of 18 patient died due to cardiovascular problem, 6 of them were due to aortic dissection as the leading cause of sudden death<sup>27</sup>.

Marfan's athletes involved in high-intensity exercise are particularly vulnerable to sudden death due to aortic dissection. One case of US Olympic volleyball star, Flo Hyman, died in 1986 at 31 age from a fatal aortic dissection. She had suffered from undiagnosed MS. Another story from a teammate of Maryland's basketball, Chris Patton, who died because of aortic rupture at age 21 with typical signs of MS.

MS is often associated with BAV, which usually has a larger diameter of the aortic root and ascending aorta<sup>28</sup>. If the patient does high impact/contact sport/isometric exercise, it will increase the risk of aortic dissection. When doing isometric exercise, during the strain

phase, there will be a decrease in venous return from an increase in intrathoracic pressure cause decreasing cardiac output, compensated by increasing HR and vasoconstriction blood vessel.

However, the strain-free phase will dramatically increase venous return, causing a BP spike due to increased cardiac output. Based on that, patients should avoid exercise that can cause BP spikes because it increases aortic wall pressure, leading to aortic rupture. Aortic enlargement can occur due to repetitive hemodynamic overload response associated with exercise.

This makes sense that MS patients should avoid contact strenuous, isometric exercise. A study reported by Cheng Owen et al. showed that weightlifting or intense, strenuous exercise is related to aortic dissection. Based on that study, isometric exercise has a higher aortic dissection risk among those with inherited aortopathies syndromes<sup>29</sup>.

### Type of Exercises

There are four types of exercise<sup>24,25,30</sup>:

- **Aerobic/ cardio exercise**  
This is a low-intensity exercise that can be done over a long period. This exercise stimulates and strengthens the heart and lungs and optimises the utilisation of O<sub>2</sub> in the body. Such as swimming, walking, and cycling.
- **Anaerobic**  
This is high intensity and shorter in duration, only in 2 minutes, and involves muscle strength, including weight training or sprinting. Anaerobic requires higher O<sub>2</sub> post-exercise than aerobic.
- **Dynamic (isokinetic)**  
Exercise by moving all muscle components or rhythmic muscular, such as throwing the bowling ball.
- **Statis (isometric)**  
Exercise without moving while the muscle is contracted. Such as weightlifting, will an increase BP than dynamic exercise

### Recommendation Exercises in Marfan Syndrome

ESC 2021 recommended that all patients with congenital heart disease perform physical exercise regularly with moderate intensity<sup>31</sup>. To ensure patient safety, it is necessary to monitor HR, BP, and electrocardiogram (ECG).

Exercise prescriptions are highly recommended to ensure Marfan's patient exercises safely based on the data above. This prescription should be individualised to the patient's condition following these parameters; ventricular function measured by echocardiography/CMR, pulmonary artery pressure, aortic dimensions (contact sports are not allowed by those in aortic diameter >5cm), arrhythmias, and O<sub>2</sub> saturation<sup>27,31</sup>.

Another study recommends to performed low-moderate dynamic exercise and maintaining HR <110 beats

per minute (bpm), HR <100 bpm when taking beta-blockers and 160 mmHg of the target systolic BP<sup>25,32</sup>.

Patients with MS should be encouraged to maintain an aerobic phase at about 50% of capacity<sup>24</sup>. A case-control study by Gibson et al. performed that high intensity

85% VO<sub>2</sub>max had no protective effect on the aorta in Marfan's mice. Lap swimming is also not recommended for MS patients because it is classified as a high dynamic intensity exercise that requires >70% of capacity (Table III).

**Table III: The following table of the recreational/non-competitive sport/exercise recommended by the AHA (2004) for Marfan Syndrome<sup>33</sup>.**

Permitted	Intermediate	Strongly discouraged
Modest hiking (MI)	Basketball (HI)	Bodybuilding (HI)
Tennis double (MI)	Running (sprinting) (HI)	Hockey (HI)
Treadmill/stationary bicycle (MI)	Skiing (downhill) (HI)	Rock climbing (HI)
Bowling (LI)	Soccer (HI)	Windsurfing (HI)
Golf (LI)	Tennis (single) (HI)	Surfing (MI)
Snorkelling (LI)	Baseball/ softball (MI)	Weightlifting (MI)
Brisk walking (LI)	Biking (MI)	Weights (non-free weight) (LI)
	Motorcycling (MI)	Scuba (LI)
	Jogging (MI)	
	Sailing (MI)	
	Swimming (lap) (MI)	
	Hiking (MI)	
	Horseback riding (LI)	

Note: LI = low intensity; MI = moderate intensity; HI = high intensity.

### The Goal of Exercise in Marfan Syndrome

The primary goal of exercise is to reduce dilation of the aortic root leads to aortic dissection, which remains the primary cause of death. Furthermore, mitigate cardiac hypertrophy and improve signs of cardiac overload<sup>27</sup>.

Dynamic exercise can also reduce psychological stress, and somatisation persists through 1-year follow-up<sup>32</sup>. Based on Marfan Foundation, regular exercise improve both physical and emotional well-being<sup>24</sup>.

### The Prescription

Improvements in medicine, technology, and pharmacology have developed rapidly in the management of MS, and rehabilitation improved patients' quality of life with disabilities/chronic diseases<sup>33,34</sup>. The primary purpose of the exercise is to optimise functional capacity, quality of life improved, and delay the further deterioration of MS. Physical exercise should be an essential part of their management<sup>25</sup>.

However, on the other hand, MS has exercise limitations due to manifestation in the musculoskeletal system, especially in the cardiovascular system. Patients with MS have a higher risk dilatation of the aorta and dissection caused by increased BP and HR<sup>29</sup>. Patients

with Marfan will ask what exercises are safe, how many times they exercise in a week, what intensity of exercises is safe<sup>24</sup>.

### Frequency

The National Marfan Foundation publishes a pamphlet of *Physical Activities Guidelines* which describes safe exercises program for MS. They recommend choosing any enjoyable activities 4-5 times a week for 30 minutes<sup>24</sup>. Malek et al. also designed a program for rehabilitation in patients with TAD. They are set 3 times/week and 20-60 minutes per session<sup>21</sup>.

Prescription exercise that has been made by Certo et al. performed a good outcome for a 17-year-old male Marfan patient. They are divided into two kinds of exercises: strength and aerobic training by applying aerobic exercise 4-5 times a week for 10-30 minutes per session within in 3 weeks and low load resistance training for 3 days a week. It showed an improvement of physical capacity and increased strength<sup>25</sup>.

Although only a few studies/research discuss how often should take exercise in patients with Marfan, we recommend taking exercise regularly 4-5 times a week based on Marfan Foundation. Regular exercise help improve physical and emotional well-being. It helps the

aortic walls become stronger and prevent them from rupturing due to mechanical stress<sup>24</sup>.

### Intensity

Marfan's patient was encouraged to keep in low to moderate exercise intensity with a range of METs (<6 METs) (Table IV). Patients with MS should be maintained HR <100 bpm. Allow in 50% of aerobic level capacity and properly do the correct breathing technique<sup>24</sup>.

Marfan's patients are encouraged to exercise in low-moderate intensity, regularly monitoring echocardiography every 6 months, although there is no evidence of aortic root dilatation<sup>28</sup>. Patients with Marfan should avoid rapid changes in systolic blood pressure (SBP). Rapid surges in SBP will place significant transient strain on the aorta. It seems reasonable for patients with MS as those with an aneurysm ought to avoid the rapid swing of BP<sup>29</sup>.

Patients with MS also avoid intense high-intensity exercises due to aortic enlargement as a response to hemodynamic overload. Meanwhile, a study published by Mas-Stachurska et al. reported that mild-moderate dynamic exercise decreased the diameter and strength of the aortic wall<sup>27</sup>.

Based on those studied, it seems possible if we recommend patients with MS take low-moderate intensity exercise. Patients with MS should maintain HR <110 bpm or <100 bpm if on beta-blocker during exercise and monitor SBP ≤160 mmHg to avoid aortic dissection<sup>24</sup>.

### Time

Lack of study suggesting exercises duration in MS. However, the Marfan Foundation recommends taking 30 minutes at a time. Three 10-minute sessions are as effective as one 30 minutes session. It would be better to do some activities than none.

Physical activities routine is necessary to control BP, reduce some metabolic diseases, improving the cardiovascular system at the same time. However, there is an adjustment in duration among people with MS due to organ system involvement and complication severity<sup>24</sup>.

Malek et al. designed a 12 weeks program with 20-60 minutes every session (3 times/week). From this point on, the patients will start a rehabilitation program with initially three sessions of 30 minutes of exercise, extended by 10 minutes every two weeks until 60 minutes and with intensity increased appropriately to set the targets (55-65% of maximal HR and/or SBP ≤160 mmHg). This study program design has been submitted but not validated yet<sup>21</sup>.

Based on published data, we recommend exercising regularly for 30 minutes per session. This outcome should increase patients' physical activity with all of the benefits of healthy while maintaining safety and close monitoring.

### Type

Patients with MS are followed to encourage non-competitive, isokinetic nonstrenuous aerobic activities. Avoid

activities involving isometric work such as weightlifting, climbing, gymnastics, pull-ups, and activities involving rapid pressure changes<sup>35</sup>. AHA/ACC Aortic Guidelines (2010) also recommend avoiding collision sports and strenuous activities requiring Valsava for patients with TAD<sup>36</sup>. Penington et al. also suggested doing multiple repetitions at low resistance instead of a few repetitions with a heavyweight<sup>35</sup>.

Strenuous and isometric exercise might cause aortic dissections in TAD patients<sup>30</sup>. According to Bethesda Guidelines for Marfan Syndrome (2015), patients with MS may participate in low-moderate static/low dynamic competitive sport with under condition no evidence of aortic root dilatation >4.0 cm in adults or 2 SD from the mean for BSA in children, moderate-severe MR, family history of dissection in a Marfan relative. The other exercise recommendation among the various organisations, ESC, AHA/ACC, and the Marfan Foundation, recommend to avoid isometric exercise, collision and strenuous activities (push up, lifting, straining), and contact sport<sup>24,37,38</sup>.

The latest study from Uchida et al. described that 1 to 31 cases of TAA dissection occur during sports activities. That 49 patients suffered from Stanford type A (42 patients) and Stanford type B (7 patients) dissections<sup>39</sup>. The primary cause is associated with weightlifting<sup>40</sup>. Benninghoven et al. implemented an observational study to inpatient a 3-week rehabilitation program for 17 Marfan patients and 1 Loeys-Dietz patient. All participants start the dynamic physical training then monitor for HR and BP. It showed improving physical fitness and psychological well-being within three weeks of programs. However, this study still has many limitations. No measurement of aortic changes and lack of participants<sup>32</sup>.

It is important to know what exercise type is safe for Marfan patients to distinguish between dynamic/isotonic and static/isometric since both initiate different hemodynamic responses. Based on published data, we recommend that patients with Marfan do dynamic exercise and avoid isometric, strenuous exercises (such as weightlifting, gymnastics, push-up) and contact sports. It is supported by Mas-Starchurska et al. that dynamic exercise in moderate-intensity can prevent dilatation of aortic root and reduce cardiac hypertrophy in Marfan's mice<sup>22</sup>.

Based on the FITT explanation above, we recommend the prescription as seen in Table V.

### Conclusion

MS is an inherited autosomal dominant disease involving connective tissue. MS has many clinical manifestations. The most important and most life-threatening manifestation is aortic dissection. In addition to pharmacological/surgical therapy, rehabilitation also has an essential role in improving the quality of life, slowing the deterioration of the condition, and increasing the patient's functional capacity.

Exercise rehabilitation already has sufficient shreds of evidence to provide benefits for cardiac manifes-

**Table IV: Following table lists of METs values for some activities based on intensity<sup>24</sup>.**

Light < 3,0 METs	Moderate 3,0 – 6,0 METs	Vigorous >6,0 METs
- Walking (leisurely)	- Walking (briskly—4 mph)	- Hiking (moderately up, steep grade)
- Sitting (desk work)	- Heavy cleaning (mopping, vacuuming)	- Jogging Moderately (6 Mph)
- Light housework (dishes, sweeping)	- Mowing lawn (using power mower)	- Shoveling
- Fishing	- Bicycling (leisurely pace—10-12 mph)	- Farming (bailing hay)
- Playing a musical instrument	- Dancing (leisurely pace—ballroom)	- Singles Tennis
- Gardening (light)	- Badminton (leisurely)	- Basketball
- Golf (with cart)	- Golf (pull cart, walking)	- Soccer
- Boating	- Doubles tennis (leisurely)	- Bicycling At A Fast Pace (14-16 Mph)
- Bowling	- Yoga	- Swimming (fast)
	- Pilates	
	- Water aerobics (leisurely)	
	- Swimming (recreational, light)	
	- Calisthenics (light, without weights)	
	- Hunting	
	- Raking lawn	

**Table V: Exercise prescription for Marfan Syndrome patients.**

Prescription	
Frequency	4-5 times/week
Intensity	Low to Moderate intensity Always monitor HR <110 or <100 if on beta-blocker monitoring SBP ≤160 mmHg
Time	Regularly for 30 minutes per session
Type	Dynamic exercise

tations of Marfan's patient. The exercise prescription use FITT methods will make the doctor easier to advise regarding safe exercise for Marfan's patient. Regular exercise in dynamic low-moderate intensity for 30 minutes in 4-5 times/week has significantly beneficial related to reducing aortic dilatation leading to aortic dissection and improving physical and emotional well-being.

#### References

1. Stuart A and Williams A. Marfan's Syndrome and the heart. *Archives of Disease in Childhood*. 2007. 92(4); 351-6.
2. Pepe G, Giusti B, Sticchi E, et al. MS: Current perspectives. *Application of Clinical Genetics*. 2016. 9; 55-65.
3. Loeys BL, Chen J, Neptune ER, et al. A Syndrome of altered cardiovascular, craniofacial, neurocognitive and skeletal development caused by mutations in TGFBR1 or TGFBR2. *Nat Genet*. 2005. 37; 275-81.
4. Gibson C, Nielsen C, Alex R, et al. Mild aerobic exercise blocks elastin fibre fragmentation and aortic dilatation in a mouse model of Marfan syndrome associated aortic aneurysm. *J Appl Physiol*. 2017. 123; 147-60.
5. Demolder A, von Kodolitsch Y, et al. Myocardial function, heart failure and arrhythmia in MS: a systematic literature review. *Diagnostics*. 2020. 10(10); 1-20.
6. Judge DP, Dietz HC. Marfan's syndrome. *Lancet*. 2005. 366; 1965-76.
7. Mahavira A, Siswanto B. Case Report Diagnosis and Management of MS. *J Kardiologi Indonesia*. 2013. 34; 105-12.
8. Vanem T, Geiran O, et al. Survival, causes of death, and cardiovascular events in patients with MS. *Mo-*

- lecular Genetics & Genomic Medicine published by Wiley Periodicals, Inc. 2018. 6; 1114-23.
9. Loeys BL, Dietz HC, Braverman AC, et al. The revised Ghent nosology for the MS. *J Med Genet.* 2010. 47(7); 476-85.
  10. Dean J. MS. Clinical diagnosis and management. *European Journal of Human Genetics.* 2007. 15(7); 724-33.
  11. Isekame Y, Gati S, Aragon-Martin, et al. Cardiovascular management of adults with Marfan syndrome. *European Cardiology Review.* 2016. 11(2); 102-10.
  12. Rybczynski M, Mir TS, Sheikhzadeh S, et al. Frequency and age-related course of mitral valve dysfunction in the MS. *Am J Cardiol.* 2010. 106; 1048-53.
  13. Sheikhzadeh S, De Backer J, Gorgan NR, et al. The main pulmonary artery in adults: a controlled multicenter study with assessment of echocardiographic reference values, and the frequency of dilatation and aneurysm in MS. *Orphanet J Rare Dis.* 2014. 9; 203.
  14. Ting P, Jugdutt BI, Tan J Le. Large pulmonary artery aneurysm associated with MS. *Int J Angiol.* 2010. 19; 48-50.
  15. Braverman AC, Harris KM, Kovacs RJ, et al. Eligibility and disqualification recommendations for competitive athletes with cardiovascular abnormalities: task force 7: aortic diseases, including Marfan syndrome: a scientific statement from the American heart association and American college of cardiology. *J Am Coll Cardiol.* 2015. 66 (21); 2398-405.
  16. Iskandar A, Thompson P. A meta-analysis of aortic root size in elite athletes. *Circulation.* 2013. 127(7); 791-8.
  17. Hoffmann BA, Rybczynski M, Rostock T, et al. Prospective risk stratification of sudden cardiac death in Marfan's syndrome. *Int J Cardiol.* 2013. 167; 2539-45.
  18. Yetman AT, Bornemeier RA, McCrindle BW. Long-term outcome in patients with MS: is aortic dissection the only cause of sudden death? *J Am Coll Cardiol.* 2003. 41: 329-32.
  19. Ammash NM, Sundt TM, Connolly HM. MS diagnosis and management. *Curr Probl Cardiol.* 2008. 33; 37-39.
  20. Januzzi JL, Marayati F, Mehta RH, et al. Comparison of aortic dissection in patients with and without Marfan's Syndrome results from the International Registry of Aortic Dissection. *Am J Cardiol.* 2004. 94; 400-2.
  21. Malek L. Cardiac rehabilitation in patients with thoracic aortic disease: Review of the literature and design of a program. *Heart and Mind.* 2018. 2(3); 65-9.
  22. Mas-Stachurska A, Siegert AM, Batlle M, et al. Cardiovascular benefits of moderate exercise training in MS: insights from an animal model. *J Am Heart Assoc.* 2017. 6; 9.
  23. Wade D. What is rehabilitation? An empirical investigation leading to an evidence-based description. *Clinical Rehabilitation.* 2020. 34(5); 571-583.
  24. Physical Activity Guidelines. The Marfan Foundation. 2017.
  25. Dennison A, Certo C. Exercise for Individuals with MS. *Cardiopulmonary Physical Therapy Journal.* 2006. 17(3): 110-5.
  26. Medeiros W, Peres P, Carvalho A, et al. Case Report Effect of a Physical Exercise Program in a Patient with MS and Ventricular Dysfunction. *Arq Bras Cardiol.* 2012. 98(4); 70-3.
  27. Vanem T, Geiran O, et al. Survival, causes of death, and cardiovascular events in patients with MS. *Molecular Genetics & Genomic Medicine* published by Wiley Periodicals, Inc. 2018. 6; 1114-23.
  28. Braverman A, Roman M. Bicuspid Aortic Valve in Marfan Syndrome: The Root of the Problem. *Circulation: Cardiovascular Imaging.* 2019. 12(3); 1-3.
  29. Cheng A, Owen D. Marfan syndrome, inherited aortopathies and exercise: What is the right answer?. *British Journal of Sports Medicine.* 2016. 50(2); 100-4.
  30. Thijssen C, Bons L, Gökalp A, et al. Exercise and sports participation in patients with thoracic aortic disease: a review. *Expert Review of Cardiovascular Therapy.* 2019; 17(4): 251-66.
  31. Boraita et al. Comments on the 2020 ESC guidelines on sports cardiology and exercise in patients with cardiovascular disease. *Rev Esp Cardiol.* 2021. 74(6): 488-93.
  32. Benninghoven D, Hamann D, Von Kodolitsch Y, et al. Inpatient rehabilitation for adult patients with MS: An observational pilot study. *Orphanet Journal of Rare Diseases.* 2017. 12(1): 1-9.
  33. Maron BJ, Chaitman BR, Ackerman MJ, et al. Recommendations for physical activity and recreational sports participation for young patients with genetic cardiovascular diseases. *Circulation.* 2004; 109: 2807-16.
  34. Giske L, Stangelle JK, Rand-Hendrikssen S, Strom V, Wilhelmsen JE, Roe C. Pulmonary function, working capacity and strength in young adults with Marfan syndrome. *J Rehabil Med.* 2003. 35: 221-8.
  35. Webb, Pennington. Facilitating Physical Activity with Individuals with MS: Editor: Ferman Konukman. *Journal of Physical Education, Recreation and Dance.* 2019. 90(8): 64-65.
  36. Iams, H. D. 2010. Diagnosis and management of MS. *Current Sports Medicine Reports,* 9; 93-8.
  37. Hiratzka LF, Bakris GL, Beckman JA, et al. ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/SVM guidelines for the diagnosis and management of patients with thoracic aortic disease: a report of the american college of cardiology foundation/ american heart association task force on practice guidelines, american association for thoracic surgery, american college of radiology, american stroke association, society of cardiovascular anesthesiologists, society for cardiovascular angiography and interventions, society of Interventional Radiology, Society of Thoracic Surgeons and Society for Vascular Medicine. *Circulation* 2010. 121; e266-369.

38. Pelliccia A, Fagard R, Bjørnstad HH, et al. Recommendations for competitive sports participation in athletes with cardiovascular disease: a consensus document from the study group of sports cardiology of the working group of cardiac rehabilitation and exercise physiology and the working group of myocardial and pericardial diseases of the European Society of Cardiology. *Eur Heart J*. 2005. 26; 1422-45.
39. Uchida K, Imoto K, Yanagi H, et al. Acute aortic dissection occurring during the butterfly stroke in a 12-year-old boy. *Interact Cardiovasc Thorac Surg*. 2009. 9(2); 366-7.
40. Ozyildirim S, Simsek EC, Gonencer M, et al. Acute aortic dissection and death owing to weight lifting in a patient presenting with chest pain. *Am J Cardiol*. 2015.115: S159-60.