

DAFTAR PUSTAKA

- Ali, A. O. A. and Prins, M. H. (2019) 'Mobile health to improve adherence to tuberculosis treatment in khartoum state, sudan', *Journal of Public Health in Africa*, 10(2). doi: 10.4081/jphia.2019.1101.
- Alipanah, N. et al. (2018) *Adherence interventions and outcomes of tuberculosis treatment: A systematic review and meta-analysis of trials and observational studies*, *PLoS Medicine*. doi: 10.1371/journal.pmed.1002595.
- Bandura, A. (1997) *Self-Efficacy The Exercise of Control*. New York: W.H Freeman and Company.
- Baniquid, M. G. et al. (2020) 'Social support from nurses and non-adherence with directly observed therapy (DOTS) maintenance phase among patients with tuberculosis in Metro Manila, Philippines', *Public Health Nursing*. College of Nursing, University of Santo Tomas, Manila, Philippines. doi: 10.1111/phn.12714.
- Birch, S. et al. (2016) 'Does treatment collection and observation each day keep the patient away? An analysis of the determinants of adherence among patients with Tuberculosis in South Africa', *Health Policy and Planning*. Centre for Health Economics and Policy Analysis, McMaster University, Department of Clinical Epidemiology and Biostatistics, 1280 Main Street West, Hamilton, ON L8S 4K1, Canada, 31(4), pp. 454–461. doi: 10.1093/heapol/czv084.
- Bommakanti, K. K. et al. (2020) 'Requiring smartphone ownership for mHealth interventions: Who could be left out?', *BMC Public Health*. Department of Medicine, University of California San Diego, 9500 Gilman Drive, San Diego, CA, United States, 20(1). doi: 10.1186/s12889-019-7892-9.
- Browne, S. H. et al. (2019) 'Wirelessly observed therapy compared to directly observed therapy to confirm and support tuberculosis treatment adherence: A randomized controlled trial', *PLoS Medicine*. University of California San Diego, San Diego, CA, United States, 16(10). doi: 10.1371/journal.pmed.1002891.
- Departemen Kesehatan RI (2006) 'Pedoman konseling pelayanan kefarmasian di sarana kesehatan'.
- Deshmukh, R. D. et al. (2018) 'Social support a key factor for adherence to multidrug- resistant tuberculosis treatment', *Indian Journal of Rheumatology*. Tuberculosis Association of India, 65(1), pp. 41–47. doi: 10.1016/j.ijtb.2017.05.003.
- Dwidiyanti, M. (2014) 'intervensi keperawatan holistik program sowan melalui target sehat mandiri pada pasien tb paru', pp. 14–22.
- Fang, X. H. et al. (2017) 'Effect of short message service on management of pulmonary tuberculosis patients in Anhui Province, China: A prospective, randomized, controlled study', *Medical Science Monitor*, 23, pp. 2465–2469. doi: 10.12659/MSM.904957.
- Garfein, R. S. and Doshi, R. P. (2019) 'Synchronous and asynchronous video observed therapy (VOT) for tuberculosis treatment adherence monitoring and support', *Journal of Clinical Tuberculosis and Other Mycobacterial*

- Diseases*. Elsevier, 17, p. 100098. doi: 10.1016/j.jctube.2019.100098.
- Gebreweld, F. H. et al. (2018) ‘Factors influencing adherence to tuberculosis treatment in Asmara, Eritrea: a qualitative study’, *Journal of health, population, and nutrition*. Journal of Health, Population and Nutrition, 37(1), p. 1. doi: 10.1186/s41043-017-0132-y.
- Grace, P., Jaleel, A. and R, V. (2018) ‘Effectiveness of video-assisted comprehensive teaching program in enhancing knowledge, improving compliance, and life coping mechanism among tuberculosis patients’, *National Journal of Physiology, Pharmacy and Pharmacology*, 8(9), p. 1214. doi: 10.5455/njppp.2018.8.0415828042018.
- Hoorn, R. Van et al. (2016) ‘The Effects of Psycho-Emotional and Socio- Economic Support for Tuberculosis Patients on Treatment Adherence and Treatment Outcomes – A Systematic Review and Meta- Analysis’, pp. 1–27. doi: 10.1371/journal.pone.0154095.
- Ilongo, I. (2004) ‘Tuberculosis health belief gaps of tuberculosis and suspected tuberculosis cases in New York City’, *International Journal of Clinical and Health Psychology*, 4(1), pp. 69–90.
- Jakubowiak, W. M. et al. (2008) ‘Impact of socio-psychological factors on treatment adherence of TB patients in Russia’, *Tuberculosis*, 88(5), pp. 495–502. doi: 10.1016/j.tube.2008.03.004.
- Karuniawati, H., Putra, O. N. and Wikantyasnig, E. R. (2019) ‘Impact of pharmacist counseling and leaflet on the adherence of pulmonary tuberculosis patients in lungs hospital in Indonesia’, *Indian Journal of Tuberculosis*. Elsevier Ltd, 66(3), pp. 364–369. doi: 10.1016/j.ijtb.2019.02.015.
- Kementerian Kesehatan RI (2018) *PERCEPATAN ELIMINASI TUBERKULOSIS*. Available at: http://www.ghbook.ir/index.php?name=فرهنگ_و_رسانه_های_نوین&option=com_dbook&task=readonline&book_id=13650&page=73&ch_khashk=ED9C9491B4&Itemid=218&lang=fa&tmpl=component.
- Khachadourian, V. et al. (2020) ‘People – centred care versus clinic – based DOT for continuation phase TB treatment in Armenia : a cluster randomized trial’. *BMC Pulmonary Medicine*, pp. 1–10.
- Klein, K. et al. (2019) ‘Evaluation of a social protection policy on tuberculosis treatment outcomes: A prospective cohort study’, *PLoS Medicine*. Institute for Clinical Effectiveness and Health Policy (IECS), Buenos Aires, Argentina, 16(4). doi: 10.1371/journal.pmed.1002788.
- Lee, Y., Ravaglione, M. C. and Flahault, A. (2020) ‘Use of digital technology to enhance tuberculosis control: Scoping review’, *Journal of Medical Internet Research*, 22(2), pp. 1–15. doi: 10.2196/15727.
- Lei, X. et al. (2013) ‘Is the short messaging service feasible to improve adherence to tuberculosis care? A cross-sectional study’, *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 107(10), pp. 666–668. doi: 10.1093/trstmh/trt070.
- Lester, R. et al. (2019) ‘Mobile phone short message service for adherence support and care of patients with tuberculosis infection: Evidence and opportunity’, *Journal of Clinical Tuberculosis and Other Mycobacterial Diseases*. Elsevier, 16, p. 100108. doi: 10.1016/j.jctube.2019.100108.

- Li, X. et al. (2018) 'Effectiveness of comprehensive social support interventions among elderly patients with tuberculosis in communities in China: A community-based trial', *Journal of Epidemiology and Community Health*. Department of Epidemiology and Biostatistics, School of Public Health, Tongji Medical College, Huazhong University of Science and Technology, Ministry of Education (MOE) Key Lab of Environment and Health, Huazhong University of Science and Technology, Wuhan, 430030, China, 72(5), pp. 369–375. doi: 10.1136/jech-2017-209458.
- Liu, X. et al. (2015) 'Effectiveness of Electronic Reminders to Improve Medication Adherence in Tuberculosis Patients: A Cluster-Randomised Trial', *PLoS Medicine*, 12(9), pp. 1–19. doi: 10.1371/journal.pmed.1001876.
- M'Imunya, M. J. and Volmink, J. (2007) 'Education and counselling for promoting adherence to the treatment of active tuberculosis', *Cochrane Database of Systematic Reviews*, (3). doi: 10.1002/14651858.CD006591.
- Mekonnen, H. S. and Azagew, A. W. (2018) 'Non - adherence to anti - tuberculosis treatment , reasons and associated factors among TB patients attending at Gondar town health centers , Northwest Ethiopia', *BMC Research Notes*. BioMed Central, pp. 1–8. doi: 10.1186/s13104-018-3789-4.
- Mishra, P. et al. (2005) 'Socio-economic status and adherence to tuberculosis treatment: A case-control study in a district of Nepal', *International Journal of Tuberculosis and Lung Disease*, 9(10), pp. 1134–1139.
- Molton, J. S. et al. (2016) 'Prospective single-arm interventional pilot study to assess a smartphone-based system for measuring and supporting adherence to medication', *BMJ Open*, 6(12). doi: 10.1136/bmjopen-2016-014194.
- Muller, A. M. et al. (2018) 'Interventions to improve adherence to tuberculosis treatment : systematic review and meta-analysis', 22(August 2017), pp. 731–740.
- Müller, A. M. et al. (2019) 'Educational strategy intervention and remote supervision on the post-discharge management of tuberculosis diagnosed in the hospital: Randomized clinical trial', *Clinical Respiratory Journal*, (April), pp. 1–8. doi: 10.1111/crj.13052.
- Munro, S. et al. (2007) 'A review of health behaviour theories: How useful are these for developing interventions to promote long-term medication adherence for TB and HIV/AIDS?', *BMC Public Health*, 7, pp. 1–16. doi: 10.1186/1471-2458-7-104.
- Ndwiga, J. M., Kikuvi, G. and Omolo, J. O. (2016) 'Factors influencing knowledge on completion of treatment among tb patients under directly observed treatment strategy, in selected health facilities in embu county, Kenya', *Pan African Medical Journal*, 25, pp. 1–8. doi: 10.11604/pamj.2016.25.234.8761.
- Nglazi, M. D. et al. (2013) 'Mobile phone text messaging for promoting adherence to anti-tuberculosis treatment: A systematic review', *BMC Infectious Diseases*, 13(1), pp. 2–6. doi: 10.1186/1471-2334-13-566.
- Nguyen, T. A. et al. (2017) 'Video Directly Observed Therapy to support adherence with treatment for tuberculosis in Vietnam: A prospective cohort study', *International Journal of Infectious Diseases*. International Society for Infectious Diseases, 65, pp. 85–89. doi: 10.1016/j.ijid.2017.09.029.

- Ngwatu, B. K. *et al.* (2018) 'The impact of digital health technologies on tuberculosis treatment : a systematic review'. doi: 10.1183/13993003.01596-2017.
- Nsengiyumva, N. P. *et al.* (2018) 'Evaluating the potential costs and impact of digital health technologies for tuberculosis treatment support', *European Respiratory Journal*. Montreal Chest Institute, McGill University Health Centre, 1001 boulevard Décarie, Montreal, QC H4A 3J1, Canada, 52(5). doi: 10.1183/13993003.01363-2018.
- Orlandi, G. M. *et al.* (2019) 'Social incentives for adherence to tuberculosis treatment', 72(5), pp. 1182–1188.
- Park, Seup *et al.* (2019) 'Medication event monitoring system for infectious tuberculosis treatment in Morocco: A retrospective cohort study', *International Journal of Environmental Research and Public Health*, 16(3). doi: 10.3390/ijerph16030412.
- Prasetya, H. *et al.* (2018) 'The Effect of Hypnosis on Adherence to Antituberculosis Drugs Using the Health Belief Model', *International Journal of Clinical and Experimental Hypnosis*. Routledge, 66(2), pp. 211–227. doi: 10.1080/00207144.2018.1421361.
- Ratchakit-nedsawan, R., Nedsuwan, S. and Sawadna, V. (2019) 'Ensuring tuberculosis treatment adherence with a mobile-based CARE-call system in Thailand : a pilot study Ensuring tuberculosis treatment adherence with a mobile-based CARE-call system in Thailand: a pilot study', *Infectious Diseases*. Taylor & Francis, 0(0), pp. 1–9. doi: 10.1080/23744235.2019.1688862.
- Ravenscroft, L., Kettle, S., Persian, R., Ruda, S., Severin, L., Doltu, S., Loewenstein, G., *et al.* (2020) 'Early View Original article Video observed therapy (VOT) and medication adherence for TB patients : RCT in Moldova Contact information ':
- Ravenscroft, L., Kettle, S., Persian, R., Ruda, S., Severin, L., Doltu, S., Schenck, B., *et al.* (2020) 'Video observed therapy (VOT) and medication adherence for TB patients: RCT in Moldova', *European Respiratory Journal*, p. 2000493. doi: 10.1183/13993003.00493-2020.
- Rogers, Julia H *et al.* (2018) 'Impact of community-based adherence support on treatment outcomes for tuberculosis , leprosy and HIV / AIDS-infected individuals in post-Ebola Liberia', *Global Health Action*. Taylor & Francis, 11(1). doi: 10.1080/16549716.2018.1522150.
- Ruru, Y. *et al.* (2018) 'Factors associated with non-adherence during tuberculosis treatment among patients treated with DOTS strategy in Jayapura, Papua Province, Indonesia', *Global Health Action*. Taylor & Francis, 11(1). doi: 10.1080/16549716.2018.1510592.
- Sahile, Z., Yared, A. and Kaba, M. (2018) 'Patients' experiences and perceptions on associates of TB treatment adherence: A qualitative study on DOTS service in public health centers in Addis Ababa, Ethiopia', *BMC Public Health*. BMC Public Health, 18(1), pp. 1–12. doi: 10.1186/s12889-018-5404-y.
- Sanii, Y. *et al.* (2016) 'Role of pharmacist counseling in pharmacotherapy quality

- improvement', *Journal of Research in Pharmacy Practice*, 5(2), p. 132. doi: 10.4103/2279-042x.179580.
- Skiles, M. P. et al. (2018) 'Evaluating the impact of social support services on tuberculosis treatment default in Ukraine', *PLoS ONE*. MEASURE Evaluation Project, Carolina Population Center, University of North Carolina at Chapel Hill, Chapel Hill, NC, United States, 13(8). doi: 10.1371/journal.pone.0199513.
- Story, A. et al. (2019) 'Smartphone-enabled video-observed versus directly observed treatment for tuberculosis: a multicentre, analyst-blinded, randomised, controlled superiority trial', *The Lancet*. The Author(s). Published by Elsevier Ltd. This is an Open Access article under the CC BY 4.0 license, 393(10177), pp. 1216–1224. doi: 10.1016/S0140-6736(18)32993-3.
- Suwannakeeree, W. et al. (2015) 'A Medication Adherence Enhancement Program for Persons with Pulmonary Tuberculosis: A Randomized Controlled Trial Study', *Pacific Rim International Journal of Nursing Research*, 19(4 PG-311–329), pp. 311–329. Available at: NS -.
- Syafrida. dan Achmad Fickry Faisya (2013) 'Determinan Kepatuhan Berobat Pasien Tb Paru Di Puskesmas Dalam Wilayah Kota Palembang Tahun 2010', *Ilmu Kesehatan Masyarakat ABSTRAK*, 4(November), pp. 197–211.
- Taitel, M. et al. (2012) 'The impact of pharmacist face-to-face counseling to improve medication adherence among patients initiating statin therapy', *Patient Preference and Adherence*, 6, pp. 323–329. doi: 10.2147/PPA.S29353.
- Theron, G. et al. (2015) 'Psychological distress and its relationship with non-adherence to TB treatment: A multicentre study', *BMC Infectious Diseases*. BMC Infectious Diseases, 15(1). doi: 10.1186/s12879-015-0964-2.
- Thomas, A., Joy, J. and Sivakumar, V. (2018) 'Socio-epidemiological evaluation of tuberculosis and impact of pharmaceutical care on medication adherence among tuberculosis patients', *Asian Journal of Pharmaceutical and Clinical Research*, 11(2), pp. 265–268. doi: 10.22159/ajpcr.2018.v11i2.20503.
- Tola, H H et al. (2016) 'Psychological and educational intervention to improve tuberculosis treatment adherence in Ethiopia based on health belief model: A cluster randomized control trial', *PLoS ONE*. Tehran University of Medical Sciences-International Campus, School of Public Health, Department of Health Education and Promotion, Tehran, Iran, 11(5). doi: 10.1371/journal.pone.0155147.
- Tola, H. H. et al. (2017) 'The Effect of Psychosocial Factors and Patients' Perception of Tuberculosis Treatment Non-Adherence in Addis Ababa, Ethiopia', *Ethiopian journal of health sciences*, 27(5), pp. 447–458.
- Tola, H. H., Karimi, M. and Yekaninejad, M. S. (2017) 'Effects of sociodemographic characteristics and patients' health beliefs on tuberculosis treatment adherence in Ethiopia: A structural equation modelling approach', *Infectious Diseases of Poverty*. Infectious Diseases of Poverty, 6(1), pp. 1–10. doi: 10.1186/s40249-017-0380-5.
- Volino, L. R. et al. (2014) 'Evaluating the potential impact of pharmacist

- counseling on medication adherence using a simulation activity', *American Journal of Pharmaceutical Education*, 78(9). doi: 10.5688/ajpe789169.
- Wang, N. et al. (2019) 'Using electronic medication monitoring to guide differential management of tuberculosis patients at the community level in China', *BMC Infectious Diseases*. BMC Infectious Diseases, 19(1), pp. 1–9. doi: 10.1186/s12879-019-4521-2.
- WHO (2015) 'Digital Health For The End Tb Strategy: An Agenda For Action'.
- WHO (2017) *Digital Technologies To Support Tuberculosis Medication Adherence*.
- WHO (2018) *WHO | Global tuberculosis report 2018*.
- Wingfield, T. et al. (2016) 'The economic effects of supporting tuberculosis-affected households in Peru', *European Respiratory Journal*. Innovation for Health and Development (IFHAD), Section of Infectious Diseases and Immunity, Wellcome Trust Imperial College Centre for Global Health Research, London, United Kingdom, 48(5), pp. 1396–1410. doi: 10.1183/13993003.00066-2016.
- Wingfield, T. et al. (2017) 'A randomized controlled study of socioeconomic support to enhance tuberculosis prevention and treatment, Peru', *Bulletin of the World Health Organization*, 95(4), pp. 270–280. doi: 10.2471/blt.16.170167.
- Woimo, T. T. et al. (2017) 'The prevalence and factors associated for anti-tuberculosis treatment non-adherence among pulmonary tuberculosis patients in public health care facilities in South Ethiopia: a cross-sectional study', *BMC Public Health*. BMC Public Health, 17(1), pp. 1–11. doi: 10.1186/s12889-017-4188-9.
- World Health Organization (WHO) (2019) *GLOBAL TUBERCULOSIS REPORT 2019*.