

## DAFTAR PUSTAKA

- Agnihotri, G. dan Gulati, M.S., 2008, Maxillary Molar and Premolar Indices in North Indians: A Dimorphic Study, *The Internet Journal of Biological Anthropology*, 2(1): 1-10.
- Agusni, T 2001, „Beberapa Indeks Maloklusi“, *Majalah Kedokteran Gigi*, vol.34, no.1-4 Januari-Oktober, pp. 14, 16.
- Agusni, T., 1998. Index of Orthodontic Treatment Need (IOTN) untuk MengukurKebutuhan Perawatan Ortodonti pada Anak Indonesia diSurabaya. Dent J. 31(4) : 119 -123.
- Ahn J. S, Park M. S, Cha H. S, Song H. C, Park Y.S 2012, „Three Dimensional Interpretation of Intercanine width Change in Children: A 9-Year Longitudinal Study“, *American Journal of Orthodontics and Dentofacial Orthopedics*, Vol 142 (3): 323-332.
- Amin F, Bakhari F, Alam R 2012, „Relationship Among Intercanine Width, Intermolar Width and Arch Length in Upper and Lower Arches“, *Pakistan Oral & Dental Journal*, Vol 32 (1): 92-95.
- Artaria M. D 1996. *Comparative Study of Sexual Dimorphism in Cephalometric Measurement in East Indonesian Ethnic Group and Javanese*. Thesis, Arizona State University: USA.
- Astutik Y. W 2007. *Perbedaan Ukuran Rahang berdasarkan Jenis Kelamin pada Populasi Jawa dan Batak di Surabaya Tahun 2007*. Skripsi FKG. Universitas Airlangga.

- Ben-Bassat, Y 1997, „Occlusal Traits in a Group of Scholl Children in an Isolated society in Jerussalem“, *British Journal of Orthodontics*, vol.24, pp.222-35.
- Bishara, S.E., Treder, J.E., Damon, P., Olsen, M., 1996, Changes in The Dental Arches and Dentition Between 25 and 45 Years of Age, *The Angle Orthodontist*, 66(6): 417-422.
- Bishara S.E., 2001 Texbook of Orthodontics. W.B Saunders Company: 58-110.
- Burris, B.G dan Harris, F.E, 2000, Maxillary Arch Size and Shape in American Blacks and Whites, *Angle Orthodontist*, 70(4): 297-302.
- Claudia Ana Alves e Luna, Fabiana Goday, Valdenice Aparecida de Menezes 2014, Original Article: “Malocclusion and treatment need in children and adolescents with sickle cell disease”, *Angle Orthodontist* Vol 84 No 3.
- Cobourne M. T, Dibiase A. T 2011, *Handbook of Orthodontics*, USA: Mosby Elsevier. p. 2-6, 130.
- Djordjevic, J, Scepan, I & Glisic, B 200^n ^pplication of Occlusal Indices in Orthodontic Practice“, *Serbian Dental Journal*, 49 al, vol.56, no.4, pp.176-9.
- Eslambolchi S, Woodside D.G, Rossouw P. E 2008, „A Descriptive Study of Mandibular Incisor Alignment in Untreated Subjects“, *American Association of Orthodontics*. Vol 133 (3): 343-353.
- Finn SB, 2003 Clinical Pedodontic. 4 th ed. Birningham: WB Saunders Co.
- Flavia Maria, Andreza Cristina, Monica Vilela, Angela Maria, Cintia Regina Tornisiello, Aronita 2011, “Non-Nutritive Sucking Habits, Anterior Open Bite and Associated Factors in Brazilian Children Aged 30-59 Month”, *Braz Dental Journal* 140-145
- Glinka, J. 1981. *Racial History of Indonesia*. Dalam: Schwidetzky (ed). *Rassengeschichte der Menschheit*. Munchen: Oldenbourg Verlag, p. 79-113.
- Graber, TM & Vanarsdall, RL 2000, *Orthodontics: Current principles and techniques*, Mosby Elsevier, St. Louis, Missouri.
- Hagg, U, McGrath, C & Zhang, M 2007, 'Quality of Life and Orthodontic treatment Need Related to Occlusal Indices', *The Hong Kong Medical Diary-Dental Buletin*, vol.12, no.10, pp .8-12.
- Hattab, FN, Al-Momani, AS & Yassin OM 1997, „Odontometric Study of Deciduous and Permanent Teeth in Jordanians“, *Dental News*, vol.4, no.4, pp.17-24.
- Hayashi R, Eisaku K, Kazutaka K 2006, „Three Dimensional Changes of the Dental Arch Form and the Inclination of the First Molars: Comparison between Crowding-Improvement and Crowding-Aggravation Groups“, *Orthodontic*

*Waves.* p. 21-30.

Hong Q, Koirala R, Jun T, Li-Na Y, Takagi S, Kawahara K, Kishimoto E, Shimizu T, Takamata T, Nakano K, Okafuji N 2008, „A Study about Tooth Size and Arch Width Measurement”, *Journal of Hard Tissue Biology*, Vol 17 (3): 91-98.

Huth, J., Staley, R.N., Jacobs, R., Bigelow, H., Jakobsen, J., 2007, Arch Widhts in Class II-2 Adults Compared to Adults with Class II-1 and Normal Occlusion, *Angle Orthodontist*, 77(5): 837-844.

Institute of Southeast Asian Studies 2003, Indonesia's Population: Ethnicity and Religion Changing Political Landscape.

Kassis, A, Serhal, JB & Nassif, NB 2011, „Malocclusion in Lebane Orthodontic Patients: An Epidemiologic and Analitic Study”, *IAJD*, vol.1-Issue 1, pp. 36-43.

Koochek, A. R., Shue Te Yeh, M., Rolfe, B., Richmond, S. General Practice: The relationship between Index Of Complexity, Outcome And Need, and patients“ perceptions of malocclusion: A study in a general dental practice. *Br Dent J.* 2001;191:325-9.

Ling, Y.K. dan Wong, R.W.K., 2009, Dental Arch Widhts of Southern Chinese, *Angle Orthodontist*, 79: 54-63.

Maria, KSF, Salvatore, DF et al 2008, „PAR Evaluation of Treated Class I Extraction Patients”, *Angle Orthodontist*, vol.78, no.2, pp.270-73.

Marpaung 2006. Impact of Oral Health On Daily Performances of Year 13 Old Schoolchildren. *J. Dentika FKG USU*, 12 (1): 145-159.

Mc Donal RE, Avery. Dentistry for Child and Adolescent. 7<sup>th</sup>ed. St Louis: Mosby; 1994

Mc Namara JA, Brudon WL. Orthodontic and Orthopedic treatment in the mixed dentition. Michigan: Needham Press Inc; 1995

Mills JRE, 1987. Principles and Practice of Ortodontic 2<sup>nd</sup> ed., pp 1-15

Mitchell Laura. 2007 The etiologi and classification of malocclusion 3<sup>th</sup> ed. Andrews Keys. pp. 13

Moyers R.E 1988, Handbook of Orthodontic, 4<sup>rd</sup> edition, Year Book Medical Publisher, USA, p. 147-243

Paulino C, Paredes V, Gandia J. L, Cibrian R 2008, „Prediction of Arch Length based on Intercanine Width”, *European Journal of Orthodontics*, p. 295-298

Proffit, WR, Fields, HW & Sarver, DM 2007, *Contemporary Orthodontics4th Ed*, Mosby Elsevier, St.Louis, Missouri, pp.5, 130-40,145.

- Puspita, DM 2000, „Gambaran Keparahan Maloklusi Suku Tengger di SMPN 1 Sukapura dengan PAR Index“, Skripsi FKG, Universitas Airlangga, Surabaya.
- Raberin M, Laumon B, Martin J.L, Brunner F., 1993. Dimension and Form of Dental Arches in Subjects with Normal Occlusion. *Am J Orthod Dentofacial Orthop.* 104: 67-72.
- Rahardjo P, Djokosalamoen S. Buku pegangan peranti ortodonti lepasan. Bagian Ortodonsi FKG Unair. 2005; p. 112-131
- Rahardjo, P 2009, *Orthodonti Dasar*, Airlangga University Press, Surabaya, pp.35, 46,49-50, 54, 66, 198.
- Rahmat Kriyantoro, Ph.D, 2012. Buku Teknik Praktis Riset Komunikasi Cet 6. Penerbit Prenada Jakarta
- Rakosi T, Jonas I, Graber TM 1993. *Orthodontic Diagnosis*. New York: Thieme Medical Publisher Inc, p. 200-201.
- Reddy, ER, Manjula, M, Sreelakshmi, N, Rani, ST, Aduri, R, Patil, BJ 2013, „Prevalence of Malocclusion among 6 to 10 Year old Nalgonda School Children“, *Journal of International Oral Health*, p. 49.
- Richmond, S. General Practice: The Relationship between Index of Complexity Outcome And Need, and patient perception of practice. *Br Dent J.* 2001; 191: 325-9
- Richmond S, Daniels CP. International comparisons of professional assessments in orthodontics: Part 2 - Treatment outcome. *Am J Orthod Dentofac Orthop.* 1998b;113: 324-8.
- Richmond, S, Shaw, WC, O'Brien, KDO, Buchanan, IB, Jones, R, Stephens, CD, Roberts, CT & Andrews, M 1992a, „The development of the PAR Index (Peer Assessment Rating) : Reliability and Validity“, *European Journal of Orthodontics*, vol.14, pp.125 -39.
- Richmond S, Andrew M. 1993. Orthodontic Treatment Standard in Norway, European Journal Orthodontic
- Rosihan Adhani, Rizal Hendra Kusuma, Widodo, Sapta Rianta 2014, “Perbedaan Indeks Karies antara Maloklusi Ringan dan Berat pada Remaja di Ponpes Darul Hijrah Martapura”, *Dentino Jurnal Kedokteran Gigi Vol II. No 1.*
- Rosseto M. C, Cassinelli Palma F. M, Ferreira R. I, Pinzan A, Vellini-Ferreira F 2009, „Comparative Study of Dental Arch Width in Plaster Models, Photocopies and Digitized Images“, *Braz Oral Res*, Vol 23 (2): 190-195.
- Samir E. Bishara, DDS. BDS, D Ortho. Ms. Texbook of Orthodontic. 2001

- Shaw, WC, Richmond, S, O'Brien, KD 1995, „The use of occlusal indices : A European perspective“, *American Journal of Orthodontics and dentofacial Orthopedics*, vol.107, no.1, pp.1-10.
- Singh, G 2004, *Textbook of Orthodontic 1<sup>st</sup> Ed*, Jaypee brothers Medical publisher, New Delhi.
- Singh. G2007, Texbook of Orthodontic, 2<sup>nd</sup> Ed. Jaypee Brother Medical publisher, New Delhi, pp. 159-62,173-7
- Sukadana A. A 1976, *Dasar-dasar antropologi fisik dan filogenesis khusus untuk kedokteran gigi di Indonesia*. Naskah kuliah kursus penataran dosen bidang ortodonsia.
- Sutardjo, I 2008, *Kajian Budaya Jawa, Surakarta: Jurusan Sastra Daerah*, Fakultas Sastra dan Seni Rupa Universitas Sebelas Maret.
- Trasti, EO 2007, „Prevalence of Malocclusion among School children in Benin City Nigeria“, *JMBR: A Peer-review Journal of Biomedical Sciences*, vol.7, no.1&2, pp.58-65.
- Trivino T, Siqueira D. F, Scanavini M. A 2008, „A New Concept of Mandibular Dental Arch Forms with Normal Occlusion“, *American Journal of Orthodontics and Dentofacial Orthopedics*, Vol 133 (1): 15-22.
- Thu K. M, Winn T, Abdullah N, Jayasinghe J.A.P, Chandiman G.L 2005, „The Maxillary Arch and Its Relationship to Cephalometric Landmarks of Selected Malay Ethnic Group“, *Malaysian Journal of Medical Sciences*, Vol 12 (1): 29-38.
- Van der Linden F.P.G.M., 1986. *Facial Growth and Facial Orthopedics*, Quintessence Publishing, Chicago, pp. 184 -194.
- W.C, Shaw. The development of the PART Index reliability and validity. European journal of Orthodontic 14 (1992) 125-139
- Weiland, FJ, Jonke, E & Bantleon, HP 1997, „Secular trends in malocclusion in Austrian men“, *European journal of Orthodontics*, vol.19, pp.355-9.
- Wikipedia 2012, *Suku Jawa*, Retrieved May 23, from [http://id.wikipedia.org/wiki/Suku\\_Jawa](http://id.wikipedia.org/wiki/Suku_Jawa)