

KEJADIAN TB PADA ODHA DI UPIPI(UNIT PERAWATAN INTERMEDIET PENYAKIT INFEKSI) RSUD DR.SOETOMO SURABAYA PADA BULAN JANUARI-DESEMBER 2008

Kusbinan, Irma Nurbaeti

KKC KK FKM 45 09 Kus k

Pembimbing : Prijono Satyabakti, dr., M.S., M.PH

2009

TUBERCULOSIS

ABSTRAK

ODHA (Orang dengan HIV/AIDS) rentan terhadap berbagai infeksi karena pertahanan tubuhnya yang kurang. TB merupakan infeksi yang terbanyak ditemukan dan penyebab utama kematian pada ODHA. Penelitian ini dilakukan untuk mengetahui bagaimana kejadian TB pada ODHA di UPIPI RSUD Dr. Soetomo Surabaya.

Penelitian ini menggunakan jenis penelitian deskriptif serta memakai 2 pendekatan yaitu pendekatan kuantitatif dan kualitatif. Populasi penelitian ini adalah seluruh data sekunder kasus TB dan data sekunder kasus HIV/AIDS yang ditangani UPIPI RSUD Dr. Soetomo Surabaya pada bulan Januari – Desember 2008. Sumber data penelitian ini ada dua yaitu data primer dan sekunder. Data primer diperoleh melalui wawancara dengan tim medis UPIPI RSUD Dr. Soetomo Surabaya. Sedangkan data sekunder diperoleh melalui dokumen atau laporan pada UPIPI RSUD Dr. Soetomo Surabaya. Data dan variabel penelitian ini adalah profil UPIPI RSUD Dr. Soetomo, faktor risiko HIV, indikasi TB pada ODHA, hasil test TB, karakteristik pasien (umur, jenis kelamin, jenis pekerjaan), tipe pasien HIV-TB, klasifikasi TB pada ODHA, dan pengobatan HIV-TB.

Besar kejadian TB pada ODHA yaitu sebesar 25%. ODHA dengan TB positif lebih banyak dijumpai pada faktor risiko HIV hetero sexual, mempunyai mempunyai gejala TB maupun tidak ada gejala TB, golongan usia 25-34 tahun, berjenis kelamin laki-laki, bekerja di instansi swasta, sebagian besar merupakan kasus baru, klasifikasi TB Paru dan BTA negatif dan pengobatan TB lebih diutamakan dan mendapatkan pengobatan lengkap untuk TBnya.

Kata kunci : TB, HIV/AIDS, ODHA.

ABSTRACT

People living with HIV/AIDS (ODHA) are susceptible with various infections because of the decrease in their immune functions. TB is the most common and main cause of death in ODHA. This research was conducted to found the case of TB in ODHA at UPIPI RSUD Dr. Soetomo Surabaya.

This research used descriptive type of research and two kinds of approaches, which is quantitative and qualitative approach. The population of this research is all of the secondary data of TB and all of the secondary data of HIV/AIDS that taken care by UPIPI RSUD Dr. Soetomo Surabaya from January to December 2008. The sources of this research are from primary and secondary data. Primary data came from interview with the medical team from UPIPI RSUD Dr. Soetomo Surabaya. Secondary data came from documents or reports of UPIPI RSUD Dr. Soetomo Surabaya. Data and the research variables are UPIPI RSUD Dr. Soetomo's profile, HIV risk factor, indication of ODHA that will tested with TB, TB test result, characteristics (age, gender, jobs), HIV-TB patient type, TB classifications in ODHA patient's and HIV-TB medication.

The number of TB case in ODHA is 25%. ODHA with TB positive is more common have hetero sexual HIV risk factor, have TB symptom or no TB symptom, 25-34 group of age, male, working in private institution, , majority is new case, have lung TB and negative BTA TB classifications and more prioritized in the TB medication and get full medication for the TB.

Key words : TB, HIV, AIDS, ODHA