

DAFTAR PUSTAKA

- Abbas, B, 2011, *Prinsip-prinsip teknik kultur jaringan*, Penerbit Alfabeta, Bandung.
- Abe H, 1980, Pharmacological actions of saikosaponins isolated from *Bupleurum falcatum*, 1, Effects of saikosaponin on liver function, *Planta Medica* 40:366-372.
- Alkalezy, C.O., Liu, S., Li, Q.S., Yu, J.T. and Zhong, J.J, 1999, Combined effects of initial sucrose concentration and inoculum size on cell growth and ginseng saponin production by suspension cultures of *Panax ginseng*, *Process Biochemistry* 34: 639-642.
- Anand, S, 2010, Various approaches for secondary metabolite production through plant tissue culture, *Pharmacia*, Vol. 1.
- Arro RRJ, Develi A, Meijers H, Van de Westerlo E, Kemp AK, and Croes AF, 1995, Effect of exogenous auxin on root morphology and secondary metabolism in *Tagetes patula* hairy root cultures, *Physiol Plant* 93, 233-240.
- Bhadra R, Shanks J.V, 1995, Statistical design of the effect of inoculum conditions on growth of hairy root cultures of *Catharanthus roseus*, *Biotechnol Tech* 9, 681-686.
- Bhojwani, S.S and Razdan M.K, 1996, *Plant Tissue Culture: Theory and Practice*, a Revised Edition, *Elsevier*.
- Cardarelli, M., Mariotti, D., Pomponi, M., Spano, L., Capone, I., and Constantino, P, 1987, *Agrobacterium rhizogenes* T-DNA genes capable of inducing hairy root phenotype, *Mol Gen Genet* 209 : 475 - 480.
- Caroll, S, 2001, Saponin research information, <http://www.thehavens.com/waterNEW/saponin.html>
- Chilton, M.D., Tepfer D.A, Petit A , David C, Casse-Delbart F, and Tempe J , 1982, *Agrobacterium rhizogenes* inserts T-DNA into the genomes of the host plant root cells, *Nature* 295, 432-434.
- Christen P, Aoki T, and Shimomura K, 1992, Characteristics of growth and tropane alkaloid production in *Hyoscyamus albus* hairy roots transformed with *Agrobacterium rhizogenes* A4, *Plant Cell Rep* 11, 597-600.
- Cowley, E, 1973, *Vanilla and Its Uses. Proceedings of the Conferece of Spices*, Tropical Product Institut, London.

- Dahlan, M. S., 2009, *Statistik untuk kedokteran dan kesehatan: Deskriptif, Bivariat, dan Multivariat, Dilengkapi Aplikasi dengan Menggunakan SPSS*, Salemba Medika, Jakarta.
- De Padua, L.S., N. Bunyapraphatsara and R.H.M.S. Lemmens, 1999, *Plant Resources of South East Asia, Medical and Poisonous Plant*, Printed in Bogor Indonesia, Backhuys Publisher, Leiden, the Netherlands.
- Drewes, F.E., and Staden, J.V., 1995, Initiation of and solasodine production in hairy root cultures of *Solanum mauritianum* Scop, *Plant Growth Regul* 17, 27–31.
- Gamborg, O.L., and J.P. Shyluk, 1981, *Nutrition, Media, and Characteristic of plant Cell and Tissue Culture*.
- Giri A, Ravindra ST, Dhingra V, and Narasu ML, 2001, Influence of different strains of *Agrobacterium rhizogenes* on induction of hairy roots and artemisinin production in *Artemisia annua*, *Curr Sci* 81, 378-382.
- Grierson, D., and S. N. Covey, 1988, *Plant Molecular Biology*, 2nd edition, Blackie, Chapman & Hall, New York, 141-147.
- Hagerman, AE, 2002, Tanin chemistry: <http://www.users.muohio.edu/hagermae/tannin.pdf>
- Hammil, J. D., and A. J. Lidget, 1997, Hairy root cultures – Opportunities and Key Protocols for Studies in Metabolic Engineering. In : Doran, P. M (editor), *Hairy roots Culture and Application*, Harwood Academic Publisher, Australia.
- Han K.H, Keathley D.E, Davis J.M, and Gordon M.P, 1993, Regeneration of a transgenic woody legume (*Robinia pseudoacacia* L. black locust) and morphological alterations induced by *Agrobacterium rhizogenes*-mediated transformation, *Plant Sci* 88, 149-157.
- Harborne, J. B, 1996, *Metode Fitokimia : penuntun cara modern menganalisis tumbuhan, Terbitan ke-2*, Penerbit ITB, Bandung.
- Hariana, A, 2008, *Tumbuhan obat dan khasiatnya 3*, Penebar Swadaya, Jakarta.
- Harmanto, 2007, *Herbal untuk keluarga*, PT Elex Media Komputindo, Jakarta.
- Hashimoto, T., and Y. Yamada, 1991, *Organ Culture and Manipulation, Methods in plant Biochemistry*, Vol 6, Assay for Bioactivity, Academic Press Limited.
- Hendaryono, D.P.S, dan A. Wijayani, 1994, *Teknik Kultur Jaringan : Pengenalan dan petunjuk Perbanyakan Tanaman Secara Vegetatif-Modern*, Kanisius, Yogyakarta.

- Heyne K, 1987, *Tumbuhan berguna Indonesia*, Litbang Kehutanan Dep Pertanian RI.
- Hidayat S., Sri Wahyuni., dan Sofia Andalusia, 2008, *Seri Tumbuhan obat berpotensi hias (1)*, PT. Elex Media Komputindo, Jakarta.
- Hidayat, S, 2005, *Ginseng multivitamin alami berkhasiat*, Penebar Swadaya, Bogor .
- Hoekstra, Sjoerd Severinus, 1993, *Accumulation of indole alkaloids in plant - organ cultures*, Proefschrift, Leiden.
- Hu ZB, and Min Du, 2006, *Hairy root and its application in Plant Genetic Engineering*, Journal of integrative Plant Biology, Shanghai.
- Hu, C.Y. and Wang, 1983, *Meristem, Shoot Tip, and Bud Cultures dalam D.A. Evans et al, Techniques for propagation and breeding*, Handbook of plant Cell Culture Vol.1. New York: Macmillan Publishing Company.
- Itakura Y., Ichikawa M., Mori Y., Okino R., Udayama M and Morita T, 2001, How to distinguish garlic from the other allium vegetables, *The Journal Nutrition*, 131: 963S-967S.
- Jay, V, S. Genestier, J.C. Courdoroux, 1992, Bioreactor Studies on The Effect of Dissolved Oxygen Concentrations on Growth and Differentiation of Carrot (*Daucus carota* L.) Cell Cultures, *Plant Cell Reports* 11.
- Jo, J.S, Han, Y.N., Oh, H.I., Park, H., Sung, H.S. and Park, J.I, 1995, *Korean ginseng has a characteristic shape. In understanding of Korean ginseng*, Hanrimwon Publishing Co, Seoul, Korea.
- Khristyana, L, Endang A, dan marsusi, 2005, Pertumbuhan, Kadar Saponin dan Nitrogen Jaringan Tanaman Daun Sendok (*Plantago major* L.) pada Pemberian Asam Giberelat (GA3), *Biofarmasi* 3 (1): 11-15
- Kittipongpatana N, Hock RS, and Porter JR , 1998, Production of solasodine by hairy root, callus, and cell suspension cultures of *Solanum aviculare* Fors, *Plant Cell Tiss Org Cult* 52, 133-143.
- Kreis, W and Muller-Uri, F, 2010, Biochemistry of sterols, cardiac glycoside, brassinosteroid, phytoecdysteroid and steroid saponin, *Annual Plant Review*, 40:304-363.
- Krolicka A, Staniszewska I, Bielawski K, Malinski E, Szafranek J, and Lojkowska, 2001, Establishment of hairy root cultures of *Ammi majus*, *Plant Sci* 160, 259-264.

- Kurniasari N, 2011, Induksi akar dari eksplan daun ginseng jawa (*Talinum paniculatum* Gaertn.) melalui transformasi gen dengan perantara *Agrobacterium rhizogenes*, *Skripsi*, Universitas Airlangga.
- Makkar, H. P. S, P. Siddhuraju, K. Becker, 2007, *Plant secondary metabolites*, Humana Press Inc, Totowa, New Jersey.
- Merkli A, Christen P, and Kapetanidis I , 1997, Production of diosgenin by hairy root cultures of *Trigonella foenum-graecum* L, *Plant Cell Rep* 16, 632–636.
- Miller AL, 1996, Antioxidant flavonoids: structure, function and clinical usage, <http://www.thorne.com/altmedrev/fulltext/flavonoids1-2.html>
- Moyler DA, 1994, *Spices Recent Advances, Di dalam: Charambous (edition) Spices, Herbs and Edible Fungi*, Amsterdam: Elsevier.
- Mugnier J, 1988, Establishment of new axenic hairy root lines by inoculation with *Agrobacterium rhizogenes*, *Plant Cell Rep* 7, 9-12.
- Nurchayati Y, W Wardani, dan R.R Esyanti, 2006, Produksi gosipol menggunakan kultur akar berambut *Gossypium hirsutum* L, *Berkala Ilmiah Biologi* 5(1): 51-56.
- Osborn, A.E, 2011, Saponin in cereals, *Phytochemistry* 62 (1). <http://www.sciencedirect.com/science>. [22 nov 2011].
- Owens LD, and Smigocki AC, 1988, Transformation of soybean cells using mixed strains of *Agrobacterium tumefaciens* and phenolic compounds, *Plant Physiol* 88:570–573.
- Palazon, J., Cusido, R.M., Bonfil, M., Mallol, A., Moyamo, E., Marales, C. and Pinol, M.T, 2003, Elicitation of different *Panax ginseng* transformed root phenotypes for an improvement ginsenoside production, *Plant physiology Biochemistry* 41: 1019-1025.
- Payne GF, Bringi V, Prince CL, and Shuler ML, 1992, *Plant Cell and Tissue Culture in Liquid Systems*, New York: Wiley.
- Peni, D.K, Anggarwulan E, dan Solichatun, 2004, Pertumbuhan, Kadar Klorofil Karotenoid, Saponin, Aktivitas Nitrat reduktase Anting-anting (*Acalypha indica* L.) pada Konsentrasi Asam Giberelat (GA3) yang Berbeda, *Biofarmasi* 2(1): 1-8.
- Pitojo, S, 2006, *Talesom, sayuran berkhasiat obat*, Kanisius, Yogyakarta.
- Read, P. E, 1990, *Enviromental effects in Micropropagation* dalam Zulkarnain, *Kultur Jaringan Tanaman*, Bumi aksara, Jakarta.

- Rhodes MJC, Parr AJ, Giulietti A, and Aird ELH, 1994, Influence of exogenous hormones on the growth and secondary metabolite formation in transformed root cultures, *Plant Cell Tiss Org Cult* 38, 143–151.
- Rijhwani S.K., and Shanks J.V, 1998, Effect of subculture cycle on growth and indole alkaloid production by *Catharanthus roseus* hairy root cultures, *Elsevier*.
- Salisbury F. B, and C.W. Ross, 1995, *Plant Physiology*, Belmont, California : Wadsworth Publishing Company.
- Sari, D. C. R, Sri Suharmi, Oktadoni. S, 2006, Pengaruh ekstrak etanol akar ginseng jawa terhadap tebal lapisan CA₁ lamina pyramidalis hippocampus tikus (*Rattus norvegicus*), *Berkala Ilmu Kedokteran* Vol. 38, No.2.
- Savary BJ, and Flores HE, 1994, Biosynthesis of defense-related protein in transformed root cultures of *Trichosanthes kirilowii Maxim var. japonicum (Kitam)*, *Plant Physiol* 106: 1195-1204.
- Simpson, M. G, 2006, *Plant systematic*, Elsevier Academic Press Publication, London, Page 137.
- Soeryowinoto, M, 1985, *Budidaya Jaringan dan Manfaatnya*, Fakultas Biologi, Universitas Gadjah Mada, Yogyakarta.
- Spano L, Mariotti D, Cardarelli M, Branca C, and Constantino P, 1988, Morphogenesis and auxin sensitivity of transgenic tobacco with different complements of Ri T-DNA, *Plant Physiol* 87, 479-483.
- Stahl, E, 1985, *Analisis Obat Secara Kromatografi dan Mikroskopi*, Penerjemah: Padmawinata, K. dan I. Sudiro, Bandung: ITB.
- Sticher, O, 1998, Getting to the root of ginseng, *Chemtech* 28: 26-32.
- Sukardiman, 1996, *Perbandingan profil kandungan kimia dari akar *Talinum paniculatum Gaertn.* dan *panax ginseng* dengan metode KLT-Densitometri*, Buku Panduan Seminar Nasional Tumbuhan Obat Indonesia XI, Surabaya.
- Sukma D, Sudiarto S, Harran S, dan Sudarsono, 2003, Effect of the Number of Explants, Age of Culture and Casein Hydrolysate on Biomass and Total Protein Content of *Paria Belut* Hairy Roots Culture, *Jurnal hayati*, IPB.
- Syamsuhidayat SS, dan Hutapea JR, 1991, *Inventaris tanaman obat Indonesia(1)*, Jakarta, Litbang Kesehatan Departemen RI.
- Tenea, G. N, Alexandrina. C, L. Gavrila L, Natalia. C, 2008, Manipulation of root biomass and biosynthetic potential of *Glycyrrhiza glabra* L. plants by

- Agrobacterium rhizogenes* mediated transformation, *Roumanian Biotechnological Letters* Vol. 13, No. 5
- Van Steenis, C. G. G. J, 2002, *Flora untuk sekolah di Indonesia*, PT. Pradnya Paramita, Jakarta.
- Wahjoedi B, MartonoWP, dan Selvia D, 1999, *Efek androgenic sari akar ginseng jawa (Talinum paniculatum Gaertn.) pada anak ayam jantan*, *Warta tumbuhan Obat Indonesia* ; V(4):11-12.
- Wardani, D.P, Solichatun, Ahmad D.S, 2003, *Pertumbuhan dan Produksi Saponin Kultur Kalus Talinum paniculatum Gaertn. pada Variasi Penambahan Asam 2,4- Diklorofenoksi Asetat (2,4-D) dan Kinetin. Biofarmasi 2 (1): 35-43*
- Winarni, D, 2006, *Efek ekstrak akar ginseng Jawa dan korea terhadap perubahan perilaku mencit jantan*, *Laporan Penelitian DIPA-PNBP UNAIR*, Jurusan Biologi FMIPA Universitas Airlangga Surabaya.
- Winata, L, 1987, *Teknik Kultur Jaringan*, Bogor: Pusat antar Universitas Institut Pertanian Bogor.
- Wiryo widagdo S, Darise M, dan Sulaeman, 1993, *Betasitosterol dari akar krokot Belanda (Talinum triangulare Wilid) asal kabupaten Wajo Sulawesi Selatan*, *Risalah Simposium Penelitian Tanaman Obat VII*, Ujung Pandang: Jurusan Farmasi FMIPA Universitas Hasanuddin.
- Wysokinska, H., K. Lisowska, and K Floryanowicz, 2001, *Transformation of Catalpa ovate by Agrobacterium rhizogenes and Phenylethanoid Glycosides Production in Transformed Root Cultures.* <http://www.znaturforsch.com>
- Yachya, A, 2012, *Pengaruh laju aerasi dan kerapatan inokulum terhadap biomassa dan kandungan saponin kultur akar rambut ginseng jawa (talinum paniculatum gaertn.) dalam bioreaktor tipe balon*, *Thesis*, Universitas Airlangga.
- Yu Kee-Won, Wen-Yuan Gao, Sung-Ho Son and Kee-Yoeup Paek, 2000, *Improvement of ginsenoside production by jasmonic and some other elicitor in hairy root culture of ginseng (Panax ginseng C.A. Meyer)*, *In Vitro Cell, Dev. Biol. Plant*, 36, 124-128.
- Yusnita, 2003, *Kultur jaringan; cara memperbanyak tanaman secara efisien*, Agromedia, Jakarta.
- Zulkarnain, 2011, *Kultur Jaringan Tanaman*, Bumi Aksara, Jakarta.