

DAFTAR PUSTAKA

- Aldrich, 2002, *Biochemicals and Reagents for Life Science Research*, Sigma-Aldrich Corp, California.
- Alizadeh, T., Ganjali, M.R., Zare, M., and Norouzi, P., 2010, **Development of a Voltammetric Sensor Based on Molecularly Imprinted Polymer (MIP) for Caffeine Measurement**, *Electrochimica Acta*, 55, 1568-1574.
- Bard, A.J., and Faulkner, L.R., 2001, *Electrochemical Methods Fundamentals and Applications Second Edition*, John Wiley&Sons, Inc.
- Bergé-Lefranc, D., Eyraud, M., and Schäf, O., 2008, **Electrochemical Determination of p-Cresol Concentration Using Zeolite-Modified Electrodes**, *Chimie*, 11, 1063-1073.
- Chen, J.C., Chung, H.H., Hsu, C.T., Tsai, D.M., Kumar, A.S., and Zen ,J.M., 2005, **A Disposable Single-Use Electrochemical Sensor for The Detection of Uric Acid in Human Whole Blood**, *Sensors and Actuators B*, 110, 364-369.
- Chen, P., Nien, P., Hu, C., and Ho, K., 2010, **Detection of Uric Acid Based on Multi-walled Carbon Nanotubes Polymerized with A Layer of Molecularly Imprinted PMAA**, *Sensors and Actuators B: Chemical*, 466-471.
- Ensafi, A.A., Dadkhah, M., and Karimi-Maleh, H., 2011, **Determination of Isoproterenol and Uric Acid by Voltammetric Method Using Carbon Nanotubes Paste Electrode and P-Chloranil**, *Colloids and Surface B: Biointerfaces*, 84,148-154.
- Ensafi, A.A., Taei, M., Khayamian, T., and Arabzadeh, A., 2010, **Highly Selective Determination of Ascorbic Acid, Dopamine, and Uric Acid by Differential Pulse Voltammetry using Poly(Sulfonazo III) Modified Glassy Carbon Electrode**, *Sensors and Actuators B: Chemical*, 147, 213-221.
- Erden, P.E., and Kiliç, E., 2013, **A Review of Enzymatic Uric Acid Biosensors Based on Amperometric Detection**, *Talanta*, 107,312-323.
- Ferin, R., Pavão, M.L., and Baptista, J., 2013, **Rapid, Sensitive and Simultaneous Determination of Ascorbic Acid and Uric Acids in Human Plasma by Ion-Exclusion HPLC-UV**, *Clinical Biochemistry*, 46, 665-669.
- Gholivand, M.B., Malekzadeh, G., and Torkashvand, M., 2013, **Determination of Lamotrigine by Using Molecularly Imprinted Polymer-Carbon Paste Electrode**, *Electroanalytical Chemistry*, 692, 9-16.

- Harmita, 2004, **Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya**, *Majalah Ilmu Kefarmasian*, 3, 117-135.
- Harvey, D., 2000, *Modern Analytical Chemistry*, McGraw-Hill Companies, New York.
- He, L., Su, Y., Zheng, Y., Huang, X., Wu, L., Liu, Y., Zeng, Z., and Chen, Z., 2009, **Novel Cyromazine Imprinted Polymer Applied the Solid-Phase Extraction of Melamine from Feed and Milk Samples**, *Journal of ChromatographyA*, 1216, 6196-6203.
- Ikasari, D., 2010, **Modifikasi Elektroda Grafit dengan Molecularly Imprinted Polymer (MIP) Sebagai Sensor Asam Urat**, *Skripsi*, Fakultas Sains dan Teknologi Universitas Airlangga, Surabaya.
- John, S.A., 2005, **Simultaneous Determination of Uric Acid and Ascorbic Acid Using Glassy Carbon Electrodes in Acetate Buffer Solution**, *Journal of Electroanalytical Chemistry*, 579, 249-256.
- Khasanah, M., 2007, **Deteksi Sensitif Asam Urat Secara Stripping Voltammetry Menggunakan Hanging Mercury Drop Electrode (HMDE)**, *Laporan Penelitian*, Fakultas Sains dan Teknologi Universitas Airlangga, Surabaya.
- Khasanah, M., 2012, **Pengembangan Metode Voltametri Lucutan untuk Analisis Asam Urat Melalui Pelapisan Elektroda dengan Polimer Cetakan Molekul**, *Disertasi*, Universitas Gadjah Mada, Yogyakarta.
- Lakshmi, D., Prasad, B.B., and Sharma, P.S., 2006, **Development of Uric Acid Sensor Based on Molecularly Imprinted Polymer-Modified Hanging Mercury Drop Electrode**, *Electroanalysis*, 18, 918-927.
- Li, S., Ge, Y., Piletsky, S.A., and Lunec, J., 2012, *Molecularly Imprinted Sensors Overview and Applications*, Elsevier, Amsterdam.
- Marks, D.B., Marks, A.D., and Smith, C.M., 1996, *Biokimia Kedokteran Dasar: Sebuah Pendekatan Klinis*, Alih Bahasa: Brahm U.P., Penerbit Buku Kedokteran EGC, Jakarta.
- Miller, J.C., and Miller, J.C., 1998, *Statistic for Analytical Chemistry*, 3th Edition, Ellis Horword Limited, New York.
- Misnadiarly, 2007, *Rematik: Asam Urat-Hiperurisemia, Arthritis Gout*, Pustaka Obor Populer, Jakarta.
- Moral, N.P., and Mayes, A.G., 2004, **Comparative Study of Imprinted Polymer Particles Prepared by Different Polymerisation Methods**, *Analytica Chimica Acta*, 504, 15-21.

- Nasri, Z., and Shams, E., 2009, **Application of Silica Gel As An Effective Modifier for the Voltammetric Determination of Dopamine in the Presence of Ascorbic Acid and Uric Acid**, *Electrochimica Acta*, 54, 7416-7421.
- Patel, A.K., Sharma, P.S., and Prasad, B.B., 2009, **Electrochemical Sensor for Uric Acid Based on Molecularly Imprinted Polymer Brush Grafted to Tetraethoxysilane Derived Sol-Gel Thin Film Graphite Electrode**, *Materials Science and Engineering C*, 29, 1545-1553.
- Prasad, B.B., and Lakshmi D., 2005, **Barbituric Acid Sensor Based on Molecularly Imprinted Polymer Modified Hanging Mercury Drop Electrode**, *Electroanalysis*, 17, No.14, 1260-1268.
- Prasad, B.B., Sharma, P.S., and Lakshmi, D., 2007, **Molecularly Imprinted Polymer-Based Solid-Phase Extraction Combined with Molecularly Imprinted Polymer-Based Sensor for Detection of Uric Acid**, *Journal of Chromatography A*, 1173, 18-26.
- Putri, S.O., 2010, **Analisis Asam Urat secara Stripping Voltammetry menggunakan Elektroda Glassy Carbon Termodifikasi MIP dengan Monomer Melamin Kloranil**, *Skripsi*, Fakultas Sains dan Teknologi Universitas Airlangga, Surabaya.
- Ren, W., Luo, H.Q., and Li, N.B., 2005, **Simultaneous Voltammetric Measurement of Ascorbic Acid, Ephinephrine, and Uric Acid at A Glassy Carbon Electrode Modified with Caffeic-Acid**, *Biosensors and Bioelectronics*, 21, 1086-1092.
- Sadeghi, S., Motaharian, A., and Moghaddam, A.Z., 2012, **Electroanalytical Determination of Sulfasalazine in Pharmaceutical and Biological Samples Using Molecularly Imprinted Polymer Modified Carbon Paste Electrode**, *Sensors and Actuators B: Chemical*, 168, 336-344.
- Safi'i, F.F., dan Mitarlis, 2013, **Pemanfaatan Limbah Padat Proses Sintesis Pembuatan Furfural dari Sekam Padi sebagai Arang Aktif**, *UNESA Journal of Chemistry*, Vol.2, No.2.
- Safitri, B.A., 2011, **Elektroda Pasta Karbon MIP dengan Monomer Asam Metakrilat sebagai Sensor Potensiometri Melamin**, *Skripsi*, Fakultas Sains dan Teknologi Universitas Airlangga, Surabaya.
- Sembiring, T.M dan Sinaga, T.S., 2003, *Arang Aktif (Pengenalan dan Proses Pembuatannya)*, Fakultas Teknik Universitas Sumatera Utara, Medan
- Skoog, D.A., West, D.M., and Holler, F.J., 1998, *Fundamental of Analytical Chemistry*, 7th edition, Thomson Learning Incorporation, USA.

- Skoog, D.A., West, D.M., and Holler, F.J., 2004, *Fundamental of Analytical Chemistry*, 8th edition, Thomson Learning Incorporation, USA.
- Smith, A.D., Badiani, G., Baglay, D., Clayman, R.V., Docimo, S.G., Jordan, G.H., Kavoussi, L.R., Leo, B.R., Lingeman, J.E., Preminger, G.M., and Segura, J.W., 2007, *Textbook of Endoneurology Second Edition*, BC Decker Inc, United States.
- Sustrani, L. dan Alam, S., 2004, *Asam Urat*, Gramedia Pustaka Utama, Jakarta.
- Taylor, L.R., Papp, R.B., and Pollard, B.P., 1994, *Instrumental Methods for Determining Elements*, VCH Publisher Inc, New York.
- Tiwari, M.P., and Prasad, A., 2015, **Molecularly Imprinted Polymer Based Enantioselective Sensing Devices: A Review**, *Analytica Chimica Acta*, 1-18.
- Underwood, J.C.E., 1994, *Patologi Umum dan Sistemik Volume I*, Edisi 2, Alih Bahasa: Sarjadi, Penerbit Buku Kedokteran EGC, Jakarta.
- Wang, J., 1985, *Stripping Analysis: Principles, Instrumentation, Application*, VCH Publishers, Inc, USA.
- Wang, J., 2000, *Analytical Electrochemistry*, 2nd Edition, John Wile & Sons, Inc., Hoboken, New Jersey.
- Wang, J., 2006, *Analytical Electrochemistry*, 3rd Edition, John Wile & Sons, Inc., Hoboken, New Jersey.
- Wilson and Wilson's, 1992, *Comprehensive Analytical Chemistry: Analytical Voltammetry*, Vol XXVII, Edited By G, Svehla, Elseviers, New York.
- Yasuda, E., Inagaki, M., and Kaneko, K., 2003, *Carbon Alloys: Novel Concepts to develop Carbon Science and Technology*, Elsevier Science Ltd, Kidlington.
- Zen, J., and Hsu, C., 1998, **A Selective Voltammetry Method for Uric Acid Detection at Nafion-coated Carbon Paste Electrodes**, *Talanta*, 46, 1363-1369.