

DAFTAR PUSTAKA

- Agrawal, A., Siddiqui, I.R., and Singh, J., 1989, Coumarins from the Roots of *Feronia Limonia*, *Phytochem.*, 28 (4), 1229-1231.
- Al-Amiery, A.A., Al-Bayati, R.I.H., Saour, K.Y., and M.F. Radli, 2012, Cytotoxicity, Antioxidant, and Antimicrobial Activities of Novel 2-Quinolone Derivatives Derived from Coumarin, *Res.on Chem. Int.*, 38 (2), 559-569
- Al-Amiery, A.A., Kadhum, A.A.H., Mohamad, A.B., 2012, Antifungal activities of New Coumarins, *Molecules*, 17, 5713–5723.
- Arbab I.A., Abdul A.B., Sukari M.A., Abdullah R., Syam S., Kamalideghan B., Ibrahim M.Y., Taha M.M.E., Abdelwahab S.I, Ali H.M., and SyamMohan,2013, Dentatinisolatedfrom*Clausena excavata* induces apoptosisinMCF-7cells through heintrinsicpathwaywithinvolvementofNF-kBsignallingand G0/G1 cellcyclearrest:Abioassay-guidedapproach,*J. Of Ethnopharm.*, 145, 343–354.
- Apriyantono, A., and Kumara, A., 2004,I dentification of Character Impact Odorants of Wood Apple Fruit (*Feronia limonia*), *J. Tech. Food Ind.*, 15, 1.
- Avendano, C., Menendez, J.C., 2008, *Medicinal Chemistry Of Anticancer Drugs 1st Ed.*, Elsevier, Amsterdam.
- Brown, S.A., Steck, W., 1973, 7-Demethylsuberosin and OsthenoI As Intermediates in Furanocoumarin Biosynthesis, *Phytochem.*, 12, 1315-1324.
- Chatterjee, A., Sarkar, S., and J. N. Shoulery, 1980, 7-Phenylacetoxy Coumarin from *Limonia crenulata*, *Phytochem.*, 19, 2219-2220.

- Darsini, D.T.P., Maheshu, V., Vishnupriya, M., Nishaa, S., and Jagathala M. S., 2013, Antioxidant Potential and Amino Acid Analysis of Undertilized Tropical Fruit *Limonia acidissima* L, *Free Rad. and Ant.*, 3, 562-589.
- Dhanpal, R., Ratna, J.V., Sarathchandran, I., and M. Gupta, 2012, Reversible Antispermatogenic And Antisteroidogenic Activities Of *Feronia Limonia* Fruit Pulp in Adult Male Rats.*Asian Pac. J. of Tro. Bio.*, 684-690.
- Doyle, A., and Griffiths, J.B., 2000, *Cell and Tisue Culture for Medical Research*, John Wiley and Sons LTd,403-423.
- Fahmi, M.Z., Ou, K.L., Chen.J.K., Ho, M.H., Tzing, S.H., and Jia Yaw Chang, 2014, Development of Bovine Serum Albumin Modified Hybrid Nanocluster for Mgnetoflouresence Imaging and Drug Delivery, *RSC Advances*, 4, 32762-32772.
- Ghiselli, A., Nardini, M., Baldi A. and Scaccini C., 1998. Antioxidant Activiy of Different Phenolics Fractions Separated from an Italian Red Wine, *J Agrifood Chem*, 46, 367.
- Ghosh, P., Ghosh, M.K., Thakur, S., Dan, J., Akihisa, T., Tamura, T., and Yumiko K., 1994, Dihidoxy Acidissiminol and Acidisiminol Epoxide, Two Tiramin Derivates from *Limonia acidissima* L, *Phytochem.*, 37 (3), 757-760.
- Harada, K., Kubo, H., Tomigahara, Y., Nishioka, K., Takahashi, J., Momose, M., Inoue, S., and Kojima, A., 2010. Coumarins as Novel 17-B-Hydroxysteroid dehydrogenase Type 3 Inhibitors Ffor Potential Treatment of Prostate Cancer. *Bioorg, Med. Chem. Lett*, 20, 272–275.
- Heyne, K. 1987. *Tumbuhan Berguna Indonesia* Jilid 3. Departemen Kehutanan. Jakarta
- Intekhab, J., Aslan, M., 2009, Isolation of Flavonoid from *Feronia Limonia*, *J. of Saudi Chem. Soc.*, 13, 295-298.

- Ito, C., Itogawa, M., Takakura, T., Ruangrungsi, N., Enjo, F., Tokuda, H., Nishino, H., and H. Furukawa, 2003, Chemical Constituents of *Garcinia fusca*: Structure Elucidation of Eight New Xanthones and Their Cancer Chemopreventive Activity, *Nat. Prod.*, 66, 200-205.
- Jagetia, G.C., Rao S.K., 2006, Evaluation of The Antineoplastic Activity of *Tinopora Cordifolia* in Ehrlich Ascites Carcinoma Bearing Mice, *Biol.Pharm.Bull.*, 29 (3), 460-466
- Jain, M., Trivedi, A., Mishra, S.A., 2010, TLC Determination of Marmesin a Biologically Active Marker from *Feronia limonia*, *Am. J. of Plant Sci.*, 1, 12-16
- Kirtikar, K. R., and Basu, B. D., 1933, *Feronia elephantum* Corr.(Plate 200) Indian Medicinal Plants, 1, 496-498.
- Katzung, B.G., 1995. *Basic and Clinical Pharmacology 7th edition*. Prentice Hall International, 881.
- Kim, K. H., Ha, S. K., Kim, S. Y., and Kang Ro Lee, 2009, Limodissimin A: a New Dimeric Coumarin from *Limonia Acidissima* L, *Bull. Korean Chem. Soc.*, 30 (9), 2135-2137.
- Murray, R.D.H., Mendels, J., and S.A. Brow, 1982, *The Natural Coumarin*, John Wiley and Sons Ltd, New York.
- Mosmann, T., 1983, Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxic Assays, *J Immun. Me*, 65, 55 - 63.
- Nayak, B.K., 1999, Mutation and Methylation Status of P53 Gene Promoter in Human Breast Tumours, *Tumor Biology*, 20, 341-346
- Niu, X. M., Li, S.H., Peng, L.Y., Rau, G.X., and Han Dong Sun, 2001, A New Indole Alkaloid from *Limonia crenulata*, *Chi. Chem. Let.*, 12 (3), 243-244.

- Noipha K., Thongthoom T., Songsiang U., Boonyarat C., and Chavi Yenjai, 2010Carbazoles and coumarins from *Clausena harmandiana* stimulate glucose uptake in L6 myotubes, *Dia.Res.and Clin.Pract.*, 90, 67– 71.
- Patrick, G.2002. *Medicinal Chemistry 1st Ed.*Viva Books Private Limited. New Delhi.
- Pavela, R., Vrchotova', N., 2013. Insecticidal Effect of Furanocoumarins from Fruits of *Angelica archangelic* L. against Larvae *Spodoptera littoralis* Boisd., *Ind. Crops and Prod.*, 43, 33–39.
- Prasad K.N., Xie H., Hao J., Qiu S., Wei X., Chen F., and Yueming Jiang, 2010, Antioxidant and anticancer activities of 8-hydroxypsoralen isolated from wampee [*Clausena lansium (Lour.) Skeels*] peel, *Food Chem.*, 118, 62–66
- Rahman, M., and Gray, A. I., 2002, Antimicrobial Constituents from the Stembark of *Feronia Limonia*, *Phytochem.*, 59, 73-77.
- Roche. 2008. *Apoptosis, Cytotoxicity and Cell Proliferation 4th*. Roche Diagnostics GmbH. Jerman, hal:123.
- Shen, D.Y., Chan, Y.Y., Hwang, T.L., Juang, S.H., Huang, S.C., Kuo, P.C., Thang, T. D., Lee, E., Damu, A.G., and Tian Shung Wu, 2014, Constituens of the Roots of *Clausena lansium* and Their Potential Anti-Inflammatory Activity, *Nat.Prod.*, 77, 1215-1223.
- Siridechakorn, I., Laphookhico, S., 2012, Chemical Constituent from *Feronia limonia* Roots, *Chem.Nat. Comp.*, 48 (2), 308-309.
- Sukamto La, 1999, Morfogenesis Berbagai Eksplan Kawista (*Limonia acidissima* L.) yang Ditumbuhkan Secara Kultur, *Prosiding Seminar Biologi Menuju Milineum III*, Fakultas Biologi UGM .

Tosun, A., Baba, M., Bahadir, O., and Toru Okuyama, 2006, Coumarins Isolated from the Roots of *Seseli resinosum* in Turkey, *Pharm. Bio.*, 44(7), 528-533.

Upadhyay, R., Verma, A., Pandey, N. D., and S.S Navi, 2012, Antihepatotoxic Activity of Ferolactone, a New Furanocoumarin from *Feronia Limonia*, *Med. Chem. Res.*, 21, 2955-2960.

