

## DAFTAR PUSTAKA

- Alami, N. H., 2011, Efektivitas Biosurfaktan *Pseudomonas putida* T1(8) dalam Bioremediasi Tanah Tercemar Minyak, Surabaya: Fakultas Sains dan Teknologi Universitas Airlangga, *Skripsi*
- Alvarez, P. J. J. & Illman, W. A., 2006, Bioremediation and Natural Attenuation: Process Fundamentals and Mathematical Models, John Wiley & Sons, Inc. Hoboken
- Bateman, J. N., Brenda S., Linda F., & Richard A. H., 1986., Naphthalene Association and Uptake in *Pseudomonas putida*, *Journal of Bacteriology*, Vol. 166, no. 1, p. 155-161
- Cao B., Nagarajan K., and Loh K. C., 2009., Biodegradation of aromatic compounds: current status and opportunities for biomolecular approaches, *Applied Microbiology and Biotechnology*, vol. 85, 2, pp. 207–228.
- Cerniglia C. E. and Heitkamp M. A., 1984, Microbial degradation of polycyclic aromatic hydrocarbons (PAH) in the aquatic environment, p. 41–68. In U. Varanasi (ed.), Metabolism of polycyclic aromatic hydrocarbons in the aquatic environment.
- Cooper, D. G. dan Goldenberg, B. G., 1987, Surface-Active Agents from Two *Bacillus* Species, *Applied and Environmental Microbiology*, p. 224 – 229.
- Dennis JJ, Zylstra GJ, 2004, Complete sequence and genetic organization of pDTG1, the 83 kilobase naphthalene degradation plasmid from *Pseudomonas putida* strain NCIB 9816-4, *J. Mol. Biol.*, 341: 753-768
- Desai, J. D. Dan Banat, I. M., 2007, Microbial Production of Surfactants and Their Commercial Potential, *Microbiology and Molecular Biology Reviews*, Vol. 61, No.1.
- Deveryshetty, J. dan Phale, P. S., 2009, Biodegradation of Phenanthrene by *Pseudomonas* sp. strain PPD: Purification and Characterization of 1-hydroxy-2-naphthoic acid dioxygenase, *Microbiology*, 155, 3083 - 3091
- Elisabeth, 2000, Polycyclic Aromatic Hydrocarbon (PAH) : Kaitannya dengan minyak sawit dan kesehatan, Medan: warta PPKS (Pusat Penelitian Kelapa Sawit)
- Francy DS, Thomas JM, Raymond RL and Ward CH, 1991, Emulsification of Hydrocarbons by Surface Bacteria, *J Ind Microbiol* 8: 234–246.

- Goldberg S., Konis Y., Rosenberg M., 1990, Effect of Cetylpyridinium Chloride on Microbial Adhesion to Hexadecane and Polystyrene, *Applied and Environmental Microbiology*, p. 1678 – 1682
- Goswami, P. dan Singh, H. D., 1991, Different Modes of Hydrocarbon Uptake by Two *Pseudomonas* sp., *Biotech and Bioengineering*, 37: 1 – 11
- Goyal, A.K., Zylstra, G.J., 1997, Genetics of naphthalene and phenanthrene degradation by *Comamonas testosteroni*, *J. Ind. Microbiol. Biotechnol.*, 19, 401-407
- Gunsalus, I. C., You I. S., Ghosal D., 1988, Nucleotide Sequence of Plasmid NAH7 Gene *nahR* and DNA Binding of the *nahR* Product. *Journal of Bacteriology*, Vol. 170, no. 12.
- Hajar, D, 2012, Isolasi, Identifikasi, dan Analisis Kemampuan Degradasi Hidrokarbon Bakteri Tanah Sampel B, Cilegon, Banten. Depok: Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Indonesia. *Skripsi*
- Hazardous Substances Databank (HSDB), 2001, On-line Database. National Library of Medicine. Washington, DC
- Helmy, Q., E. Kardena, Z. Nurachman, Wisjnuprapto, 2010 Application of Biosurfactant Produced by *Azotobacter vinelandii* AV01 for Enhanced Oil Recovery and Biodegradation of Oil Sludge, *International Journal of Civil & Environmental Engineering IJCEE*, Vol: 10 No: 1
- Holdsworth, G. dan Heidi L, 2006, Wildlife Toxicity Assessment for Phenanthrene. United State: ACHPPM
- Huda, N., 2001, Pemeriksaan Kinerja Spektrofotometer UV-Vis, GBC 911A menggunakan Pewarna Tartrazine CL 19140, Sigma Epsilon ISSN, No. 20-21
- Ilori M.O., Amobi C.J., & Odoch A. C., 2005, Factors affecting biosurfactant production by oil degrading *Aeromonas* spp. isolated from a tropical environment, *Chemosphere*, 61(7): 985-92
- Ilyina, A., Castillo S. M. I., Villareal s. J. A., Ramirez E. G., Candelas R. J., 2003, Isolation of Soil Bacteria for Bioremediation of Hydrocarbon Contamination, Bulletin of Moskow University, Series 2. 44(1): 88 – 91
- Kumar, G., Rajesh, S., Kumar, R., 2010, Plasmid Associated Anthracene Degradation by *Pseudomonas* sp. Isolated from Filling Station Site, *Nature and Science*, 8: 4

- Lebrón-Paler, A., Pemberton, J.E., Becker, B.A., Otto, W.H., Larive, C.K. and Maier, R.M., 2006, Determination of the Acid Dissociation Constant of the Biosurfactant Monorhamnolipid in Aqueous Solution by Potentiometric and Spectroscopic Methods, *Analytical Chemistry*, 78, 7649-7658
- Li, J-L. & Chen, B-H., 2009, Surfactant-mediated Biodegradation of Polycyclic Aromatic Hydrocarbons, *Materials*, 2, pp. 76 – 94
- Liu, W., Luo, Y., Teng, Y., 2010, Bioremediation of Oily Sludge-contaminated Soil by Stimulating Indigenous Microbes, *Environmental Geochemical Health*, 32:23–29
- Lovaglio, R.B., dos Santos, F.J., Jafelicci-Junior, M. and Contiero, J., 2011, Rhamnolipid Emulsifying Activity and Emulsion Stability: pH Rules, *Colloids and Surfaces B: Biointerfaces*, 85, 301-305
- Madigan M. T., Martinko, J. M., Dunlap P. V., dan Clark, D. P., 2010, Brock Biology of Microorganisms, Benjamin Cummings, 12th Edition
- Madigan, M. T., Martinko, J. M., Parker, J, 2000, Brock Biology of Microorganism, Ninth Edition, USA: Prentice Hall International, Inc
- Makkar, R.S., Cameotra, S.S., Banat, I.M., 2011, Advances in Utilization of Renewable Substrates for Biosurfactant Production, *AMB Express*, 1: 5
- Makkar, R. S., & Rockne, K. J., 2003, Comparison of Synthetic Surfactants and Biosurfactants in Enhancing Biodegradation of Polycyclic Aromatic Hydrocarbons, *Environmental Technology and Chemistry*, Vol 22, 10, pp. 2280 – 2292
- Marston C. P., Pereira Z. C., Ferguson J., Fischer L., Hedstrom O., Dashwood W. M. & Baird W. M., 2001, Effect of a complex environmental mixture from coal tar containing polycyclic aromatic hydrocarbons (PAH) on tumor initiation, PAH-DNA binding and metabolic activation of carcinogenic PAH in mouse epidermis, *Carcinogenesis* 22, 1077–1086
- Mastrangelo G., Fadda E. & Marzia V., 1996, Polycyclic aromatic hydrocarbons and cancer in man, *Environ Health Perspect* 104, 1166–1170
- Meier, R. M., Pepper, I. L., & Gerba, C. P., 2000, Environmental Microbiology, San Diago: Academic Press
- Muniarsih, T., Yopi., dan Budiawan, 2009, Biodegradasi Fenantren oleh Bakteri Laut *Pseudomonas sp* KalP3b22 Asal Kumai Kalimantan Tengah. Makara Sains, vol 13, 1, pp. 77 – 80.

Ni'matuzahroh, 2002. Mekanisme Asimilasi Hidrokarbon oleh Bakteri Hidrokarbonoklastik *Pseudomonas aeruginosa* IA7D. Surabaya: Lembaga Penelitian Universitas Airlangga.

Ni'matuzahroh, Fatimah, Agus Supriyanto dan Moch. Affandi., 2009, Bioremediasi Tanah Tercemar Minyak Menggunakan Konsorsium Mikroba, Surabaya: Lembaga Penelitian Universitas Airlangga.

Ni'matuzahroh, Fatimah, Surtiningsih T., Sumarsih, Sri., 2013, "Biocleanoil" Produk Berbasis Mikroba untuk Pengolahan Sludge Industri Minyak, Surabaya: Universitas Airlangga.

Nikaido, H., and M. Vaara., 1985, Molecular basis of bacterial outer membrane permeability, *Microbiol. Rev.* 49:1-32.

Pantsyrnaya, T., Delaunay S., Georgen J. L., Guedon E., Paris C., Poupin P., Guseva E., Boudrant J., 2012, Biodegradation of Phenanthrene by *Pseudomonas putida* and a Bacterial Consortium in the Presence and in Absence of a Surfactant, *Indian Journal Microbiol.*, 52(3): 420 – 426

Patnaik, P., 1999, A Comprehensive Guide to the Hazardous Properties of Chemical Substances, John Wiley & Sons, Inc. USA.

Pelczar, M. J. & Chan, E. C. S., 1986, Dasar-Dasar Mikrobiologi, Jakarta: UI-Press

Phale, P. S., Basu, A., Majhi, P. D., Deveryshetty, J., Vamsee-Krishna, C & Shrivastava, R, 2007, Metabolic diversity in bacterial degradation of aromatic compounds, *OMICS* 11, 252–279

Pruthi, V. dan Cameotra, S. S., 1997, Rapid Identification of Biosurfactant Producing Bacterial Strain Using a Cell Surface Hydrophobicity Technique, *Biotechnol Technique*, 11: 671 – 674

Pumphrey, G. M. dan Madsen, E. L., 2007, Naphthalene metabolism and growth inhibition by naphthalene in *Polaromonas naphthalenivorans* strain CJ2, *Microbiology*, 53, 3730-3738

Ramnani P., Kumar S. S., Gupta R., 2005, Concomitant production and downstream processing of alkaline protease and biosurfactant from *Bacillus licheniformis* RG1: Bioformulation as detergent additive, *Process Biochem* 40: 3353–3359.

Rengathavasi T., Shilpy S., & Singaram J., 2011, Evaluation of Screening Methods for the Isolation of Biosurfactant Producing Marine Bacteria, *J Pet Environ Biotechnol*

- Rockne, K. J., L. M. Shor, L. Y. Young, G. L. Taghon and D. S. Kosson., 2002, Distributed Sequestration and Release of PAHs in Weathered Sediment: The Role of Sediment Structure and Organic Carbon Properties, *Environmental Science and Technology*. 36(12):2636-2644
- Rodrigues A. C., Wuertz S., Brito A. G., Melo L. F., 2005, Fluorene and Phenanthrene Uptake by *Pseudomonas putida* ATCC 17514: Kinetics and Physiological Aspects, *Biotechnology and Bioengineering*, Vol.90, no. 3
- Ron, E. Z., & Rosenberg, E., 2002, Biosurfactants and Oil Bioremediation, *Current Opinion In Biotechnology*, 13: 249 – 252
- Rosenberg, M., Gutnick, D., dan Rosenberg, E., 1980, Adherence of Bacteria to Hydrocarbons: A Simple Method for Measuring Cell-Surface Hydrophobicity, *J. FEMS Microbiol. Lett.*, 9(1) : 29 – 33
- Rosenberg, M., 2006, Microbial adhesion to hydrocarbons: twenty-five years of doing MATH, *FEMS: Mini Review*
- Saien, J. and Akbari, S., 2006, Interfacial Tension of Toluene + Water + Sodium Dodecyl Sulfate from (20 to 50) °C and pH between 4 and 9, *Journal of Chemical & Engineering Data*, 51, 1832 1835
- Sarbini, K., 2012, Biodegradasi Pyrena Menggunakan *Bacillus subtilis* C19, Depok: Fakultas Teknik Universitas Indonesia. *Skripsi*
- Seo, J-S., Keum, Y-S., Li, Q. X., 2009, Bacterial Degradation of Aromatic Compounds, *International Journal of Environmental Resources and Public Health*, 6, pp. 278 – 309
- Smith M.R., 1994, The physiology of aromatic hydrocarbon degrading bacteria, *Biochemistry of microbial degradation* (ed.C. Ratledge) Kluver Academic publishers, Netherlands, pp 347-378
- Sota, M., 2006, Genomic and functional analysis of the IncP-9 naphthalene-catabolic plasmid NAH7 and its transposon Tn4655 suggests catabolic gene spread by a tyrosine recombinase, *J. Bacteriol.*, 188, 4057-4067
- Tuleva *et al.*, 2002, Biosurfactant Production by a New *Pseudomonas putida* Strain. *Z. Naturforsch*, 57c, pp. 356 – 360
- van Hamme J. D., Singh A., and Ward O.P., 2003, Recent advances in petroleum microbiology, *Microbiology and Molecular Biology Reviews*, vol. 67, no. 4, pp. 503–549

- Volkering, F., Breure, A. M., van Andel, J. G., & Rulkens, W. H., 1995, Influence of Nonionic Surfactants on Bioavailability and Biodegradation of Polycyclic Aromatic Hydrocarbons, *Applied and Environmental Microbiology*, Vol. 61, No. 5, p. 1699-1705
- Williams, P. A. Catterall F. A. Murray K., 1975, Metabolism of Naphthalene, 2-Methylnaphthalene, Salicylate, and Benzoate by *Pseudomonas* PG: Regulation of Tangential Pathways, *Journal of Bacteriology*, Vol. 124. No. 2.
- Xue W. & Warshawsky D., 2005, Metabolic activation of polycyclic and heterocyclic aromatic hydrocarbons and DNA damage: a review, *Toxicol Appl Pharmacol* 206, 73–93
- Yen, K. M., and C. Gunsalus., 1982, Plasmid gene organization: naphthalene/salicylate oxidation, *Proc. Natl. Acad. Sci. U.S.A.* 79:874-878
- Yen K-M, Serdar CM., 1988, Genetics of naphthalene catabolism in pseudomonads, CRC Crit. Rev. *Microbiol.*, 15: 247-268
- Yirui, W., 2010, Degradation of Polycyclic Aromatic Hydrocarbons (PAHs) by Mangrove Sediment Fungi, Thesis, Departmen of Biology and Chemistry, City University of Hong Kong
- Yuan, Y. J., Lu, Z. X., Wu, N., Huang, L. J., Lu, F. X., & Bie, X. M., 2005, Isolation and Preliminary Characterization of Novel Nicotin-degrading Bacterium, *Ochrobactrum intermedium* DN2. International *Biodeterioration & Biodegradation*, 56: 45 – 50
- Yuliani, H., 2014, Biodegradasi Poliaromatik Hidrokarbon Pirena oleh Bakteri yang Diisolasi dari Laut Cilacap dan Laut Marina, Depok: Fakultas Teknik, Universitas Indonesia, *Disertasi*