

## DAFTAR PUSTAKA

- Ahmad,I., Maramis,R., Sastrodihardjo,S., Permana,A.D., 2008, *Abudant Parasitoids of Erionota thrax (Lepidoptera; Hesperidae) in Four Banana Plantations around Bandung areas, Presented at International Conference of Mathematic and Natural Science ITB*, hal 1-7
- Ahuja,Satinder, 2003, *Chromatography and Separation Science Volume 4*, Elsevier:USA, Hal 4, 81-90
- Albinson,Bo, Norden,B., 1992, **Excited-State Properties of the Indole Chromophore. Electronic Transition Moment Direction from Linear Dichroism Measurements: Effect of Methyl and Methoxy Substituents**, *J.Phys.Chem*,96,6204-6212
- Astuti,E.P., Riyadhi,A., Ahmadi,N.R.,2011,**Efektivitas Minyak Jarak Pagar Sebagai Larvasida Anti-Oviposisi dan Ovisida Terhadap Larva Nyamuk Aedes albopictus**, *Bul. Littro.*,22,(1),44-53
- Capinera,J.L., 2008, *Encyclopedia of Entomology 2nd Edition*, USA: Springer, hal 365
- Cordell,G.,Choi,T.,1981, *Photochemistry and Pharmacognosy: Alkaloids and Their Biosynthesis*,EOLSS, hal 1-13
- Cornelius,W., Akeng'a,T., Obiero,G., Lutta,K.,2009,**Antifeedant Activities of the Erythraline Alkaloids from Erythrina latissima against Spodoptera littoralis (Lepidoptera noctuidae)**, *Record of Natural Product*,3,(2),96-103
- Diwan,R.K., Saxena,R.C.,2010,**Insecticidal Property Of Flavonoid Isolated From Tephrosia purpura**, *International Journal of Chemistry Scientific*, 8,(2),777-782
- Echeverri,F., Cardona,G., Torres,F., Pelaez,C., Quinones,W., Renteria,E., 1991, **Ermanin: an Insect Deterrent Flavonoid from Passiflora foetida**, *Phytochemistry*, 30, (1), 153-155
- European Food Safety Authority, 2008, *Pest Risk Assesment made by France on Erionota thrax L. Considered by France as harmful in French overseas Department of French Guiana Guadeloupe.Mrtinique and Reunion*, 672, 1-23
- Fatimah,N.,2004, **Isolasi dan Uji Biolarvasida Senyawa Flavonoid dari Kulit Batang Saccopetalum horfieldii Benn**, *Skripsi*, Jurusan Kimia FMIPA UNAIR
- Govindachari,T., Suresh,G.,Gopalakrishnan,G., Wesley,S.,2000,**Insect Antifeedant and Growth Regulating Activities of Neem Seed Oil - The Role of Major Tetranortriterpenoids**,*JAE*,124,287-291

- Guo,H., Yang,M., Qi,Q.,2013,**Insecticidal and Antifeedant effects of two alkaloid from Cynanchum komarovii against larvae of Plutella xylostella L.,Insecticidal Effects of Alkaloids, JAE, 138,133-140**
- Hamzah,A., Arbain,D., Mahyudin, Sargent,M., Lajis,N., 1994, **The Alkaloids of Ophiorrhiza communis and O. Tomentosa, Journal of Science And Technology, 2,(1), 33-38**
- Herraiz,T., Gonzalez,D., Ancin-Azpilicueta,C., Aran,V.J., Guillen,H., 2010, **B-Carboline alkaloids in Peganum harmala and Inhibition of Human monoamin oxidase (MAO), Food and Chemical Toxicology, 48, 839-845**
- Ismaryono,Dwi.,2004, **Isolasi Identifikasi dan Uji Aktivitas Insect Antifeedant Senyawa Alkaloid dari Kulit Batang Saccopetalun Horsfieldii Benn, Skripsi, Jurusan Kimia FMIPA UNAIR**
- Kannan,S., Devi,B.P., Jayakar,B,2011,**Antibacterial evaluation of the methanolic extract of Passiflora edulis, Journal for Drugs and Medicines,3,(1),46-49**
- Kalshoven, L.G.E, 1981, *Pests of Crops in Indonesia*. Van der Laan PA, penerjemah. Jakarta: Ichtiar Baru-Van Hoeve, (Terjemahan dari: De Plagen van de Cultuurgewassen in Indonesie)
- Kementrian Pertanian,2011,*Pedoman Pembinaan Penggunaan Pestisida*,Direktorat Jenderal Prasarana dan Sarana Pertanian, Direktorat Pupuk dan Pestisida, Kementrian Pertanian.
- Krishnaveni,A., Thaakur,S.A., 2011, **Harmaline from Passiflora foetida,Int. J. Pharm, 4,(1),323-324**
- Kristanti,A.N., Aminah,N.S., Tandjung,M., Kurniadi,B,2008, *Buku Ajar Fitokimia*.Surabaya: Jurusan Kimia-Laboratorium Kimia Organik FMIPA UNAIR
- Meyer,B.N., Ferrigini,N.R., Putnam,J.E., Jacobsen,L.B., Nichols,D.E., McLaughlin,J.L, 1982, **Brine Shrimp: A Convenient General Bioassay for Active Plant Constituents, Planta Medica, 45, 31-34**
- Madhumathi,S., Rajendran,S.,2011,**Sedative and Hypnotic Activity Passiflora Incarnata L,International Journal of Applied Biology and Pharmaceutical Technology,2,(2),471-473**
- Mahardika,I., Puspawati,N., Widihati,I.,2014 **,Identifikasi Senyawa Aktif Antifeedant dari Ekstrak Daun Pangi (Pangium Sp) Dan Uji Aktivitasnya Terhadap Ulat Kubis (Plutella Xylostella), Jurnal Kimia, 8,(2),213-219**
- Medeiros,J., Lima,E., Medeiros,H.,1994,*Relationship Between The Structure of Flavonoids and Antifeedant Activity Against Mythima unipuncta (Haworth)(Lepidoptera:Noctuidae)*, Universidade dos Agores

- Minarni,E., Armansyah,T., Hanafiah,M.,2013,**Daya Larvasida Ekstrak Etil Asetat Daun Kemuning (*Murraya paniculata* (L) Jack) Terhadap Larva Nyamuk *Aedes aegypti***, *Jurnal Medikal Veterinaria* ,7,(1),27-29
- Minawarty, Supriadi,dan Jaya,B,2012,**Uji Efektivitas Ekstrak Kulit Langsung (*Lansium domesticum*) Sebagai Anti Nyamuk Elektrik Terhadap Nyamuk *Aedes aegypti***, *Jurnal Akademika Kimia*,1,(4),147-152
- Muniappan,R., Shepard,B.M., Carner,G.R., 2012, *Anthropod Pests of Horticultural Crops in Tropical Asia*,CABI:London,UK
- Odewo,S.A., Agbeja,A.O., Olaifa,K.A., Ojo,A.P.,Ogundana,S.A.,2014, **Proximate and Spectroscopic Analysis of *Passiflora foetida* L**, *International Journal of Scientific and Technology Research*,3,(9),353-356
- Papl,M., Fahrinch,J., Tatar,V., 1990, *Chromatographic Analysis of Alkaloid volume 53*, USA: Marcel Dekker Inc hal 52
- Patel,S.S., Soni,H., Mishra,K., Singhai,A.K.,2011,**Recent updates on the genus *Passiflora*: A Review**, *International Journal of Research in Phytochemistry & Pharmacology* ,1,(1),1-16
- Patil,A.S., Paikrao,H.M., Patil,S.R,2013,***Passiflora foetida* Linn: A Complete Morphological and Phytopharmological Review**, *International Journal of Pharma and Bio Sciences*,4,(1),285-296
- Poole,Colin.F., Poole,Salwa.K., 1991,*Chromatography Today*,Elsevier:USA hal 1-2
- Pramita,D., Harlia, Sayekti,E., 2013, **Karakterisasi Senyawa Alkaloid dari Fraksi Etil Asetat Daun Kesum (*Polygonum minus* Huds)**, *JKK*,2,(3),142-147
- Pyka,A., Budzisz,M., Dolowy,M., 2013, **Validation Thin Layer Chromatography for the Determination of Acetaminophen in Tablets and Comparison with a Pharmacopeial Method**, *Biomed International*, 1-10
- Rahayu,M., Sunarti,S., Sulistiarini,D., Prawiroatmodjo,S.,2006,**Pemanfaatan Tumbuhan Obat secara Tradisional oleh Masyarakat Lokal di Pulau Wawonii, Sulawesi Tenggara**,*Biodiversitas*,7,(3),245-250
- Rueda,L.M,2008,**Global diversity of mosquitoes (Insecta: Diptera: Culicidae) in Freshwater**,*Freshwater Animal Diversity Assessment*, 477-478
- Santi,Sri Rahayu,2014,**Senyawa Antimakan pada Minyak Biji Nyamplung (*Calophyllum inophyllum* L.)**, *Jurnal Kimia*, 8,(2),226-230
- Shukla,Y., Rani,A., Tripathi,A., Sharma,S.,1996,**Antifeedant Activity of Ursolic Acid Isolated from *Duboisia Myoporoides***, *Phytotherapy Research*,10,359-360

- Siciliano,T., De Leo,M., Bader,A., De Tommasi,N., Vrieling,K., Braca,A., Morelli,I.,2005,**Pyrrrolizidine alkaloids from *Anchusa strigosa* and their antifeedant activity**,*Phytochemistry*,66,1593-1600
- Simirgiotis,M.J., Schmeda-Hirschmann,G., Borquez,J.,Kennelly,E.J.,2013,***The Passiflora tripartita (Banana Passion) Fruit: A Source of Bioactive Flavonoid C-Glycosides Isolated by HSCCC and Characterized by HPLC–DAD–ESI/MS/MS***,*Molecules*,18,1672-1692
- Sorensen,H., Sorensen,S., Bjerregaard,C., Michaelsen,S., 1999, *Chromatography and Capillary Electrophoresis in Food Analysis*,The Royal Society of Chemistry:UK, hal: 144,136
- Srivastava,S., Gupta,M., Prajapati,V., Tripathi,A., Kumar,S.,2001, **Sesamin a Potent Antifeedant Principle from *Piper mullesua***, *Phytotherapy Research*, 15,70-72
- Sunarjono,H.,2008, *Berkebun 21 Jenis Tanaman Buah*.Jakarta: Niaga Swadaya
- Tabuni,L., Wahjuni,S., Ratnayani,O., 2014,**Identifikasi Senyawa Aktif Antimakan Biji Sirsak (*Annona muricata L.*) Terhadap Ulat Kubis (*Plutella xylostella*)**,*Jurnal Kimia*,8,(2),206-21
- Yano,Katsumi, Hideki,Kamimura, 1993, **Antifeedant Activity toward Larvae of *Pieris rapae crucivora* of Phenolethers Related to Methyleugenol Isolated from *Artemisia capillaris***, *Biosci.Biotech.Biochem*, 57,(1),129-130