

DAFTAR PUSTAKA

1. Ozben B & Erdogan O. (2008), 'The role of inflammation and allergy in Acute Coronary Syndromes', *Inflammation & Allergy-Drugs Target*, 7,136-144
2. Haelts V, Timmer J, Crijns H.et al.(2001), 'No long lasting or intermittent mast cell activation in acute coronary syndromes', *Int J Cardiol*, 78:75-80.
3. Laine P, Kaatinen M, Penttila A. et al (1999), 'Association between myocardial infarction and the mast cells in the adventitia of the infarct-related coronary artery', *Circ*,99:361-369
4. Kounis N, Tsigas G, Almpanis G.et al.(2011), 'Tryptase levels in coronary syndromes and hypersensitivity episodes : A common pathway towards Kounis syndromes', *Atherosclerosis*, 219, 28-29.
5. Janicky J, Brower G, Chancey A, et al. (2008), 'Cardiac Mast cells as mediator of Ventricular Remodelling', *Interstitial fibrosis in heart failure developments in cardiovascular medicine*, vol.253,197-209.
6. Filipiak KJ, Agnieszka KC, adam R. Et al (2007), 'Serum tryptase and tumor necrosis factor alpha levels in patients with acute coronary syndromes', *Acta Fac Med Naiss*, 24(4):173-181
7. Xiang M, Sun J, Lin Y. Et al. (2011), 'Usefulness of serum tryptase level as an independent biomarker for coronary plaque instability in a chinese population', *Atherosclerosis*,215(2),494-499.
8. Chen S, Mu D, Cui M.et al.(2014), 'Dynamic changes and clinical significance of serum tryptase levels in STEMI patients treated with primary PCI', *Biomarker*, 19(7):620-624.
9. Lewicki L, Siebert J, Marek-Trzonkowska N.et al.(2015), 'Elevated serum tryptase and endothelin in patients with ST segment elevation myocardial infarction : pre-eliminary report', *Mediators of inflammation*, 395173, 7 pages
10. Pastorello E, Morici N, Farioli L. et al. (2014), 'Serum tryptase : a new biomarker in patients with acute coronary syndrome?', *Int Arch Allergy Immunol*, 164:97-105.
11. Frangogiannis N. (2006), 'The mechanistic basis of infarct healing', *Antioxid Redox Signal*, 8,1907-1939.
12. Opie L, Commerford P, Gersh B et al. (2006), 'Controversies in ventricular remodelling', *Lancet*, 367:356-67
13. Farah E, Cognl A, Minicucci M,et al.(2012), 'Prevalence and predictors of ventricular remodelling after anterior myocardial infarction in the era of modern medical therapy', *Med Sci Monit*,18(5),CR276-281.

14. Loon R, Veen G, Kamp O et al (2014) ,'Left ventricle remodelling after acute myocardial infarction : the influence of viability and revascularization – an ecgocardiographic substudi of the VIAMI-trial', *Trials*, 15: 329
15. Somasundaram P, Ren G, Nagar H. Et al.(2005), 'Mast cell tryptase may modulate endothelial cell phenotype in healing myocardial infarcts', *J Pathol*, 205 :102-111.
16. Kwon J, Kim Y, Cho A. et al (2011), 'The novel role of mast cells in the microenvironment of acute myocardial infarction', *Journal of Molecular and cellular cardiology*, 50,814-825.
17. Janicky J, Brower G & Levick S.(2015), 'The emerging prominence of the cardiac mast cell as a potent mediator of adverse myocardial remodelling', *Methods Mol Biol*, 1220:121-139.
18. McLarty J, Melendez G, Brower G.et al (2011), 'Tryptase/Protease-activated receptor 2 interactions induce selective mitogen activated protein kinase signaling and collagen synthesis by cardiac fibroblast', *Hypertension*, 58:264-270.
19. Kumar A & Cannon C.(2009), ' Acute Coronary Syndromes : Diagnosis and Management Part 1', *Mayo Clin Proc*, 84(10) : 917-938
20. Fuster V, Walsh R & Harrington R.(eds), 'Definition of Acute Coronary Syndromes : Introduction', in. *Hurst's The Heart, 13th Edition*, The McGraw-Hill Companies, 2011.
21. Fox K.(2004), 'Coronary disease Management of acute coronary syndromes : An Update', *Heart*, 90,698-706
22. Kounis N.(2006), 'Kounis syndrome (allergic angina and allergic myocardial infarction) : a natural paradigm ?', *International Journal of cardiology*, 110:7-14.
23. Shah P.(1997), 'New insight into the pathogenesis and prevention of acute coronary syndromes', *Am J Cardiol*, 79(12B): 17-23.
24. Kovanen P. (2007), ' Mast cells and degradation of pericellular and extracellular matrices : potential contributions to erosion, rupture and intraplaque haemorrhage of atherosclerotic plaques', *Biochemical Society Transactions*, vol 35 part 5.
25. Hansson G.(2005), 'Inflammation, atherosclerosis and coronary artery disease', *N Engl J Med*, 352:1685-95.
26. Packard R & Libby P.(2008), 'Inflammation in atherosclerosis : from vascular biology to biomarker discovery and risk prediction', *Clinical Chemistry*, 54:1,24-48
27. Stoll G & Bendsuz M. (2006), 'Inflammation and atherosclerosis Novel insight Into plaque formation and destabilization', *Stroke*, 37:1923-1932

28. Mulhivil N & Foley J.(2002), 'Inflammation in acute coronary syndromes', *Heart*,87:201-204.
29. Bot I & Biessen E. (2011), 'Mast cells in atherosclerosis', *Thrombosis and haemostasis*, 106:820-826.
30. Levick S, Melendez G, Plante E, et al. (2011), 'Cardiac mast cells : the centrepiece in adverse myocardial remodelling', *Cardiovascular research*, 89,12-19.
31. Alevizos M, Karagkouni A, Panagiotidou S.eta. (2013), 'Stress triggers coronary mast cells leading to cardiac events', *Ann Allergy Asthma Immunol*, 1-8.
32. Kaartinen M, Penttila A, Kovanen P.(1994), 'Accumulation of activated mast cells in the shoulder region of human coronary atheroma, the prediction site of atheromatous rupture', *Circulation*, 90:1669-78.
33. Payne V & Kam P. (2004), 'Mast cell tryptase : a review of its physiology and clinical significance', *Anaesthesia*, 59,695-703.
34. Filipiak KJ, Tarchalska-Krynska B, Opolski G, et al (2003), ' Tryptase levels in patients after acute coronary syndromes: the potential new marker of an unstable plaque?', *Clin Cardiol*, 26:366-72.
35. Upadhya B, Kontos J, Ardeshirpou F. Et al.(2004), 'Relation of serum levels of mast cell tryptase of left ventricular systolic function, left ventricular volume or congestive heart failure', *J Card Fail*,10:31-35
36. Hori M & Nishida K. (2009), 'Oxidative stress and left ventricular remodelling after myocardial infarction', *Cardiovascular research*, 81,457-464.
37. Cowie M, Lacey L, Tabberer M. (2005), 'Heart failure after myocardial infarction : a neglected problem ?', *Br J Cardiol*, 12 : 205-08.
38. Fraccarollo D, Galuppo P, Bauersachs J. (2012), 'Novel therapeutic approaches to post-infarction remodelling', *Cardiovascular research*,94,293-303.
39. Sutton M & Sharpe N. (2000), 'Left ventricular remodelling after myocardial infarction pathophysiology and therapy', *Circulation*, 101:2981-2988.
40. Frangogiannis N.(2006), 'The mechanistic basis of infarct healing', *Antioxid Redox Signal*,8,1907-1939
41. Stefanon I, Valero-Munoz M, Fernandez A. et al. (2013), 'Left and right ventricle late remodelling following myocardial infarction in rats', *Plos ONE*, 8(5).
42. Frangogiannis N, Perrard J, Mendoza L. Et al.(1998), 'Stem cell factor induction is associated with mast cell accumulation after canine myocardial ischemia and reperfusion', *Circulation*,98:687-698.

43. Kong P, Christia P & Frangogiannis N. Et al.(2014), 'The pathogenesis of cardiac fibrosis', *Cell Mol Life Sci*, 71(4),549-574.
44. Antoniak S, Rojas M, Spring D.et al (2010), 'Protease-activated receptor 2 deficiency reduces cardiac ischemia/reperfusion injury', *Arteriocler Thromb Vasc Biol*, 30:2136-2142.
45. Feigenbaum H, Armstrong W & Ryan T.(eds), 'Coronary artery disease', in *Hemodynamics in Feigenbaum's Echocardiography*, 6Th Edition, Lippincott Williams & Wilkins, 2005.
46. Stillman A, Oudkerk M, Bluemke D. Et al (2011), 'Assesment of acute myocardial infarction : current status and recommendation from the Nort American societ for cardiovascular imaging and the European society of cardiac radiology', *Int J Cardiovasc Imaging*, 27:7-24.
47. Mannaerts H, Van der Heide J, Kamp O.et al.(2004), 'Early identification of left ventricular remodelling after myocardial infarction, assesses by transthoracic 3D echocardiography', *European Heart Journal*,25,680-687.
48. Lang R, Bierig M, Devereux R.et al.(2005), 'ASE committee recommendation : Recommendation for chamber quantification A report from the American Society of Echocardiography's Guidelines and Standarts committee and the chamber quantification writing group, developed in conjunction with the European Association of Echocardiography, a branch of the European Society of Cardiology', *J Am Soc Echocardiogr*, 18, 1440-1463.
49. Cohn J, Ferrari R, Sharpe N. Et al.(2000), 'Cardiac remodelling – concepts and clinical implications : A consensus paper from an international forum on cardiac remodelling', *J Am Coll Cardiol*, 35:569-82.
50. Hung C, Verma A,Bourgoun M. Et al.(2008), 'Role of longitudinal and circumferential strain rate in the prediction of left ventricular remodelling and prognosis after myocardial infarction : The VALIANT Study', *Circulation*,118:S684.
51. Zaliaduonyte-Peksiene D, Simonyte S, Lesauskaite V.et al.(2012), 'Left ventricular remodelling after acute myocardial infarction : impact of clinical, echocardiographic parameters and polymorphism of angiotensinogen gene', *Journal of the renin-angiotensin-aldosterone system*, 0(0),1-8.
52. Fertin M, Lemesle G, Turkieh A. et al (2013), 'Serum MMP-8 : A novel indicator of left ventricular remodelling and cardiac outcome in patients after myocardial infarction', *PloS ONE*, 8(8):e71280.
53. Vieira M, Oliveira W, Cordovil A, et al.(2013), '3D echo pilot study of geometric left ventricular changes after myocardial infarction', *Arq Bras Cardiol*, 101(1):43-51.

54. Bolognese L & Cerisano G.(1999), 'Early predictors of left ventricular remodelling after acute myocardial infarction', *Am Heart J*, 138:S79-83.
55. Steg P, Golderbg R, Gore J et al. (2002), 'Baseline characteristics, management practices, and in-hospital outcomes of patients hospitalized with acute coronary syndromes in the Global Registry of Acute Coronary Events (GRACE)', *Am J Cardiol*, 90:358-363.
56. Fox K, Dabbous O, Goldberg R. Et al. (2006), 'Prediction risk of death and myocardial infarction in the six months after presentation with acute coronary syndrome : prospective multinational observational study (GRACE)', *BMJ*, 333:1091-4.
57. Zahrawardani D, Herlambang K, Anggaraheny H. (2013), ' Analisis faktor resiko kejadian penyakit jantung koroner di RSUP Dr Kariadi Semarang', *Journal kedokteran muhammadiyah* , vol 1 no 2
58. Farahdika A & Azam M. (2015), ' Faktor resiko yang berhubungan dengan penyakit jantung koroner pada usia dewasa madya (41-60 tahun)', *Unnes Journal of Public Health*, 4(2).
59. Cuculo A, Summaria F, Schiavino D et al. (1998) , 'Trypase levels are elevated during spontaneous ischaemic episodes in unstable angina but not after ergonovine test in variant angina', *Cardiologia*, 43:189-193
60. Bolognese L, Neskovic A, Parodi G, et al.(2002), 'Left ventricular remodelling after primary coronary angioplasty, pattern of left ventricular dilation and long term prognostic implications', *Circ*, 106:2351-2357.

LEMBAR PENGESAHAN

**HUBUNGAN ANTARA KADAR TRYPTASE DENGAN
VENTRICULAR REMODELLING SETELAH 1 BULAN
PADA PENDERITA SINDROMA KORONER AKUT**

Luluk Dwi Yuni
NIM. 010981348

KARYA AKHIR INI TELAH DISETUJUI
PADA TANGGAL : 22 Desember 2015

Oleh:

Pembimbing Pertama

Prof DR.dr.Djoko Soemantri, SPJP(K),FIHA

Pembimbing Kedua

DR. dr. J.Nugroho Eko Putranto,SPJP(K),FIHA

Koordinator Pendidikan

dr. Agus Soebagio, SpJP(K), FIHA

Koordinator Penelitian


Prof. DR.dr. DjokoSoemantri, dr., SpJP(K), FIHA

Dr. J. NugrohoEkoPutranto, dr., SpJP(K), FIHA

Mengetahui,

Ketua Departemen

Ilmu Penyakit Jantung dan Pembuluh Darah FK UNAIR


M. Aminuddin, dr., SpJP(K), FIHA, FASCC
NIP 19540626 198011 1 044

PERNYATAAN

Saya yang bertanda tangan di bawah ini menyatakan bahwa karya akhir ini adalah hasil karya saya sendiri dan di dalamnya tidak terdapat karya yang pernah diajukan untuk memperoleh gelar kesarjanaan di suatu perguruan tinggi dan lembaga pendidikan lainnya. Semua sumber baik yang dikutip maupun dirujuk telah saya nyatakan dengan benar di dalam tulisan dan daftar pustaka.

Surabaya, 22 Desember 2015

Yang membuat pernyataan,



Luluk Dwi Yuni, dr.