

DAFTAR PUSTAKA

- Amini 2011, "Health Problem May Have Proteinuria CKD As a Considerable <php/JPPS/Artikel/ download CKD as a Consideable>
- Beiber, SD&Himmelfarb, J 2013, 'Hemodialysis' dalam Coffman, TM, Falk, RJ, Molitoris, BA, Neilson, EC &Schrier, RW (ed.),*Schrier's disease of the kidney*, edisi 9, Lippincott Williams & Wilkins, Philadelphia.
- Black, JM & Hawks, JH 2009, *Medical surgical nursing: clinical management for positive outcomes*,edisi 8, Elseiver, Singapore.
- Chazot, C& Jean, G 2010,'Intradialytichypertension: it is time to act', *NephronClinPract*, vol. 115, hal. 182–88.
- Daugridas, Blake, & Ing 2007, Handbook Dialysis,Cronic Kidney Disease Manajement. By Tibor Pasminka.Philadelphia.
- Depraxis, L 2010, 'Mitos Kebiasaan 21 Hari', diakses 17 Oktober 2014, <<http://lexdepraxis.wordpress.com>>. Diakses 19 November 2014
- Dochterman & Bulechek 2004, "Rehabilitation Nursing, Prevention, Intervention, and Outcome, Health Science Raghes Departement in Philadelphia
- Doengoes, MEet al 2010,*Nursing care plans: guidelines for individualizing client care across the life span*,edisi 8, Davis Company Yang, Philadeplphia.
- Dorothy Young Brocokopp 2001, *Dasar-dasar riset keperawatan*, edisi 2, Jakarta.
- Era 2008, Quality of care in and stage renal disease, jurnal nephrol deal transplant, 2008 April 23
- Gomez 2005, *Validity of standard information protokol profidid to endsted renal disease and treatment selection*, Canada, vol. 19, hal.401-477.
- Gatot 2003, 'Rasio reduksi ureum dalam dialisis', Skripsi Sarjana, Universitas Sumatera Utara, Medan diakses 17 Oktober 2014,<<http://Library.Usu.ac.id/dounload/file/penyakit>>
- Gorzewska 2008, Angiotensin Reseptor Block Lowers Protein Excretion in CKD, <<http://hasla forum.gazeta.pl/szukaj/forum,gazeta pl>> Diakses 22 Desember 2014.
- Ikaristi, S 2003, 'Kepatuhan diet dan kualitas hidup penderita gagal ginjal kronik yang dilakukan terapi hemodialisa di Rumah Sakit Panti Rapih', Skripsi Sarjana, Universitas Gajah Mada, Yogyakarta.

Imam Hadi Yuwono 2013 PROSIDING KONFERENSI NASIONAL PPNI JAWA TENGAH 2013 Pengaturan Kecepatan Aliran Darah (Quick Of Blood) Terhadap Rasio Reduksi Ureum Pada Pasien Penyakit Ginjal Kronik Yang Menjalani Hemodialisis Di Unit Hemodialisis RSUD Kota Semarang UNIMUS imamhadiuwono@yahoo.com

Isnani 2009, "The Link Between Cronic Kidney Disease and Cardiovaskuler Disease.
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4160322/> artikel Journal of Nephrology diakses 12 September 2014.

KDIGO 2013, 'Clinical practice guideline for the evaluation and management of chronic kidney disease', *KidInt Supplements*, vol. 3, hal.18-27.

KDOQI 2006, 'Clinical practice guidelines on hypertension and anti hypertensive agent in chronic kidney disease' dalam *Guideline 2 in: evaluation of patientwith CKD or Hypertension*, hal. 1-18.

Kallenbachet al 2005, *Review of hemodialysis for nursing and dialysis personnel*, edisi 7, Elsevier Saunder, St. Louis Missouri.

Kim et al 2004, Moderate renal impairment and risk of dementia among older adults: the Cardiovascular Health Cognition Study. *jurnal neprologi*

Kresnawan, T 2001, *Pengatur makanan (diet) pada pasien gagal ginjal kronik yang menjalani hemodialisa dengan terapi konservatif dan terapi pengganti*, Instalasi Gizi RSCM, Jakarta.

Kubler-Ross, E 1998, *On death and dying (kematian sebagai bagian kehidupan)*, GramediaPustaka Utama, Jakarta.

Lukbin& Larsen 2006, *Chronicillnes impact and intersetition*, Jones and BarlletPublisher, Canada.

Lukman 2013, "Hematological Profile of Chronic Kidney Disease" Hubungan Antara Anemi dengan CKD durante HD.
<http://www.sjkdi.org/artikel-crosssectional/> diakses 15 Desember 2014.

Mistiaen P 2001, 'Thirstinterdialitic weight gain and thirst intervention in hemodialysis patient', *Nephrology Nursing Journal*, vol. 2, hal.1-5.

Min et al 2001, 'Complication of progression of CKD', Advance National Kidney Foundation (NKF) Kidney Disease Outcome Quality Initiative (K/DOQI) Advisory Board: K/DOQI 'Clinical practice guidelines for chronic kidney disease; evaluation, classification, and stratification', *Am J Kidney Dis Suppl*, vol. 39, no. S1-S2, hal. 4612.

Nissenson, AR& Fine, RN 2008, *Handbook of dialysis therapy*, edisi4, Saunders Elsevier, Philadelphia.

Niven, N 2002, *Psikologi kesehatan*, edisi 2, EGC, Jakarta.

- Notoatmodjo, S 1985, *Pengantar ilmuperilaku kesehatan*, BadanPenerbitFakultas Kesehatan Masyarakat Universitas Indonesia, Jakarta.
- Notoatmodjo, S 2002,*Metode penelitian kesehatan*, Rhineka Cipta, Jakarta.
- Nursalam 2013,*Metodologi penelitian ilmu keperawatan: pendekatan praktis*,edisi 3, Salemba Medika, Jakarta.
- Perhimpunan Nefrologi Indonesia: Konsensus Dialisis Jakarta: PERNEFRI;2003,hal 21-34.
- Potter, PA & Perry, AG 2006, *Buku ajar fundamental keperawatan*, EGC, Jakarta.
- Purwaningsihet al 2014, *Pedoman penyusunan proposal dan skripsi program studi pendidikan NERS Fakultas Keperawatan*, Universitas Airlangga, Surabaya.
- Raka, W.I.G&Suwitra, K 2011,'Paradoxical post dialytic blood pressurereaction and association with dialysis modality' dalam Ina, SH (ed.), *Buku proceeding the 5th scientific meeting on hypertension*.
- Rocco and Kliger 2001, "Managing Cardiovaskuler Risk in People With CKD, Edisi 2.
- Roesli, R 2006, 'Terapi pengganti ginjal berkesinambungan (CRRT)'dalam Sudoyo, AW (ed.) , *Buku Ajar Ilmu Penyakit Dalam*,PusatPenerbitan IlmuPenyakit Dalam FKUI, Jakarta.
- Sari, Y 2011, 'Hubungan tingkat stress dan strategi coping pada pasien yang menjalani terapi hemodialisa', *England journal*, diakses 19 April 2014 http://academia.edu/3401185/hubungan_tingkat_stress_pasien_hemodialis_1835089000653.
- Sato, E, Jones, KL, Welbourne, TC, Levi,MV, Blandon, P, Zager, P& Robbins, RA 2002, 'Hemodynamic changes during hemodialysis: role of nitric oxide and endothelin',*Kid Int*, vol.61, hal.697–704.
- Smeltzer, SC & Bare, BG 1996, Brunner &Sudarth's textbook of medical surgical nursing, edisi 8, Lipincot, Philadelphia.
- Sukandar, E 2006, *Gagal ginjal dan panduan terapi dialysis*, UNPAD, Bandung.
- Sulistyaningsih, DR 2011, 'Efektivitas training efikasi diri pada pasien penyakit ginjal kronik dalam meningkatkan kepatuhan terhadap intake cairan', Skripsi Sarjana, Universitas Indonesia, Jakarta.

- Susalit, E 2003, *Ilmu penyakit dalam jilid 3*, edisi 4, ECG, Jakarta.
- Suwitra&Raharjo, R 2006, *Buku ajar ilmu penyakit dalam*, edisi 4, PDSPDI, Jakarta.
- Thomas 2002, *Renal Nursing*, edisi2, Elsevier Saunders, St. LouisMissouri.
- Welas, R 2009, "Hubungan Antara Penambahan Berat Badan di Antara Dua Waktu Hemodialisis (IDWG) terhadap Kualitas Hidup Pasien PGK yang Menjalani Terapi HDDi Unit HD IP2K RSUP FATMAWATI JAKARTA",Jurnal UI
- Welch, P, Johnson & Kraus 2006, 'Interdialytic weight gain the year of hemodialysis', *Nefrologi Nursing Journal*.
- Yetti 2001, 'Pengaturan cairan secara mandiri pada pasien hemodialisis', *Jurnal Keperawatan Indonesia*, vol. 2.
- Young, JM, Terrin, N, Wang, X, Greene, T, Beck, GJ, Kusek, JW, Collins, AJ, Sarnak, MJ &Menon, V 2009,'Asymmetric dimethylarginine and mortality in stages 3 to 4 chronic kidney disease', *Clin J Am SocNephrol*, vol. 4, hal. 1115–2000.

