DAFTAR PUSTAKA

1. Okrainec K, Banerjee DK, and Eisenberg MJ. Coronary Artery Disease in Developing World. American Heart Journal 2004; 148(1): 7-15
2. Pradono J, Sari P, Hapsari D, Suriani T. Survei Kesehatan Nasional. Survei Sosial Ekonomi Nasional (Susenas) 2004 – Substansi kesehatan. Status kesehatan, pelayanan kesehatan, perilaku hidup sehat dan kesehatan lingkungan. Jakarta: Badan Penelitian dan Pengembangan Kesehatan 2004.
3. Gibbons RJ, Chatterjee K, MB, Daley J, Douglas JS, Fihn SD, Gardin JM, et al. ACC/AHA/ACP–ASIM Guidelines for the Management of Patients With Chronic Stable Angina: Executive Summary and Recommendations A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Patients With Chronic Stable Angina). *Circulation*. 1999;99:2829-48
4. Montalescot G, Sechtem U, Achenbach S, Arden C, Budaj A, Bugiardini R, et al. ESC Guidelines on the Management of Stable Coronary Artery Disease. The Task Force on the management of Stable Coronary Artery Disease of the European Society of Cardiology. European Heart Journal 2013: 1-62
5. Cecelja M and Chowiencyzk. Role of Arterial Stiffness in Cardiovascular Disease. J R Soc Med Cardiovasc Dis 2012: 1-10
6. Kotan K and Remaley AT. Cardio-Ankle Vascular Index (CAVI) and its Potential Clinical Implications for Cardiovascular Disease. Cardiol Pharmacol 2013; 108: 1-4
7. Shirai K, Utino J, Saiki A, Tatsuno I, Shimizu K, and Takahashi M. Evaluation of Arteriosclerotic Vascular Disease with a New Noble Stiffness Indicator, Cardio-Ankle Vascular Index (CAVI). J Clin Exp Cardiolog 2012; S1: 1-7
8. Laurent S, Cockcroft J, Bortel LV, Boutouyrie P, Gianattasio C, Hayoz P, et a. Expert Consensus Document on Arterial Stiffness: Methodological Issues and Clinical Applications. Eur Heart J 2006; 27 : 2588-606
9. Sun CK. Cardio-ankle vascular index (CAVI) as an indicator of arterial stiffness. Integrated Blood Pressure Control 2013; 6: 27-38

10. Suceava I, Lighezan D, Serban C, Lighezan R, Gurban C, and Dragan S. The Association Between Arterial Stiffness and Carotid Intima-Media Thickness in Patients with Known Cardiovascular Risk Factors. Clujul Medical 2013; 86 (3): 222 – 27
11. Nakamura K, Tomaru T, Yamamura S, Yamamura S, Miyashita Y, Shirai K, et al. Cardio–Ankle Vascular Index is a Candidate Predictor of Coronary Atherosclerosis. Circ J 2008; 72: 598-604
12. Takaki A, Ogawa H, Wakeyama T, Iwami T, Kimura M, Hadano Y, et al. Cardio-Ankle Vascular Index is Superior to Brachial-Ankle Pulse Wave Velocity as an Index of Arterial Stiffness. Hypertens Res 2008; 31(7): 1347-55
13. Choi SY, OH BH, Park JB, Choi DY, Rhee MY, and Park S. Age-Associated Increase in Arterial Stiffness Measured According to the Cardio-Ankle Vascular Index without Blood Pressure Changes in Healthy Adults. Journal of Atherosclerosis and Thrombosis 2013; 20: 911-23
14. Park JB, Park HE, Choi SY, Kim MK, and Oh BH. Relation between Cardio-Ankle Vascular Index and Coronary Artery Calcification or Stenosis in Asymptomatic Subjects. Journal of Atherosclerosis and Thrombosis 2013; 20: 557-567
15. Miyoshi T, Doi M, Hirohata S, Sakane K, Kamikawa S, Kitawaki T, et al. Cardio-Ankle Vascular Index is Independently Associated with the Severity of Coronary Atherosclerosis and Left Ventricular Function in Patients with Ischemic Heart Disease. Journal of Atherosclerosis and Thrombosis 2010; 17: 249-58
16. Izuhara M, Shioji K, Kadota S, Baba O, Takeuchi Y, Uegaito T, et al. Relationship of Cardio-Ankle Vascular Index (CAVI) to Carotid and Coronary Arteriosclerosis. Circ J 2008; 72: 1762-1767
17. Kim KH, Jeong MH, Cho SH, Moon JY, Hong YJ, Park HW, et al. Clinical Effects of Calcium Channel Blocker and Angiotensin Converting Enzyme Inhibitor on Endothelial Function and Arterial Stiffness in Patients with Angina Pectoris. J Korean Med Sci 2009; 24: 223-231
18. Hata K, Nakagawa T, Mizuno M, Yanagi N, Kitamura H, Hayashi T, et al. Relationship between smoking and a new index of arterial stiffness, the cardio-ankle vascular index, in male workers: a cross-sectional study. Tobacco Induced Diseases 2012; 10 (11): 1-5
19. Feihl F, Liaudet L, Levy BI, and Waeber B. Hypertension and Microvascular Remodelling. Journal of European Society of Cardiology 2008; 78: 274-285

20. Tian G, Wei W, Zhang W, Zhang L, You H, Liu W, et al.Increasing age associated with elevated cardio–ankle vascular index scores in patients with type 2 diabetes mellitus. Journal of International Medical Research 2013; 41(2): 435–44
21. Jani M, Lunder M, and Šabovic M. Arterial Stiffness and Cardiovascular Therapy. Biomed Research International 2014: 1-11
22. Zhao W, Gong W, Wu N, Li Y, Ye K, Lu B, et al. Association of Lipid Profiles and the Ratios with Arterial Stiffness in Middle-Aged and Elderly Chinese. Lipid in Health and Disease 2014; 13(37): 1-6
23. Zieman SJ, Melenovsky V, and Kass DA. Mechanisms, Pathophysiology, and Therapy of Arterial Stiffness. Arterioscler Thromb Vasc Biol 2005; 25: 932-43
24. Erbel R, Mohlenkamp S, Kerkhoff G, Budde T, and Schermund A. Noninvasive Screening for Coronary Artery Disease: Calsium scoring. Heart 2008;93: 1620-29
25. Naghavi M, Falk E, Hecht HS, Jamieson MJ, Kaul S, Berman D, et al. From Vulnerable Plaque to Vulnerable Patient-Part III: Executive Summary of the Screening for Heart Attack Preventon and Education (SHAPE) Task Force Report 2006; 98(2A): 2-15
26. Engelen L, Fereira I, Stehouwer CD, Boutouyrie P, and Laurent S. Reference Intervals for Common Carotid Intima-Media Thickness Measured with Echotracking: Relation with Risk Factors. European Heart Journal 2013.; 34(30): 2368- 80
27. Bots ML, Baldassarre D, Simon A, Groot E, O'Leary DH, Riley W, et al. Carotid-Intima Media Thickness and Coronary Atherosclerosis: Weak or Strong Relations?. Eur Heart J. 2007; 28(4): 398-406
28. Touboul PJ, Hennerici MG, Meairs S, Adams H, Amarenco P, Bornstein N, et al. Mannheim Carotid Intima-Media Thickness Consensus (2004-2006). Cerebrovasc Dis 2007; 23: 75-80
29. Mackenzie IS, Wilkinson IB, and Cockcroft JR. Assessment of arterial stiffness in clinical practice.Q J Med 2002; 95:67–74
30. Shirai K, Utino J, Otsuka K, and Takata M. A Novel Blood Pressure-Independent Arterial Wall Stiffness Parameter; Cardio-Ankle Vascular Index (CAVI). J Atheroscler Thromb 2006; 13: 101-7
31. Shirai K, Hiruta N, Song M, Kurosu T, and Suzuki J. Cardio-Ankle Vascular Index (CAVI) as a Novel Indicator of Arterial Stiffness: Theory, Evidence, and Perspectives. J Atheroscler Thromb 2011; 18: 924-38

32. Takaki A, Ogawa H, Wakeyama T, Iwami T, Kimura M, Hadano Y, et al. Cardio-Ankle Vascular Index is a New Noninvasive Parameter of Arterial Stiffness. Circ J 2007;71: 1710-14
33. Kubozono T, Miyata M, Uayama K, Nagaki A, Otsuji Y, Kusano K, et al. Clinical Significance and Reproducibility of New Arterial Distensibility Index. Circ J 2007; 71: 89-94
34. Ibata J, Sasaki H, Kakimoto T, Matsuno S, Nakani M, Kobayashi M, et al. Cardio-Ankle Vascular Index measures Arterial Wall Stiffness Independent of Blood Pressure. Diabetes Res Clin Pract 2008; 80: 265-70
35. Shirai K, Song M, Suzuki J, Kurosu , Oyama , Nagayama D, et al. Contradictory Effects of β1 and α1 Adrenergic Receptor Blockers on Cardio-Ankle Vascular Stiffness Index (CAVI)- the Independency of CAVI from Blood Pressure. J Atheroscler Thromb 2011; 18: 49-55
36. Lloyd-Jones DM, Larson MG, Beiser A, Levy D. Lifetime risk of developing coronary heart disease. Lancet 1999; 353: 89-92
37. Ayanian JZ, Epstein AM. Differences in the use of procedures between women and men hospitalized for coronary heart disease. New Engl J Med 1991: 325: 221-5
38. Jousilahti P, Vartiainen E, Tuomilehto J, Puska P. Sex, Age, Cardiovascular Risk Factors, and Coronary Heart Disease. A prospective Follow-Up Study of 14786 Middle-Aged Men in Women in Finland. Circulation 1999; 99: 165-72
39. Lennep JE, Westerveld HT, Erkelens DW, Van der Wall EE. Risk Factors for Coronary Heart Disease; Implication of gender. Cardiovascular Research 2002; 53: 538-49.
40. Simons PCG, Algra A, Bots ML, Grobbee DE, and Graaf YVD. Common Carotid Intima-Media Thickness and Arterial Stiffness. Indicators of Cardiovascular Risk in High-Risk Patients The Smart Study *Second Manifestations of ARTerial Disease). Circulation 1999; 100: 951-7.
41. Gómez-Marcos MA, Recio-Rodrigues JI, Rodrigues-Sanchez E, Patino-Alonso M, Magallon-Botaya R, Martinez-Viscaino V, et al.
42. Fan AZ, Labrador MP, Merz CN, Iribarren C, and Dwyer JH. Smoking status and common carotid artery intima-medial thickness among middle-aged men and women based on ultrasound measurement: a cohort study. BMC Cardiovasc. Disoreder 2006; 6: 42

43. Paramsothy P, Knopp RH, Bertoni AG, Blumenthal RS, Wasserman BA, Tsai MY, et al. Association of Combinations of Lipid Parameters with Carotid-Intima Media thickness and Coronary Artery Calcium in the MESA (Multi-Ethnic Study of Atherosclerosis). JACC 2010; 56(13): 1034-41
44. Leite A, Santos A, Monteiro M, Gomes L, Veloso M, and Costa M. Impact of overweight and Obesity in Carotid Intima –Media Thickness of Portuguese adolescent. Acta Pediatr 2012; 101(3): 115-21
45. Rohani M, Jogestrand T, Ekberg M, Linden J, kallner G, Jusilla R, et al. Interaction between the extent of atherosclerosis in the thoracic aorta, carotid-intima media thickness and the extent of coronary artery disease. Atherosclerosis 2004; 179(2): 311-6