

## DAFTAR PUSTAKA

1. World Health Organization. Global Tuberculosis Report 2012. Geneva, Swiss.
2. Kementerian Kesehatan RI. Pedoman Nasional Pelayanan Kedokteran Tata Laksana TB 2013. Jakarta
3. World Health Organization. Global Tuberculosis report 2014. Geneva, Swiss.
4. Shibagaki T, Hasegawa Y, Sarito H, Yamori S, Shimokata K. Adenosine deaminase isoenzymes in tuberculous pleural effusion. *J Lab Clin Med* 1996;127:348–52.
5. Chen ML, Yu WC, Lam CW, Au KM, Kong FY, Chan Albert YW. Diagnostic value of pleural fluid adenosine deaminase activity in tuberculous pleurisy. *Clinica Chimica Acta* 341.2004:101–107
6. Mathur P.C, Tiwari K.K, Trikha S, Tiwari D. Diagnostic value of adenosine deaminase (ADA) activity in tubercular serositis. *Indian J Tuberc* 2006; 53:92-95
7. Laborin R.L, Ysidro S. Adenosine Deaminase in the Diagnosis of Tuberculous Pleural Effusion. Is it Really an Ideal Test? A Word of Caution. *CHEST* 2005; 127(2).
8. Riantawan P, Chaowalit P, Wonsangiem M, Rojanarawee Wong P. Diagnostic Value of Pleural Fluid Adenosine Deaminase in Tuberculous Pleuritis with Reference to HIV Coinfection and a Bayesian Analysis. *CHEST* 1999; 116:97–103.

9. Kanchan S, Santosh V, Vishal S, Leela A, Niyogi N.G, Joshi A. Study of Adenosine Deaminase Levels in Patients of Pulmonary Tuberculosis with and without Pleural Effusion. *IOSR Journal of Dental and Medical Sciences* 2014;13: 30-37
10. Gopi A, Madhavan S.M, Sharma S.K, A.Steven. Diagnosis and Treatment of Tuberculous Pleural Effusion in 2006. *CHEST* 2007;131;880-889
11. Santoso, Kabat. Karya akhir: Nilai diagnostik aktivitas adenosine deaminase (ADA) pada sputum penderita tuberkulosis paru.SMF ilmu penyakit paru FK unair/ RSUD dr.soetomo 2005. Surabaya
12. Kataria Y.P, Khursid I, Greenville. Adenosine Deaminase in the Diagnosis of Tuberculous Pleural Effusion. *CHEST* 2001; 120(2): 334-336
13. Sharma SK, Mohan A. Extrapulmonary tuberculosis. *Indian J Med Res* 2004; 120:316–353
14. Lababidi HMS, Gupta K, Newman T. A retrospective analysis of pleural effusion in human immunodeficiency virus infected patients [abstract]. *CHEST* 1994
15. Jones BE, Young SMM, Antoniskis D. Relationship of the manifestations of TB to CD4 cell counts in patients with human immunodeficiency virus infection. *Am Rev Respir Dis* 1993; 148:1292–1297
16. Trajman A, Pai M, Dheda k. Review: novel test for diagnosing tuberculous pleural effusion: what works and what does not. *Eur respir J* 2008: 1098-1106
17. Frank W. Tuberculous pleural effusion in: Tuberculous- Current Issues in Diagnosis and Management. *InTech*.2013;14:267-292

18. Moudgil H, Sridhar G, Leitch AG. Reactivation disease: the commonest form of tuberculous pleural effusion in Edinburgh, 1980–1991. *Respir.Med.* 1994; 88: 301–4.
19. Mitra DK, Sharma SK, Dinda AK. Polarized helper T cells in tubercular pleural effusion: phenotypic identity and selective recruitment. *Eur J Immunol* 2005; 35:2367–2375
20. Light R.W. Update on Tuberculous Pleural Effusion. *Respirology* 2010; 15: 451–458.
21. Light RW. *Pleural Diseases*, 5<sup>th</sup> ed. Lippincott, Williams and Wilkins, Baltimore, MD, 2007.
22. Epstein DM, Kline LR, Albelda SM. Tuberculosis pleural effusions. *CHEST* 1987; 91:106–109.
23. Kim HJ, Lee HJ, Kwon SY. The prevalence of pulmonary parenchymal tuberculosis in patients with tuberculous pleuritis. *CHEST* 2006; 129: 1253–8
24. Ferrer J. Pleural Tuberculosis. *Eur Respir J* 1997; 10: 942–947
25. Conde MB, Loivos AC, Rezende VM. Yield of sputum induction in the diagnosis of pleural tuberculosis. *Am. J. Respir. Crit. Care Med.* 2003; 167: 723–5
26. Jiang J, Shi HZ, Liang QL. Diagnostic value of interferon gamma in tuberculous pleurisy: a metaanalysis. *CHEST* 2007; 131: 1133–41
27. Greco S, Girardi E, Masciangelo R. Adenosine deaminase and interferon gamma measurements for the diagnosis of tuberculous pleurisy: a meta-analysis. *Int. J. Tuberc. Lung Dis.* 2003; 7: 777–86.

28. Hasaneen NA, Zaki ME, Shalaby HM. Polymerase chain reaction of pleural biopsy is a rapid and sensitive method of the diagnosis of tuberculous pleural effusion. *CHEST* 2003; 124:2105–2111.
29. Diacon AH, Van de Wal BW, Wyser C. Diagnostic tools in tuberculous pleurisy: a direct comparative study. *Eur. Respir. J.* 2003; 22: 589–91.
30. Alrokayan S. Adenosine deaminase: an aid to diagnose tuberculosis. *J med sci.* 2003, 3(1): 30-45.
31. Tuon FF, Silva VI, Almeida GMD, Antonangelo L, Ho YL. 2007. The usefulness of adenosine deaminase in the diagnosis of tuberculous pericarditis. *Rev Inst Med trop S.Paulo.* 2007, 49(3): 165-170.
32. Valdes L, San Jose E, Alvarez D, Valle J.M. Adenosine deaminase (ADA) isoenzyme analysis in pleural effusion: diagnostic role, and relevance to the origin of increased ADA in tuberculous pleurisy. *Eur Respir J* 1996; 9: 747–751
33. Perez-Rodriguez E, Castro DJ. The use of ADA and ADA isoenzymes in the diagnosis of tuberculous pleuritis. *Curr.Opin.Pulm. Dis.* 2000; 6: 259–66
34. Haque S.S. Evaluation of Adenosine Deaminase (ADA) in Tuberculous pleurisy. *American Journal of Medicine and Medical Sciences* 2012, 2(1): 1-4.
35. Yamaoka T, Yano M, Kondo M, Sasaki H, Hino S. Feedback inhibition of amidophosphoribosyltransferase regulates the rate of cell growth via purine nucleotide, DNA and protein synthese. *J biol chem.* 2001; 276: 21285-21291.

36. Burgess L.G, Maritz F.G. Combined Use of Pleural Adenosine Deaminase With Lymphocyte/Neutrophil Ratio, Increased Specificity for the Diagnosis of Tuberculous Pleuritis, *CHEST* 1996; 109:414-19
37. Goto M, Noguchi Y, Koyama H. Diagnostic value of adenosine deaminase in tuberculosis pleural effusion: a meta-analysis. *Ann Clin Biochem* 2003; 40:374–381
38. Manuel Porcel J, Vives M, Esquerda A. Usefulness of the British Thoracic Society and the American College of Chest Physicians guidelines in predicting pleural drainage of non-purulent parapneumonic effusions. *Respir.Med.* 2006; 100: 933–7.
39. Tay R.A, Teen A. Factors affecting pleural fluid adenosine deaminase level and the implication on the diagnosis of tuberculous pleural effusion: a retrospective cohort study, *BMC Infectious Diseases* 2013, 13:546.
40. Lee Y.C.G, Rogers G.T. Adenosine Deaminase Levels in non tuberculous Lymphocytic Pleural Effusions, *CHEST*, 2001; 120:356–361
41. Giusti G. Adenosine deaminase. In: Bergmeyer HU, ed. *Methods of Enzymatic Analysis*. 2nd ed. New York: Academic Press
42. Lakkana B, Sasisopin K. Use of adenosine deaminase for the diagnosis of tuberculosis: a review. *J infect dis antimicrob agents*. 2010; 27 (2): 111-8
43. Valdes L, Alvarez D, Valle JM, Pose A, San Jose E. The etiology of pleural effusions in an area with high incidence of tuberculosis. *CHEST*, 1996 ; 109(1): 158-162

44. Valdes L, Alvarez D, San jose E, Penela P, Valle JM, Garcia-pazos JM, Suarez J, Pose A. Tuberculous pleurisy: A study of 254 patients. *JAMA int med*, 1998; 158(18): 2017-21
45. Valdes L, San jose E, Pose A, Gude F, J francisco, Barcala G, M jose, Alvarez-Dobano M, Sahn SA. Diagnosing tuberculous pleural effusion using clinical data and pleural fluid analysis: A study of patients less than 40 years old in area with a high incidence of tuberculosis. *Respir. Med*, 2010; 104(8) 1211-17
46. Khan AH, Sulaiman SAS, Muttalif AR, Hassali MA, Akram H, Gillani SW, Gillani SW. Pleural tuberculosis and its treatments outcomes. *Tropical journal of pharmaceutical research*, 2013; 12(4): 623-7
47. Altman DG. Practical statistics for medical research. 1991. London: Chapman and Hall