

DAFTAR PUSTAKA

- Abbas AK, Lichtman AH & Pillai S, 2012. *Effector Mechanisms of Cell-Mediated Immunity*, In: *Cellular and Molecular Immunology*, 7th ed., Elsevier Sanders, Philadelphia, p. 236-7.
- Abrantes PMDS, McArthur CP & Africa CWJ, 2014. Multi-drug resistant oral *Candida* species isolated from HIV-positive patients in South Africa and Cameroon, *Diagnostic Microbiology and Infectious Disease*, vol.79, no. 2, pp. 222-7.
- Arindah H, Retno PR, Ester A & Djoko AP, 2011. Efek kombinasi ekstrak air teh hijau dengan ketoconazole terhadap kolonisasi *C. albicans* yang resisten pada penderita HIV/AIDS, *Oral Biology Dental Journal*, vol. 3, no. 1, pp. 7-10.
- Ayyoub M, Deknuydt F, Raimbaud I, *et al.*, 2009. Human memory FOXP3⁺ Tregs secrete IL-17 *ex vivo* and constitutively express the TH17 lineage-specific transcription factor ROR γ t, *PNAS*, vol. 106, no. 21, pp. 8635–40.
- Baratawidjaja KG, dan Rengganis I, 2009. *Pemeriksaan Penunjang Immunologi*, Dalam: *Imunologi Dasar*, 8th ed., Fakultas Kedokteran Universitas Indonesia, Jakarta, hlm. 636-7.
- Bansal S, Syan N, Mathur P & Choudhary S, 2012. Pharmacological profile of green tea and its polyphenols: a review, *Med Chem Res*, vol. 21, pp. 3347–60.
- Beriou G, Costantino CM, Ashley CW, *et al.*, 2009. IL-17–producing human peripheral regulatory T cells retain suppressive function, *Blood*, vol. 113, no. 18, pp. 4240-9.
- Braun PC, and Calabrese NA, 2009. The effects of tea polyphenols on *Candida albicans*: inhibition of biofilm formation and proteasome inactivation, *Canadian Journal of Microbiology*, vol. 55, no. 9, pp. 1033–9, diunduh 17 Desember 2012, < <http://nrcresearchpress.com/doi/pdf/10.1139/W09-058>>.
- Brummer E, Maqbool A & Stevens DA, 2001. In vivo GM-CSF prevents dexamethasone suppression of killing of *Aspergillus fumigatus* conidia by bronchoalveolar macrophages, *J Leukoc Biol*, vol. 70, pp. 868–72.
- Cabrera C, Artacho R & Giménez RE, 2006. Beneficial Effects of Green Tea – A Review, *Journal of the American College of Nutrition*, vol. 25, no. 2, pp. 79-99.

- Campisi G, Panzarella V, Matranga D, *et al.*, 2008. Risk factors of oral candidosis: A twofold approach of study by fuzzy logic and traditional statistic, *Archives of Oral Biology*, vol. 53, pp. 388–97.
- Chacko SM, Thambi PT, Kuttan R & Nishigaki I, 2010. Beneficial effects of green tea: A literature review, *Chinese Medicine*, vol. 5, pp. 13-22, diunduh 18 December 2012, < <http://www.cmjournal.org/content/5/1/13>>.
- Chami N, Chami F, Bennis S, Trouillas J & Remmal A, 2004. Antifungal Treatment With Carvacrol and Eugenol of Oral Candidiasis in Immunosuppressed Rats, *The Brazilian Journal of Infectious Diseases*, vol. 8, no. 3, pp. 217-26.
- Cheng S-C, van de Veerdonk F, Smeekens S, *et al.*, 2010. Candida albicans Dampens Host Defense by Downregulating IL-17 Production, *The Journal of Immunology*, vol. 185, pp. 2450–7.
- Cheng S-C, Joosten LA, Kullberg B-J & Netea MG, 2012. Interplay between Candida albicans and The Mammalian Innate Host Defense, *Infect Immun*, vol. 80, no. 4, pp. 1304-13.
- Costa ACBP, Pereira CA, Junqueira JC & Jorge AOC, 2013. Recent mouse and Rat Methods for The Study of Experimental Oral Candidiasis, *Virulence*, vol. 4, no. 5, pp. 391–9.
- Cuevas A, Saavedra N, Salazar LA & Abdalla DSP, 2013. Modulation of Immune Function by Polyphenols: Possible Contribution of Epigenetic Factors, *Nutrients*, vol. 5, pp. 2314-32.
- Dahlan MS, 2014. *Statistik untuk Kedokteran dan Kesehatan*, Deskriptif, Bivariat, dan Multivariat, Dilengkapi Aplikasi Menggunakan SPSS, Seri 1, Edisi 6, Epidemiologi Indonesia, Jakarta, hlm. 7.
- Das S, Tanwar J, Hameed S & Fatima Z, 2014. Antimicrobial potential of epigallocatechin-3-gallate (EGCG): a green tea polyphenol, *Journal of Biochemical and Pharmacological Research*, vol. 2, no. 3, pp. 167-74.
- Darwin E, 2006. *Imunologi dan Infeksi*, Andalas University Press, Padang.

- Dejima T, Shibata K, Yamada H, *et al.*, 2011. Protective Role of Naturally Occurring Interleukin-17A-Producing $\gamma\delta$ T Cells in the Lung at the Early Stage of Systemic Candidiasis in Mice, *Infection and Immunity*, vol. 79, no. 11, pp. 4503–10.
- Dong C, 2009. Mouse Th17 cells: Current understanding of their generation and regulation, *Eur J Immunol*, vol. 39, pp. 634–75.
- Drummond RA, Saijo S, Iwakura Y & Brown GD, 2011. The Role of Syk/CARD9 Coupled C-type Lectins in Antifungal Immunity, *Eur J Immunol*, vol. 41, no. 2, pp. 276-81.
- Echavarría M, 2008. Adenoviruses in Immunocompromised Hosts, *Clinical Microbiology Reviews*, vol. 21, no. 4, pp. 704–15.
- Engelhardt K, and Grimbacher B, 2012. Mendelian Traits Causing Susceptibility to Mucocutaneous Fungal Infections in Human Subjects, *J Allergy Clin Immunol*, vol. 129, no. 2, pp. 294-305.
- Etzioni A, 2011. Fungal Infections: Blame the TH-17 Cells, *IMAJ*, vol. 13, pp. 561–3.
- FDA, 2007. *Catechins from green tea extract*, diunduh 18 April 2014, <<http://www.fda.gov/ForConsumers/ConsumerUpdates/UCM269121>>.
- Flecknell P, 2009. *Laboratory Animal Anaesthesia*, 3rd ed., Elsevier Inc., Amsterdam, p. 181-7.
- Freire-Garabal M, Núñez MJ, Balboa J, *et al.*, 1999. Effects of Amphetamine on Development of Oral Candidiasis in Rats. *Clinical and Diagnostic Laboratory Immunology*, vol. 6, no. 4, pp. 530–3.
- Gaffen SL, Hernandez-Santos N & Peterson AC, 2011. IL-17 Signaling in Host Defense Against *Candida albicans*, *Immunol Res*, vol. 50, no. 2-3, pp. 181–7.
- Gaona-Flores V, Guzmán RQ, Tovar RMC, Martínez EA & Arrieta MIS, 2013. *In vitro* Sensitivity to Fluconazole through Vitek II Systems, of Strains of *Candida spp.* In Patients with Oropharyngeal Candidiasis and HIV/AIDS, *J AIDS Clin Res*, vol. 4, pp. 230. doi:10.4172/2155-6113.1000230.

- Gauglitz GG, Callenberg H, Weindl G & Korting HC, 2012. Host Defence against *Candida albicans* and the Role of Pattern-recognition Receptors, *Acta Derm Venereol*, vol. 92, pp. 291–8.
- Glick M, and Silverman Jr. S, 2002. *Human immunodeficiency virus disease*, In: Silverman Jr. S., Eversole LR, Truelove EL, eds., *Essentials of oral medicine*, BC Decker Inc, Hamilton, p. 128-37.
- Gomes A, Datta P, Sarkar A, Dasgupta SC & Gomes A, 2013. Black tea (*Camellia sinensis*) extract as an immunomodulator against immunocompetent and immunodeficient experimental rodents, *Orient Pharm Exp Med*. DOI 10.1007/s13596-013-0134-2.
- Gow NAR, and Hube B, 2012. Importance of the *Candida albicans* cell wall during commensalism and infection, *Current Opinion in Microbiology*, vol. 15, pp. 406-12.
- Gow N, van de Veerdonk F, Brown A & Netea M, 2012. *Candida albicans* Morphogenesis and Host Defence: Discriminating Invasion from Colonization, *Nature Reviews Microbiology*, vol. 10, pp. 112-22.
- Hackstein H, and Thomson AW, 2004. Dendritic Cells: Emerging Pharmacological Targets of Immunosuppressive Drugs, *Nature Reviews Immunology*, vol. 4, pp. 24 -34.
- Haddad PS, Azar GA, Groom S & Boivin M, 2005. Natural Health Products, Modulation of Immune Function and Prevention of Chronic Diseases, *eCAM*, vol. 2, no. 4, pp. 513–20.
- Han Y, 2007. Synergic Anticandidal Effect of Epigallocatechin-*O*-gallate Combined with Amphotericin B in a Murine Model of Disseminated Candidiasis and Its Anticandidal Mechanism, *Biol Pharm Bull*, vol. 30, no. 9, pp. 1693-6.
- Hardison SE, and Brown GD, 2012. C-type Lectin Receptors Orchestrate Anti-Fungal Immunity, *Nat Immunol*, vol. 13, no. 9, pp. 817–22.
- Hernández-Santos N, and Gaffen SL, 2012. Th17 Cells in Immunity to *Candida albicans*, *Cell Host & Microbe*, vol. 11, pp. 425-35.

- Hirasawa M, and Takada K, 2004. Multiple effects of green tea catechin on the antifungal activity of antimycotics against *Candida albicans*, *J Antimicrob Chemother*, vol. 53, pp. 225–9.
- Huo C, Wan SB, Lam WH, Li L & Wang Z, 2008. The challenge of developing green tea polyphenols as therapeutic agents, *Inflammopharmacology*, vol. 16, no. 5, pp. 248–52.
- IDEXX, 2010. *ELISA Technical Guide*, diunduh 2 April 2014, <https://www.idexx.com/pdf/en_us/livestock-poultry/elisa-technical-guide.pdf>.
- Jacobsen I, Wilson D, Wachtler B, Brunke S, Naglik J & Hube B, 2012. *Candida albicans* Dimorphism as a Therapeutic Target, *Expert Rev Anti Infect Ther*, vol. 10, no. 1, pp. 85-93.
- Kapoor MP, Rao TP, Okubo T & Juneja LR, 2013. History, *Processing Techniques, Principles, Traditions, Features, and Attractions*, In: Juneja LR, Kapoor MP, Okubo T, Rao TP, eds., *Green Tea Polyphenols, Nutraceuticals of Modern Life*, CRC Press, Boca Raton, p. 8-10.
- Kassem MA, Fanaki NH, Fawzi MA & Dabbous FSE, 2007. Effect of Green Tea Extract on Some Virulence Factors of Selected Multiresistant Clinical Isolates, *Egyptian Journal of Medical Microbiology*, vol. 16, no. 3, pp. 461-71.
- Kerscher B, Willment JA & Brown GD, 2013. The Dectin-2 family of C-type lectin-like Receptors: An Update, *International Immunology*, vol. 25, no. 5, pp. 271-7.
- Khan N, and Mukhtar H, 2007. Tea polyphenols for health promotion, *Life Sciences*, vol. 81, pp. 519–33.
- Khandekar S, Dive A, Upadhyaya N, Mishra RK, Gupta S & Moharil R, 2013. Diagnostic Techniques of Oral Candidosis: A Review, *IOSR Journal of Dental and Medical Sciences*, vol. 9, no. 1, pp. 63-7.
- Kharisma RH, Haamim SS & Sitti AHN, 2013. Analisis Potensi Efektivitas Ekstrak EGCG (*Epigallocatechingallate*) pada Daun Teh (*Camellia sinensis*) sebagai Obat Tetes Mata dalam Upaya Terapi pada Trachoma, Karya Tulis Ilmiah, Fakultas Kedokteran Universitas Brawijaya, Malang, hlm. 15.

- Kim W, and Lee H, 2013. Advances in Nutritional Research on Regulatory T-Cells, *Nutrients*, vol. 5, pp. 4305-15.
- Koenen HJPM, Smeets RL, Vink PM, van Rijssen E, Boots AMH & Joosten I, 2008. Human CD25^{high}Foxp3^{pos} regulatory T cells differentiate into IL-17-producing cells, *Blood*, vol. 112, pp. 2340-52.
- Kresno SB, 2010. *Imunologi: Diagnosis dan Prosedur Laboratorium*, 5th ed., Badan Penerbit FK UI, Jakarta, hlm. 293, 510-1.
- Kuo C-L, Chen T-S, Liou S-Y & Hsieh C-C, 2014. Immunomodulatory effects of EGCG fraction of green tea extract in innate and adaptive immunity via T regulatory cells in murine model, *Immunopharmacol Immunotoxicol*, vol. 36, no. 5, pp. 364-70.
- Kurebayashi Y, Nagai S, Ikejiri A & Koyasu S, 2013. Recent advances in understanding the molecular mechanisms of the development and function of Th17 cells, *Genes to Cells*, vol. 18, pp. 247-65.
- Lal G, and Bromberg JS, 2009. Epigenetic mechanisms of regulation of Foxp3 expression, *Blood*, vol. 114, no. 18, pp. 3727-35.
- LeibundGut-Landmann S, Wüthrich M & Hohl TM, 2012. Immunity to fungi, *Current Opinion in Immunology*, vol. 24, pp. 449-58.
- Li S, and Ho C-H, 2013. *Metabolism, Bioavailability, and Safety Features of Green Tea*. In: Juneja LR, Kapoor MP, Okubo T, and Rao TP, eds. *Green Tea Polyphenols, Nutraceuticals of Modern Life*, CRC Press, Boca Raton, p. 39-56.
- Martinez A, Regadera J, Jimenez E, Santos I & Gargallo-Viola D, 2001. Antifungal Efficacy of GM237354, a Sordarin Derivative, in Experimental Oral Candidiasis in Immunosuppressed Rats, *Antimicrobial Agents and Chemotherapy*, vol. 45, no. 4, pp. 1008-13.
- Masyhud, 2010. *Lokakarya Nasional Tanaman Obat Indonesia*. Siaran Pers Nomor: S.376/PIK-1/2010, diunduh 17 May 2014, <<http://www.dephut.go.id/index.php/news/details/7043>>.
- Matthews M, Jia HP, Guthmiller JM, *et al.*, 1999. Production of β - Defensin Antimicrobial Peptides by the Oral Mucosa and Salivary Glands, *Infection and Immunity*, vol. 67, no. 6, pp. 2740-5.

- Mayer FL, Duncan Wilson D & Hube B, 2013. *Candida albicans* pathogenicity mechanisms, *Virulence*, vol. 4, no. 2, pp. 119–28.
- McCullough MJ, and Savage NW, 2005. Oral candidosis and the therapeutic use of antifungal agents in dentistry, *Aust Dent J*, vol. 50, no. 2, pp. S36-9.
- McGeachy MJ, and McSorley SJ, 2012. Microbial-induced Th17: Superhero or Supervillain?, *J Immunol*, vol. 189, no. 7, pp. 3285–91.
- Mills KGH, 2008. Induction, function and regulation of IL-17-producing T cells, *Eur J Immunol*, vol. 38, pp. 2636–49.
- Miramón P, Kasper L & Hube B, 2013. Thriving within the host: *Candida* spp. interactions with phagocytic cells, *Med Microbiol Immunol*, vol. 202, pp. 183–95.
- Mishra J, Dash AK & Dash DK, 2013. Medicinal and Therapeutic Potentialities of Green Tea (*Camellia sinensis*) - A Review, *World Journal of Pharmacy and Pharmaceutical Sciences*, vol. 2, no. 6, pp. 4745-63.
- Mulu A, Kassu A, Anagaw B, Moges B & Gelaw A, 2013. Frequent Detection of ‘azole’ resistant *Candida* species among late Presenting AIDS Patients in Northwest Ethiopia, *BMC Infectious Diseases*, vol. 13, pp. 82, diunduh 4 June 2014, < <http://www.biomedcentral.com/1471-2334/13/82>>.
- Murata Y, Isobe T, Kofuji K, Nishida N & Kamaguchi R, 2013. Development of Film Dosage Forms Containing Miconazole for the Treatment of Oral Candidiasis, *Pharmacology & Pharmacy*, vol. 4, pp. 325-30.
- Nasronudin, 2014. HIV & AIDS. *Pendekatan Biologi Molekuler, Klinis, dan Sosial*, Dalam: Jusuf B, Eddy S, Suharto, Usman H, Wahyu DA, Bramantono, M. Vitanata A, Erwin AT, Purwati, Musofa R, ed., Edisi 2, Airlangga University Press, Surabaya, hlm. 487-500.
- Navarro-Martínez MD, García-Cánovas F & Rodríguez-López JN, 2006. Tea polyphenol epigallocatechin-3-gallate inhibits ergosterol synthesis by disturbing folic acid metabolism in *Candida albicans*, *Journal of Antimicrobial Chemotherapy*, vol. 57, pp. 1083–92.
- Netea MG, Joosten LAB, van der Meer JWM & Kullberg BJ, 2010. Host Defense and Susceptibility to *Candida* Infections, *Invasive Fungal Infect*, vol. 4, no. 3, pp. 89-95.

- Nishant R, Jigisha A, Navin K & Pankaj G, 2012. Green Tea: A Magical Herb with Miraculous Outcomes, *International Research Journal of Pharmacy*, vol. 3, no. 5, pp. 139-48.
- Osorio F, LeibundGut-Landmann S, Lochner M, *et al.*, 2008. DC activated via dectin-1 convert Treg into IL-17 producers, *Eur J Immunol*, vol. 38, pp. 3274–81.
- Osorio F, and e Sousa C, 2011. Myeloid C-type Lectin Receptors in Pathogen Recognition and Host Defense, *Immunity*, vol. 34, pp. 651-64.
- Palm NW, and Medzhitov R, 2007. Antifungal Defense Turns 17, *Nat Immunol*, vol. 8, no. 6, pp. 549-51. doi:10.1038/ni0607-549.
- Parihar S, Sameer, Narain P, Jhameria VN, Gupta DK, 2011. Oral Candidiasis - A Review, *Webmed Central DENTISTRY*, vol. 2, no. 11, WMC002498, pp. 1-18, diunduh 10 January 2013, <http://www.webmedcentral.com/article_view/2498>.
- Parnham MJ, 2011. Immunomodulatory approaches to the treatment of infections, *Croatian Journal of Infection*, vol. 31, no. 1, pp. 15–27.
- Patel M, Shackleton JT & Coogan MM, 2006. Effect of antifungal treatment on the prevalence of yeast in HIV-infected Subjects, *Journal of Medical Microbiology*, vol. 55, pp. 1279-84.
- Peck A, and Mellins ED, 2009. Plasticity of T-cell Phenotype and Function: the T helper type 17 Example, *Immunology*, vol. 129, pp. 147-53.
- Pižem J, and Cör A, 2003. Detection of apoptotic cells in tumour paraffin sections, *Radiol Oncol*, vol. 37, no. 4, pp. 225-32.
- Purwanto DA, 2011. Analisis Kadar O6-[H3]Metilguanin-DNA pada Kultur Hepatosit Tikus Menggunakan Liquid Scintillation Counter Setelah Pemberian (-)-Epigallocatekin Galat dari Teh Hijau, *Jurnal Kedokteran Indonesia*, vol. 2, no. 1, pp. 5-10.
- Ramage G, VandeWalle K, Wickes BL & López-Ribot JL, 2001. Characteristics of Biofilm Formation by *Candida albicans*, *Rev Iberoam Micol*, vol. 18, pp. 163-70.

- Rantam FA, 2003. *Metode Immunologi*. Airlangga University Press, Surabaya, hlm. 79-82, 130-3.
- Rantam FA, 2015. *Etik Penelitian Hewan Coba*. Dalam: Penelitian dan Teknik Laboratorium pada Hewan Coba dan Manusia. Dalam: Wihasto S, Risky VP, Bernadette DND, eds., Airlangga University Press, Surabaya, hlm. 1-7.
- Saijo S, Ikeda S, Yamabe K, Kakuta S & Ishigame H, 2010. Dectin-2 Recognition of α -Mannans and Induction of Th17 Cell Differentiation is Essential for Host Defense against *Candida albicans*, *Immunity*, vol. 32, pp. 681–91.
- Saijo S, and Iwakura Y, 2011. Dectin-1 and Dectin-2 in Innate Immunity Against Fungi, *International Immunology*, pp. 1-6.
- Sakaguchi S, Yamaguchi T, Nomura T & Ono M, 2008. Regulatory T Cells and Immune Tolerance, *Cell*, vol. 133, no. 5, pp. 775-87.
- Samaranayake YH, and Samaranayake LP, 2001. Experimental Oral Candidiasis In Animal Models, *Clin Microbiol Rev*, vol. 14, no. 2, pp. 398–429.
- Sardi JCO, Scorzoni L, Bernardi T, Fusco-Almeida AM & Mendes Giannini MJS, 2013. *Candida* species: current epidemiology, pathogenicity, biofilm formation, natural antifungal products and new therapeutic options, *Journal of Medical Microbiology*, vol. 62, pp. 10-24.
- Schramm L, 2013. Going Green: The Role of the Green Tea Component EGCG in Chemoprevention, *J Carcinogene Mutagene*, vol. 4, pp. 142. doi:10.4172/2157-2518.1000142.
- Shareck J, and Belhumeur P, 2011. Modulation of Morphogenesis in *Candida albicans* by Various Small Molecules, *Eukaryotic Cell*, vol. 10, no. 8, pp. 1004–12.
- Shibata N, Kobayashi H, Suzuki S, 2012. Immunochemistry of pathogenic yeast, *Candida* species, focusing on mannan, *Proc Jpn Acad, Ser. B Phys Biol Sci*, vol. 88, no. 6, pp. 250-65.
- Smeekens SP, van de Veerdonk FL, Kullberg BJ & Netea MG, 2013. Genetic susceptibility to *Candida* infections, *EMBO Mol Med*, vol. 5, pp. 1–9.

- Smith JB, and Mangkoewidjojo S, 1988. *Pemeliharaan, Pembiakan dan Penggunaan Hewan Percobaan di Daerah Tropis*. Penerbit Universitas Indonesia, Jakarta, hlm. 1-57.
- Soini Y, Pääkkö P & Lehto V-P, 1998. Histopathological Evaluation of Apoptosis in Cancer, *American Journal of Pathology*, vol. 153, no. 4, pp. 1041-53.
- Steinmann J, Bauer J, Pietschmann T & Steinmann E, 2013. Anti-infective properties of epigallocatechin-3-gallate (EGCG), a Component of Green Tea, *British Journal of Pharmacology*, vol. 168, pp. 1059-73.
- Sudiana IK, 2005. *Teknologi Ilmu Jaringan dan Imunohistokimia*. CV. Sagung Seto, Jakarta, hlm. 36-44.
- Tanaka T, Matsuo Y & Kouno I, 2013. *Biochemical and Physicochemical Characteristics of Green Tea Polyphenols*. In: Juneja LR, Kapoor MP, Okubo T, and Rao TP, eds. *Green Tea Polyphenols, Nutraceuticals of Modern Life*. CRC Press, Boca Raton, p. 19-29.
- Tarçın BG, 2011. Oral Candidosis: Aetiology, Clinical Manifestations, Diagnosis and Management, *MÜSBED*, vol. 1, no. 2, pp. 140-8.
- Taylor PW, Hamilton-Miller JMT & Stapleton PD, 2005. Antimicrobial properties of green tea catechins, *Food Sci Technol Bull*, vol. 2, pp. 71-81.
- Thong YH, and Ferrante A, 1980. Effect of Tetracycline Treatment On Immunological Responses In Mice, *Clin Exp Immunol*, vol. 39, pp. 728-32.
- Towaha J, 2013. Kandungan Senyawa Kimia pada Daun Teh (*Camellia sinensis*), *Warta Penelitian dan Pengembangan Tanaman Industri*, vol. 19, no. 3, pp. 12-6.
- van de Veerdonk FL, and Netea MG, 2010. T-cell Subsets and Antifungal Host Defenses, *Curr Fungal Infect Rep*, vol. 4, pp. 238-43.
- van de Veerdonk FL, Netea MG, Joosten LA, van der Meer JWM & Kullberg BJ, 2010. Novel strategies for the prevention and treatment of Candida infections: the potential of immunotherapy, *FEMS Microbiol Rev*, vol. 34, pp. 1063-75.
- Vautier S, MacCallum D & Brown G, 2012. C-type Lectin Receptors and Cytokines in Fungal Immunity, *Cytokine*, vol. 58, no. 1, pp. 89-99.

- Villar CC, and Dongari-Bagtzoglou A, 2009. Immune defence mechanisms and immunoenhancement strategies in oropharyngeal candidiasis, *Expert Rev Mol Med*, 10: e29. doi:10.1017/S1462399408000835.
- Vinh DC, 2011. Insights into human antifungal immunity from primary immunodeficiencies, *Lancet Infect Dis*, vol. 11, pp. 780–92.
- Voo KS, Wanga Y-H, Santori FR, Boggiano C & Wang Y-H, 2009. Identification of IL-17-producing FOXP3⁺ regulatory T cells in humans, *PNAS*, vol. 106, no. 12, pp. 4793–8.
- Wang J, Pae M, Meydani SN, Wu D, 2013. Green tea epigallocatechin-3-gallate modulates differentiation of naïve CD4⁺ T cells into specific lineage effector cells, *J Mol Med*, vol. 91, pp. 485–95.
- Wardiyah H, Alioes Y, dan Pertiwi D, 2014. Perbandingan Reaksi Zat Besi Terhadap Teh Hitam dan Teh Hijau secara In Vitro dengan Menggunakan Spektrofotometer Uv-Vis, *Jurnal Kesehatan Andalas*, vol. 3, no. 1, pp. 49-53.
- Wei X-Q, Rogers H, Lewis MAO & Williams DW, 2011. The Role of the IL-12 Cytokine Family in Directing T-Cell Responses in Oral Candidosis, *Clinical and Developmental Immunology*, pp. 1-10, diunduh 6 July 2014, < <http://dx.doi.org/10.1155/2011/697340>Article ID 697340>.
- White PO, Tribout H & Baron E, 2012. Protective Mechanisms of Green Tea Polyphenols in Skin, *Oxidative Medicine and Cellular Longevity*, pp. 1-8. doi:10.1155/2012/560682.
- Widyarti S, 2011. *Imunohistokimia*, Dalam: Fatchiyah, Arumingtyas EL, Widyarti S, Rahayu S, eds., *Dalam: Biologi Molekular - Prinsip Analisis*, PT Penerbit Erlangga, Jakarta, hlm. 142-7.
- Wijaya A, Endah A, dan Djamhari M, 2011. Daya hambat ekstrak teh hijau terhadap *Candida albicans* rongga mulut, *Oral Medicine Dental Journal*, vol. 3, no. 1, pp. 1-4.
- Williams D, and Lewis M, 2011. Pathogenesis and Treatment of Oral Candidosis, *Journal of Oral Microbiology*, vol. 3, pp. 5771-82.
- Wong CP, Nguyen LP, Noh SK, Braya TM & Bruno RS, Ho E, 2011. Induction of regulatory T cells by green tea polyphenol EGCG, *Immunol Lett*, doi:10.1016/j.imlet.2011.04.009.

Ye J, Su X, Hsueh EC, Zhang Y, Koenig JM, Hoft DF & Peng G, 2011. Human tumor-infiltrating Th17 cells have the capacity to differentiate into IFN- γ^+ and FOXP3 $^+$ T cells with potent suppressive function, *Eur J Immunol*, vol. 41, pp. 936–51.

Zaveri NT, 2006. Green tea and its polyphenolic catechins: Medicinal uses in cancer and noncancer applications, *Life Sciences*, vol. 78, pp. 2073–80.

Zhu LL, Zhao XQ, Jiang C, You Y & Chen XP, 2013. C-Type Lectin Receptors Dectin-3 and Dectin-2 Form a Heterodimeric Pattern-Recognition Receptor for Host Defense against Fungal Infection, *Immunity*, vol. 39, pp. 324–34.

