

DAFTAR PUSTAKA

- Akbar MT., Lundberg AMC., Liu K., Vidyadaran S., Wells KE., Dolatshad H., Wynn S., Wells DJ., Latchman DS., and Jacqueline de Bellerocche J. 2003. The Neuroprotective Effects of Heat Shock Protein 27 Overexpression in Transgenic Animals against Kainate-induced Seizures and Hippocampal Cell Death. *The Journal of Biological Chemistry*. 278. 2 : 19956–19965.
- Amir N. 2005. *Depresi Aspek Neurobiologi Diagnosis dan Tatalaksana*. Balai Penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta.
- Asea A. 2005. Stress Proteins and Initiation of Immune Response: Chaperokine activity of Hsp72. *Exerc Immunology Revised*. ; 11: 34–45.
- Avanzini GG, Treiman DM, Engel JJr, 2008. Animal Models of Acquired Epilepsies and Status Epilepticus. In (Engel JJr and Pedley T, eds). *Epilepsy a Comprehensive Textbook*, 2nd ed. Philadelphia, USA : Lippincott Williams & Wilkins, A Wolters Kluwer Business, pp : 415-441.
- Ayala GX, Ricardo T. 2008. HSP70 expression protects against hippocampal neurodegeneration induced by endogenous glutamate in vivo. *Neuropharmacology*, Vol. 55 Issue 8, p1383-1390.
- Bacci A, Sancini G, Verderio C, Armano S, Pravettoni E, Fesce R, Franceschetti S and Matteoli M. 2002. Block of Glutamate-Glutamine Cycle Between Astrocytes and Neurons Inhibits Epileptiform Activity in Hippocampus. *Journal Neurophysiology* 88: 2302–2310.
- Balcombe JP, Barnard ND, Sandusky C. 2004. Laboratory Routines Cause Animal Stres. *Contemporary Topics*. Volume 43 No. 6/ November 2004
- Balogh A. 2011. Role of the insula in frontal and temporal lobe seizure propagation. *Epileptologia* • 2011 • 19 • 17–28
- Bechtholt-Gompf, A J., Walther, HV., Adams, MA., Carlezon, Jr.,WA., Öngür, D , Cohen, BM. 2010. Blockade of Astrocytic Glutamate Uptake in Rats Induces Signs of Anhedonia and Impaired Spatial Memory. *Neuropsychopharmacology*; Sep, Vol. 35 Issue 10, p2049-2059, 11p.
- Belmaker RH., Agam G. 2008. Mechanisms of Disease Major Depressive Disorder. *New England Journal Medical*;358:55-68.
- Benarroch EE. 2009. Astrocyte – neuron interactions implication for epilepsy. *Neurology* 73; 1323- 1327.

- Bidmon HJ., Görg B, Gallagher PN, Schleicher A, Häussinger D, Speckmann EJ., and Zilles K. 2008. Glutamine synthetase becomes nitrated and its activity is reduced during repetitive seizure activity in the pentylentetrazole model of epilepsy. *Epilepsia*, 49(10):1733–1748.
- Blier P, El Mansari M. 2013. Serotonin and beyond: therapeutics for major depression. *Phil Trans R Soc B* 368: 20120536. <http://dx.doi.org/10.1098/rstb.2012.0536>
- Borges K., Gearing M., McDermott D.L., Smith A.B., Almonte A.G., Wainer B.H., Dingledine R. 2003. Neuronal and glial pathological changes during epileptogenesis in the mouse pilocarpine model. *Experimental Neurology* 182 (2003) 21-34.
- Bourin M, Hascoët M. 2003. The mouse light/dark box test. *European Journal of Pharmacology* 463 (2003) 55– 65
- Cardamone L, Salzberg MR, O'Brien TJ, Jones NC. 2013. Antidepressant therapy in epilepsy: can treating the comorbidities affect the underlying disorder?. *British Journal of Pharmacology* (2013) 168 1531–1554
- Cavalheiro EA, Santos NF, Priel MR, 1996. The pilocarpine model of epilepsy in mice. *Epilepsia*. Oct;37(10):1015-9.
- Cavalheiro EA, Naffah-Mazzacoratti MG, Mello LE, Leite JP. 2006. The Pilocarpine Model of Seizures. In (Pitkänen A, Schwartzkroin PA, Moshé SL, eds). *Models of Seizures and Epilepsy*. Burlington, California, London : Elsevier Academic Press, pp : 433 – 448.
- Chandley MJ, Szebeni K, Szebeni A, Crawford J, Stockmeier CA, Turecki G, Miguel-Hidalgo JJ, Ordway GA. 2013. Gene expression deficits in pontine locus coeruleus astrocytes in men with major depressive disorder. *Journal Psychiatry Neuroscience* 2013;38(4):276-84.
- Chandley MJ, Szebeni A, Szebeni K, Crawford JD, Stockmeier CA, Turecki G, Kostrzewa RM, Ordway GA. 2014. Elevated gene expression of glutamate receptors in noradrenergic neurons from the locus coeruleus in major depression. *International Journal Neuropsychopharmacology*. 2014 Oct;17(10):1569-78. doi: 10.1017/S1461145714000662. Epub 2014 Jun 13
- Chang CC, Lui CC, Lee CC, Chen SD, Chang WN, Lu CH, Chen NC, Chang AYW, Chan SHH, Chuang YC. 2012. Clinical significance of serological biomarkers and neuropsychological performances in patients with temporal lobe epilepsy. <http://www.biomedcentral.com/1471-2377/12/15>

- Chao CC, Hu S, Ehrlich L, Peterson PK. 1995. Interleukin-1 and tumor necrosis factor-alpha synergistically mediate neurotoxicity: involvement of nitric oxide and of N-methyl-D-aspartate receptors. *Brain Behavior Immunology*. 1995 Dec;9(4):355-65.
- Chiavegato A, Zurolo E, Losi G, Aronica E dan Carmignoto G. 2014. The inflammatory molecules IL-1 β and HMGB1 can rapidly enhance focal seizure generation in a brain slice model of temporal lobe epilepsy. *Frontiers in Cellular Neuroscience*. June 2014 Volume 8 Article 155. doi: 10.3389/fncel.2014.00155
- Cho CH. 2013. New mechanism for glutamate hypothesis in epilepsy. *Frontiers in Cellular Neuroscience*. August 2013 Volume 7 Article 127
- Clément Y, Le Guisquet A-M, Venault P, Chapouthier G, Belzung C (2009). Pharmacological Alterations of Anxious Behaviour in Mice Depending on Both Strain and the Behavioural Situation. *PLoS ONE* 4(11): e7745. doi:10.1371/journal.pone.0007745
- Cole J, Costafreda SG, McGuffin P, Fu CHY. 2011. Hippocampal atrophy in first episode depression : A meta-analysis of magnetic resonance imaging studies. *Journal of Affective Disorders*, volume 134, issue 1, page 483-487.
- Coplan JD, Gopinath S, Abdallah CG, Berry BR. 2014. A neurobiological hypothesis of treatment-resistant depression – mechanisms for selective serotonin reuptake inhibitor non-efficacy. *Frontiers in Behavioral Neuroscience*. May 2014 | Volume 8 | Article 18
- Cremer CM, Bidmon HJ, Görg B, Palomero-Gallagher N, Escobar JL, Speckmann EJ, Zilles K. 2010. Inhibition of glutamate/glutamine cycle in vivo results in decreased benzodiazepine binding and differentially regulated GABAergic subunit expression in the rat brain. *Epilepsia*. ;51(8):1446-55.
- Curia G, Longo D, Biagini G, Jones RSG, Avoli M. 2008. The pilocarpine model of temporal lobe epilepsy. *Journal of Neuroscience Methods* 172(2-4) : 143–157.
- Daniels WM, Jaffer A, Engelbrecht AH, Russell VA, Taljaard JJ. 1990. The effect of intrahippocampal injection of kainic acid on corticosterone release in rats. *Neurochemistry Research*. 1990 May;15(5):495-9.
- Dedic N, Walser SM, Deussing JM. 2011. Mouse models of depression. In (Uehara T, ed). *Psychiatric Disorders – Trends And Developments*. www.intechopen.com.

- Derouiche A, Heimrich B, Frotscher M. (1993) Loss of layer-specific astrocyticglutamine synthetase immunoreactivity in slice cultures of hippocampus. *European Journal of Neuroscience* 5:122–127.
- Dvorientchikova G, Santos ARC, Saeed AM, Dvorientchikova X, Ivanov D. 2014. Putative role of protein kinase C in neurotoxic inflammation mediated by extracellular heat shock protein 70 after ischemia-reperfusion. *Journal of Neuroinflammation*,11:81.
<http://www.jneuroinflammation.com/content/11/1/81>
- Eid T^a, Ghosh A, Wang Y, Beckstro H, Zaveri HP., Lee TSW, Lai JCK., Phatak GHM., and de Lanerolle NC. 2008. Recurrent seizures and brain pathology after inhibition of glutamine synthetase in the hippocampus in rats. *Brain* 131: 2061-2070.
- Eid T, M J Thomas, D D Spencer, E Rundén-Pran, J C K Lai, G V Malthankar, J H Kim, N C Danbolt, O P Ottersen, N C de Lanerolle. 2004. Loss of glutamine synthetase in the human epileptogenic hippocampus: possible mechanism for raised extracellular glutamate in mesial temporal lobe epilepsy. *Lancet* ; 363: 28–37.
- Eid T., Tu N., Lee T_S.W., Lai J.C.K. 2013. Regulation of astrocytes glutamine synthetase in epilepsy. *Neurochemistry. International*.
<http://dx.doi.org/10.1016/j.neuint.2013.06.008>
- Eid T^b, Williamson A, Lee TSW, Petroff OA, and de Lanerolle NC. 2008. Glutamate and Astrocytes—Key Players in Human Mesial Temporal Lobe Epilepsy? *Epilepsia* 49(Suppl. 2) : 42–52.
- Ekimova IV., Nitsinskaya LE., RomanovaIV., Pastukhov YF, Margulis BA, Guzhova IV. 2010. Exogenous protein Hsp70/Hsc70 can penetrate into brain structures and attenuate the severity of chemically-induced seizures. *Journal of Neurochemistry* Volume 115, Issue 4, pages 1035–1044.
- Engel J. Jr and Schwartzkroin PA. 2006. What Should Be Modeled ? In (Pitkänen A, Schwartzkroin PA, Moshé SL, eds). *Models of Seizures and Epilepsy*. Burlington, California, London : Elsevier Academic Press, pp : 1 – 14.
- Felger JC and Lotrich FE. 2013. Inflammatory Cytokines in Depression: Neurobiological Mechanisms and Therapeutic Implications. *Neuroscience*. 2013 August 29; 246: 199–229. doi:10.1016/j.neuroscience.2013.04.060
- Ferrer I. 2001. Cell signaling in the epileptic hippocampus. *Rev Neurology*, Mar 16-31;34(6):544-50.

- Fisher RS, Acevedo C, Arzimanoglou A, Bogacz A, Cross JH, Elger CE, Engel J. Jr, Forsgren L, French JA, Glynn M, Hesdorffer DC, Lee BI, Mathern GW, Moshé SL, Perucca E, Scheffer IE, Tomson T, Watanabe M, Wiebe S. 2014. A practical definition of epilepsy. *Epilepsia*, 55(4):475–482, 2014 doi: 10.1111/epi.12550
- Galic MA, Riazi K, dan Pittman QJ. 2012. Cytokines and brain excitability. *Frontier Neuroendocrinology*. 2012 January ; 33(1): 116–125. doi:10.1016/j.yfrne.2011.12.002
- Garcia CS. 2012. Depression in temporallobe epilepsy : A review of prevalence, clinical features, and management considerations. *Epilepsy Research and Treatment*. Volume 2012, Article ID 809843, 12 pages.
- Garman RH. 2011. Histology of the Central Nervous System. *Toxicologic Pathology*, 39: 22-35, 2011
- Gibbs JWIII, Shumate MD, Coulter DA.1997. Differential epilepsy-associated alterations in postsynaptic GABA-A receptor function in dentate granule and CA1 neurons. *Journal of Neurophysiology*., 77(4), 1924-1938.
- Goddard AW, Ball SG, Martinez J, Robinson MJ, Yang CR, Russell JM, Shekhar A. 2010. Current Perspectives Of The Roles Of The Central Norepinephrine System In Anxiety And Depression. *Depression And Anxiety* 27 : 339–350.
- Goffin K, Nissinen J, Van Laere K, Pitkänen A. 2007. Cyclicity of spontaneous recurrent seizures in pilocarpine model of temporal lobe epilepsy in rat. *Experimental Neurology*. 2007 Jun;205(2):501-5. Epub. Abstract.
- Gonçalves EB, Cendes F. 2011. Depression in patients with refractory temporal lobe epilepsy. *ArqNeuropsiquiatr*; 69(5), 777-779.
- Gupta Y, Seema BK. 2006. Protective effect of vineatrol against kainic acid induced seizures, oxidative stress and on the expression of heat shock proteins in rats. *European Neuropsychopharmacology*; Vol. 16 Issue 2, p85-91.
- Hashimoto K., Sawa A., Iyo M . 2007. Increased Levels of Glutamate in Brains from Patients with Mood Disorders. *Biological Psychiatry*; Dec2007, Vol. 62 Issue 11, p1310-1316, 7p.
- Hasler G. 2010. Pathophysiology of depression: do we have any solid evidence of interest to clinicians?. *World Psychiatry* 2010;9:155-161

- Huang TL, O'Banion MK. Interleukin-1 beta and tumor necrosis factor-alpha suppress dexamethasone induction of glutamine synthetase in primary mouse astrocytes. 1998. *Neurochemistry*. ;71(4):1436-42.
- Jabs R, Seifert G, and Steinhäuser C. 2008. Astrocytic function and its alteration in the epileptic brain. *Epilepsia* 49(Suppl. 2) : 3–12.
- Jackson MJ., Turkington D. 2005. Depression and Anxiety in Epilepsy. *Journal of Neurology Neurosurgery Psychiatry*;76(Suppl 1):i45–i47.
- Jeong JY, Lee DH, Kang SS. 2013. Effects of Chronic Restraint Stress on Body Weight, Food Intake, and Hypothalamic Gene Expressions in Mice. <http://dx.doi.org/10.3803/EnM.2013.28.4.288>
- Kalkman HO. 2011. Circumstantial evidence for a role of glutamine-synthetase in suicide. *Medical hypotheses* Jun;76(6):905-7.
- Kann O, Kovács R. 2007. Mitochondria and neuronal activity. *American Journal of Physiology Cell Physiology* 292: C641–C657.
- Kandratavicius L, Hallak JEC, Leite JP. 2006. Heat shock protein expression in mesial temporal lobe epilepsy. *Journal of epilepsy and clinical neurophysiology*. [online]. vol.12, n.3, pp. 131-134. ISSN 1676-2649.
- Kandratavicius L, Ruggiero RN, Hallak JE, Garcia-Cairasco N, Leite JP. 2012. Pathophysiology of mood disorders in temporal lobe epilepsy. *Rev Bras Psiquiatr.* 2012;34(Suppl2):S233-S259
- Kandratavicius L, Hallak JE, Carlotti CG Jr, Assirati JA Jr, Leite JP. 2014. Hippocampal expression of heat shock proteins in mesial temporal lobe epilepsy with psychiatric comorbidities and their relation to seizure outcome. *Epilepsia*, 55(11):1834–1843, 2014
- Kanner AM, Balabanov A. 2002. Depression and epilepsy How closely related are they? *Neurology* 2002;58:S27-S39.
- Karson A, Demirtas T, Dilek Bayramgürler D, Balç F, Utkan T. 2013. Chronic Administration of Infliximab (TNF- α Inhibitor) Decreases Depression and Anxiety-like Behaviour in Rat Model of Chronic Mild Stress. *Basic & Clinical Pharmacology & Toxicology*, 112, 335–340
- Kaymak SU, Demir B, Sentürk S, Tatar I, Aldur MM, Uluğ B. 2010. Hippocampus, glucocorticoids and neurocognitive functions in patients with first-episode of major depressive disorders. *European Archive Psychiatry Clinical Neuroscience*. Apr;260(3):217-23.

- Kondziella D., Alvestad S., Vaaler A., and Sonnewald U. 2007. Which clinical and experimental data link temporal lobe epilepsy with depression?. *Journal of Neurochemistry* 103 : 2136–2152.
- Kugaya A dan Sanacora G. 2005. Beyond Monoamines: Glutamatergic Function in Mood Disorders. *CNS Spectrum*;10(10):808-819
- Kwon OY, Park SP. 2014. Depression and Anxiety in People with Epilepsy. *Journal of Clinical Neurology* 2014;10(3):175-188
- Landsberg CR. 2007. Heat Shock Proteins: Expression and Functional Roles. In *Nerve Cells and Glia. In Heat Shock Protein in Neural Cells*. New York : Sprienger Science pp 1 – 8.
- Lehtimäki KA, Keränen T, Palmio J, Mäkinen R, Hurme M, Honkaniemi J, Peltola J. 2007. Increased plasma levels of cytokines after seizures in localization-related epilepsy. *Acta Neurologica Scandinavia* 2007: 116: 226–230.
- Li G, Bauer S, Nowak M, Norwood B, Tackenberg B, Rosenow F, Knake S, Oertel WH, Hamer HM. 2011. Cytokines and Epilepsy. *Seizure* 20 (2011) 249–256
- Liang SL, Gregory C, Carlson GC., and Coulte DA.. 2006. Dynamic Regulation of Synaptic GABA Release by the Glutamate-Glutamine Cycle in Hippocampal Area CA1. *The Journal of Neuroscience* 26(33):8537– 8548.
- Maguire J, Salpekar JA. 2013. Stress, seizures, and hypothalamic–pituitary–adrenal axis targets for the treatment of epilepsy. *Epilepsy & Behavior* 26 (2013) 352–362.
- Marchi N, Granata T, dan Janigro D. 2014. Inflammatory pathways of seizure disorders. *Trends Neuroscience*. 2014 February ; 37(2): 55–65. doi:10.1016/j.tins.2013.11.002.
- Marek B, Kajdaniuk D, Kos-Kudła B, Kapustecki J, Świętochowska E, Ostrowska Z, Siemińska L, Nowak M, Głogowska-Szeląg J, Borgiel-Marek H, Ciesielska-Kopacz N, Foltyn W, Pierzchała K, Krysiak R, Bienek R. 2010. Mean daily plasma concentrations of b-endorphin, leu-enkephalin, ACTH, cortisol, and DHEAS in epileptic patients with complex partial seizures evolving to generalized tonic-clonic seizures. *Poland Journal of Endocrinology*; 61 (1): 103–110.
- Massart R, Mongeau R, Lanfumey L. 2012. Beyond the monoaminergic hypothesis: neuroplasticity and epigenetic changes in a transgenic mouse model of depression. *Phil. Trans. R. Soc. B* (2012) 367, 2485–2494 doi:10.1098/rstb.2012.0212

- Mazarati AM, Pineda E, Shin D, Tio D, Taylor AN, Sankar R. 2010. Comorbidity between epilepsy and depression: Role of hippocampal interleukin-1 β . *Neurobiology of Disease* 37 (2010) 461–467.
- Mazarati AM, Shin D, Kwon YS, Bragin A, Pineda E, Tio D, Taylor A, Sankar R. 2009. Elevated plasma corticosterone level and depressive behavior in experimental temporal lobe epilepsy. *Neurobiology Disease*. 2009 June ; 34(3): 457–461. doi:10.1016/j.nbd.2009.02.018
- Mazarati AM, Siddarth P, Baldwin RA, Shin D, Caplan R, Sankar R, 2008. Depression after status epilepticus : behavioral and biochemical deficits and effects of fluoxetine. *Brain*, 131, 2071-2083.
- Miller AH., Maletic V., and Raison CL. 2009. Inflammation and Its Discontents: The Role of Cytokines in the Pathophysiology of Major Depression. *Biology of Psychiatry* 65 : 732–741.
- Morris GL 3rd and Vanderkolk C. 2005. Human sexuality, sex hormones, and epilepsy. *Epilepsy Behav.* 2005 Dec;7 Suppl 2:S22-8. Epub 2005 Oct 20.
- Moreira JD, de Siqueira LTV, Lague VM, Porciúncula LO, Vinadé L, Souza DO. 2011. Short-term alterations in hippocampal glutamate transport system caused by one-single neonatal seizure episode: Implications on behavioral performance in adulthood. *Neurochemistry International* 59 (2011) 217–223
- Moret C and Briley M. 2011. The importance of norepinephrine in depression. *Neuropsychiatric Disease and Treatment* 2011;7 (Suppl 1) 9–13
- Müller CJ, Gröticke I, Bankstahl M, Löscher W. 2009. Behavioral and cognitive alterations, spontaneous seizures, and neuropathology developing after a pilocarpine-induced status epilepticus in C57BL/6 mice. *Experimental Neurology*. 2009 Sep;219(1):284-97
- Nestler EJ, Hyman SE. 2010. Animal models of neuropsychiatric disorders. *Nature Neuroscience* volume 13 number 10, October 2010, 1161-1169.
- Nestler EJ, Hyman SE, Malenka RC. 2009. Excitatory and inhibitory amino acids. In *molecular pharmacology a foundation for clinical neuroscience*, 2nd ed. New York : McGraw-Hill Companies, Inc. pp 117 – 139.
- Nestler EJ, Hyman SE, Malenka RC. 2009. Neural and Neuroendocrine Control of the Internal Milieu. In *molecular pharmacology a foundation for clinical neuroscience*, 2nd ed. New York : McGraw-Hill Companies, Inc. pp 250-251.

- Nestler EJ, Hyman SE, Malenka RC. 2009. Widely Projecting System : Monoamines, Acetylcholine, and Orexin. In molecular pharmacology a foundation for clinical neuroscience, 2nd ed. New York : McGraw-Hill Companies, Inc. pp 145-167.
- Ono T, Moshé SL. 2011. Can epilepsy be prevented ? *Neurology Asia*; 16 (Supplement 1) : 1-3.
- O'Toole KK, Hooper A, Wakefield S, dan Maguire J. 2014. Seizure-induced disinhibition of the HPA axis increases seizure susceptibility. *Epilepsy Research*. 2014 January ; 108(1): . doi:10.1016/j.eplepsyres.2013.10.013.
- Palmada M, Centelles JJ. 1998. Excitatory amino acid neurotransmission pathways for metabolism, storage and reuptake of glutamate in brain. *Frontiers in Bioscience*, 701. d701-718, July 20, 1998.
- Parihar VK, Hattiangady B, Shuai B, Shetty AK. 2013. Mood and Memory Deficits in a Model of Gulf War Illness Are Linked with Reduced Neurogenesis, Partial Neuron Loss, and Mild Inflammation in the Hippocampus. *Neuropsychopharmacology* (2013) 38, 2348–2362; doi:10.1038/npp.2013.158
- Patel MN. 2002. Oxidative Stress, Mitochondrial Dysfunction, and Epilepsy. *Free Radical Research Vol. 36* (11), pp. 1139–1146.
- Pineda E, Shin D, Sankar R, Mazarati AM. 2010. Comorbidity between epilepsy and depression : experimental evidence for the involvement of serotonergic, glucocorticoid, and neuroinflammatory mechanisms. *Epilepsia*,51(Suppl.3): 110-114.
- Powell TR, Fernandes C, Schalkwyk LC. 2012. Depression-Related Behavioral Test. *Curr. Protoc. Mouse Biol.* 2:119-127
- Prueter C, Norra C. 2005. Mood Disorders and Their Treatment in Patients With Epilepsy. *Journal of Neuropsychiatry and Clinical Neuroscience* 17:1, Winter 2005.
- Puttachary S, Sharma S, Stark S, Thippeswamy T. 2014. Seizure-Induced Oxidative Stress in Temporal Lobe Epilepsy. *Hindawi Publishing Corporation BioMed Research International Article ID 745613*
- Reddy DS dan Kuruba R. 2013. Experimental Models of Status Epilepticus and Neuronal Injury for Evaluation of Therapeutic Interventions. *International Journal of Molecular Science*. 2013, 14, 18284-18318; doi:10.3390/ijms140918284

- Rejdak K, Kuhle J, Ruš Lindberg RLP, Petzold A, Sulejczak D, Papuc E, Rejdak R, Stelmasiak Z, Grieb P. 2012. Neurofilament heavy chain and heat shock protein 70 as markers of seizure-related brain injury. *Epilepsia*, 53(5):922–927, 2012
- Ruhé HG, Mason NS and Schene AH. 2007. Mood is indirectly related to serotonin, norepinephrine and dopamine levels in humans: a meta-analysis of monoamine depletion studies. *Molecular Psychiatry* (2007) 12, 331–359. doi:10.1038/sj.mp.4001949
- Sanacora G, Treccani G, Popoli M. 2012. Towards a glutamate hypothesis of depression: An emerging frontier of neuropsychopharmacology for mood disorders. *Neuropharmacology*. 2012 January ; 62(1): 63–77. doi:10.1016/j.neuropharm.2011.07.036
- Sawyer NT and Escayg A. 2010. Stress and Epilepsy : Multiple Models, Multiple Outcomes. *Journal Clinical Neurophysiology*;27: 445–452
- Scharfman HE. 2007. The Neurobiology of Epilepsy. *Current Neurology Neuroscience Report*. 2007 July ; 7(4): 348–354.
- Schousboep A, Waagepetersen HS. 2004. Role of astrocytes in homeostasis of glutamate and GABA during physiological and pathophysiological conditions. *Advances in Molecular and Cell Biology*, pages 461–474.
- Schweizer MC, Henniger MSH, Sillaber I (2009) Chronic Mild Stress (CMS) in Mice: Of Anhedonia, ‘Anomalous Anxiolysis’ and Activity. *PLoS ONE* 4(1): e4326. doi:10.1371/journal.pone.0004326
- Seethalakshmi R, Krishnamoorthy ES. 2007. Depression in Epilepsy Phenomenology, Diagnosis and Management. *Epileptic Disorder* ; 9 (1) : 1 – 10.
- Sendrowski K and Sobaniec W. 2013. Hippocampus, hippocampal sclerosis, and epilepsy. *Pharmacological Reports*65; 555-565.
- Sharma AK, Reams RY, Jordan WH, Miller MA, Thacker HL, Snyder PW, 2007. Mesial temporal lobe epilepsy : pathogenesis, induced rodent models and lesions. *Toxicologic Pathology*, 35 : 984-999.
- Sharpley CF. 2009. Malfunction in GABA and glutamate as pathways to depression : a review of the evidence. *Clinical Medicine : Therapeutics* : 1: 1511 – 1519.

- Shimada T, Takemiya T, Sugiura H, Yamagata Y. 2014. Role of Inflammatory Mediators in the Pathogenesis of Epilepsy. *Mediators of Inflammation* Volume 2014, Article ID 901902, 8 pages
<http://dx.doi.org/10.1155/2014/901902>
- Stetler RA, Gan Y, Zhang W, Liou AK, Gao Y, Cao G, Chen J. 2010. Heat Shock Proteins : cellular and molecular mechanisms in the CNS. *Prog Neurobiol.* October : 92(2) : 184-211.
- Strekalova T, Spanagel R, Bartsch D, Henn FA, Gass P. 2004. Stress-Induced Anhedonia in Mice is Associated with Deficits in Forced Swimming and Exploration. *Neuropsychopharmacology* (2004) 29, 2007–2017
- Strekalova T, Couch Y, Kholod N, Boyks M, Malin D, Leprince P, Steinbusch HMW. 2011. Update in the methodology of the chronic stress paradigm: internal control matters.
<http://www.behavioralandbrainfunctions.com/content/7/1/9>
- Takao K., Miyakawa T. (2006). Light/dark Transition Test for Mice. *JoVE*. 1. <http://www.jove.com/index/Details.stp?ID=104>, doi: 10.3791/104
- Turnbull AV, Rivier CL. 1999. Regulation of Hypothalamic-Pituitary-Adrenal Axis by Cytokines : Actions and Mechanisms of Action. *Physiological Reviews.* Vol. 79, No. 1, January 1999.
- Turski WA, Cavalheiro EA, Bortolotto ZA, Mello LM, Schwarz M, Turski L. 1984. Seizures produced by pilocarpine in mice: a behavioral, electroencephalographic and morphological analysis. *Brain Res*, Nov 12;321(2) : 237-53.
- Turturici G, Sconzo G, Geraci F. 2011. Hsp70 and its molecular role in nervous system diseases. *Biochemistry Research International* Volume 2011, Article ID 618127, doi : 10.1155/2011/618127.
- Umpierre AD, Remigio GJ, Dahle EJ, Bradford K, Alex AB, Smith MD, West PJ, White HS, Wilcox KS. 2014. Impaired cognitive ability and anxiety-like behavior following acute seizures in the Theiler's virus model of temporal lobe epilepsy. *Neurobiology Disease.* 2014 Apr;64:98-106.
- van der Hel W.S., R. G.E. Notenboom RGE., I. W.M. Bos IWM., van Rijen PC., van Veelen CWM., and P. N.E. de Graan PNE. 2005. Reduced glutamine synthetase in hippocampal areas with neuron loss in temporal lobe epilepsy. *Neurology*;64:326-333.

- Van Loo PLP, Van Zutphen LFM dan Baumans V. 2003. Male management: coping with aggression problems in male laboratory mice. *Laboratory Animals* (2003) 37
- Vardas K, Apostolou K, Briassouli E, Goukos D, Psarra K, Botoula E, Tsagarakis S, Magira E, Routsis C, Nanas S, Briassoulis G. 2014. Early Response Roles for Prolactin Cortisol and Circulating and Cellular Levels of Heat Shock Proteins 72 and 90 α in Severe Sepsis and SIRS. *BioMed Research International* Volume 2014, Article ID 803561, 8 pages <http://dx.doi.org/10.1155/2014/803561>
- Vardimon L. 2000. Neuroprotection by glutamine synthetase. *IMAJ* 2000;2(suppl):46-51.
- Vardimon L, Ben-Dror I, Avisar N, Oren A, Shifan L. 1999. Glucocorticoid control of glial gene expression. *Journal of Neurobiology* 40 : 4: 513–527.
- Velišková J. 2006. Behavioral Characterization of Seizures in Rats. In (Pitkänen A, Schwartzkroin PA, Moshé SL, eds). *Models of Seizures and Epilepsy*. Burlington, California, London : Elsevier Academic Press, pp : 601-611.
- Vezzani A, Granata T. 2005. Brain Inflammation in Epilepsy: Experimental and Clinical Evidence. *Epilepsia*, 46(11):1724–1743.
- Videbech P. , Ravnkilde B. 2004. Hippocampal Volume and Depression: A Meta-Analysis of MRI Studies. *American Journal of Psychiatry* 161:1957–1966.
- Vlachos II, Barbatis C, Tsopanomichalou M, Abou-Assabeh L, Goumas K, Ginieri-Coccosis M, Economou M, Papadimitriou GN, Patsouris E, Nicolopoulou-Stamatil P. 2014. Correlation between depression, anxiety, and polymorphonuclear cells' resilience in ulcerative colitis: the mediating role of heat shock protein 70. <http://www.biomedcentral.com/1471-230X/14/77>
- Walker L and Sills GJ. 2012. Inflammation and Epilepsy: The Foundations for a New Therapeutic Approach in Epilepsy? *Epilepsy Currents*, Vol. 12, No. 1 (January/February) 2012 pp. 8–12
- Walter C, Murphy BL, Pun YK, Spieles-Engemann AL, Danzer SC. 2007. Pilocarpine-Induced Seizures Cause Selective Time-Dependent Changes to Adult-Generated Hippocampal Dentate Granule Cells. *The Journal of Neuroscience*, July 11, 2007 • 27(28):7541–7552 •
- Wetherington J, Serrano G, and Dingleline R. 2008. Astrocytes in the Epileptic Brain. *Neuron* 58, April 24, 2008.

- Wieczoreka M. dan Dunn AJ. 2006. Relationships among the behavioral, noradrenergic, and pituitary–adrenal responses to interleukin-1 and the effects of indomethacin. *Brain Behaviour Immunology*. 2006 September ; 20(5): 477–487
- Wilhelmsson U, Bushong EA, Price DL, Smarr BL, Phung V, Terada M, Ellisman MH, Pekny M. 2006. Redefining the concept of reactive astrocytes as cells that remain within their unique domains upon reaction to injury. *PNAS* _ November 14, 2006 _ vol. 103 _ no. 46 _ 17513–17518
- Yang T, Hsu C, Liao W, Chuang JS. 2008. Heat shock protein 70 expression in epilepsy suggests stress rather than protection. *Acta Neuropathology*. 2008 Feb;115(2):219-30. Epub 2007 Oct 1
- Yenari MA., Liu J, Zheng Z, Vexler ZS., Lee JE., Giffard RG.e. 2005. Antiapoptotic and Anti-inflammatory Mechanisms of Heat-Shock Protein Protection. *Ann. N.Y. Acad. Sci.* 1053: 74–83.
- Zhang W, Hetzel A, Shah B, Atchley D, Blume SR, et al. (2014) Greater Physiological and Behavioral Effects of Interrupted Stress Pattern Compared to Daily Restraint Stress in Rats. *PLoS ONE* 9(7): e102247. doi:10.1371/journal.pone.0102247
- Zlatković J, Bernardi RE, Filipović D. 2014. Protective effect of Hsp70i against chronic social isolation stress in the rat hippocampus. *J Neural Transm.* 2014 Jan;121(1):3-14. doi: 10.1007/s00702-013-1066-1. Epub 2013 Jul 1
- Zou J, Wang YX, Dou FF, Lu HZ, Ma ZW, Lu PH, Xu XM. 2010. Glutamine synthetase downregulation reduces astrocyte protection against glutamate excitotoxicity to neurons. *Neurochem Int.* March ; 56(4) : 577-584.
- Zunszain PA, Anackera C, Cattaneo C, Carvalhoa LA, Pariante CM. 2010. Glucocorticoids, cytokines and brain abnormalities in Depression. *Prog Neuropsychopharmacol Biol Psychiatry*. 2011 April 29; 35(3): 722–729. doi:10.1016/j.pnpbp.2010.04.011.