

DAFTAR PUSTAKA

- ALHaj N.A., Abdullah R., Ibrahim S., Bustamam A., 2008, Tamoxifen Drug Loading Solid Nanoparticles Prepared by Hot High Pressure Homogenization Techniques, **American Journal of Pharmacology and Toxicology** 3 (3): 219-224.
- Badawy, S.I.F, Hussain, M.A. 2007. Microenvironmental pH Modulation in Solid Dosage Form. **Journal of Pharmaceutical Sciences**, Vol. 96 No. 5, p. 948-959.
- Baran R., Maibach H.I., 2010, **Textbook of Cosmetic Dermatology**, fourth edition, Informa Healthcare, UK,. 14-16.
- Barry, B. W., 2006. Penetration Enhancer Classification. In : Smith, E. W., & Maibach, H. I. (Eds). **Percutaneous Penetration Enhancers**, 2nd edition, London : Taylor & Francis Group, p.3-5
- Benson, H.A.E., 2005, Transdermal Drug Delivery: Penetration Enhancement Techniques. **Current Drug Delivery**, Vol. 2, No. 1, p. 23 – 33.
- Bunjes H., Westesen K., Koch M.H.J., 1996, Crystallization Tendency and Polymorphic Transitions in Triglyceride Nanoparticles, **Int. Journal of Pharmaceutics**, 129, p: 159-173.
- Departemen Kesehatan RI, 1995, **Farmakope Indonesia edisi IV**, Jakarta : Departemen Kesehatan RI.
- Dubey, A., P. Prabhu, and J.V. Kamath. 2012. Nano Structured Lipid Carriers: A Novel Topical Drug Delivery System. **International Journal of PharmTech Research**, vol. 4 No. 2, p. 705-714.
- Fox L., Gerber M., Plessis J., and Hamman J., 2011, Transdermal Drug Delivery Enhancement by Compound of Natural Origin, **Molecules**, 16, p: 10507-, 10540
- Goyal C., Ahuja M., anSharma S.K., 2011, Preparation and Evaluation of Anti-Inflammatory Activity of Gugulipid-Loaded Proniosomal Gel, **Drug Research**, vol. 68 No.1 pp: 147-150.
- Gusta T. R, Rosita N., Erawati T., 2102, Characterisation Of Solid Lipid Nanoparticles P-Methoxycinnamic Acid (SLN-PMCA) Formulated With Different Lipid Component: Stearic Acid And Cetyl Alcohol, **PharmaScientia**, Vol.1, No.1, hal 16-20.

- Hommooss A., 2008, Nanostructured lipid carrier (NLC) in dermal and personal care formulations, **PhD Thesis**, Department of Biology, Chemistry and Pharmacy of the Freie Universität Berlin, Berlin,
- Jenning V.(a), Gohla S., 2000, Comparison of wax and glyceride solid lipid nanoparticles (SLN), **International Journal of Pharmaceutics**, 196 :219–222
- Jenning V.(b), Andreas, F., Thuñemann, B., Sven, H. Gohla., 2000, Characterisation of A Novel Solid Lipid Nanoparticle Carrier System Based on Binary Mixtures Of Liquid And Solid Lipids. **International Journal of Pharmaceutics**, Vol 199. p. 175-176
- Jenning, V., Gysler, A., Schäfer-Korting, M., dan Gohla, S. H., 2000, Vitamin A Loaded Solid Lipid Nanoparticles for Topical Use : Occlusive Propertise and Drug Targeting to The Upper Skin. **Eur J Pharm Biopharm** 49 : 211-8.
- Joshi, M., Patravale, V., 2008, Nanostructured Lipid Carrier (NLC) Based Gel of Celecoxib, **Int J Pharm**, vol 346, Issue 1-2, pp: 124-132.
- Kaszuba, M., McKnight, D., Connah, M.T., McNeil-Watson, F.K., Nobmann, U., 2008, Measuring Subnanometre Sizes Using Dynamic Light Scattering, **J. Nanopart Res**, 10: 823-829.
- Korting, M.S, Mehnert W., Korting, H.C., 2007, Lipid Nanoparticle for Improved Topical Application of Drugs for Skin Disease, **Advance Drug Delivery Review** 59: 427-443
- Kovacevic A., Savic S., Vuleta G., Muller R.H., Keck C.M., 2011, Polyhydroxy Surfactant for the Formulation of Lipid Nanoparticles (SLN and NLC) Effect on Size, Phsical Stability and Particle Melting Structure, **Int. Jornal of Pharmaceutics**, 406: 163-172.
- Lamprecht, A., Bouligand, Y., Benoit, J.P., 2002, New Lipid Nanocapsules Exhibit Sustained Release Properties for Amiodarone, **J. Control. Release**, vol 84, Issue 1-2, pp: 59-68.
- Long, C., Zhang, L., Qian, Y., 2006, Preparation and Crystal Modification of Ibuprofen-Loaded Solid Lipid Microparticles, **Chinesse Journal Chemical Eng**, Vol14, Issue 4, pp: 518-526.
- Martin S., Tho I., Ferreira D.C., Souto E.B., Brandl M., 2011, Physicochemical Properties of Lipid Nanoparticles: Effect of Lipid and Surfactant Composition, **Drug Development and Industrial Pharmacy**, 37 (7), p: 815-824.

Misra, A., Kalariya, M., Padhi, B.K., Chougule, M., 2004, Methotrexate-Loaded solid lipid nanoparticles for topical treatment of psoriasis : formulation & clinical implications, **Drug Delivery Technology**, Vol. 4 No. 8, pp:156-165

Mukherjee, S., Ray, S., Thakur, R.S., 2009, Solid lipid nanoparticles: A modern formulation approach in drug delivery system, **Indian J Pharm Sci.**,; 71(4): 349–358.

Müller, R.H., Mäder, K., Gohla, S., 2000, Solid Lipid Nanoparticles (SLN) for Controlled Drug Delivery – a review of the state of the art, **European Journal of Pharmaceutics and Biopharmaceutics**, Vol 50, No.1, pp.161-177

Müller, R.H., Radtke, M., Wissing, S. A., 2002, Solid lipid nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC) in Cosmetic and Dermatological Preparations, **Adv Drug Deliv Rev.**, 54:S131-S155.

Muliady Soeklola, 2012, Uji Manfaat Krim Pelembab Yang Mengandung Campuran Ekstrak Etanol Biji Kelabat (*Trogonella Foenum-graecum L.*) dan Malam Lebah (*Cera Flava*), **Tesis**, FMIPA UI, Jakarta.

Patel H., Kulkonil V., Majumda S., Repke M.A., Continuous, 2014, Manufacturin of Solid Lipid Nanoparticles by Hot Melt Extrusion, **Int. J. Pharm** 2014 (1-2) p: 153-6

Patel M., Murugananthan, Gowda S., 2012, In Vivo Animal Model in Preclinical Evaluation of Antiinflamatory Activity- Review, **IJPRA**S,vol 1 issues 2, p.01-05

Patel R.P., 2008, Niosome: An unique drug delivery system. <http://www.pharmainfo.net>. Diakses tanggal 22 september. 2008.

Priyono S, 2013, Pemodelan Penggunaan Nyata Aplikasi Websie E-learning Oleh Dosen UA Menggunakan Partial Least Square – Structural Equation Modeling PLS-SEM), **Tesis**, Program Pascasarjana ITS, Surabaya.

Qi W.H, Wang M.P., 2004, Size and Shape Dependent Melting Temperature of Metalic Nanoparticles, **Material Chemistry and Physics**, 88, p. 280_4

Rosita N., Setyawan D., Soeratri W., Martodihardjo S., 2014, Physical Characterization Of Beeswax And Glyceryl Monostearat Binary System To Predict Characteristics Of Solid Lipid Nanoparticle (SLN) Loaded Para Methoxy Cinnamic Acid (PMCA), **Int J Pharm Pharm Sci**, Vol 6, Suppl 2, 939-945

Rosita N., Soeratri W., Martodihardjo S., 2013, Studi Praformulasi SLN Sebagai Sistem Pembawa SLN: Kelarutan APMS Dalam Fase Air dan Partisi Dalam Fase Lipid Sistem Biner Beeswax-GMS (**Belum dipublikasi**).

Rosita N., Soeratri W., Martodihardjo S., 2013, Pengaruh Kadar Tween 80 Dalam SLN Lipid Biner Beeswax-GMS 50:50 terhadap Ukuran Partikel (**Belum dipublikasi**)

Rowe, R.C., Sheskey, P.J., & Owen, S.C., 2006. **Handbook of Pharmaceutical Excipients**, 5th edition. London : Pharmaceutical Press and American Pharmacists Association, p. 155-156, 336-340, 580-584, 624-625.

Ruktanonchai U., Bejrapha P., Sakulkhu U., Opnasopit P., Bunyapraphatsara N., Junyapraset V and Puttipipatichachorn S., 2009, Physicochemical Characteristics, Cytotoxicity and Antioxidant Activity of Three Lipid Nanoparticulate Formulations of Alpha -Lipoic Acid, **AAPS PharmSciTech**, Vol. 10, No. 1, pp: 227-234.

Sadono, Erawati, T., Moeghardjo, 1998, Mekanisme pelepasan Etil p-metoksi sinamat pada matriks formula param beras kencur, **Lembaga Penelitian Universitas Airlangga**, Surabaya.

Sanad R.A., Malak N.S.A., El Baoomy T.S., Badawi A.A., 2010, Preparation and Characterization of Oxybenzone-Loaded Solid Lipid Nanoparticles (SLNs) with Enhanced Safety and Sunscreening Efficacy:SPF and UVA-PF, **Drug Discoveries & Therapeutics** 4(6): 472-83.

Sato, K., 2001, Crystallization behaviour of fats and lipids – A review. **Chem. Eng. Sci.**, Vol. 56, Issue 7, pp: 2255- 2265.

Shah M., Agrawal Y.K., Garala K., Ramkishan A., 2012, Solid Lipid Nanoparticles of a Water Soluble Drug, Ciprofloxacin Hydrochloride, **Indian J.Pharm Sci** 74(5), p:434-42.

Schäfer-Korting, M., Mehnert, W., Korting, H.C., 2007, Lipid nanoparticles for improved topical application of drugs for skin diseases, **Adv Drug Deliv Rev.**, Vol 59, Issue 6, pp: 427-443.

Severino P et al, 2011, *Current State-of-Art and New Trends on Lipid Nanoparticles (SLN and NLC) for Oral Drug Delivery*, **Journal of Drug Delivery**, Article ID 750891, 10 pages, doi:10.1155/2012/750891

Simco P.J., 2011, **Farmasi Fisik dan Ilmu Farmasetika Martin**, Edisi 5, Terjemahan dari: Jositta Dhajadisastra dan Amalia H. Hadinata, Penerbit Buku Kedokteran EGC, Jakarta, p: 420-434.

- Sinha V.R., Srivastava S., Goel H., Jindal V., 2010, Solid Lipid Nanoparticles (SLN'S) – Trends and Implications in drug Targeting, **International Journal of Advance in Pharmaceutical Sciences I**, p: 212-238
- Souto, E.B., 2010, *Challenging Cosmetics – Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC)* in **Textbook of Cosmetic Dermatology**, fourth edition, Informa Healthcare, UK.
- Soeratri W, Erawati T., Rahmatika D, Rosita N, 2014, *Penentuan Dosis Asam p-metoksisinamat (APMS) Sebagai Antiinflamasi Topikal dan Studi Penetrasi APMS Melalui Kulit Tikus dengan dan Tanpa Stratum Korneum, Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, Vol.1 No.1, Juni 2014, p.28-30
- Sugiharti N., 2013, Optimasi Komposisi Enhancer dan Emulgator pada Formulasi Krim Fraksi Etil Asetat Ekstrak Th Hijau (Cantellia sinensis, L.) sebagai Sediaan Topikal Antiinflamasi, **Disertasi**, UGM, Yogyakarta, p: 89-95.
- Svilenov, Hristo, Tzachev, christo, Solid Lipid Nanoparticles – A Promising Drug Delivery System, **Nanomedicine**, p:187-237.
- Sinha V.R., Srivastava S., Goel H., Jindal V., 2010, Solid Lipid Nanoparticles (SLN'S) – Trends and Implications in drug Targeting, **International Journal of Advance in Pharmaceutical Sciences I**, p: 212-238
- Triplet II M.D., Rathman J.F., 2009, Optimization of β-Carotene Loaded Solid Lipid Nanoparticles Preparation Using a High Shear Homogenization Technique, **J. Nanopart Res**, 11: 601-614.
- Tamjdi F., Shahedi T., Kumari M. Bairy K.L., Shenoy S., 2011, Evaluation of Antiinflammatory and Analgetic Activity of Alcoholic Extract of Kaempferia Galanga in Rats, **Indian Jurnal Physiol Pharmacol**, vol 55, p: 13-24.
- Tamjdi F., Shahedi M., Varshoosaz J., Nasipour A., 2013, Nanostructured Lipid Carrier (NLC): A Potensial Delivery Syatem for Bioactive Food Molecules, **Innovative Food Science and Emerging Technologies**, 39: 29-43
- Vivek K., Reddy H., and Murthy R.S.R., 2007, Investigation of the Effect of the Lipid Matrix on Drug Entrapment, in Vitro Release, and Pysical Stability of Olanzapine-Loaded Solid Lipid Nanoparticles, **AAPS PharmSciTech**, 8 (4) Article 83,E1-E9
- Venkateswarlu, V., Manjunath, K., 2004, Preparation, characterization and in vitro release kinetics of clozapine solid lipid nanoparticles, **J. Control. Release**, 95, pp: 627-638

- Westesen K., Siekman B., and Koch M.H.J., 1993, Investigations on the Pyysical State of Lipid Nanoparticles by Syncroton Radiation X-Ray Diffraction, **Int. Journal of Pharm.**, 93, p: 189-199.
- Wiechers J.W, 2008, **Science and Applications of Skin Delivery Systems**, Allured, Illinois-USA, p: 1-23, 227-240
- Williams A.C. and Barry B.W., 2004, Penetration Enhancers, **Advanced Drug Delivery Reviews**, 56, p: 603-18.
- Wissing S., Müller R., 2002, The influence of the crystallinity of lipid nanoparticles on their occlusive properties, **Int J Pharm.**, Vol. 242, Issue 1-2, pp: 377-379.
- Wissing, S.A., Müller, R.H., 2003, Cosmetic applications for solid lipid nanoparticles (SLN), **Int J Pharm.**, Vol. 254, Issue 1, pp: 65-68.
- Wissing, S.A., Müller, R.H., 2003, The Influence of Solid Lipid Nanoparticles on Skin Hydration and Viscoelasticity—in Vivo Study, **Eur J Pharm Biopharm.**, Vol. 56, Issue 1, pp: 67-72.
- Zainuddin M., 2011, **Metodologi Penelitian Kefarmasian dan Kesehatan**, Airlangga Universty Press, Surabaya, p.115.
- Zhai, H., Maibach, H.I., 2001, Effects of skin occlusion on percutaneous absorption : an overview , **Skin Pharmacol Appl Skin Physiol**, Vol 14 (1), pp: 1-10.
- Zhang, Q., Yie, G., Li, Y., et al, 2000, *Studies on the cyclosporin A loaded stearic acid nanoparticles*, **Int. J Pharm.**, Vol. 200, Issue 2, p: 153-159.