

DAFTAR PUSTAKA

- Ali Amron, 2011, *Elektroda Selektif Ion La³⁺ tipe Kawat Terlapis dengan Ionofor Senyawa Karboksimetoksi Tersier Butil Kalik[6] Arena*, Tesis, Universitas Airlangga Surabaya
- Anonim, 2013, Senyawa Timbal, <http://asslita.blogspot.com/2013/09/v-behaviorurldefaultvmlo.html>, diakses tanggal 7 September 2014.
- Arous, O., Soud,S.F., Amara,M., Kerdjoudj,H., 2011, Efficient Facilitated Transport of Lead and Cadmium across a Plasticized Membrane Mediated by D2EHPA and TOPO, *Materials Science and Application*, 2, 612-623.
- Atikah, 1994, *Pembuatan dan Karakterisasi Elektroda Selektif Ion tipe Kawat Terlapis*, Tesis, Institut Teknologi Bandung, 196p.
- Bakırdere, S., Yarođlu, T., Tırık, N., Demiröz, M., Fidan, A. K., Maruldaı, O., dan Karaca, A., 2013, Determination of As, Cd, and Pb in Tap Water and Bottled Water Samples by Using Optimized GFAAS System with Pd-Mg and Ni as Matrix Modifiers, *Journal of Spectroscopy*, 2013, 1–7.
- Bakker, E., Buhlman, Pretsch, E., 1997, Carrier-Based Ion- Selective Electrode and Bulk Optodes, General Characteristic, *Chem.Rev.*, 97, 3083-3132.
- Carrijo, J. F. N., Luciano, C., Brasil, dan Coelho, N. M. M., 2005, Determination of Trace Lead in Waters by Flow Injection Hydride Generation Atomic Absorption Spectrometry, *J. Braz. Chem. Soc.*, 16, 520-525.
- Comeau, B., 2008, Plasticizer Alternatives for Use in Polymer Membrane Ion Selektive Electrodes, *Disertation*, Department of Chemistry, USA.
- Diaz, M.T., dan Bakker, E., 2001, Effect of lipophilic Ion Exchanger Leaching on the Detection limit of Carrier Based Ion-Selective Electrode, *Anal.Chem.*,73, 5582-5589.
- Darmono, 2001, *Lingkungan Hidup dan Pencemaran*, UI Press, Jakarta.
- Eggs, B. R., 2002, *Chemical Sensors and Biosensors*, John Wiley & Sons Ltd, England.
- Evan, A., 1991, *Potensiometry and ion Selective Electrode*, John Wiley & Son, Chichester, 304p.
- Greenwood, N. N., dan Earnshaw, A., 1984, *Chemistry of the Elements*, Reed Educational and Professional Publishing, England.
- Gupta, V. K., 2010, Potentiometric Sensors for Inorganic Anions Based on Neutral Carriers–An Invited Review Article, *The Arabian Journal for Science and Engineering*, 35, 7–25.

- Harsini, M., 2008, Pembuatan Elektroda Komposit Polipirol/1,10-Dibenzyl-1,10-Diaza-18-Crown-6 Secara Elektropolimerisasi Sebagai Sensor Voltametri Ion Hg^{2+} pada Orde Konsentrasi Pikomolar, *Disertasi*, Departemen Kimia, Bandung.
- Harmita, 2004, Petunjuk Pelaksanaan validasi Metode dan Cara perhitungannya, *Majelis Ilmu Kefarmasian*, Vol.I, No.3, UI Jakarta.
- Huang, M., Ma, X., Li, X., 2009, Lead (II) ion-selective Electrode Based on Polyaminoanthraquinone Particles with intrinsic Conductivity, *Talanta*, 498-505.
- Hynek, D., Prasek, J., Pikula, J., Adam, V., Hajkova, P., Krejcova, L., Trnkova, L., Sochor, J., Pohanka, M., Hubalek, J., Beklova, M., Vrba, R., dan Kizek, R., 2011, Electrochemical Analysis of Lead Toxicosis in Vultures, *Int. J. Electrochem. Sci.*, 6, 5980 – 6010.
- Janata, J, 2009, Principles of Chemical Sensors; second edition, *Springer Science + Business Media*, London.
- Kricheldorf, H. R., Nuyken, O., dan Swift, G., 2005, Handbook of Polymer Synthesis; Second Edition, *Marcel Dekker*, New York.
- Khopkar, S. M., 1998, *Basic Concept of Analytical Chemistry*, New Age International Ltd, New Delhi.
- Mousavi, M.F., Sahari, S., Alizadeh, A., Shamsipur, M., 2000, Lead Ion-Selective Membrane Electrode Based on 1,10-Dibenzyl-1,10-Diaza-18-Crown-6, *Analytica Chimica Acta* 414, 189-194.
- Masadome, T., Wakida, S., Kawabata, Y., Imato, T., dan Ishibashi, N., 1992, Contribution of Plasticizer to Response of Surfactant-Selective Plasticized Polyvinyl chloride) Membrane Electrode by Using Ion-Sensitive Field-Effect Transistor, *Analytical Sciences*, 8, 89–91.
- Matta, Wilbraham, Staley, 1996, *General, Organic, and Biological chemistry*, Health and Company, Toronto.
- Mhammedi, M. A. E., Achak, M., dan Bakasse, M., 2013, Evaluation of A Platinum Electrode Modified with Hydroxyapatite in the Lead(II) Determination in A Square Wave Voltammetric Procedure, *Arabian Journal of Chemistry*, 6, 299–305.
- Meyerhoff, M. E., dan Opdycke, W. N., 1986, *Advances in Clinical Chemistry*, Academic Press INC, London.

- Neira, Maria, 2010, *Childhood Lead Poisoning*, World Health Organization (WHO).
- Palar Heryando, 1994, *Pencemaran dan Toksikologi Logam Berat*, Rineka Cipta, Jakarta
- Parveen, N., dan Rohan, Y., 2011, *Spectrophotometric Determination of Some Environmental Samples*, *Journal of Environmental Research And Development*, 6, 57–62.
- Patrick, S. G., 2005, *Practical Guide to Polyvinyl Chloride*, Rapra Technology Limited, Shawbury.
- Rounaghi, G. H., Mohajeri, M., Ashrafi, S., Ghasemi, H., Sedaghat, S., dan Tavakoli, M., 2007, Complex Formation of 1,10-Dibenzyl-1,10-diaza-18-crown-6 with Ni^{2+} , Cu^{2+} , Ag^+ and Cd^{2+} Metal Cations in Acetonitrile–dimethylformamide Binary Solutions, *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 58, 1-6.
- Shemirani, F., Abkenar, S. D., dan Khatouni, A., 2004, Determination of Trace Amounts of Lead and Copper in Water Samples by Flame Atomic Absorption Spectrometry after Cloud Point Extraction, *Bull. Korean Chem. Soc.*, 25, 1133–1136.
- Suyanta, 2013, *Potensiometri*, UNY Press, Yogyakarta.
- Talebi, S. M., dan Safigholi, H., 2006, Determination of Lead in Water Resources by Flame Atomic Absorption Spectrometry After Pre-concentration with Ammonium Pyrrolidinedithiocarbamate Immobilized on Surfactant-Coated Alumina, *J. Serb. Chem. Soc.*, 72, 585–590.
- Ginnynorman, 2010, *Polyvinyl Chloride*, <http://ginnynorman.wordpress.com/>, diakses tanggal 15 September 2014.
- Wang, N., Raza, A., Si, Y., Yu, J., Sun, G., dan Ding, B., 2013, Tortuously Structured Polyvinyl Chloride/Poly Urethane Fibrous Membranes for High-Efficiency Fine Particulate Filtration, *Journal of Colloid and Interface Science*, 398, 240–246.
- Zolotov, Y.A., 1997, *Macrocyclic Compounds in Analytical Chemistry*, John Wiley and Sons, Inc, New York.