

DAFTAR PUSTAKA

- Abraham E, Singer M, 2007. Mechanisms of sepsis-induced organ dysfunction. *Critical Care Medicine.* 35: p. 2408-2416.
- Antonelli M, Moreno R, Vincent JL, Sprung CL, Mendoca A, Passariello M, Riccioni L, Osborn J, 1999. Application of SOFA score: Sequential Organ Failure Assessment. *Intensive Care Med.* 25:389-394.
- Amati L, Cirimele D, Pugliese V, 2003. Nutrition and Immunity : Laboratory and clinical aspects. *Curr Pharm.* 9: 1924-1931.
- Arie, U, 2011. Disertasi: Pengaruh infus albumin pada perubahan kadar albumin serum, sitokinproinflamasi (TNF , IL1, IL6), CRP, MMP8 dan ekspresio EGFR, ERK1, ERK2, TGF , kolagen, MMP8 jaringan terhadap percepatan penyembuhan luka.
- BaudouinByl, Jacques Deviere, Francis Saint-Hubert, 1996. Evaluation of tumour necrosis factor- , interleukin-6 and C-reactive protein plasma levels as predictors of bacteremia in patients presenting signs of sepsis without shock. *Clinical Microbiology and Infection* vol 3. 3:306-13
- Bito R, Hino S, Baba A, Tanaka M,Watabe H and Kawabata H, 2005. Degradation of oxidativestress induced denatured albumin in rat liver endothelial cells. *Am J Physiol Cell Physiol.* 289: C531-542. DOI:10.1152/ajpcell.00431.2004
- Bone RC, Balk RA, et al, 2009. ACCP/SCCM Consensus Conference Committee: Definitions for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. *Chest* 136(28).
- Buck M, Zhang L, Halasz NA, Hanter T, Chojkier M. 2001. Nuclear export of phosphorylated C/EBP mediated the inhibition of albumin. *Emboy J.* 20(23): 6712-6723: DOI 10.1093/emboj/20.23.6712
- Boldt J, 2010. Use of albumin : an update. *Br. J. Anaesth.* 104:276-84
- Brown P, 2003. Malnutrition Leadking Cause of Death in Post War Angola. *Bull World Health Organ.* 81: 849-50
- Caryn M, Berkowitz MD, 2005. Does albumin regulate albumin?,*Hepatology* 16: 1499-1501. DOI 10.1002/hep.1840160629
- Carty TJ, Gilman SC, 1995.The Biochemistry and Pharmacology of TNF and . NewyorkInflammRess. 44: 455-7.

- Chou CD, Yien HW, Wu DM, Kuo CD, 2009. Albumin administration in patients with severe sepsis due to secondary peritonitis. *J Chin Med Assoc* 72:243–50.
- Clark RSB, Satchell MA, 2001. Albumin in brain injury: Not just for pressure anymore. *Pediatr Crit Care Med* S. 38-9.
- Cochrane Injuries Group, 1998 : Human albumin administration in critically ill patients: systematic review of randomized controlled trials. *BMJ* 317:235-240.
- Copper BA, Penne EL, Bartlett LH and Pallock CA, 2004. Protein malnutrition and hypoalbuminemia as predictor of vascular events and mortality in ESRD. *Am J Kidney Dis.* 43: 61-66
- Coutino HM, Leenstra T, Acosta LP, Su L, Jarilla B, Jiz MA, Langdon GC, Olveda RM, 2006. Proinflammatory cytokines and c reactive protein are associated with undernutrition in the context of schistosomajaponicum infection. *Am J Trop Med Hyg.* 75(4): 720-6
- Cueto Manzano AM, 2001. Hypoalbumin in dialysis patients a malnutrition or an inflammation marker. Review article *Larevista de Invesclinica.* 53(2): pp 152-8
- Damas P, Ledoux D, Nys M, Vrindts Y, De Groone, Franchimont P, Camy M, 1992. Cytokines serum level during sepsis in human: IL6 as a marker of severity. *Am Surg.* 215: 365-7
- Daniel R, Nutbeam T, 2010. ABC of sepsis United Kingdom: Wiley-Blackwell Publishing Ltd
- Deglin, Judith Hopfer, 2005. Pedoman Obat edisi 4. Jakarta: EGC
- D. Mokart, M. Merlin, A. Sannini, J. P. Brun, J. R. Delpero, G. Houvenaeghel, V. Moutardier and J. L. Blache, 2005. Procalcitonin, interleukin 6 and systemic inflammatory responsesyndrome (SIRS): early markers of postoperative sepsis aftermajor surgery. *British Journal of Anaesthesia* vol94 (6): 767–73
- Dulger H, Arik M, Sekeroglu MR, Tarakgoglu M, Noyan T, Cesur Y, Balahoroglu R, 2002. Pro inflammatory cytokines in Turkish children with protein malnutrition. *Mediator of inflammation,* 11: 363-5
- Evans TW, 2002. Review article: albumin as a drug–biological effects of albumin unrelated to oncotic pressure. *Aliment Pharmacol Ther.* 16:6–11
- Fanali G, diMasi A, Trezza V, Marino M, Fasano M, AscenciP, 2012. Human serum albumin :from bench to bedside. *Mol Aspects Med.* 33:209-90

- Ferreira FL, Bota DP, Bross A, Melot C, Vincent J, 2001. Serial evaluation of the SOFA score to predict outcome in critically ill patients. *JAMA*.286:1754-1758.
- Finfer S, Bellomo R, Boyce N, French J, Myburgh J, Norton R, 2004. SAFE Study Investigators: A comparison of albumin and saline for fluid resuscitation in the intensive care unit. *N Engl J Med*. 350:2247-2256
- Fong Y, Moldawer LL, Shires GT, Lowry SF, 1990. The biologic characteristics of cytokines and their implication in surgical injury. *Surgical gynecol obstet*. 170: 363-78
- Giamarellos-Bourboulis EJ, Grecka P, et al, 2001. Assessment of procalcitonin as a diagnostic marker of underlying infections in patients with febrile neutropenia. *Clinical Infectious Disease*. 32: p. 1718-1725.
- Gibbs J, Cullin W, Henderson W, Daley J, Hur K, Khuri SF, 1999. Preoperative serum albumin level as a predictor of operative mortality and morbidity. *Arch Surgery*. 134: 36-42
- Ginsberg MD, Zhao W, Belayev L, Alonso OF, Liu Y, Loor JY, Bustos R, 2001. High dose human albumin in markedly neuroprotection in experimental traumatic brain injury. *J Neurosurg*. 4(3): 499-509.
- Goldwasser P, Fielman J, 1997. Association of serum albumin and mortality risk. *J Clin Epidemiol*. 50(6): 693-703.
- Grimble RF, 1990. Nutrition and cytokines action nutrition. *Res Rev*. 3: 193-210
- Guthrie RD Jr, Hines C Jr, 1991. *Use of intravenous albumin in the critically ill patient. Am J Gastroenterol*;86:255-63.
- Herman FR, Safran c, Levkoff SE, Minaker KL, 1992. Serum albumin level on admission as a predictor of death, length of stay and readmission. *Arch Intern Med*. 152(1):125-30
- Holzheimer RG, Steinmetz W, 2000. Local and systemic Concentration of Pro and Anti Inflammatory Cytokines in Human Wounds. *Eur J Med Res*. 3: 347-355
- Inigo J, Sendra JM, Diaz R, Bouza C, Sarria-Santamerra A, 2006. Epidemiology and cost of severe sepsis in Madrid: A Hospital discharge study. *Medicina Intensiva*. 30(5): p. 197-203.
- Jacobi J, 2001. Sepsis: A frequent - life threatening syndrome. *Pharmacotherapy* 22(12pt2): p. 169s-182s.

- Kaminski MW, William SD, 1990. Review of the rapid normalization of serum albumin with modified total parenteral nutrition solutions. Crit care med 18: 327-35
- Karyadi E, Dolmans WM, West CE, Van Crevel R, Nelwan RH, Amin Z, Gross R, Van Der Jongerkrijq J, Van Der Meer JW, 2007. Cytokines related to nutritional status in patients with untreated pulmonary tuberculosis in Indonesia. Asia PAC J ClinNutr. 16(2): 218-226
- Ling PR, Smith RJ, Kie S, Boyce P, Bistrian BR 2003. Effect of protein malnutrition on IL6- mediated signalin in the liver and the systemic acute phase response in rats. Am J PhysiolRegulIntegr comp physiol. 287: R 801-8
- Liumbruno G, Bennardello F, Lattanzio A, Piccoli P, Rossetti G, 2009. Recommendations for the use of Albumin and Immunoglobulins.*Blood Transfus.* 7:216-234
- Lyouri S, Tamion F, Petit J, Dechelote P, Daugeut C, Scotte M, Hiron M, Leplingard A, Salier JP, Daveau M, Lebreton JP, 1998. Induction and modulation of Acute Phase Response by Protein Malnutrition in Rats: Comparative Effect of Systemic and Localized Inflammation of Interleukin-6 and Acute Phase Protein Synthesis. J Nutr. 128(2): 166-74.
- Moreno R, Vincent JL, Matos R, Mendonca A, Cantraine F, Thijs L, Takala J, Sprung C, Antonelli M, Bruining H, Willatts S, 1999. The use of maximum SOFA score to quantify organ dysfunction/failure in intensive care: results of a prospective, multicentre study; Working Group on Sepsis related Problems of the ESICM. Intensive Care Med. 25:686-696.
- Nicholson JP, Wolmarans MR, Park GR, 2000. The role of albumin in critical illness.Br J Anaesth.85:599–610.
- National Plasma Product Expert Advisory Group, 2009. Clinical Guidelines for Human Albumin Use.
- Peters TJ, 1996. The albumine molecule: Its structure and chemical properties. In: All about albumin. Biochemistry, genetics and medical application. Academic Press: p. 9-75
- Snowden C, Kirkman E, 2006. The pathophysiology of sepsis. British Journal of Anesthesia. 2(1): p. 11-14.
- Sugio S, Kashima A, Mochizuki S, Noda M, Kobayashi K, 1999. Crystal structure of humanserum albumin at 2.5 Å resolution. Protein Eng. 12:439–46.

Schnitzer JE, 2001. Caceolae: from basic trafficking mechanism to targeting transcytosis for tissue-specific drug and gene delivery in vivo. *Ad Drug Delivery Res.* 49: 265-280

Reddy RC, Chen GH, Tekhandani TJ, et al, 2001. Sepsis-induced immunosuppression : From bad to worse. *Immunologic Research.* 24: p. 273-287.

Romanelli RG et.al, 2006. Long-term albumin infusion improves survival in patients with cirrhosis and ascites: an unblended randomized trial. *World J Gastroenterol.* 12(9): 1403-1407

RSUD Dr. Soetomo, 2003. Pedoman Penggunaan Albumin. Edisi II

Ruot B, Bechereau F, Bayle G, Obled C, 2002. The response of liver albumin synthesis to infection in rats varies with the phase of the inflammatory process. *Clin. Sci.* 102: 107-114

Russel JA, 2006. Management of sepsis. *New England Journal of Medicine* 355: p. 1699-1713.

Thai An Chen, Yu-Chen Tsao, Angela Chen et al, 2009. Effect of intravenous albumin on endotoxin removal, cytokines, and nitric oxide production in patients with cirrhosis and spontaneous bacterial peritonitis. *Scandinavian Journal of Gastroenterology* Vol. 44, No. 5, Pages 619-625 (doi:10.1080/00365520902719273)

Wei-Shuen K, Roland K, Selin S, Chipperfield K, Morrison D, 2012. Introduction of guidelines for the use of albumin and the effect on albumin prescribing practices in British Columbia. *BCMJ.* 54 (1) : 34-38

Van Crevel R, Ottenhoff TH, Van Der Meer JW, 2002. Innate immunity to mycobacterium tuberculosis. *Clinical Microbiology Reviews* 15, 15: 294-309. DOI: 10.1128/CRM.15.2.294-309.

Vincent JL, Sakr Y, Reinhart K, Sprung CL, Gerlach H, Ranien M, 2005. Is albumin administration in acutely ill associated with increased mortality ? Result of the SOAP study. *Critical Care.* 9:R745-R754

Vincent JL, Moreno R, Takala J, Willatts S, De Mendonca A, Bruining H, Reinhart CK, SuterPM, Thijs LG, 1996. The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ dysfunction/failure, On behalf of the Working Group on Sepsis-Related Problems of the European Society of Intensive Care Medicine. *Intensive Care Med.* 22:707-710.

Yeun JY, Levine RA, Mantadilok V, Kaysen GA, 2000.C-reactive protein predicts all-cause and cardiovascular mortality in hemodialysispatients.
Am J Kidney Dis 35:469–76.

Yildirim K, Karatay S, Melikoglu, MA, Gureser G, Ugur M, Senel K, 2004. Association between acute phase reactant level and disease activity score (DAS 28) in patient with rheumatoid arthritis. *Annal of clinical and Laboratory Sciens.* 34: 423-6

