

DAFTAR PUSTAKA

- Ahmeda, A., Ismail, Z., Gabriel, A. 2005. Antioxidants Properties of Phyllanthus niruri Extracts. *Malaysian Journal of Science*. 24(1): 195-200.
- Amin Z. 2007. Pengaruh Phyllanthus niruri L sebagai imunomodulator Terhadap Kadar IFN- γ pada penderita Tuberkulosis <http://www.stimuno.com>. Diakses tanggal 22 juli 2014
- Ambali FS, Stephen A. Adeniyi, Annas O. Makinde, Mufta'uShittu and Lukuman S. Yaqub. 2010. Methanol extract of Phyllanthus niruri attenuates chlorpyrifos evoked erythrocyte fragility and lipoperoxidative changes in wistar rats. *Arch. Appl. Sci. Res.*, 2(4): 191-198.
- Abbas AK, Andrew H, and Pillai S., 2012. Immunity to Microbes. *In Cellular and Molecular Immunology*. 7th Edition, Philadelphia; WB Elsevier Company.
- Awandare, GA., Ouma, Y., C *et, al.* 2007. Role of Monocyte-Acquired Hemozoin in Suppression of Macrophage migration inhibitory factor in children with severe malarial anemia. *Infection and Imunity*. 75(1): 201-210.
- Bratawidjaja KG dan Rengganis I., 2012. *Imunologi Dasar*. Edisi Ke-10, Jakarta; Fakultas Kedokteran Universitas Indonesia.
- Blomberg MT, Perlmann P. 2002. Malaria and the immune system in humans. *Chem Immunol*. 80:229-42.
- Beare, N.A., T. E. Taylor, S.P. Harding, S. Lewallen, dan M.E. Molyneux. 2006. 'Malaria Retinopathy; A Newly Established Diagnostic Sign in Severe Malaria'. *Am. J. Trop. Med Hyg.* vol 75.
- Boutlis CS. E. Taylor, S.P. Harding, S. Lewallen, and M.E. Molyneux, 2005. Glycosylphosphatidylinositols in Malaria Pathogenesis and Immunity: Potential for Therapeutic Inhibition and Vaccination. *Springer-Verlag Berlin Heidelberg, CTMI*. 297: 145-15.
- Bagalkotkar G, Sangidu SR, Saad MS, Stansals J, 2006. Phytochemicals from Phyllanthus niruri Linn and Their Pharmacological Properties: A Review, *Journal of Pharmacy and Pharmacology*. 58(12): 59-70.
- Chua CLL, Graham Brown, John A. Hamilton, Stephen Rogerson and Philippe Boeuf. 2012. Monocyte and Macrophages in Malaria: Protection or pathology. *Elsevier Ltd. Trend in Parasitology*. 29(1):26-28.

- Coban Cet al. 2005. Toll-like receptor 9 mediates innate immune activation by the malaria pigment hemozoin. *J Exp Med* 201: 19-25.
- Curfs JH, van der Meide PH, Billiau A, Meuwissen JH, Eling WM. *Plasmodium berghei: recombinant interferon-gamma and the development of parasitemia and cerebral lesions in malaria-infected mice*. *Exp. Parasitol* 1993 Sep;77(2):212-23. 12.
- Dzulkarnain, B. 1998. *Tanaman-tanaman Antimalaria*. Jakarta: Puslitbang Farmasi, Balitbang Kesehatan, Depkes RI
- Dalimarta, S. 2000. *Atlas Tumbuhan Obat Indonesia*. Trubus, Bogor: Agriwidya.
- Dachlan YP. 2013. 'Sistem imun innate dan Adaptive', dalam: *Imunologi Malaria* (editor). Yoes Prijatna Dachlan, Agung Dwi Wahyu Widodo, Boerhan Hidajat. Surabaya: RSPTI-Universitas Airlangga.
- Dewi AK. 2012. *Jumlah Sel Limfosit Pada Daerah Peri Arterial Lymphoid Sheath (PALS) Limfa Dan Kadar IL-12 mencit DM (Diabetes Millitus) Dengan Induksi Histamin Intraperitoneal*. Surabaya: Program Pascasarjana.
- Dian Anggraini Puspitasari, Pratiwi Trisunuwati, Sri Murwani. 2012. *The Effect Of The Immunostimulator Of Cinnamon (Cinnamomun Burmannii) Ethanol Extract on CD4 and Gamma Interferon in BALB/c Mice Infected By Salmonella enteritidis*. Fakultas MIPA Universitas Brawijaya. Malang.
- Firmansah Hasan., Sri Murwani., Rositawati Indrati, 2012. *Immunostrimulatory Effects of Extract Ethanol From Cinnamon (Cinnamomun burmannii) To The Increasing Number of Cells T CD4 dan T CD8 In Mice BALB/C*. Fakultas MIPA Universitas Brawijaya. Malang.
- Gunawan AC. Dr. 2010. 'Malaria Serebral dan Penanganannya', dalam: P.N. Harijanto, A Nugrohodan C. A. Gunawan (editor). *Malaria: dari Molekuler ke klinis Eds 2*. Jakarta: EGC.
- Giridharan P, Sumasundaram ST, Perumal K. 2002. Novel substituted methylenedioxy lignin suppresses proliferation of cancer cells by inhibiting and activation of c-myc and caspases leading to apoptosis. *Br J Cancer*; 87: 98-105.
- Goel V, Chang C, Slama J, Barton R, Bauer R, Gahler R, Basu T. 2012. Echinaceastimulate macrophage function in lung 9 and spleen of normal rats. *J Nutr. Biochem*. 2002; 13(8) : 487

- Harijanto, P.N. 2010. 'Presentasi Klinis Malaria Berat', dalam: P.N. Harijanto, A Nugrohdan C. A. Gunawan (editor). *Malari: dari Molekuler ke klinis Eds 2*. Jakarta: EGC.
- Haffid, Tyas MW, Widyawaruyanti A, 2011. Model terapi kombinasi ekstrak etanol 80% kulit batang cempedak (*Artocarpus Champeden Spreng.*) dan artesunat pada mencit terinfeksi parasit malaria. *J Indon Med Assoc*, Vol. 61, No. 4, pp. 161-167.
- Harijanto P N, Nugroho H. 2000. Imunologi pada malaria. Dalam buku: Harijanto PN, editor. *Malarian epidemiologi, patogenesis, manifestasi klinis, dan penanganan*. Jakarta. EGC.
- Ifeoma Obidike, Okhale Samuel, Aboh Mercy Itohan, Salawu Oluwakanyinsola Adeola. 2013. Isolation, fractionation and evaluation of the antiplasmodial properties of *Phyllanthus niruri* resident in its chloroform fraction. *Asian Pacific Journal of Tropical Medicine*. www.elsevier.com/locate/apjtm. Nigeria. 169-175.
- Kemenkes RI. 2011. Profil Kesehatan Indonesia tahun 2010. Jakarta.
- Kayser, O., A. F. Kiderlen, and S.L. Croft. 2000. *Natural Products as Potential Antiparasitic Drugs*. www.fuberlin.de/akkayscr/antiparasiticsfromnature.pdf. Diakses tanggal 1 Januari 2013.
- Latra IN., Fauzi EA. 2006. Analisis peranan tanaman herba meniran Sebagai antimalaria terhadap pertumbuhan Plasmodium berghei dalam kultur in vivo pada mencit. *Jurnal Matematika, ITS Sukolilo*. Surabaya. Vol. 9. 156-164.
- Leids Universitair Medisch Centrum. 2008. *General Introduction P.berghei Model*. <http://www.lume.nl/con/1040/81028091348221/810281121192556/811070740182556/> Diakses tanggal 13 Oktober 2013.
- Leiden University Medical Center (LUMC), 2006, The Plasmodium berghei Research Model of Malaria. <http://www.lumc.nl/1040/research/malaria/model.html>. Diakses tanggal 13 Oktober 2013.
- Lestarini IA. 2008. *Pengaruh Pemberian Phyllanthus niruri L terhadap Respon Imunitas Seluler Mencit Balb/c yang diinfeksi Salmonella typhimurium*. Semarang : Pasca Sarjana Ilmu Biomedik Fakultas Kedokteran Universitas Diponegoro
- Miller, L.H.; Baruch, D.I.; Marsh, K.; Doumbo, O.K. 2002. The pathogenic basis of malaria. *Nature*. 415:673-679.

- Maslachah L. 2013. 'Aspek Molekuler Perkembangan Resistensi Pada Pengobatan Malaria', dalam: *Imunologi Malaria* (editor). Yoes Prijatna Dachlan, Agung Dwi Wahyu Widodo, Boerhan Hidajat. Surabaya: RSPTI-Universitas Airlangga.
- Maat, S. 2005. *Phyllanthus niruri L sebagai imunostimulator pada mencit*. Disertasi Program Pascasarjana. Universitas Airlangga. Surabaya. Hal: 13-174.
- Mustofa, Eti Nurwening Sholikhah, Subagus Wahyuono. 2007. *In vitro and in vivo antiplasmodial activity and cytotoxicity of extracts of phyllanthus niruri L. Herbs traditionally used to treat malaria in Indonesia*. Gadjah Mada University: Yogyakarta. Vol 38 No. 4.
- Murugaiyah, V., Chan, K. 2009. Mechanisms of Antihyperuricemic Effect of Phyllanthus niruri and its Lignan Constituents. *Journal of Ethnopharmacology*. University Sains Malaysia.
- Munjrekar, A.P., Jisha, V., Bag, P.P. Adhikary, B., Pai, M.M., Hegde, A. and Nandini, M. 2008. Effect of Phyllanthus niruri Linn. Treatment On Liver, Kidney, and Testes in CCL4 Induced Hepatotoxic Rats. *Indian J. Exp. Biol.*, 46. 514-520.
- Mackintosh, CL., Beeson, JG., and Marsh, K. 2004. Clinical features and pathogenesis of severe malaria. *Trends in parasitology*. 20(12):597-603.
- Nwanjo, H.U., 2007. Studies on The Effect of Aqueous Extract of Phyllanthus niruri Leaf on Plasma Glucose Level and Some Hepatospecific Markers in Diabetic Wistar Rats. *Internet J. Lab. Med.*, 2(2). 1-9.
- Nugroho A, 2010. 'Pencegahan Malaria', dalam: P.N. Harijanto, Syafruddin Din dan C. A. Gunawan (editor). *Malaria: dari Molekuler ke klinis*. Jakarta: EGC.
- Narayana, K.R., M.S. Reddy, M.R. Chaluvadi, D.R. Krishna. 2001. Bioflavonoid classification, pharmacological, biochemical effects, and therapeutic potential. *Indian Journal of Pharmacology*. 33:2-16.
- NIH (National Institute of Health). (2000). *Plasmodium berghei*. <http://www.ncbi.nlm.nih.gov/projects/Malaria/Rodent/berghei.html>. Diakses tanggal 1 Desember 2013
- Oluwafemi, F. Debiri F. 2008. Antimicrobial effect of Phyllanthus amarus and Parquetin nigrescens on Salmonella typhi. *African Journal of Biomedical Research*. 11:215-219.

- Pinca S, Muhammad Sasmito Djati, Muhaimin Rifa'i. 2013. *Analisis Mobilisasi Sel T CD4 dan CD8 pada Timus Ayam Pedaging Pasca Infeksi Salmonella typhimurium dan Pemberian Simplisia Polyscias obtuse*. Fakultas MIPA Universitas Brawijaya. Malang.
- Papyrus, E.. 2007. Aspek Imunitas Malaria. *Jurnal Kedokteran dan Kesehatan* 13:31-48.
- Qian-Cutrone J, Huang S, Trimble J, et al, 1996. Nirurisida, a new HIV RE/RRE binding inhibitors from *Phyllanthus niruri*. *J Nat Prod*. 59: 196-9.
- Roziana. 2010. *Perbandingan Efektivitas Topikal Serbuk Chitosan Dengan Tulle Pada Sel Pmn, Sel Fibroblas, dan Epitelisasi Luka Full Tickness*, Surabaya. Pascasarjana Universitas Airlangga.
- Syamsuhidayat, S.S and Hutapea, J.R. 1991. *Inventaris Tanaman Obat Indonesia, edisi kedua*. Departemen Kesehatan RI: Jakarta.
- Stagg J. *Phyllanthus*. (Online). 2006 (cited 17/06/07); (2 pages). Available from: URL: <http://www.supplementnews.org/Phyllanthus.html>. Diakses tanggal 29 Oktober 2013.
- Singh RP, Kashiwamura S, Rao P, Okamura H, Mukherjee A, Chauhan VS. *The role of IL-18 in blood-stage immunity against murine malaria Plasmodium yoelii 265 and Plasmodium berghei ANKA*. *J Immunol* 2002 May 1;168(9):4674-81.
- Sulaksana J.S.P., M.Si., 2004. *Meniran Budi Dayan dan Pemanfaatannya Untuk Obat*, Jakarta: Penebar Swadaya.
- Syafruddin Din. 2010. 'Dasar Molekul Resistensi Parasit Terhadap Obat Antimalaria', dalam: P.N. Harijanto, A Nugroho dan C. A. Gunawan (editor). *Malaria: dari Molekuler ke klinis*. Jakarta: EGC.
- Sherman WI, 1998. *Malaria: Parasite Biology, Pathogenesis, and Protection*. America: ASM Washington, DC.
- Sukhmanadi. 2007. *Isolasi dan identifikasi bahan aktif phyllanthus niruri L sebagai imunostimulator spesifik dalam upaya mencari obat antisterilitas (LP)*. Surabaya. Universitas Airlangga.
- Taylor, L. 2003. Technical data report for chancapiedra "stone breaker" (*Phyllanthus niruri*). <http://www.rain-tree.com/chanca-techreport.pdf>. Diakses tanggal 15 juli 2013.

- Tona L, Mesia K, Ngimbi NP, Chrimwarni B, Okond'ahoka, Cimanga K, de Brunye T, Apers S, Hermans N, Totte J, Pieters L, Vlietinck AJ. Ann Trop Med Parasitol. 2001. In-vivo antimalarial activity of *Cassia occidentalis*, *Morindamorindoides*, and *Phyllanthus niruri*. *Ann Trop Med Parasitol*.95:45–57.
- Tizard I.R. 2000. *Immunology: An Introduction*. 6th Ed. New York: Saunders Collage Publishing. Pp.98-161.
- Tsakonas K. A and Riley E. M. 2002. Innate Immune Response to Malaria: Rapid Induction of IFN- γ from Human Cell by Live *Plasmodium falciparum* infected erythrocytes. *The Journal of Immunology*. 169:2956-2963.
- Ueno H, Horie S, Nishi Y, *et al*, 1988. Chemical and pharmaceutical Studies on Medical Plants in Paraguay. Geranii, an angiotensin-converting enzyme inhibitor from paraparai *Mi phyllanthus nirur*. *J Nat Prod.*,51:57-9.
- WHO, 2013. *New malaria vaccines roadmap targets next generation products by 2030*. Retrieved: November 14, 2013, from: <http://www.who.int/mediacentre/news/notes/2013/malaria-vaccines-20131114/en/>. Diakses tanggal 20 Oktober 2013
- WHO-SEARO. 2011. *Malaria Situation*. Geneva, switzerland..I. Baruch,
- Weatherhal, L.H. Miller, D.I. Baruch, K. Marsh, O.K. Doumbo, C. Casals-Pascual, dan D.J. Roberts. 2002. 'Malaria and the Red Cell'. *Nature*,.415(6872): pp 673-679.
- Wipasa J., Elliot S., Xu H., Good M. F. 2002. Immunity to Asexual Blood Stage malaria and Vaccine Approaches. *Immunology and Cell Biology*, 80:401-414.
- Zalizar L., 2013. Flsvonoid of *PhyllanthusNiruri* as Immunomodulators A Prospect to Animal Disease Control. *ARNP journal of science and Technology*. Vol 3(5):529-530.