

DAFTAR PUSTAKA

- Abdel, T.M. and Wafeek, M., 2008. Response of Nile Tilapia, *Oreochromis Niloticus* (L.) to Environmental Cadmium Toxicity During Organic Selenium Supplementation. International Symposium on Tilapia in Aquaculture.
- Agung, A., 2012. Penyusunan Modul Reproduksi Berdasarkan Studi Kapasitas Reproduksi Ikan Nila (*Oreochromis Niloticus*, L.) Betina Di Waduk Sermo, Kulon Progo, DIY sebagai Salah Satu Alternatif Bahan Ajar Biologi bagi Siswa SMA Kelas X. *Skripsi*. Universitas Negeri Yogyakarta.
- Almeida, J.A., Barreto, R.E., Novelli, L.B., Castro, F.J. and Moron, S.E., 2009. Oxidative Stress Biomarkers and Aggressive Behavior in Fish Exposed to Aquatic Cadmium Contamination. *Neotropical ichthyology*. 7:103-108.
- Amri, K. and Khairuman., 2003. *Budidaya Ikan Nila secara Intensif*. PT Agro Media, Jakarta.
- Andrew, P.L.C., Kwok, L.L.V. and Ming, C.K., 2005. Tilapia metallothionein genes: PCR-cloning and gene expression studies. *Biochimica et Biophysica Acta*, 1731:191 – 201.
- Andriani, R. 2013. Pengaruh Salinitas dan Kadmium terhadap Kapasitas Osmoregulasi Udag Regang (*Macrobrachium sintangense*). *Tesis*. Universitas Airlangga.
- Anggoro, S., 1992. Efek osmotik berbagai tingkat salinitas media terhadap daya tetas telur dan vitalitas larva udang windu *Penaeus monodon*. *Disertasi*. Program Pasca Sarjana Institut Pertanian Bogor.
- Arora, R. 2003. *Encyclopedia of Research Methodology in Biological Sciences: Research Methodology*. Anmol Publication PVT.
- Atli, G. dan Canli, M., 2008. Responses of metallothionein and reduced glutathione in a freshwater fish *Oreochromis niloticus* following metal exposures. *Environmental Toxicology and Pharmacology*, 25:33–38.
- Bachrudin, Z., 1999. *Petunjuk Laboratorium: Isolasi, Identifikasi, dan Pewarnaan Protein*. PAU Bioteknologi, Yogyakarta.
- Barus, T.A., 2004. *Pengantar Limnologi Studi Tentang Ekosistem Air Daratan*. USU Press, Medan.
- Barus, T.A., 1996. *Metodologi Ekologis Untuk Menilai Kualitas Perairan Lotik*. USU Press, Medan.
- Baykan, U., Atli, G. and Canli, M., 2007. The effects of temperature and metal exposures on the profiles of metallothionein-like proteins in *Oreochromis niloticus*. *Environmental Toxicology and Pharmacology*, 23:33–38.
- Boyd, C.E., 2004. Farm Level Issues in Aquaculture Certification: Tilapia. WWF-US,

Auburn.

- Bustaman, J.W., Arisandi, A. and Abida, W.I., 2009. Efektivitas Hormon 17 α -Metiltestosteron untuk Memanipulasi Kelamin Ikan Nila (*Oreochromis niloticus*) pada Pemeliharaan Salinitas yang Berbeda. *Jurnal Kelautan*, 2:1.
- Campbell, N. A., Reece, J. B. dan Mitchell, L. G. 2004. *Biologi*: 5th Edition. Erlangga, Jakarta.
- Campbell, N. A., Reece, J. B. dan Mitchell, L. G. 2004. *Biologi*: 3th Edition. Erlangga, Jakarta.
- Carpene, E., Andreani, G. dan Isani, G., 2007. Metallothionein Function and Structural Characteristics. *Journal of Trace Elements in Medicine and Biology*, 21:35-39.
- Che-Mat, C.R., 1987. Kajian ekofisiologis dan biokimia *Macrobrachium rosenbergii* dan hubungannya dengan akuakultur. *Dalam*: S. Sarmani (Ed.) Kumpulan Laporan Penyelidikan Sains Fisis dan Gunaan. Fakultas Sains dan Gunaan. Universitas Kebangsaan Malaysia. Kuala Lumpur. 260-273.
- Connell D.W. and Miller G. J., 2006. *Kimia dan Ekotoksikologi Pencemaran*.. Universitas Indonesia press, Jakarta.
- Darmono., 1995. *Logam Dalam Sistem Biologi Makhluk Hidup*. UI Press, Jakarta.
- Department: Water Affairs and Forestry., 2006. Nile Tilapia (*Oreochromis niloticus*). *Republic of South Africa*.
- Deputi Menristek. 2000. Budidaya Ikan Nila (*Oreochromis niloticus*). *Deputi Menegristek*. Bidang Pendayagunaan dan Pemasyarakatan Ilmu Pengetahuan dan Teknologi.
- El-Zaeem, S.Y., Ahmed. M.M.M., Salama, M.E. and El-Maremie, H.A., 2010. Production of salinity tolerant Nile tilapia, *Oreochromis* through traditional and modern breeding methods: II. Application of genetically modified breeding by introducing foreign DNA into fish gonads. *African Journal of Biotechnology*, 10:684-695.
- Effendy, H., 2003. *Telaah Kualitas Air*. Kanisius, Yogyakarta.
- Erlangga., 2007. Efek Pencemaran Perairan Sungai Kampar Di Provinsi Riau Terhadap Ikan Baung (*Hemibagrus Nemurus*). *Thesis*. Sekolah Pascasarjana Institut Pertanian Bogor.
- Fatmawati, U., Suranto, and Sajidan. 1991. Ekspresi Protein pada Mikroorganisme Resisten Logam Berat Cr dengan Metode Elektrofesis. *Jurnal Biosains*.
- FAO., 2012. Cultured Aquatic Species Information Programme. *Oreochromis niloticus*.

- Cultured Aquatic Species Information Programme. *Fisheries and Aquaculture Department*.
- Fessehaye, Y., 2006. Natural mating in Nile tilapia (*Oreochromis niloticus* L.) Implications for reproductive success, inbreeding and cannibalism. *Thesis*. Wageningen University.
- Fidelia, I.O. and Kafilat, A., 2013. Effects of Salinity Variations on Acute Toxicity of Copper Sulphate against *Oreochromis niloticus* Fingerlings in Laboratory Bioassays. *IOSR Journal Of Environmental Science, Toxicology And Food Technology (IOSR-JESTFT)*, 6:6.
- Figueredo, C.C. and Giani, A., 2005. Ecological interactions between Nile tilapia (*Oreochromis niloticus*, L.) and the phytoplanktonic community of the Furnas Reservoir (Brazil). *Freshwater Biology*, 50:1391–1403.
- Fitriawan, F., 2010. Analisis Perubahan Mikroanatomi dan Variasi Pola Pita Isozim pada Insang dan Ginjal Kerang Air Tawar *Anodonta woodiana* terhadap Paparan Logam Berat Kadmium. *Thesis*. Universitas Sebelas Maret.
- Fu, H., Lock, R.A.C., and Wendelaar B.S E., 1989. Effect of cadmium on prolactin cell activity and plasma electrolytes In the fresh water teleost *Oreochromis mossambicus*. *Aquat.Toxicol*, 14:295-30.
- Fujaya, Y., 2004. *Fisiologi ikan, dasar pengembangan teknologi perikanan*. Rineka Cipta, Jakarta.
- Funk, A.E., Day, F.A., and Brady, F.O., 1987. Displacement of zinc and copper from copper-induced metallothionein by cadmium and by mercury: in vivo and ex vivo studies. *Comp. Biochem. Physiol*, 86:1–6.
- Geering, K., 2008. Functional roles of Na,K-ATPase subunits. *Curr Opin Nephrol Hypertens*, 17:526–532.
- Handajani, U.S., Agus, S., and Ristina, Y., 2001. Pengaruh Salinitas Terhadap Akumulasi Cd pada Insang Udang (*Macrobrachium sintangense*). *Jurnal Matematika dan ilmu pengetahuan Alam*, 6:59-163.
- Heath, A.G., 1987. *Water Pollution and Fish Physiology*. CRC Press, USA.
- Husnidar., 2011. Studi Pembudidayaan Ikan Nila (*Oreochromis Niloticus*) dalam Air Tawar dan dalam Campuran Air Tawar dan Air Laut. *Tesis*. Universitas Sumatera Utara.
- IARC., 1993. Cadmium and certain cadmium compounds. In: IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans. Beryllium, cadmium, mercury and exposures in the glass manufacturing industry. *World Health Organization*, 58:119-236.

- Irawan, B., 2013. *Karsinologi dengan Penjelasan Deskriptif dan Fungsional*. Airlangga University Press, Surabaya.
- Jonak, C., Nakagami, H., and Hirt, H., 2004. Heavy Metal Stress. Activation Mitogen-Activated Protein Kinase Pathways by Copper and Cadmium. *Plant Physiology*, 13:3276-3283.
- Kaoud, A.H., Zaki, M.M., El-Dahshan, R.A., Saeid, S., and El-Zorba, Y.H., 2011. Amelioration the Toxic Effects of Cadmium-Exposure in Nile Tilapia (*Oreochromis Niloticus*) by using *Lemna gibba L*. *Life Science Journal*, 8.
- Kim, W.S., Kim, J.M., Kim, M.S., Park, C.W., and Huh, H.T., 1998. Effects of Sudden Changes in Salinity on Endogenous Rhythms of the Spotted Sea Bass *Lateolabrax* sp. *Marine Biology*, 131:219-228.
- Klaassen, C.D., Liu, J., and Choudhuri, S., 1999. Metallothionein: An intracellular protein to protect against cadmium toxicity. *Annu. Rev. Pharmacol.Toxico*, 39:267-294.
- Kordi, G., 2000. *Budidaya Ikan Nila*. Dahara Prize, Jakarta.
- Lantu, S., 2010. Osmoregulasi pada Hewan Akuatik. *Jurnal Perikanan dan Kelautan*, 6.
- Lawson, E.O. dan Anetekhai, M.A., 2011. Salinity Tolerance and Preference of Hatchery Reared Nile Tilapia, *Oreochromis niloticus* (Linnaeus 1758). *Asian Journal of Agricultural Sciences*, 3:104-110.
- Leung, K.M.Y., Svavarsson, J., Crane, M., and Morritt, D., 2002. Influence of static and fluctuating salinity on cadmium uptake and metallothionein expression by the dogwhelk *Nucella lapillus* (L.). *J. Exp. Mar. Biol. Ecol*, 274:175–189.
- Lin, Y.M., Chen, C.N., and Lee, T.H., 2003. The expression of gill Na, K-ATPase in milkfish, *Chanos chanos*, acclimated to seawater, brackish water and fresh water. *Comparative Biochemistry and Physiology*, 135: 489–497.
- Lucu, C. and Towle, D.W., 2003. Na⁺-K⁺ ATPase in gill of aquatic crustacea. Review. *Comparative Biochemistry and Physiology*, 135:195–214.
- Mance, G., 1990. Pollution Threat Of Heavy Metals In Aquatic Environments. *Elsevier Applied Science*.
- Mancera, J.M., Perez-Figares, J.M., and Fernandez-Llebrez, P., 1993. Osmoregulatory Responses to Abrupt Salinity Changes in the Euryhaline Gilthead Sea Bream (*Sparus Aurata* L.). *Camp. Biochem. Physiol*, 106.
- Mercer, R., 1993. Structure of the Na,K-ATPase. *Int. Rev.Cytol*. 137:139–168.
- Mohraz, M.S.M.V. and Smith, P.R., 1987. The Three-dimensional Structure of the Na,K-ATPase from Electron. *The Journal of Cell Biology*, 105.

- Monteiro, M.S., Mancera, M. J., Fernandes, F.A., and Sousa, M., 2005. Copper induced alterations of biochemical parameters in the gill and plasma of *Oreochromis niloticus*. *Comparative Biochemistry and Physiology Elsevier*, 141:375-383.
- Morgan, I.J., 1997. The Effects of Simulated Global Warming on Growth and Energetics of Freshwater Fish. *Journal of Experimental Biology*, 61:425.
- Munawwaroh, A., 2013. Adaptasi Osmoregulasi Udang Regang (*Macrobrachium sintangense* (de Man)) pada Salinitas yang Berbeda. *Tesis*. Universitas Airlangga.
- Munthe, S., 2011. Analisis Pembudidayaan Ikan Nila (*Oreochromis niloticus*) dalam Kolam Air Tawar dan Campuran Air Laut Berdasarkan Perubahan Kandungan Mineral. *Thesis*. Universitas Sumatera Utara.
- Nicol, J.A.C., 1967. *The Biology of Marine Animals*. Interscience Publishers, New York.
- Pasaribus, S., 2011. Kepadatan Ikan Jurung (*Tor Sp*) serta Keterkaitannya dengan Kualitas Perairan di Sungai Raniate Kabupaten Tapanuli Selatan. *Tesis*. Universitas Sumatera Utara
- Pandre, H., 2010. *Budidaya Ikan Nila dan Bagaimana Membudidaya Ikan Nila*. Universitas Muhammadiyah, Malang.
- Penkowa, M., 2006. Metallothioneins are multipurpose neuroprotectants during brain pathology. *FEBS Journal*, 1857-1870.
- Portier, J.C., 2012. *Toxicological Profile for Cadmium*. Department of Health and Human Services Public Health Service Agency for Toxic Substances and Disease Registry, Atlanta.
- Pramono, S.B., 2006. Efek Konsentrasi Kromium (Cr+3) dan Salinita Berbeda terhadap Efisiensi Pemanfaatan Pakan untuk Pertumbuhan Ikan Nila (*Oreochromis Niloticus*). *Tesis*. Pascasarjana Universitas Diponegoro Semarang.
- Pullin, R.S. and Maclean, J.L., 1991. Analysis of research for the development of tilapia farming: An interdisciplinary approach is lacking. *Netherlands Journal of Zoology*, 42:512-524.
- Rochdianto, A., 2009. *Budidaya Ikan Nila*. Dinas Perikanan dan Kelautan Kabupaten Tabanan, Bali.
- Rumahlatu, D., Corebima, A.D., Amin, M., and Rohman, F., 2013. Kadmium dan Efeknya terhadap Ekspresi Protein Metallothionein pada *Deadema setosum* (Echinoidea; Echinodermata). *Jurnal Penelitian Perikanan*, 1:26-35.
- Ryvolova, M., Krizkova, S., Adam, V., Beklova, M., Trnkova, L, Hubalek, J., and Kizek, R., 2011. Analytical Methods for Metallothionein Detection. *Current*

- Analytical Chemistry*, 2011:243-261.
- Saglam, D., Atli, G., Dogan, Z., Baysoy, E., Gurler, C., Eroglu, A., and Canli, M. 2014. Response of the Antioxidant System of Freshwater Fish (*Oreochromis niloticus*) Exposed to Metals (Cd, Cu) in Differing Hardness. *Turkish Journal of Fisheries and Aquatic Sciences*, 14:43-52.
- Santoso., 2008. *Protein dan Enzim*. Yayasan Farmasi Indonesia, Yogyakarta.
- Sarwono, H.A., 2004. Effect of Salinity on Osmoregulatory Capacity, Feed Consumption, Feed Efficiency and Growth of Juvenile Sea Bass (*Lates calcarifer* Bloch). *Thesis*. Kasetsart University.
- Sembiring, A., 2012. Kemampuan Bakteri Antagonistik dalam Menghambat Infeksi *Saprolegnia* Sp. pada Ikan Nila (*Oreochromis Niloticus*). *Skripsi*. Universitas Sumatera Utara.
- Silvia, E., Nathalia, C., Marcelo, S., Roberta, S., and Silvio, P. 2010. Effect of salinity on survival, growth, food and haemolymph osmolality of the pink shrimp *Farfantepenaeus subtilis* (Perez-furnante,1967). *J Aquaculture*, 306:352-356.
- Soegianto, A., Charmantier-Daures, M., Trilles, Jean P., and Charmantier, G. 1999. Impact of cadmium on the structure of gills and epipodites of the shrimp *Penaeus japonicas* (Crustacea: Decapoda). *Aqua living resour*, 12:57-70.
- Suriya, J., Bharathiraja, S., Sekar, V., and Rajasekaran, R., 2012. Metallothionein induction and antioxidative responses in the estuarine polychaeta *Capitella capitata* (Capitellidae). *Asian Pacific Journal of Tropical Biomedicine*.
- Suseno, H., Hudiyono, S., Budiawan., and Wisnubroto, D.S., 2010. Bioakumulasi Merkuri Anorganik dan Metil Merkuri oleh *Oreochromis mossambicus*: Pengaruh Konsentrasi Merkuri Anorganik dan Metil Merkuri dalam Air. *Journal of Waste Management Technology*.
- Soraya, Y., Syafilla, M., and Rachmatiah, S.S.I., 2012 Pengaruh Temperatur terhadap Akumulasi dan Depurasi Tembaga (Cu) serta Kadmium (Cd) pada Ikan Nila (*Oreochromis Niloticus*). *Jurnal Teknik Lingkungan, Institut Teknologi Bandung*.
- Sunarto., 2012. Kadmium (Cd) Heavy Metal Pollutant Bioindicator with Microanatomy Structure Gill Analyses Of *Anodonta Woodiana*, Lea. *Jurnal Ekosains*, 4:1.
- Sunarto., 2011. Karakteristik Pola Pita Protein *Anodonta Woodiana* Lea Akibat Terpapar Logam Berat Cadmium (Cd). *Jurnal EKOSAINS*, 3:1.
- Swanson, C., 2007. Interactive Effects of Salinity on Metabolic Rate, Activity, Growth and Osmoregulation in the Euryhaline Milkfish (*Chanos chanos*). *The Journal of Experimental Biology*, 201:3355–3366
- Syakirin, M.B., 2007. Mekanisme Pompa Natrium Kalimu ($Na^+ - K^+$) pada

- Osmoregulait Ikan Bertulang Sejati (*Teleost*). *Jurnal Pena Akuatik*. 1:1.
- Tanbiyaskur., 2011. Efektivitas Pemberian Probiotik, Prebiotik dan Sinbiotik melalui Pakan untuk Pengendalian Infeksi *Streptococcus Agalactiae* pada Ikan Nila (*Oreochromis niloticus*). *Tesis*. Institut Pertanian Bogor.
- Tang, C., Wu, W., Tsai, S., Yoshinaga, T., and Lee, T., 2010. Elevated Na⁺/K⁺-ATPase responses and its potential role in triggering ion reabsorption in kidneys for homeostasis of marine euryhaline milkfish (*Chanos chanos*) when acclimated to hypotonic fresh water. *J Comp Physiol B Springer*, 180:813–824.
- Tang, C., Lai, D., and Lee, T., 2012. Effects of salinity acclimation on Na⁺/K⁺-ATPase responses and FXD11 expression in the gills and kidneys of the Japanese eel (*Anguilla japonica*). *Comp. Biochem. Physiol., A*.
- Towle, D.W., 1984. Membrane-bound ATPase in arthropod ion-transporting tissues. *American Zoologist*, 24:177-185.
- Towle, D.W., 1981. Role of Na⁺-K⁺-ATPase in ionic regulation by marine and estuarine animals. *Marine Biologi Letters*, 2:107-122.
- Yudiati, E., Sedjati, S., Enggar, I., and Hasibuan, I., 2009. Dampak Paparan Logam Berat Cadmium pada Salinitas yang Berbeda terhadap Mortalitas dan Kerusakan Jaringan Insang Juvenile Udang Vaname (*Litopeneus vannamei*). *Jurnal Ilmu Kelautan*, 14:29-35.
- Yusri, M. K., 2007. Pengaruh Osmotik pada Berbagai Tingkat Salinitas Media terhadap Vitalitas Kepiting Bakau (*Scylla olivacea*) Betina. *Ejournal umm*, 14:1.
- Vonck, A.P.M.A., 1999. Effects of estuarine conditions on cadmium toxicity and osmoregulatory performance in fish. *Disertasi*. Katholieke Universiteit Nijmegen.
- Wijaya. S.K.S. and Rohman, L., 2005. *Fraksinasi dan Karakterisasi protein Utama Biji Kedelai*. Fakultas MIPA Universitas Jember
- Wong, C.K.C. and Wong, M.H., 2000. Morphological and biochemical changes in the gills of tilapia (*Oreochromis mossambicus*) to ambient cadmium exposure. *Aquat. Toxicol*, 48:517-527.
- Wu, S.M., Lin, H.C., and Yang, W.L., 2008. The effects of maternal Cd on the metallothionein expression in tilapia (*Oreochromis mossambicus*) embryos and larvae. *Aquatic Toxicology*, 87:296-302.
- Wu, S. M., Shih, M., and Ho, Y., 2007. Toxicological stress response and cadmium distribution in hybrid tilapia (*Oreochromis* sp.) upon cadmium exposure. *Elsevier Biochemistry and Physiology*, 145:218–226.