


Journal of

International

Dental and Medical

Research



2017 - Vol. 10 - No. 3


<http://www.jidmr.com>

Journal of

International

Dental and Medical

Research



2017 - Vol. 10 - No. 3

<http://www.jidmr.com>

Journal of International Dental and Medical Research

AIMS&SCOPE

Journal of International Dental and Medical Research, a journal of the Ectodermal Dysplasia Group-Turkey, is published 3 times per year to promote practice, education, and research specifically related to the specialty of dental and medical researchs. Manuscripts are accepted for consideration if neither the article, nor any part of its essential substance, tables, or figures has been or will be published in another journal or is simultaneously submitted to another journal. Published papers do not necessarily represent the views of the editor, the Ectodermal Dysplasia Group-Turkey.

The Biomedical Research (BMR) title of JIDMR is a new section for research papers from all major fields of neuroscience, biophysics, environmental sciences algology, biotechnology and pharmacology. The journal will be high quality, comprehensive, exceptionally fast and consistently peer reviewed. It will be a multi-disciplinary publication for rapid communication in Biomedical research, for the promotion of the international scientific collaboration, for presenting the achievements that emphasize clinical, fundamental and molecular aspects of biomedical studies in the all of world.

Fast publication will be achieved by the use of modern communication techniques. The journal features full-length papers, rapid communications and mini-reviews on selected areas.

Manuscript and Peer Review Submission process is by the e-mail to the izzetyavuz@hotmail.com izzetyavuz@jidmr.com

Izzet YAVUZ

MSc,PhD, D Ped Dent.

Associate Professor, Pediatric Dentistry

Faculty of Dentistry, University of Dicle

21280 Diyarbakir, TURKEY

Tel: +90 412 248 81 01 / 3426

Fax: +90 412 248 81 00

E-mail: izzetyavuz@hotmail.com izzetyavuz@jidmr.com

ECTODERMAL DYSPLASIA GROUP – TURKEY

<http://www.jidmr.com>

<http://www.journalofinternationaldentalandmedicalresearch.com/>

Journal of International Dental and Medical Research Guidelines for Authors

Manuscript and Peer Review Submission process is by the e-mail to the izzetyavuz@hotmail.com izzetyavuz@jidmr.com

Introduction

Journal of International Dental and Medical Research, a journal of the Ectodermal Dysplasia Group-Turkey, is published three times annually [or 3 times per year] to promote practice, education, and research specifically related to the specialty of dental and medical research. Manuscripts are accepted for consideration if neither the article, nor any part of its essential substance, tables, or figures has been or will be published in another journal or is simultaneously submitted to another journal. Published papers do not necessarily represent the views of the editor, the Ectodermal Dysplasia Group-Turkey.

Types of articles

The journal publishes full-length scientific articles not exceeding 8 printed pages (20 double-spaced 8 1/2×11-in document pages; font no smaller than 12-point Times New Roman or Arial); and clinical articles and case reports not exceeding 4 printed pages (10 double-spaced 8 1/2×11-in document pages).

Authors are encouraged to review these Instructions carefully prior to submitting their manuscripts.

Submission of manuscripts

Submission of manuscripts to the *Journal of International Dental and Medical Research* is via e-mail, also hard copy with electronic record submissions will be accepted. Submitting authors must provide all information requested during the submission process, including: corresponding author's contact information; names, titles (such as "associate professor," "chairman,"), academic degrees (such as "DMD," "MS," "PhD,"), and affiliations of all authors; short (running) title; and 2 to 5 keywords. Honorary designations should not be included (eg, "FRCS," "FICD," "Diplomate, ABPD," etc). Authors should ensure that the keywords appear in the U.S. National Library of Medicine Medical Subject Headings, or "MeSH" (found at <http://www.nlm.nih.gov/mesh/>).

Both an UNBLINDED and BLINDED version of the manuscript must be sent to the journal. Tables and graphs should appear at the end of the main document, while photos and photomicrographs should be submitted as separate files (.jpg or .tiff format). Prior to submission, the corresponding author must guarantee that the article has not been published, and is not being considered for publication elsewhere. Submission of multi-authored manuscripts implies participation of each of the authors in the preparation of the paper. Only individuals who have made a significant contribution to the study or manuscript should be listed as authors. The efforts of others should be noted in the *Acknowledgments* section at the end of the manuscript. The corresponding author should submit the following statement: "All authors have made substantive contribution to this study and/or manuscript, and all have reviewed the final paper prior to its submission." Authors (including authors of letters to the editor) are responsible for disclosing all financial and personal relationships that might bias their work. If such conflicts exist, the authors must provide additional detail in the letter to the editor. Funding sources for the work being submitted must be disclosed in the *Acknowledgments* section of the manuscript.

Manuscript organization

Scientific articles should be organized under the following headings: *Abstract, Introduction, Methods, Results, Discussion, Conclusions, Acknowledgments, and References.*

Titles of all papers should not exceed 15 words.

The *Introduction* section should include only pertinent references. When included for a study, the *Methods* section should be sufficiently detailed to replicate the study. The *Results* section should include only results and not discussion of the data. The *Discussion* section should discuss the results, but not repeat them. The *Conclusions* section should consist of succinct, numbered statements that are supported by the results of the study. They should not repeat the *Results* section.

Abstracts: All submissions must include an abstract. Abstracts should be brief providing the reader with a concise but complete summary of the paper. Generalizations such as "methods were described" should not be used. Scientific articles should have approximately 200 words

Key Words: Submitting authors must provide 2 to 5 keywords from <http://www.bilinterimleri.com>.

Editorial style: Papers will be published in English, using American spelling. Manuscripts must be submitted with proper English grammar, syntax, and spelling. Authors should express their own findings in the past tense and use the present tense where reference is made to existing knowledge, or where the author is stating what is known or concluded. Footnotes should be avoided and their content incorporated into the text. Numbers should be represented as digits; only numbers beginning a sentence should be spelled out. The editors reserve the right to revise the wording of papers in the interest of the journal's standards of clarity and conciseness.

Units of measure: Authors should express all quantitative values in the International System of Units (SI units)

unless reporting English units from a cited reference. Figures and tables should use SI units, with any necessary conversion factors given in legends or footnotes. All numbers should be expressed as digits, and percent values should be expressed as whole numbers. Laboratory data values should be rounded to the number of digits that reflects the precision of the results and the sensitivity of the Measurement procedure.

Statistical tests: The results of all statistical comparisons should be reported to include the statistical test value and the associated P value and confidence interval, if appropriate. If $P > .01$, the actual value for P should be expressed to 2 digits, whether or not P is significant, unless rounding a significant P value expressed to 3 digits would make it nonsignificant (eg, $P = .049$, not $P = .05$). If $P < .01$, it should be expressed to 3 digits (eg, $P = .003$, not $P < .05$). Actual P values should be expressed unless $P < .001$, in which case they should be so designated. Nonsignificant values should not be expressed as "NS." For confidence intervals, the number of digits should equal the number of digits in the point estimate. For example, for an odds ratio of 3.56, the 95% confidence interval should be reported as "1.23, 5.67," not as "1.234, 5.678."

Tooth names: The complete names of individual teeth should be given in full in the text of articles using the following convention: [primary/permanent] [maxillary/mandibular] [right/left] [central/lateral or first/second/third] [tooth type]. Examples: "primary maxillary right first molar," "permanent mandibular first molars," but "mandibular right second premolar." In tables these names may be abbreviated by the Universal system (A-T for primary teeth, 1-32 for permanent teeth).

Commercially-produced Materials: Any mention of commercially produced materials, instruments, devices, software, etc. must be followed by the name of the manufacturer and the manufacturer's location in parentheses. Example: "... in an Excel spreadsheet (Microsoft, Inc, Redmond, Wash)."

Abbreviations: Abbreviations should be used to make manuscripts more concise. The first time an abbreviation appears, it should be placed in parentheses following the full spelling of the term (eg, "... permanent first molars (PFMs)..."). In manuscripts using more than three abbreviations, authors should use bold typeface for the first appearance of each abbreviation.

Permissions: For materials taken from other sources, a written statement from the authors and publisher giving permission to *Journal of International Dental and Medical Research* for reproduction must be provided. Waivers *at risk* and statements of informed consent must accompany the manuscript when it is submitted for review. Waivers should accompany any photograph showing a human subject unless the subject's features are blocked enough to prevent identification.

Human and Animal Subjects: Manuscripts of research involving human or animal subjects must state in the Methods section that the study was approved by an Institutional Review Board (IRB) or other institutional research ethics committee using language similar to "... this institutionally approved study..." IRB approval for human subjects must also be obtained if the study involved the use of tissues from humans (eg, extracted teeth), or work produced by humans (eg, systematic analyses and meta-analyses). When human subjects have been used, the text should indicate that informed consent was obtained from all participating adult subjects, and parents or legal guardians of minors or incapacitated adults. If required by the authors' institution, informed assent must be obtained from participating children at or above the age specified by the institution. The cover letter for the manuscript must contain a statement similar to the following: "The procedures, possible discomforts or risks, as well as possible benefits were explained fully to the human subjects involved, and their informed consent was obtained prior to the investigation."

Figures: Graphics/photos should be provided at a minimum resolution of 600 dpi as a .tif or .jpg file. Photomicrographs must include a scale labeled with a convenient unit of length (eg, 50 μm). Figures should be inserted at the end of the main Word document. Figures should be numbered in Arabic numerals in the order of the first citation in the text. Legends for each figure must be printed on a separate page. Include a key for symbols or letters used in the figures.

Figure legends should be understandable without reference to the text. A key for any symbols or letters used in the figure should be included. Abbreviations should be explained in a footnote to the figure. If illustrations, tables, or other excerpts are included from copyrighted works the author is responsible for obtaining written permission from the copyright holder prior to submitting the final version of the paper. Full credit must be given to such sources with a superscript reference citation in the figure legend. Reference citations in figure legends or captions should follow numerically the reference number in the text immediately preceding mention of the figure. Figures take up additional page space and should be limited to those that add value to the text.

Tables: Tables should be double-spaced, appear on separate pages, and should be titled and numbered in Arabic numerals in the order of the first citation in the text. Short headings should appear at the top of each column. Explanatory matter should be placed in captions, not in the title. For footnotes, use the following symbols in this sequence: *, †, ‡, §. Tables should be understandable without alluding to the text. Due to space limitations, only tables adding value to the text should be included.

Acknowledgments: Funding and other sources of support must be disclosed in the *Acknowledgments* section. Personal acknowledgments should be limited to appropriate professionals who have contributed intellectually to the paper but whose contribution does not justify authorship.

References: References should be relevant to the material presented and identified by superscript Arabic numerals in the text.

A list of all references should appear at the end of the paper in numeric order as they are cited in the text. Journal abbreviations are those used by Index Medicus. Reference style is that used by the Journal of the American Dental Association

(http://www.ada.org/prof/resources/pubs/jada/authors/auth_general.asp as #style).

The following are sample style references:

Journal: Stephane A. Management of Congenital Cholesteatoma with Otoendoscopic Surgery: Case Report. *Turkiye Klinikleri J Med Sci* 2010;30(2):803-7.

For journals, list all authors when there are 6 or fewer; when there are 7 or more, list the first 3, then "et al." Page numbers should be elided where possible. For example: 12-8, 347-51, 191-5.

Book: Bixler D. Genetic aspects of dental anomalies. In: McDonald RE, Avery DR, eds. *Dentistry for the Child and Adolescent*. 5th ed. Philadelphia: CV Mosby Co;1987:90-116.

Article, report, or monograph issued by a committee, institution, society, or government agency: *Medicine for the public: Women's health research*. Bethesda, Md.: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health; 2001. DHHS publication 02-4971.

World Wide Web: Ectodermal dysplasia cases and main targets. Available at: "<http://portal.ektodermaldisplazi.com/index.phpmod=article&cat=Pedodonti>". Accessed January 21, 2008.

Authors citing material from the World Wide Web should use WebCite (www.webcitation.org), a free service for *org* authors who wish to archive their Web references to ensure that cited Web material will remain available to readers in the future. Web citations archived on WebCite will not disappear in the future.

Authors should provide direct references to original sources whenever possible. Avoid using abstracts as references.

Avoid references to papers accepted but not yet published, if possible. If such a citation is necessary, these papers should be cited as being "in press," and verification that they have been accepted for publication must be provided.

Where possible, references of easily accessible material are preferable to dissertations, theses, and other unpublished documents. Authors should avoid citing "personal communication" unless it provides essential information not available from a public source. In those cases, the name of

the individual providing the information and the date of communication should be provided in parentheses in the text and not as a numbered reference.


Authors should obtain written permission and confirmation of accuracy from the source of a personal communication; this permission should be submitted as a supplementary document at the time of manuscript submission.

Authors should verify the accuracy of all references and are responsible for ensuring that no cited reference contains material that was retracted or found to be in error subsequent to its publication.

Copyright: All authors must agree to the terms of copyright transfer as indicated along with the manuscript submission process.

The Ektodermal Displazi Gurubu Türkiye owns copyright of any contribution, and its licensees have the right to use, reproduce, transmit, derivate, publish, and distribute the contribution, in the journal or otherwise, in any form or medium. Authors will not use or authorize the use of the contribution without the Ektodermal Displazi Gurubu Türkiye's written consent, except as may be allowed by world fair use law.

Indexing:





AE GLOBAL INDEX
SIMPLE & CONTEMPORARY

DENTISTRY

- CLINICAL ARTICLE
1. Modification of Dental Age Estimation Technique among Children from Transcarpathian Region
Myroslav Goncharuk-Khomyn
Pages 851-855
- CLINICAL ARTICLE
2. Oral Health Status, Malocclusions and S. Mutans Counts in Children with Down's Syndrome
Agim Begzati, Kastriot Meqa, Blerta Xhemali-Latifi, Teuta Kutlovci, Merita Berisha
Pages 856-861
- CLINICAL ARTICLE
3. Prevalence and Evaluation of Bone Loss Pattern among Patient with Aggressive Periodontitis
Mohd Faizal Hafez bin Hidayat, Fouad Hussain AL-Bayaty, Ihsan Bin Maidin, Mohammad Azrin Bin Abd Samad
Pages 862-867
- CLINICAL ARTICLE
4. Prevalence of Oral Mucosal Lesions in Geriatric Patients Living in Lower Northern Thailand: A 10 Years Retrospective Study
Chaidan Intapa, Chalati Chompunud Na Ayudhya, Anawat Puangsombat, Bundit Boonmoon, Thida Jaryasurin, Ubonwan Tonum
Pages 868-871
- CLINICAL ARTICLE
5. Awareness and Demand of Prosthodontic Treatment for Tooth Loss Replacement
Saraventi Mursid, Candrika Kusuma Pujnadati, Lindawati S. Kusdhary
Pages 872-876
- CLINICAL ARTICLE
6. Association between Tooth Loss and Oral Awareness Amongst Dentate and Partially Dentate Subjects of Pakistani population
Huma Sajid, Yousaf Athar, Aamina Sagheer, Nazia Yazdanie, Anam Arshad, Fazal Shahid
Pages 877-882
- CLINICAL ARTICLE
7. Assessment of location of fovea palatine in relation to vibrating line in South Indian population
Aslin Sanofer A, Revathy Gounder
Pages 883-886
- CLINICAL ARTICLE
8. sCD14 Protein Analysis in Children with Very High and Low pufa Index
Dudi Aripin, Inne Suherma Sasmita, Anne Agustina Suwargiani
Pages 887-890
- CLINICAL ARTICLE
9. Microbiological and cytological response to dental implant healing abutment
Wifaq M. Ali Al-Wattar, Warkaa M. Al-Wattar, Afya Sahib Diab Al-Radha
Pages 891-898
- CLINICAL ARTICLE
10. Tooth Mortality in Concurrent Cigarettes Smoking and Khat Chewing in Yemeni Population
Fouad Hussain Al- Bayaty, Nidhal Wahid Ali, Aqil Daher, Saba F. Hussain, Mohd Masood
Pages 899-904

- CLINICAL ARTICLE
- 11.** The Correlation between Mother's Knowledge and Parenting Toward Childhood Caries in the Remote Area
Leny Marlina A. Pinat, Darmawan Setijanto, Taufan Bramantoro
Pages 905-908
- CLINICAL ARTICLE
- 12.** Gingival Recession and Dentine Hypersensitivity in Periodontal Patients: is It Affecting Their Oral Health Related Quality of Life?
Masud M, Al-Bayaty FH, Muhamed NAH, Alwi AS, Takiyudin Z, Hidayat MFH
Pages 909-914
- CLINICAL ARTICLE
- 13.** Prevalence of Medically Compromised Children Regarding Dental Caries and Treatment Needs in Wahidin Sudirohusodo Hospital
Harun Achmad, M. Hendra Chandha, Sri Harun, Imam Sudjarwo, Muliaty Yunus, Rahmah K. Rusdi, Putri Khairunnisa
Pages 915-920
- CLINICAL ARTICLE
- 14.** Relationship between Oral Health Status with Knowledge, Attitude, And Behavior of Elementary School Children
Fuad Husain Akbar, Rini Pratiwi, Reagan Cendikiawan
Pages 921-926
- CLINICAL ARTICLE
- 15.** The Oral Health of Elderly Residents in a State Institution in Jakarta: A Preliminary Study
Dwi Ariani, Febrina Rahmayanti, Harum Sasanti, Masita Mandasari
Pages 927-932
- CLINICAL ARTICLE
- 16.** Pandan Leaves (*Pandanus Amaryllifolius*) Aromatherapy and Relaxation Music to Reduce Dental Anxiety of Pediatric Patients
Seno Pradopo, Betadion Rizki Sinaredi, Bernadeth Vindi Januarisca
Pages 933-937
- CLINICAL ARTICLE
- 17.** The Relation of Follicle Stimulating Hormone and Estrogen to Mandibular Alveolar Bone Resorption in Postmenopausal Women
Susi R Puspitadewi, Pitu wulandari, Sri Lelyati C Masulili, Elza I Auerkari, Hanna Bachtiar Iskandar, Izzet Yavuz, Lindawati S Kusdhary
Pages 938-944
- CLINICAL ARTICLE
- 18.** Cross-Cultural Adaptation and Psychometric Properties of The Indonesian Version of Servqual For Assessing Oral Health Service Quality
Yohanes Tebai, Diah Ayu Maharani, Anton Rahardjo
Pages 945-951
- EXPERIMENTAL ARTICLE
- 19.** Effect of Endodontic Instrumentation Technique on Root Canal Geometry
Miranda Stavileci, Veton Hoxha, Mehmet Ömer Görduysus, Kjell Laperre, Ilkan Tatar, Rina Hoxha
Pages 952-957

TABLE OF CONTENTS / 2017; 10 (3)

- EXPERIMENTAL ARTICLE
20. No Recombinant EGF and bFGF is Required on HUVECs Culture Supplemented with Human Platelet Lysate
Lisa Rinanda Amir, Ria Puspitawati, Hazriani R, Shafira Imanina, Harvi Damayanti, Nadira Dwiyan, Afridayanti Nurwulan, Mindya Yuniastuti, Erik Idrus
Pages 958-963
- EXPERIMENTAL ARTICLE
21. The Effect of Light and Dual Cured Resin Cement to the Color of Porcelain Laminate Veneer
Melissa Delania, Ira Tanti, Roselani W. Odang, Leonard C. Nelwan
Pages 964-969
- EXPERIMENTAL ARTICLE
22. Loss of Taste Buds in The Circumvallate Papillae of Rat Tongue after Ovariectomy
Ervin Rizali, Widurini Djaja Suminta, Budiharto Sudiroatmodjo, Nadhira Haifa Prabowo, Elza Ibrahim Auerkari
Pages 970-974
- EXPERIMENTAL ARTICLE
23. The Effect of Brotowali Stem Extract (*Tinospora Crispa*) Towards Increasing Number of Lymphocytes in the Healing Process of Traumatic Ulcer on Diabetic Wistar Rat
Ira Arundina, Indeswati Diyatri, Theresia Indah Budhy, Foo Yau Jit
Pages 975-980
- EXPERIMENTAL ARTICLE
24. Antibacterial Effects of Bioceramic and Mineral Trioxide Aggregate Sealers Against *Enterococcus Faecalis* Clinical Isolates
Rusdiana, Muryati Usman, Ratna Meidyawati, Endang Suprastiwi, Dewa Ayu NPA
Pages 981-986
- EXPERIMENTAL ARTICLE
25. Different Food Hardness Affect Memory
Wahyuning Ratih Irmalia, Jenny Sunariani, Christian Khoswanto
Pages 987-990
- EXPERIMENTAL ARTICLE
26. Brotowali Extract (*Tinospora Crispa*) for Oral Traumatic Ulcer in Diabetes Mellitus Wistar Rat
Retno Indrawati Roestamadji, Ira Arundina, Indeswati Diyatri, Dewi Tamara Sambodo, Wahyuning Ratih Irmalia
Pages 991-996
- EXPERIMENTAL ARTICLE
27. Orthodontists Reproducibility and Accuracy in Linear and Angular Measurement on 2d Digital and 3d Cbct Radiographic Examination
Dwita Pratiwi, Benny Mulyono Soegiharto, Krisnawati, Brama Kiswanjaya
Pages 997-1004
- CASE REPORT
28. Reconstruction with fibula transfer and implant supported overdenture for a mandibular defect: A multidisciplinary approach
Tri Ardi Mahendra, Nina Ariani, Saraventi Mursid, Parintosa Atmodiwirjo, Kristantina Bangun, Dwi Ariawan
Pages 1005-1009
- CASE REPORT
29. An Overjet Reduction of Class II, Division 1 Malocclusion in Twin Block Dentofacial Orthopedic and Fixed Orthodontic Treatment: Case Report
Harun Achmad, Mardiana Adam, Sri Oktawati, Sri Ramadhany Karim, Hasanuddin Thahir, Rini Pratiwi, Annisa Wicita
Pages 1010-1016

TABLE OF CONTENTS / 2017; 10 (3)

CASE REPORT

30. Impact of Delay on Diagnosis and Treatment of Oral Squamous Cell Carcinoma: Three Cases Report
Hamdatun Rakhmania, Irma Sufiawati
Pages 1017-1020
31. The Promising Clinical Applications of Growth Factors in Periodontal Regeneration: A Literature Review
Ichaya Yiemwattana
Pages 1021-1028
32. Role of Oral and Maxillofacial Surgeon in Detecting Domestic Violence
Anand Deep Shukla, Abhay T Kamath, Chithra A
Pages 1029-1031
33. A Review of Ribonucleotide Reductase and Cancer Therapies
Khor Goot Heah, Nurul Ain Bt Khoruddin, Nur Rawaidah Bt Mohd Shobri, Syairah Nabila Bt Suhaimi, Tang Thean Hock, Mohd Yusmiadil Putera Mohd Yusof
Pages 1032-1037

REVIEW

REVIEW

REVIEW

MEDICINE

CLINICAL ARTICLE

34. Digital Hematocrite Test, a New Breakthrough in the Medical Equipment for Non Invasive Hematocrite Level Measurement in Dengue Patients
Prihartini Widiyanti, Nasronudin
Pages 1038-1041
35. Bone Quality, Biochemical and Blood Markers in High Power Electrical Workersf
Cemil SERT, Pelin YAZGAN
Pages 1042-1047
36. The Relation of Reflux Finding Score and Reflux Symptom Index with Middle Ear Pepsin Level in Chronic Suppurative Otitis Media
Ayu Astria Sriyana, Susyana Tamin, Syahrial M. Hutahuruk, Saptawati Bardosono, Ina S. Timan, Ratna D. Restuti
Pages 1048-1051
37. Occupational Risk Factors for Acute Fatigue Symptoms among Indonesian Beverage Industry Workers
Balduri Widanarko, Robiana Modjo
Pages 1052-1054
38. A Study of Readmission Rates and the Implementation of National Health Insurance
Kurnia Sari, Pujiyanto, Atik Nurwahyuni, Atmiroseva
Pages 1055-1059
39. Protective Effect of Propolis Extract in Kidney Male Mice (*Mus musculus*) Induced by Lead Acetate
Citrasari Henra, Wwik Misaco, Hani Plumeriastuti
Pages 1060-1065

CLINICAL ARTICLE

CLINICAL ARTICLE

CLINICAL ARTICLE

CLINICAL ARTICLE

EXPERIMENTAL ARTICLE

TABLE OF CONTENTS / 2017; 10 (3)

- EXPERIMENTAL ARTICLE
40. Maturity and Apoptosis Rate of Cumulus - Oocyte Complex in Aceh Cattle after in Vitro Maturation
Hamny Hamny, Widjiati Widjiati, Aulanni'am Aulanni'am, Budiarto Parjaitan
Pages 1066-1069
- EXPERIMENTAL ARTICLE
41. Hylocereus Polyrhizus Peel Ethanol Extract- The Potential Effect to Tumor Necrosis Factor- α , Macrophage, and Matrix Metalloproteinase-9 in Endometriosis Mice
Anindya Hapsari, Hendy Hendarto, Widjiati
Pages 1070-1073
- EXPERIMENTAL ARTICLE
42. Effect of Combined Cryoprotectant of Ethylen Glicol and Propanodiol on Embryo Cryopreservation to Blastomere Cell Apoptosis and Blastocyst Quality
Epy Muhammad Luqman, Widjiati, Suryo Kuncorojakti
Pages 1074-1079
- EXPERIMENTAL ARTICLE
43. Effectivity of Insulin Transferrin Selenium and Bovine Serum Albumin Addition on In Vitro Culture Medium on Fertilization and Blastocyst Rate of Mice (*Mus musculus*)
Widjiati, Epy Muhammad Luqman, Benjamin Christoffel Tehupuring
Pages 1080-1083
- REVIEW
44. Effect of Radiofrequencies Emitted from Mobile Phones and Wi-Fi on Pregnancy
Hava Bektas, Suleyman Dasdag
Pages 1084-1095

Effectivity of Insulin Transferrin Selenium and Bovine Serum Albumin Addition on In Vitro Culture Medium on Fertilization and Blastocyst Rate of Mice (*Mus musculus*)

Widjati^{1*}, Epy Muhammad Luqman¹, Benjamin Christoffel Tehupuring¹

1. Veterinary Anatomy Department, Faculty of Veterinary Medicine, Airlangga University.

Abstract

The aim of this research was to know best composition of in vitro culture medium that can support the development of zygote and cleavage into blastocyst stage of embryo and ready to be transferred into recipient. Insulin Transferrin Selenium (ITS) and Bovine Serum Albumin (BSA) need to be added to optimize culture medium so it can produce embryo with high viability to support embryo transfer program.

The addition of Insulin Transferrin Selenium into in vitro culture medium bind free radical, trigger development of the cell, inhibit damage of the cell because of its antioxidant component so it can increase blastocyst viability. The addition of Bovine Serum Albumin can increase the competence of the embryo development to grow in the in vitro culture medium.

The research started with estrus synchronized, oocyte collection, in vitro fertilization, addition of Insulin Transferrin Selenium and Bovine Serum Albumin into culture medium and examine the number of fertilization and blastocyst. The result show combination of Insulin Transferrin Selenium and Bovine Serum Albumin supplementation increasing number of fertilization and blastocyst is better compare with group that added Insulin Transferrin Selenium only ($p>0,05$) but it is not different with group that added Bovine Serum Albumin only. The conclusion from this research is addition of Insulin Transferrin Selenium and Bovine Serum Albumin can increase the number of fertilization and support the development of embryo.

Experimental article (J Int Dent Med Res 2017; 10(3): pp. 1080-1083)

Keywords: Fertilization rate, blastosis rate, cultur medium, in vitro fertilization.

Received date: 08 August 2017

Accept date: 27 August 2017

Introduction

The successful of embryo transfer is depending its embryo quality that will be transferred and the condition of endometrium. Embryo stated as good quality if the embryo will develop and grow in the uterus of recipient. Good quality embryo can be obtained in vivo also in vitro. Embryo that obtained from in vitro has some advantages, the numerous of embryo produced and embryo produced is in the same stage¹.

Nowadays the provision of in vitro embryo as transfer embryo needs is not fulfilling the quality of embryo with high viability. It is based on the low number of pregnancy from the in vitro embryo recipient. It is necessary to review the

Corresponding author:

Widjati,
Veterinary Anatomy Department,
Faculty of Veterinary Medicine, Airlangga University.
E-mail : widjati@ fkh.unair.ac.id

low number of pregnancy in molecular reproduction because there are many factor that affect in vitro embryo culture like source of nutrition and stress during embryo culture².

Modifying condition of in vitro culture is one of technique to increase the number of fertilization and blastocyst viability due to the need of embryo transfer. Some growth factor is added into culture medium like Insulin Transferrin and Bovine Serum Albumin as maturation and culture

medium to increase oocyte ability into meiosis II stage³.

Insulin Transferrin Selenium is complex supplement medium that consist of insulin, transferrin and selenium if it is added into culture medium can decrease the binding of free radical^{4,5}. Insulin Transferrin Selenium is complex protein that can increase development of the cell and inhibit cell damage because of its antioxidant so that in can maintain the viability of embryo. Insulin Transferrin Selenium can increase the number of fertilization, quality and viability of blastocyst from the result of in vitro culture^{6,7}.

Bovine Serum Albumin as protein sources is composed many essential amino acids. BSA supplementation into culture medium can increase the competence of embryo development to grow into the in vitro culture medium, accelerate cleavage stage of embryo so that the embryo can grow and develop and maximally produce excellent blastocyst with high viability. Low viability of embryo will affect the implantation process on its attachment with endometrium. The decreasing of quality and viability of embryo also caused by the numerous of apoptotic trophoblast cell so the implantation and pregnancy is not occurred. Besides, endometrium thickness from recipient must be ready^{8,9,10,11}.

Viability of blastocyst from in vitro culture is affecting the successful number of embryo implantation and pregnancy after the blastocyst is being transferred. Because of that, the study to optimize culture medium is needed, so in vitro blastocyst can be produced as embryo bank and fulfill the embryo transfer needed and increase the number of pregnancy.

Based on the background the research is needed to prove the Effectivity of Insulin Transferrin Selenium and Bovine Serum Albumin Addition on In vitro Culture Medium on Apoptotic Trophoblast Cell, Blastocyst Number and Successful of Embryo Transfer.

Materials and methods

This research were using mice oocyte and embryo as the sample. This research consist of 3

treatment groups, Treatment Group 1 (T1) : Minimum Essential Medium Eagle Minimum + Insulin Transferrin Selenium 5% + Bovine Serum Albumin 5%, Treatment Group 2 (T2): Minimum Essential Medium Eagle + Insulin Transferrin Selenium 5% and Treatment Group 3 (T3): Minimum Essential Medium Eagle + Bovine Serum Albumin 5%.

Research Materials and Equipments

Materials that used in this research include male mice aged 5 month, female mice aged 3 month, Insulin Transferrin Selenium (ITS), Bovine Serum Albumin (BSA), *Pregnant Mare Serum Gonadotropin* (PMSG) (Folligon®, Intervet, Boxmeer, Holland), *Human Chorionic Gonadotropin* (HCG) (Chorulon®, Intervet, Boxmeer, Holland), *Phosphate Buffer Saline* (PBS), Medium Eagle Minimum (Sigma®, St. Louis, USA), ethilen glikol (Sigma®, St. Louis, USA), propanediol (Sigma®, St. Louis, USA), mineral oil (Sigma®, St. Louis, USA), CO₂. Equipments that used in this research include CO₂ incubator (Thermo), mikroskop inverted (Meiji), program image raster 3.0, syringe (Terumo), pipet pasteur (Thermo), Hemi straw, petridish dispossable (Thermo), millipore Tthermo),

Research Variables

The independent variable of this research are Insulin Transferrin Selenium, Bovine Serum Albumin. The dependent variable of this research are the number of fertilization and blastocyst.

Research Method 1. Superovulation and oocyte collection

Female mice were being injected with Pregnant Mare Serum Gonadotropin (PMSG or Foligon) with dosage 5 IU. Ethical clearance received from Faculty of Veterinary Medicine Airlangga University with number 717-KE. Fortyeight hours later continued by injecting Human Chorionic Gonadotropin (HCG or Chorulon) and mated with vasectomy male mice used monomating method. Seventeen hours after mated then the vaginal plug was checked. The female mice with vaginal plug was decapitated and the fallopian tube was collected. The fallopian tube was washed in Phosphate Buffer Saline and moved into petri dish

and rip fertilization sac under the inverted microscope. The oocyte collected was washed.

2. In Vitro Fertilization

The oocyte collected was washed three times using PBS and MEM medium then moved into the fertilization medium while waiting for the preparation of spermatozoa. Spermatozoa was collected from cauda of epididymis from male mice and after that the spermatozoa was put on the same fertilization medium with oocyte before. Oocyte with spermatozoa then incubated on CO₂ 5% incubator with temperature 37°C during 7

Albumin 5%.



hours and the granulosa cell was fallen out to examine zygote or 2 cells. **3. Embryo Culture until Blastocyst Stage**

The zygote was moved into culture medium and incubated on CO₂ 5% incubator with temperature 37°C. Culture medium was changed twice a day until reaching the blastocyst stage.

Results

Result of this research were the number of fertilization from in vitro fertilization and the number of blastocyst obtained from in vitro culture. Supplementation of Insulin Transferrin and Bovine Serum Albumin show the number of fertilization increased better than fertilization medium that only added with Insulin Transferrin Selenium or Bovine Serum Albumin. Analytic

result from the number of fertilization were showed in the table 1 and table 2 below.



Figure 2. Mice embryo that have been cleavage into blastocyst stage from in vitro fertilization.

Group	Mean ± SD	p
T1	98,3340± 3,72529	0,0036
T2	90,9100± 6,42760	
T3	93,3360± 3,72529	

Table 1. Mean and standard deviation of fertilization number from BSA, ITS and Combination of BSA and ITS on in vitro fertilization medium group.

determining the difference between treatment group to fertility number. *The difference between each treatment group.

T1 : Minimum Essential Medium Eagle Minimum + Insulin Transferrin Selenium 5% + Bovine Serum Albumin 5%. T2: Minimum Essential Medium Eagle Minimum + Insulin Transferrin Selenium 5%. T3 : Minimum Essential Medium Eagle Minimum + Bovine Serum

Group	Zygote-2 Cells (Mean ± SD)	P	3 Cells-4 Cells (Mean ± SD)	P	4 Cells-8 Cells (Mean ± SD)	P	8 Cells-Morula (Mean ± SD)	P	MORULA - Blastocyst (Mean ± SD)	p
T1	100,00 ± 0,0	0,00	74,55 ± 8,4	0,97	80,00 ± 11,7	0,04	100,00 ± 0,0	1,00	91,31 ± 8,1	0,0
T2	87,27 ± 0,0		77,11 ± 4,1	7	70,00 ± 7,4		100,00 ± 0,0		72,33 ± 11,8	37
T3	91,21 ± 5,9		74,73 ± 7,0		84,28 ± 5,3		100,00 ± 0,0		87,14 ± 13,8	

3. Mean and standard deviation of

Figure 1. Embryo that have been cleavage into 2 cells.

Analytic result from the development of embryo from zygote to 2 cells, 4 cells, 8 cells, morula and blastocyst were showed in table 3 and table 4 below. Supplementation Insulin Transferrin Selenium and Bovine Serum Albumin into in vitro culture medium can increase the number of embryo that develop become blastocyst stage and has significant different with group that only added with Insulin Transferrin

Fertility number	Group	P
	T1-T2	0,032*
	T1-T3	0,072
	T2-T3	0,080

Table 2. Mann Whitney Test result for Selenium or Bovine Serum Albumin.

Table

blastocyst number from BSA, ITS and Combination of BSA and ITS on in vitro culture medium group.

Table 4. Mann Whitney Test result to determine the difference between each treatment group to blastocyst number.

Discussion

Culture medium is one of the most important component on producing in vitro embryo, many culture medium have been develop for embryo culture importance. Generally, culture medium is containing serum or BSA. Medium that has serum or BSA will increase the rate of in vitro embryo development. BSA can bind free radical, metal, toxin, regulate redox potential, pH and osmolality and finally increase embryo

Embryo Development	Group	P
Zygote-2cells	T1-T2	0,005*
	T1-T3	0,017*
	T2-T3	0,238
4cells-8cells	T1-T2	0,160
	T1-T3	0,242
	T2-T3	0,014*
Morula-Blastocyst	T1-T2	0,014*
	T1-T3	0,588
	T2-T3	0,070

development¹².

Insulin is polypeptide hormone that can affect glucose absorption and amino acid and also has mitogenic effect¹³. Addition of Insulin and Insulin Growth Factor on IVC and IVM medium can increase oocyte and embryo quality of pig. Selenium (Se) is trace element that important for some physiological activity¹⁴. Selenium on culture medium will create sodium selenite that has function to protect the cell from oxidative damage by decreasing the production of free radical and inhibit lipid peroxidation¹⁵. ITS is the best supplement to increase oocyte development and generally used in various in vitro culture¹⁶. ITS supplementation can support the development of follicle and in vitro oocyte maturation^{17,18}.

Conclusions

The conclusion from this research is supplementation using Insulin Transferrin and Bovine Selenium Albumin can increase the number of fertility compared with treatment group only added Insulin Transferrin or Bovine Selenium Albumin. The addition of Insulin

Transferrin and Bovine Selenium Albumin can increase the number of embryo that developed into blastocyst compared with treatment group added with Insulin Transferrin but not with treatment group added Bovine Selenium Albumin.

Declaration of Interest

The authors report no conflict of interest and the article is not funded or supported by any research grant.

References

1. Archer J., D.A. Gook and D.H. Edgar.. Blastocyst formation and cell numbers in human frozen-thawed embryos following extended culture. *J Hum. Reprod.* 2003;18 (8):1669-73.
2. Devreker F., K. Hardy, M. Van den Bergh, A.S. Vannin, S. Emiliani and Y. Englert. Amino acids promote human blastocyst development *in vitro*. *J.Hum. Reprod.* 2001;16(4): 749-56.
3. Kurzawa R., W. Glabowski, T. Baczkowski and P. Brelik.. Evaluation of mouse preimplantation embryos exposed to oxidative stress cultured with insulin like growth factor I and II, epidermal growth factor, insulin, transferrin and selenium. *J. Clinicin For Reprod. And Gynecocol.* 2002;2(2): 143-62.
4. Das, Z.C.,M.K. Gupta, S.J. Uhm and H.T. Lee. Supplementation of insulin transferrin selenium to embryo culture medium improves the in vitro development of pigembryos. *Cambridge J online.* 2013;18: 1-8.
5. Kisiday.J.D., B.Kurz, M.A.Dimicco and A.J.Grozinsky. Evaluation of medium supplemented with insulin transferrin selenium for culture of primary bovine calf chondrocytes in three-dimensional hydrogel scaffolds. *J. Tissue Engineering.* 2005;11 (1-2): 141-51.
6. Qin, H, Tianxin Yu, Tingting Qing, Yanxia Liu, Yang Zhao, Jun Cai, Jian Li, Zhihua Song, Xiuxia Qu, Peng Zhou, Jiong Wu, Mingxiao Ding,¹ and Hongkui Deng. Regulation of Apoptosis and Differentiation by p53 in Human Embryonic Stem Cells. *J. Biol. Chem.* 2007;282: 5842-52.
7. Amir, G., Rubinsky, B., Kassif, Y., et al. Preservation of myocyte structure and mitochondrial integrity in sub zero cryopreservation of mammalian heart for transplantation using anti freeze proteinsanelectron microscope study. *European J CardioThoracic Surg.* 2003;24(2): 292-7.
8. Sugimoto H, Y. Kida, Y. Miyamoto, K. Kitada, K. Matsumoto, K. Saeki, T. Taniguchi, Y. Hosoi. Growth and development of rabbit oocytes in vitro: Effect of fetal bovine serum concentration on culture medium. *Theriogenology.* 2012;78: 1040-
7. Gomez E. and C. Diez. Effects of glucose and protein sources on bovine embryo development in vitro. *Animal Reproduction Science.* 2000;58: 23-7
10. Sreenivas D., DSVGK Kaladhar, Nagendra Sastry Yarla, VM Thomas, A PalniSamy, Varahala Rao Vadlapudi and R Preethi. In Vitro Production of Sheep Embryos in CR1aa Medium Supplemented with L-Ascorbic Acid. *J Tissue Sci Eng.* 2014;5:1.
11. Koçyiğit Alper, Mesut Çevik, Uğur Şen, Mehmet Kuran. The Effect Of Macromolecule and Growth Factor Combinations On In Vitro Development Of Bovine Embryos. *Turkish J. of Veterinary and Anim Sci.* 2015;39: 308-13
12. Wang L., X. Xiong, H. Zhang, Y. Li, Q. Li, Y. Wang, W. Xu, S. Hu and Y. Zhang. Defined media optimization for in vitro culture of bovine somaticcell nuclear transfer (SCNT) embryos. *Theriogenology.* 2012;78: 2110-9.
13. Córdova, B., R. Morató, D. Izquierdob, T. Paramiob, T. Mogasa. Effect of the addition of insulin-transferrin-selenium and/orLascorbic acid to the in vitro maturation ofprepubertal bovineoocytes on cytoplasmic maturation and embryo development. *Theriogenology.* 2010;74: 1341-8.
14. Lee, M. S., S. K. Kang, B. C Lee, W. S. Hwang. The beneficial effectsof insulin and metformin on in vitro developmental potential ofporcine oocytes and embryos. *Biol Reprod.* 2005;73(6):1264-8.
15. Ebert. R., M. Ulmer, S. Zeck,J. Meissner-Weigl, D. Schneider, H. Stopper, N. Schupp, M. Kassem, F. Jakob. Selenium supplementationrestores the antioxidative capacity and prevents celldamage in bone marrow stromal cells in vitro. *Stem Cells.* 2006;24:1226-35.
16. Fengjun,L., Z.Yuling, Y.Zijun, W. Guohua and Z.Yong. Effect of insulin transferrin selenium on goat oocytes maturation and embryo development. *J. Agricult. Sci and Techno.* 2008;9 (3) : 107-
- 110
17. Jeong.Y.W, M.S.Hossein, D.P.Bhandari, Y.W.Kim, J.H.Kim, S.W.Park, E.Lee, S.M.Park, Y.I.Jeong, J.Y.Lee, S.Kim and W.S.Hwang. Effect insulin transferrin selenium in defined and porcine follicular fluid supplemented IVM media on porcine IVF and SCNT embryo production. *J. Anim. Reprod. Sci.* 2008;106 : 13-24
18. Raghu ,H.M, S.M. Reddy and S.Nandi. Effect of insulin, transferrin and selenium and ephidermal growth factor on development of buffalo of oocytes to the blastocyst stage in vitro in serum-free, semidefined media. *J. Vet. Record.* 2002;151: 260-265.