


# Proceeding

## **The 1<sup>st</sup> International Conference** on Pharmaceutics & Pharmaceutical Sciences

Published and Organized by  
Faculty of Pharmacy  
Universitas Airlangga  
Surabaya-Indonesia  
2014



# The 1<sup>st</sup> International Conference on Pharmaceutics & Pharmaceutical Sciences Proceedings

ISBN : 978-602-72333-0-0

(Letter of National ISBN Agency No. 4127/E.8/p/03.2015 Date 18 March 2015)

**1st edition Proceeding**

**Published by:**

Faculty of Pharmacy Universitas Airlangga  
Surabaya, Indonesia

**Address:**

Kampus B Jl. Dharmawangsa Dalam

Surabaya 60286

Phone +62 31 5033710

Fax +62 31 5020514

Website: [www.icpps2014.com](http://www.icpps2014.com) or [www.ff.unair.ac.id](http://www.ff.unair.ac.id)

Email: [icppinfo@gmail.com](mailto:icppinfo@gmail.com)

ISBN 978-602-72333-0-0



## **PREFACE From Chairman**

It is our pleasure to present you the proceedings of The 1st International Conference on Pharmaceutics and Pharmaceutical Sciences (ICPPS) organized by The Faculty of Pharmacy Universitas Airlangga Surabaya Indonesia.

The proceeding was produced based on papers and posters presented at The 1st International Conference on Pharmaceutics and Pharmaceutical Sciences (ICPPS), held in Surabaya, Indonesia, 14-15 November 2014.

The proceeding clearly reflects broad interest, from the participants that coming from all around the world.

The papers presented were pharmaceutics and biopharmaceutics; requirements on how to evaluate molecules in discovery and their appropriateness for selection as potential candidate; their development in context of challenges and benefits, together with associated time and cost implications and also requirements to progress through pre-clinical and clinical.

In this an opportunity, I would like to express my appreciation to the editorial team of the proceeding who have been working hard to review manuscripts, and making the first edition of this proceeding be possible.

I would like also to thanks to all invited speakers and presenters who participated in The 1st International Conference on Pharmaceutics and Pharmaceutical Sciences (ICPPS) and your contribution to this proceeding.

Finally, I hope this proceeding will give contribution to the Pharmaceutics and Pharmaceutical Sciences research.

Chairman,

Dra. Esti Hendradi, MSI., Ph.D., Apt

## COMMITTEE

Advisor : Dean of Faculty of Pharmacy Universitas Airlangga  
Chairman : Dra. Esti Hendradi, M.Si., Ph.D, Apt.

Editor : Dr. Wouter LJ. Hinrichs (Netherlands)  
Prof. Kozo Takayama (Japan)  
Dr. Srinivas Mutalik (India)  
Dr. Nuttakorn Baisaeng (Thailand)  
Prof. Dr. Widji Soeratri, DEA (Indonesia)

Committee : Prof. Dr. Widji Soeratri, DEA, Apt.  
Prof. Dr. Siswandono, MS., Apt.  
Prof. Dr. Tutuk Budiati, MS., Apt.  
Prof. Dr. rer.nat. Muhammad Yuwono, MS., Apt.  
Drs. Hadi Poerwono, MSc.,Ph.D, Apt.  
Drs. Marcellino Rudyanto, MSi., Ph.D, Apt.  
Drs. Bambang Widjaja, M.Si, Apt.  
Drs. Sugiyartono, MS, Apt.  
Dra.Tutiek Purwanti, MSi, Apt.  
Dra.Tristiana Erawati, MSi, Apt.  
Dra.Retno Sari, MSc, Apt.  
Dra.Dewi Isadiartuti, MSi, Apt.  
Dra.Noorma Rosita, MSi, Apt.  
Dr. Dwi Setyawan, SSi, MSi., Apt.  
Dr. Riesta Primaharinastiti, SSi, MSi, Apt.  
Dewi Melani Hariyadi, SSi, M.Phil., Ph.D, Apt.  
Helmy Yusuf, SSi, MSc., Ph.D, Apt.  
Dr. rer. nat. Maria Lucia Ardhani Dwi Lestari, SSi,MPharmSci., Apt.  
Melanny Ika Sulistyowati, SFarm, M.Sc, Apt.  
Febri Annuryanti, SFarm,M.Sc, Apt.  
M. Faris Adrianto, MFarm, Apt.  
Dini Retnowati, SFarm,Apt.  
Abhimata P, SFarm, Apt.



## TABLE of CONTENT

Preface from Chairman

Committee .....	ii
Table of Contents .....	iii
Author Index .....	iii

## AUTHOR INDEX

COMPARISON OF SODIUM STARCH GLYCOLATE AND CROSSCARMELLOSE SODIUM AS SUPERDISINTEGRANT IN MEFENAMIC ACID FAST DISINTEGRATING TABLET <b>Adeltrudis Adelsa D, Oktavia Eka Puspita, Amalia Ayuningtyas, Marulita Isadora</b> .....	1
STUDY EXPRESSION OF HUMAN ERYTHROPOIETIN EXPRESSION IN MAMMALIAN CELL <b>Adi Santoso, Popi Hadiwisnuwardhani, Yana Rubiana, Yulaika Romadhani, Endah Puji Septisetyani, Dyanningtyas D.P. Putri</b> .....	4
ANTIOXIDANT STABILITY ASSAY OF ALPHA TOCOPHERYL ACETATE IN SOLID LIPID NANOPARTICLE SYSTEM (LIPID BASE BEESWAX AND MONOSTEARIC GLISERYL 50:50) <b>Anggie Widhi, Noorma Rosita, Widji Soeratri</b> .....	8
A BIOACTIVE <i>BOVINE HYDROXYAPATITE</i> -GELATIN IMPLANT FOR IN VITRO GENTAMICIN RELEASE <b>Aniek Setiya Budiatin, M. Zainuddin, Junaidi Khotib, Diah Himawati</b> .....	13
EFFECT OF COMPARISON SURFACTANT AND COSURFACTANT IN WATER/OIL MICROEMULSION IN RELEASE OF OVALBUMIN Microemulsion Water/Oil with Surfactant (Span 80-Tween 80) : Cosurfactant (Ethanol) =5:1, 6:1, and 7:1 <b>Anisa Rizki Amalia, Riesta Primaharinastiti, Esti Hendradi</b> .....	18
ANALYSIS OF MYCOLIC ACIDS CLEAVAGE PRODUCT OF <i>Mycobacterium tuberculosis</i> BY GAS CHROMATOGRAPHY-FLAME IONIZATION DETECTOR <b>Asri Darmawati, Deby Kusumaningrum, Isnaeni, Muhamad Zainuddin</b> .....	21
PERIPLASMIC EXPRESSION OF GENE ENCODING ANTI-EGFRvIII SINGLE-CHAIN VARIABLE FRAGMENT ANTIBODY USING PeIB LEADER SEQUENCE IN <i>ESCHERICHIA COLI</i> <b>Kartika Sari Dewi, Debbie Sofie Retnoningrum, Catur Riani, Asrul Muhamad Fuad</b> .....	24
IN VIVO ANTIMALARIAL ACTIVITY OF ETHANOL EXTRACT AND ETHYL ACETATE FRACTION OF <i>Alectryon serratus</i> LEAVES ON <i>Plasmodium berghei</i> INFECTED MICE <b>Aty Widyawaruyanti, Uswatun Khasanah, Lidya Tumewu, Hilkatul Ilmi, Achmad Fuad Hafid, Indah S Tantular</b> .....	30
PROFILE OF COMMUNITY PHARMACISTS KNOWLEDGE IN PATIENT ASSESSMENT WITH INFLUENZA SYMPTOMS AND ITS PRODUCTS <b>Azza Faturrohmah, Arie Sulistyarini, Ana Yuda</b> .....	33

SOLUBILITY AND DISSOLUTION STUDY OF KETOPROFEN – HIDROXYPROPYL- $\beta$ -CYCLODEXTRIN INCLUSION COMPLEX (Prepared by Kneading Method) <b>Bambang Widjaja, Achmad Radjaram, Arafah Zulhana</b> .....	37
FORMULATION AND STABILITY TESTING OF MELOXICAM SOLID DISPERSION GEL <b>Budipratiwi Wisudyaningsih, Inka Dewi Nur Anggaraini, Fersiya Wardani</b> .....	40
EFFECT OF MENTHOL AS PENETRATION ENHANCER TO DICLOFENAC SODIUM MEMBRANE-TYPED TRANSDERMAL PATCH CHARACTERIZATION <b>Destria Indah Sari, Esti Hendradi, Junaidi Khotib</b> .....	43
PHYSICAL CHARACTERISTICS AND RELEASE STUDY OF OVALBUMIN FROM ALGINATE MICROSPHERES PREPARED BY DIFFERENT CONCENTRATION OF ALGINATE AND BaCl <sub>2</sub> USING AEROSOLIZATION TECHNIQUE <b>Dewi Melani Hariyadi, Tristiana Erawati, Sisilia Ermawahyuningtyas</b> .....	46
MUCOADHESIVE TABLET OF ETHANOLIC EXTRACT OF SAMBILOTO ( <i>Andrographis paniculata</i> ) AS ANTIDIABETIC USING CHITOSAN <b>Dhadhang Wahyu Kurniawan, Hening Pratiwi, and Lingga Ikaditya</b> .....	50
PHYSICAL INTERACTION STUDY OF IBUPROFEN-STEARIC ACID BINARY MIXTURE <b>Diajeng Putri Paramita, Dwi Setyawan, Dewi Isadiartuti</b> .....	59
MOLECULAR MODELING AND SYNTHESIS OF 1-(3,4-Dichlorobenzoyl)-1,3-dimethylurea <b>Dian Agung Pangaribowo, Siswandono, Bambang Tri Purwanto</b> .....	63
EXPRESSION OF RECOMBINANT HUMAN GRANULOCYTE-COLONY STIMULATING FACTOR WITHIN PERIPLASMIC COMPARTMENT OF <i>Escherichia coli</i> USING PelB LEADER PEPTIDE <b>Dian Fitria Agustiyanti, Asrul Muhamad Fuad</b> .....	66
EVALUATION OF ANTIHYPERURICEMIC ACTIVITY FROM BULBS OF BAWANG TIWAI ( <i>Eleutherine palmifolia</i> (L.) Merr.) BY IN VITRO AND IN VIVO STUDIES <b>Dian Ratih Laksmiawati, Rininta Firdaus, Yulinda, Mediana Astika</b> .....	72
ANTIOXIDANT ACTIVITY OF 96% ETHANOL EXTRACT OF COMBINATION OF STRAWBERRY FRUIT ( <i>Fragaria x ananassa</i> Duch.) AND STARFRUIT ( <i>Averrhoa carambola</i> L.) USING ABTS FREE RADICAL SCAVENGING METHOD <b>Diana Serlahwaty, Indira Natalia Timang</b> .....	76
ENHANCEMENT OF SOLUBILITY AND DISSOLUTION ATORVASTATIN BY MICROCRYSTALLIZATION METHOD <b>Dolih Gozali, Yoga Windu Wardhana, Ronny Tandela</b> .....	79
<i>IN VITRO</i> ANTIMALARIAL ACTIVITY OF DICHLOROMETHANE SUB-FRACTION OF <i>Eucalyptus globulus</i> L. Stem AGAINST <i>Plasmodium falciparum</i> <b>Elis Suwarni, Achmad Fuad Hafid, Aty Widayawaryanti</b> .....	86
<i>Arcangelisia flava</i> INCREASES RATS' LEUKOCYTES BUT HAS BIPHASIC EFFECT ON RATS' LYMPHOCYTE <b>Endah Puspitasari, Evi Umayah Ulfa, Vita Ariati, Mohammad SulthonHabibi</b> .....	89



IN VITRO ANTIMALARIAL ACTIVITY OF CHLOROFORM SUBFRACTION OF SALAM BADAK LEAVES ( <i>Acmena acuminatissima</i> ) <b>Erna Cahyaningsih, Achmad Fuad Hafid, Aty Widyawaruyanti</b> .....	<b>92</b>
CHARACTERIZATION OF DOSAGE FORM AND PENETRATION DICLOFENAC SODIUM WITH MICROEMULSION SYSTEM IN HPMC 4000 GEL BASE (Microemulsion W/O with ratio use of surfactant Span 80 – Tween 80 : Cosurfactan Ethanol 96% = 6:1) <b>Esti Hendradi, Tutiek Purwanti, Karina Wahyu Irawati</b> .....	<b>95</b>
CONSTRUCTION AND VALIDATION OF THE STRUCTURE-BASED VIRTUAL SCREENING PROTOCOLS WITH PDB CODE OF 3LN1 TO DISCOVER CYCLOOXYGENASE-2 INHIBITORS <b>Mumpuni E, Nurrochmad A, Pranowo HD, Jenie UA, Istyastono EP</b> .....	<b>99</b>
VALIDATED UV SPECTROPHOTOMETRIC METHOD FOR THE DETERMINATION OF ASPIRIN IN RABBIT PLASMA : APPLICATION TO BIOAVAILABILITY STUDY OF ASPIRIN MICROCAPSULE IN RABBIT <b>Faizatun, Novi yantih, Teguh Iman Saputra</b> .....	<b>102</b>
EFFECT OF COMPARISON OF SURFACTANT AND COSURFACTANT W/O MICROEMULSION OVALBUMIN WITH SOYBEAN OIL TO PHYSICOCHEMICAL CHARACTERIZATION (w/o Microemulsion with Surfactant Span 80- Tween 80 : Cosurfactant Ethanol 96% = 5:1; 6:1 and 7:1) <b>Farida Mutiara Sari, Riesta Primaharinastiti, Esti Hendradi</b> .....	<b>105</b>
pH INFLUENCE IN DESALTING PROCESS OF CRUDE PERTUSSIS TOXIN (PT) AND FILAMENTOUS HEMAGGLUTININ (FHA) PURIFICATION FROM <i>Bordetella pertussis</i> BY SEPHADEX G-25 COLUMN CHROMATOGRAPHY <b>Faris Adrianto, Esti Hendradi, Neni Nurainy, Isnaeni</b> .....	<b>108</b>
SEPARATION OF COSMETIC PRESERVATIVES USING SILICA-BASED MONOLITHIC COLUMN <b>Febri Annuryanti, Riesta Primaharinastiti, Moch. Yuwono</b> .....	<b>111</b>
PREPARATION AND CHARACTERIZATION OF TELMISARTAN-CITRIC ACID CO-CRYSTAL <b>Fikri Alatas, Hestiary Ratih, Sundani Nurono Soewandhie</b> .....	<b>114</b>
PATIENTS' AND CAREGIVERS' LIQUID MEDICATION ADMINISTRATION ERRORS <b>Gusti Noorrizka Veronika Achmad, Gesnita Nugraheni</b> .....	<b>117</b>
THE POTENCY OF CANARIUM OIL ( <i>Canarium indicum</i> ) AS A MATERIAL FOR STRUCTURED LIPID PRODUCTION <b>Hamidah Rahman, Johnner P Sitompul, Kusnandar Anggadiredja, Tutus Gusdinar</b> .....	<b>121</b>
EFFECT OF TREHALOSE ON THERMAL PROPERTIES OF PHOSPHOLIPID-DDA AND TPGS MIXTURES <b>Helmy Yusuf</b> .....	<b>124</b>
PREPARATION AND CHARACTERIZATION OF FLUKONAZOLE- $\beta$ -CYCLODEXTRIN INCLUSION COMPLEXES <b>Hestiary Ratih, Fikri Alatas, Erin Karlina</b> .....	<b>127</b>
ISOLATION AND IDENTIFICATION OF ANTIOXIDANT COMPOUND BY BIOPRODUCTION OF ENDOPHYTIC FUNGI OF TURMERIC ( <i>Curcuma longa</i> L.) ISOLATE CL.SMI.RF11 <b>Hindra Rahmawati, Bustanussalam, Partomuan Simanjuntak</b> .....	<b>130</b>

MODIFICATION PROCESS OF NATURAL CASSAVA STARCH : THE STUDY OF CHARACTERISTICS AND PHYSICAL PROPERTIES <b>Prasetia, Jemmy A, C.I.S. Arisanti, N.P.P.A. Dewi, G.A.R. Astuti, N.W.N Yulianingsih, I M.A.G. Wirasuta</b> .....	133
DRUG USE PROFILE OF DIABETIC PATIENTS IN EAST SURABAYA PRIMARY HEALTH CARE <b>I Nyoman Wijaya, Azza Faturrohmah, Ana Yuda, Mufarriha, Tesa Geovani Santoso, Dina Kartika, Hikmah Prasasti N, Whanni Wido Agustin</b> .....	136
GLYCINE MAX DETAM II VARIETY AS PREVENTIVE AND CURATIVE ORGAN DAMAGE DUE TO EXPOSURE TO ,LEAD (Pb) <b>Rika Yulia, Sylvan Septian Ressandy, Gusti Ayu Putu Puspikaryani, I Putu Agus Yulyastrawan, Dewa Ayu Kusuma Dewi</b> .....	142
AN ACTIVITY TEST OF MATOA LEAVES EXTRACT AS HEART RATE FREQUENCY REDUCTION WITH ADRENALINE INDUCTION <b>Ika Purwidyaningrum, Elin Yulinah Sukandar, Irda Fidrianny</b> .....	144
EFFORT TO REDUCE COMPRESSIBILITY OF RAMIPRIL THROUGH CRYSTAL ENGINEERING <b>Indra, Sundani N Soewandhi</b> .....	147
IN VITRO ALPHA-GLUCOSIDASE INHIBITORY ACTIVITY OF ETHANOLIC LEAF EXTRACT AND FRACTIONS OF <i>Rauwolfia serpentina</i> (L.) Benth. ex Kurz <b>Julie Anne D. Bolaños, Ivan L. Lawag</b> .....	150
PERIPLASMIC EXPRESSION OF GENE ENCODING ANTI-EGFRvIII SINGLE-CHAIN VARIABLE FRAGMENT ANTIBODY USING PeIB LEADER SEQUENCE IN <i>Escherichia coli</i> <b>Kartika Sari Dewi, Debbie Sofie Retnoningrum, Catur Riani, Asrul Muhamad Fuad</b> .....	153
CHARACTERIZATION AND LD <sub>50</sub> VALUE DETERMINATION OF 1,5-bis(3'-ethoxy-4'-hydroxyphenyl)-1,4-pentadiene-3-one (EHP) <b>Lestari Rahayu, Septian, Esti Mumpuni</b> .....	159
DEVELOPMENT OF MELOXICAM TRANSDERMAL MATRIX TYPE PATCH USING POLYVINYLPIRROLIDONE, HYDROXYPROPYL METHYLCELLULOSE, AND ETHYL CELLULOSE COMBINATION <b>Lidya Ameliana, Monica Iwud, Selly Rio</b> .....	162
ANTIHEPATITIS C VIRUS ACTIVITY SCREENING ON <i>Harpullia arborea</i> EXTRACTS AND ISOLATED COMPOUND <b>Lidya Tumewu, Evhy Apryani, Mei Ria Santi, Tutik Sri Wahyuni, Adita Ayu Permanasari, Myrna Adianti, Chie Aoki, Aty Widyawaruyanti, Achmad Fuad Hafid, Maria Inge Lusida, Soetjipto, Hak Hotta</b> .....	165
HPLC METHOD PRECISION TO ASSAY OF A-MANGOSTIN IN Mangosteen ( <i>Garcinia mangostana</i> L.) FRUIT RIND EXTRACT FORMULATED IN ORAL SOLUTION <b>Liliek Nurhidayati, Siti Sofiah, Ros Sumarny, Kevin Caesar</b> .....	168



PREPARATION AND CHARACTERIZATION OF NARINGENIN-LOADED CHITOSAN NANOPARTICLES FOR CHEMOPREVENTION Lina Winarti, Lusia Oktora Ruma Kumala Sari .....	170
RELATIONSHIP OF KNOWLEDGE AND PATIENT BEHAVIOR ON SELF MEDICATION PIROXICAM ( Studies of Pharmacy in Sukun District , Malang City) Liza Pristianty, Reshtia Eriana Putri, Hidayah Rachmawati .....	173
EFFECT OF CHRONIC USE OF ENERGY DRINK ON KIDNEY Mahardian Rahmadi, Zamrotul Izzah, Mareta Rindang A, Aniek Setya B, Suharjono .....	176
SCREENING OF SURFACE MODIFIERS TO PRODUCE STABLE NANOSUSPENSION : A GENERAL GUIDANCE Maria Lucia Ardhani Dwi Lestari .....	179
DEVELOPMENT OF SIMPLE POLYPHENOL SENSOR BASED ON SODIUM META PERIODATE AND 3-METHYL-2-BENZOTHAZOLINONE HYDRAZONE FOR COFFEE SAMPLES Moch. Amrun Hidayat, Nindya Puspitaningtyas, Agus Abdul Gani, Bambang Kuswandi .....	181
VALIDATION OF AN HPLC ANALYTICAL METHOD FOR DETERMINATION OF LEVOFLOXACIN IN OPHTHALMIC PREPARATIONS Mochamad Yuwono, Riesta Primaharinastiti, Ageng Teguh Wardoyo .....	184
VALIDATION OF SPECTROPHOTOMETRIC METHOD FOR ESTIMATION OF EPERISONE HYDROCHLORIDE IN TABLET DOSAGE FORM Nia Kristiningrum, Diah Yuli Pangesti .....	187
ANTIOSTEOPOROTIC ACTIVITY OF 96% ETHANOLIC EXTRACTS OF ABELMOSCHUS MANIHOT L.MEDIK LEAVES AND EXERCISE ON INCREASING BONE DENSITY OF FEMALE MICE'S FEMORAL TRABECULAR Niliestria Ayu Faramitha Sholikhah .....	190
EFFECT OF -CYCLODEXTRIN ON SPF VALUE AND INHIBITION OF KOJIC ACIDSTYROSINASE ACTIVITY IN VANISHING CREAM BASE FORMULATION (ON SUNSCREEN PRODUCT CONTAINED OXYBENZONE) Noorma Rosita, Diana, Diana Winarita, Tristiana Erawati, Widji Soeratri .....	193
ANTIMICROBIAL ACTIVITY OF LACTOBACILLI PROBIOTIC MILK AND GUAVA LEAF ETHANOLIC EXTRACT (Psidium guajava) COMBINATION AGAINST BACTERIAL CAUSE OF DIARRHEA Nur Putri Ranti, Isnaeni, Juniar Moechtar, Febri Annuryanti .....	197
THE INFLUENCES OF PARTICLE SIZE AND SHAPE ON ZETA POTENTIAL OF COENZYME Q10 NANOSUSPENSION Nuttakorn Baisaeng .....	200
SYNTHESIS, MOLECULAR DOCKING, AND ANTITUMOR ACTIVITY OF N,N'-Dibenzoyl-N,N'-Dimethylurea AGAINST HUMAN BREAST CANCER CELL LINE (MCF-7) Nuzul Wahyuning Diyah .....	203
EXPRESSION OF ANTI-EGFRVIII SINGLE CHAIN FRAGMENT ANTIBODY (SCFV) ON THE SURFACE OF PICHIA PASTORIS Pratika Viogenta, Asrul Muhamad Fuad, Suharsono .....	206

SUBCLONING OF <i>csf3syn</i> (COLONY STIMULATING FACTOR-3) GENE INTO pGAPZ? AND TRANSFORMATION OF RECOMBINANT VECTOR INTO PICHIA PASTORIS <b>Prety Ihda Arfia, Asrul Muhamad Fuad</b> .....	212
THE USE OF PERICARP MANGOSTEEN ( <i>Garcinia mangostana</i> L.) EXTRACT IN FORMULATION OF CREAM-TYPE O / W <b>Rahmah Elfiyani, Naniek Setiadi Radjab, Mia Sagita Sofyan</b> .....	218
CHITOSAN BASED PARTICULATE CARRIER OF DITERPENE LACTON OF SAMBILOTO PREPARED BY IONIC GELATION-SPRAY DRYING :EFFECT OF STIRRING RATE AND NOZZLE DIAMETER <b>Retno Sari, Titin Suhartanti, Dwi Setyawan, Esti Hendradi, Widji Soeratri</b> .....	222
GAS CHROMATOGRAPHY-MASS SPECTROMETRY METHOD VALIDATION FOR PESTICIDES RESIDUES ANALYSIS IN FOOD USING QuEChERS KIT <b>Riesta Primaharinastiti, Setyo Prihatiningtyas, Mochammad Yuwono</b> .....	225
CHARACTERIZATION OF PARACETAMOL ORALLY DISINTEGRATING TABLET USING GELATIN 1% AND 2% AS BINDER AND POLYPLASDONE XL-10 10% AS DISINTEGRANT (Prepared by Freeze Drying Method) <b>Roisah Nawatila, Dwi Setyawan, Bambang Widjaja</b> .....	230
ANTIOXIDANT STUDY OF COSOLVENT SOLUTION OF MANGOSTEEN ( <i>Garcinia mangostana</i> L.) RIND EXTRACT IN RATS BY USING MDA PARAMETER <b>Ros Sumarny, Liliek Nurhidayati, Yati Sumiyati, Fransiska Diana Santi</b> .....	233
SCREENING OF SELECTED PHILIPPINE ROOT CROPS FOR $\beta$ -Glucosidase INHIBITION <b>Sarah Jane S. Almazora, Ivan L. Lawag</b> .....	236
NIOSOME EMULGEL FORMULATION AND STABILITY TEST OF CINNAMON ( <i>Cinnamomum burmanii</i> Nees & Th. Nees) Bark ETHANOLIC EXTRACT AS ANTIOXIDANT <b>Sasanti Darijanto, Fidriani Irda, Widhita P.A.S</b> .....	239
THEOPHYLLINE RELEASE FROM SUSTAINED RELEASE TABLET USING LACTOSA AND PVP K30 AS A CHANELLING AGENT <b>Sugiyartono, Retno Sari, Agus Syamsur Rijal, TriMulyani, Agustina Maharani</b> .....	242
EFFORTS TO PRODUCE 1-(BENZOYLOXY)UREA AS ANTICANCER DRUG CANDIDATE <b>Suko Hardjono</b> .....	245
DEVELOPMENT OF PEGylated RAPAMYCIN LITHOCHOLIC ACID MICELLE FOR CANCER THERAPY <b>Aran Tapsiri, Kanokwan Jaiprasert, Rungtip Nooma, Awadsada Sukgasem, Supang Khondee</b> .....	248
FEASIBILITY OF ORAL IMMUNIZATION AGAINST JAPANESE ENCEPHALITIS VIRUS USING CHITOSAN PARTICLES <b>Supavadee Boontha, Worawan Boonyo, Hans E. Junginger, Tasana Pitaksuteepong, Netti Waranuch, Assadang Polnok, Narong Nitatpattana, Sutee Yoksan</b> .....	251



THE INFLUENCE OF HYDROXY GROUP AT ORTHO ( o ) AND PARA ( p ) POSITIONS ON METILBENZOAT AGAINST SYNTHESIS OF HIDROKSIBENZOHIDRAZIDA DERIVATIVES <b>Suzana, Adita R, Melanny Ika .S, Juni Ekowati, Marcellino Rudyanto, Hadi Poerwono, Tutuk Budiati</b> .....	254
ANTIOXIDANT ACTIVITY TEST OF BEE PROPOLIS EXTRACT (Apis mellifera L.) USING DPPH (1,1-diphenyl-2-picrilhidrazyl) FREE RADICALS SCAVENGING ACTIVITY <b>Titiek Martati, Shahyawidya</b> .....	258
CAPSULE FORMULATION and EVALUATION COMBINATION OF AQUEOUS EXTRACT OF Phaleria's (Phaleria macrocarpa (Scheff Boerf)) FRUITS and LEAVES as ANTIHIPERTENSIVE AGENT <b>Titta H Sutarna, Sri Wahyuningsih, Julia Ratnawati, Fahrouk P, Suci Nar Vikasari, Ita Nur Anisa</b> .....	260
MANUFACTURE AND CHARACTERIZATION OF SOLID DISPERSION GLIKLAZID- PVP K90 <b>Titta H Sutarna, Fikri Alatas, Cich Ayu Ningsih</b> .....	264
ANTI-INFLAMMATORY ACTIVITY OF PARA METHOXY CINNAMIC ACID (PMCA) IN NANOEMULSION USING SOYBEAN OIL <b>Tristiana Erawati M, Anneke Indraswari P, Nanda Ghernasih N.C, Noorma Rosita, Suwaldi Martodihardjo, Widji Soeratri</b> .....	266
PHYSICAL CHARACTERISTICS AND PENETRATION OF DICLOFENAC SODIUM NIOSOMAL SYSTEM USING SPAN 20 AND SPAN 60 <b>Tutiek Purwanti, Esti Hendradi, Noverika A. Putri, Nurtya J. Devi</b> .....	271
FORMULATION AND CHARACTERISZATION OF JUICE OF LIME GEL USING CMC-Na BASE <b>Uswatun Chasanah, Esti Hendradi, Inayah</b> .....	275
HEPATOPROTECTIVE ACTIVITY OF Bidens pilosa L. IN CARBON TETRACHLORIDE INDUCED HEPATOTOXICITY IN RATS <b>Vina Alvionita Soesilo, C.J. Soegihardjo</b> .....	278
CYTOTOXIC ACTIVITY ASSAY AGAINTS HELA CELL LINES OF NOVEL ANTICANCER DRUG : N-(PHENYLCARBAMOYL)ISOBUTIRAMIDE <b>Wimzy Rizqy Prabhata, Tri Widiandani, Siswandono</b> .....	284
SIMPLE STEPS PURIFICATION OF RECOMBINANT HUMAN ERYTHROPOIETIN PRODUCED IN CHINESE HAMSTER OVARY CELL CULTURE <b>Yana Rubiyana, Endah Puji Septisetyani, Adi Santoso</b> .....	287
KINETICS STUDY COCRYSTALS KETOCONAZOLE-SUCCINIC ACID PREPARED WITH SLURRY METHOD BASED ON POWDER X-RAY DIFFRACTION (PXRD) <b>Yuli Ainun Najih, Dwi Setyawan, Achmad Radjaram</b> .....	290
CONSTRUCTION OF RECOMBINANT IMMUNOTOXIN Anti-EGFRvIII scFv::HPR FUSION PROTEIN AND INDUCIBLE EXPRESSION IN Pichia pastoris AS A TARGETED DRUG CANDIDATE <b>Yuliawati, Asrul Muhamad Fuad</b> .....	297
ALTERED PHARMACOKINETIC OF LEVOFLOXACIN BY COADMINISTRATION OF ATTAPULGITE <b>Zamrotul Izzah, Toetik Aryani, Amalia Illiyyin, Budi Suprapti</b> .....	303





## CHITOSAN BASED PARTICULATE CARRIER OF DITERPENE LACTON OF SAMBILOTO PREPARED BY IONIC GELATION-SPRAY DRYING :EFFECT OF STIRRING RATE AND NOZZLE DIAMETER

Retno Sari, Faculty of Pharmacy, Airlangga University, Surabaya, Indonesia, retnorhd@gmail. Com; Titin Suhartanti, Faculty of Pharmacy, Airlangga University, Surabaya, Indonesia; Dwi Setyawan, Faculty of Pharmacy, Airlangga University, Surabaya, Indonesia; Esti Hendradi, Faculty of Pharmacy, Airlangga University, Surabaya, Indonesia; Widji Soeratri, Faculty of Pharmacy, Airlangga University, Surabaya, Indonesia.

### INTRODUCTION

Chitosan, a cationic polysaccharide has many advantages as carrier for drug delivery system such as biocompatible, biodegradable and non toxic. Chitosan has amino group that could be crosslinked with polyanion such as tripolyphosphate so that the active ingredient will be entrapped (Agnihotri, 2004, Sinha, 2004). Diterpene lactone fraction of sambiloto (*Andrographis paniculata*) has antimalarial activity but it has low solubility in water. Entrapped diterpene lactone into chitosan matrix could improve the bioavailability of the active substance.

The aim of this research is to investigate the effect of process parameter of chitosan carrier preparation : stirring rate (500 rpm and 1000 rpm) during ionic gelation and nozzle diameter (0.5 mm and 1.0 mm) of spray dryer on physical characteristics of diterpene lactone fraction-chitosan particles. Evaluation of morphology, thermal analysis and drug entrapment were conducted.

### EXPERIMENTAL METHODS

#### Material and Methods

#### Material

Diterpene lactone fraction of sambiloto was obtained from Department of Pharmacognosy and Phytochemistry, Faculty of Pharmacy, Airlangga University, chitosan with deacetylation degree 85% was purchased from Biotech Surindo, Natrium tripolyphosphate, pro analysis grade from Nacalay Tesque. All other reagents used in this experiment were pro analysis grade.

#### Preparation of chitosan particles

Independent variable	Nozzle diameter	
	Stirring speed	1.0 mm
500 rpm	P1	P3
1000 rpm	P2	P4

Chitosan was dissolved chitosan in of 0,15% acetic acid to make 0,1% chitosan solution. Preparation of diterpen lactone - chitosan particles was done by mixing chitosan solution and diterpene lactone fraction solution and then 0,1%tripolyphosphate solution was added while stirring with two stirring speed.. The mixture was continuously stirred with magnetic stirrer for 2 hours. Subsequently the mixture was dried with Labplant SD-Basic Spray Dryer at 100°C, flow rate 5 ml/min, pressure 2 bar with two different nozzle diameter. The ratio of drug-chitosan-TPP was 4:10:8.

#### Evaluation of nanoparticles morphology

The particles was evaluated by Scanning Electron Microscopy (SEM) FEI Inspect S50. Particles were dried and coated with gold palladium and then observed for its shape and surface morphology.

#### Thermal analysis

Thermal analysis for diterpen lactone fraction of sambiloto, chitosan and nanoparticles was performed with Differential Thermal Analyzer (DTA) Metler Toledo FP 85. Samples were scanned from 50 to 250°C at a rate of 10°C/min.

### Entrapment efficiency (EE)

5 mg sample was dissolved in 10 ml of ethanol then filtered. Solution was analyzed by HPLC Agilent 1100 with mobile phase of methanol: phosphoric acid pH 3=50: 50 at wavelength of 228 nm. The assays were performed in triplicate. The entrapment efficiency (EE) of diterpenelactone in chitosan nanoparticles was calculated by this equation :

$$EE = (\text{actual drug}/\text{theoretically drug}) \times 100\%$$

### RESULTS




Figure 1 SEM micrographs of particles of diterpene lactone-chitosan prepared with different condition (mag 10.000x)

Sem photograph of particles diterpene lactone - chitosan (figure 1) showed that the particles have spherical shape and smooth surface with wide range particle size.

From DTA thermogram (Figure 2) it was indicated that endothermic peak of diterpene lactone appears at 222 °C and chitosan glass transition appears at 146.6 °C. Endothermic peak of diterpene lactone fraction was no longer exist in chitosan particulate system since it had been entrapped in chitosan matrix.




Figure 2. DTA thermogram of diterpene lactone (A), chitosan (B) and diterpene lactone-chitosan particles (C)




Figure 3. FTIR spectra of diterpene lactone (A), tripolyphosphate (B), chitosan (C), diterpene lactone-chitosan particles (D)

	Drug content ± SD (%)	EE ± SD (%)
P1	4.79 ± 0.04	26.36 ± 2.42
P2	3.84 ± 0.04	21.11 ± 2.04
P3	4.38 ± 0.02	24.12 ± 0.82
P4	3.82 ± 0.03	21.01 ± 1.69

Table 2. Drug content and Entrapment Efficiency (EE) of diterpene lactone- chitosan particles (n=3)

FTIR analysis was performed to confirm the crosslink interaction of chitosan and tripolyphosphate. Absorption band at 1643 cm<sup>-1</sup> attributed to amide bond of chitosan. New band at 1555 cm<sup>-1</sup> indicated hydrogen bond and 1643 cm<sup>-1</sup> band confirmed linkage between P3O5-5 of tripolyphosphate and NH3<sup>+</sup> of chitosan (Figure 3).

From drug entrapment efficiency, it was known that as stirring speed increased from 500 rpm to 1000 rpm, the entrapment of drug become lower decrease from about 24-26% to 21% (Table 2). From statistical analysis of one way Anova with α 0.05, it was known that drug entrapment efficiency of particles prepared with different stirring rate was significantly difference since nozzle diameter didn't affect the entrapment efficiency.





ICPPS 2014

Proceeding  
The 1<sup>st</sup> International Conference  
on Pharmaceutics & Pharmaceutical Sciences

CONCLUSION

The result showed that diterpen lactone – chitosan particles prepared by ionic gelation-spray drying with composition and condition in this study has spherical shape with wide range size from 400 nm to 4000 nm. Highest drug entrapment efficiency was obtained from particles prepared with 500 rpm stirring rate and 1,0 mm nozzle diameter.

REFERENCES

- Agnihotri, S.A., Mallikarjuna, N.N., Aminabhavi, T.M., 2004. Recent advances on chitosan based micro-nanoparticles in drug delivery. *Journal of Controlled Release*, Vol. 100, p. 5-28
- Amaro, M.I., Tajber, L., Corrigan, O.I., Healy, A.M., 2011. Optimisation of spray drying process conditions for sugar nanoporous microparticles (NPMPs) intended for inhalation. *International Journal Pharmaceutics*, Vol. 421 p. 99-109
- Bhumkar, Devika R., Pokharkar, Varsha B., 2006. Studies on effect of pH on cross-linking of chitosan with sodium tripolyphosphate: a technical note. *AAPS PharmSciTech*, Vol. 7, article 50.
- Gupta, Vivek Kumar., Karar, P.K., 2011. Optimization of process variable for the preparation of chitosan/alginate nanoparticles. *International journal of pharmacy and pharmaceutical sciences*, Vol 3, Suppl 2, p. 78-80.
- He, P., Davis, S.S., Illum, L., 1999. Chitosan microsphere prepared by spray drying. *International Journal of Pharmaceutics*, Vol. 187, p. 53-65.
- Ko, J.A., Park, H.J., Hwang, S.J., Park, J.B., Lee, J.S., 2002. Preparation and characterization of chitosan microparticles intended for controlled drug delivery. *Int J Pharm*, Vol. 249, p. 165-174.
- Sinha, V.R., A.K. Singla, S. Wadhawan, R. Kaushik, R. Kumria, K. Bansai, S. Dhawan. 2004. Chitosan Microspheres as a Potential Carrier for Drugs. *Int. J. Pharm.* Vol. 274, p. 1-33.