
## Proceeding

# The **1**<sup>st</sup> International Conference on Pharmaceutics & Pharmaceutical Sciences

Published and Organized by Faculty of Pharmacy Universitas Airlangga Surabaya-Indonesia



### The 1<sup>st</sup> International Conference on Pharmaceutics & Pharmaceutical Sciences Proceedings

ISBN: 978-602-72333-0-0 (Letter of National ISBN Agency No. 4127/E.8/p/03.2015 Date 18 March 2015)

**1st edition Proceeding Published by:** Faculty of Pharmacy Universitas Airlangga Surabaya, Indonesia

Address: Kampus B Jl. Dharmawangsa Dalam Surabaya 60286 Phone +62 31 5033710 Fax +62 31 5020514 Website: www.icpps2014.com or www.ff.unair.ac.id Email: icppinfo@gmail.com



#### **PREFACE From Chairman**

It is our pleasure to present you the proceedings of The 1st International Conference on Pharmaceutics and Pharmaceutical Sciences (ICPPS) organized by The Faculty of Pharmacy Universitas Airlangga Surabaya Indonesia.

The proceeding was produced based on papers and posters presented at The 1st International Conference on Pharmaceutics and Pharmaceutical Sciences (ICPPS), held in Surabaya, Indonesia, 14-15 November 2014.

The proceeding clearly reflects broad interest, from the participants that coming from all around the world.

The papers presented were pharmaceutics and biopharmaceutics; requirements on how to evaluate molecules in discovery and their appropriateness for selection as potential candidate; their development in context of challenges and benefits, together with associated time and cost implications and also requirements to progress through pre-clinical and clinical.

In this an opportunity, I would like to express my appreciation to the editorial team of the proceeding who have been working hard to review manuscripts, and making the first edition of this proceeding be possible.

I would like also to thanks to all invited speakers and presenters who participated in The 1st International Conference on Pharmaceutics and Pharmaceutical Sciences (ICPPS) and your contribution to this proceeding.

Finally, I hope this proceeding will give contribution to the Pharmaceutics and Pharmaceutical Sciences research.

Chairman,

Dra. Esti Hendradi, MSI., Ph.D., Apt

## COMMITTEE

and the second sec	
Advisor	: Dean of Faculty of Pharmacy Universitas Airlangga
Chairman	: Dra. Esti Hendradi, M.Si., Ph.D, Apt.
- I'.	ware a second second of second
Editor	: Dr. Wouter LJ. Hinrichs (Netherlands)
	Prof. Kozo Takayama (Japan)
	Dr. Srinivas Mutalik (India)
	Dr. Nuttakorn Baisaeng (Thailand)
	Prof. Dr. Widji Soeratri, DEA (Indonesia)
Committee :	Prof. Dr. Widji Soeratri, DEA, Apt.
	Prof. Dr. Siswandono, MS., Apt.
	Prof .Dr. Tutuk Budiati, MS., Apt.
	Prof. Dr. rer.nat. Muhammad Yuwono, MS., Apt.
	Drs. Hadi Poerwono, MSc., Ph.D, Apt.
Drs. Marcellino Rudyanto, MSi., Ph.D, Apt.	
Drs. Bambang Widjaja, M.Si, Apt.	
	Drs. Sugiyartono, MS, Apt.
	Dra.Tutiek Purwanti, MSi, Apt.
	Dra.Tristiana Erawati, MSi, Apt.
	Dra.Retno Sari, MSc, Apt.
	Dra.Dewi Isadiartuti, MSi, Apt.
	Dra.Noorma Rosita, MSi, Apt.
	Dr. Dwi Setyawan, SSi, MSi., Apt.
	Dr. Riesta Primaharinastiti, SSi, MSi, Apt.
	Dewi Melani Hariyadi, SSi, M.Phil., Ph.D, Apt.
	Helmy Yusuf, SSi, MSc., Ph.D, Apt.
	Dr. rer. nat. Maria Lucia Ardhani Dwi Lestari, SSi,MPharmSci., Apt.
	Melanny Ika Sulistyowati, SFarm, M.Sc, Apt.
	Febri Annuryanti, SFarm, M.Sc, Apt.
	M. Faris Adrianto, MFarm, Apt.
	Dini Retnowati, SFarm, Apt.
	Abhimata P, SFarm, Apt.
	SECRET TO STOLEN TO CONTRACT TO CONTRACT DISTRICTS

#### TABLE of CONTENT

Preface from Chairman	
Committee	ii
Table of Contents	iii
Author Index	iii

#### AUTHOR INDEX

COMPARISON OF SODIUM STARCH GLYCOLATE AND CROSSCARMELLOSE SODIUM AS SUPERDISINTEGRANT IN MEFENAMIC ACID FAST DISINTEGRATING TABLET
Adeltrudis Adelsa D, Oktavia Eka Puspita, Amalia Ayuningtyas, Marulita Isadora 1
STUDY EXPRESSION OF HUMAN ERYTHROPOIETIN EXPRESSSION IN MAMMALIAN CELL Adi Santoso, Popi Hadiwisnuwardhani, Yana Rubiana, Yulaika Romadhani, Endah Puji Septisetyani, Dyaningtyas D.P. Putri
ANTIOXIDANT STABILITY ASSAY OF ALPHA TOCOPHERYL ACETATE IN SOLID LIPID NANOPARTICLE SYSTEM (LIPID BASE BEESWAX AND MONOSTEARIC GLISERYL 50:50)
Anggie Widhi, Noorma Rosita, Widji Soeratri
A BIOACTIVE BOVINE HYDROXYAPATITE-GELATIN IMPLANT FOR IN VITRO GENTAMICIN RELEASE Aniek Setiya Budiatin, M. Zainuddin, Junaidi Khotib, Diah Himawati
EFFECT OF COMPARISON SURFACTANT AND COSURFACTANT IN WATER/OIL MICROEMULSION IN RELEASE OF OVALBUMIN Microemulsion Water/Oil with Surfactant (Span 80-Tween 80) : Cosurfactant (Ethanol) =5:1, 6:1, and 7:1)
Anisa Rizki Amalia, Riesta Primaharinastiti, Esti Hendradi
ANALYSIS OF MYCOLIC ACIDS CLEAVAGE PRODUCT OF Mycobacterium tuberculosis BY GAS CHROMATOGRAPHY-FLAME IONIZATION DETECTOR
Asri Darmawati, Deby Kusumaningrum, Isnaeni, Muhamad Zainuddin
PERIPLASMIC EXPRESSION OF GENE ENCODING ANTI-EGFRVIII SINGLE-CHAIN VARIABLE FRAGMENT ANTIBODY USING Pelb LEADER SEQUENCE IN ESCHERICHIA COLI
Kartika Sari Dewi, Debbie Sofie Retnoningrum, Catur Riani, Asrul Muhamad Fuad 24
IN VIVO ANTIMALARIAL ACTIVITY OF ETHANOL EXTRACT AND ETHYL ACETATE FRACTION OF Alectryon serratus LEAVES ON Plasmodium berghei INFECTED MICE
Aty Widyawaruyanti, Uswatun Khasanah, Lidya Tumewu, Hilkatul Ilmi, Achmad Fuad Hafid, Indah S Tantular
PROFILE OF COMMUNITY PHARMACISTS KNOWLEDGE IN PATIENT ASSESSMENT WITH INFLUENZA SYMPTOMS AND ITS PRODUCTS
Azza Faturrohmah, Arie Sulistvarini, Ana Yuda

SOLUBILITY AND DISSOLUTION STUDY OF KETOPROFEN – HIDROXYPROPYL-β-CYCLODEXTRIN INCLUSION COMPLEX (Prepared by Kneading Method) Bambang Widiaia, Achmad Padiatam, Arafab Zulkana
Bambang Widjaja, Achmad Radjaram, Arafah Zulhana
FORMULATION AND STABILITY TESTING OF MELOXICAM SOLID DISPERSION GEL Budipratiwi Wisudyaningsih, Inka Dewi Nur Anggaraini, Fersiya Wardani
EFFECT OF MENTHOL AS PENETRATION ENHANCER TO DICLOFENAC SODIUM MEMBRANE-TYPED TRANSDERMAL PATCH CHARACTERIZATION
Destria Indah Sari, Esti Hendradi, Junaidi Khotib
PHYSICAL CHARACTERISTICS AND RELEASE STUDY OF OVALBUMIN FROM ALGINATE MICROSPHERES PREPARED BY DIFFERENT CONCENTRATION OF ALGINATE AND BaCI, USING AEROSOLIZATION TECHNIQUE
Dewi Melani Hariyadi, Tristiana Erawati, Sisilia Ermawahyuningtyas
MUCOADHESIVE TABLET OF ETHANOLIC EXTRACT OF SAMBILOTO (Andrographis paniculata) AS ANTIDIABETIC USING CHITOSAN
Dhadhang Wahyu Kurniawan, Hening Pratiwi, and Lingga Ikaditya
PHYSICAL INTERACTION STUDY OF IBUPROFEN-STEARIC ACID BINARY MIXTURE Diajeng Putri Paramita, Dwi Setyawan, Dewi Isadiartuti
MOLECULAR MODELING AND SYNTHESIS OF 1-(3,4-Dichlorobenzoyl)-1,3-dimethylurea Dian Agung Pangaribowo, Siswandono, Bambang Tri Purwanto
EXPRESSION OF RECOMBINANT HUMAN GRANULOCYTE-COLONY STIMULATING FACTOR WITHIN PERIPLASMIC COMPARTMENT OF <i>Escherichia coli</i> USING PelB LEADER PEPTIDE Dian Fitria Agustiyanti, Asrul Muhamad Fuad
EVALUATION OF ANTIHYPERURICEMIC ACTIVITY FROM BULBS OF BAWANG TIWAI (Eleutherine palmifolia (L.) Merr.) BY IN VITRO AND IN VIVO STUDIES Dian Ratih Laksmitawati, Rininta Firdaus, Yulinda, Mediana Astika
72
ANTIOXIDANT ACTIVITY OF 96% ETHANOL EXTRACT OF COMBINATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duch.) AND STARFRUIT (Averrhoa carambola L.) USING ABTS FREE RADICAL SCAVENGING METHOD
Diana Serlahwaty, Indira Natalia Timang
ENHANCEMENT OF SOLUBILITY AND DISSOLUTION ATORVASTATIN BY MICROCRYSTALLIZATION METHOD
Dolih Gozali, Yoga Windu Wardhana, Ronny Tandela
IN VITRO ANTIMALARIAL ACTIVITY OF DICHLOROMETHANE SUB-FRACTION OF Eucalyptus globulus L. Stem AGAINST Plasmodium falciparum Elis Suwarni, Achmad Fuad Hafid, Aty Widyawaruyanti

IN VITRO ANTIMALARIAL ACTIVITY OF CHLOROFORM SUBFRACTION OF SALAM BADAK LEAVES (Acmena acuminatissima)
Erna Cahyaningsih, Achmad Fuad Hafid, Aty Widyawaruyanti
CHARACTERIZATION OF DOSAGE FORM AND PENETRATION DICLOFENAC SODIUM WITH MICROEMULSION SYSTEM IN HPMC 4000 GEL BASE (Microemulsion W/O with rasio use of surfactant Span 80 – Tween 80 : Cosurfactan Ethanol 96% = 6:1) Esti Hendradi, Tutiek Purwanti, Karina Wahyu Irawati
CONSTRUCTION AND VALIDATION OF THE STRUCTURE-BASED VIRTUAL SCREENING PROTOCOLS WITH PDB CODE OF 3LN1 TO DISCOVER CYCLOOXYGENASE-2 INHIBITORS Mumpuni E, Nurrochmad A, Pranowo HD, Jenie UA, Istyastono EP
VALIDATED UV SPECTROPHOTOMETRIC METHOD FOR THE DETERMINATION OF ASPIRIN IN RABBIT PLASMA : APLICATION TO BIOAVAILABILITY STUDY OF ASPIRIN MICROCAPSULE IN RABBIT Faizatun, Novi yantih, Teguh Iman Saputra
EFFECT OF COMPARISON OF SURFACTANT AND COSURFACTANT W/O MICROEMULSION OVALBUMIN WITH SOYBEAN OIL TO PHYSICOCHEMICAL CHARACTERIZATION (w/o Microemulsion with Surfactant Span 80- Tween 80 : Cosurfactant Ethanol 96% = 5:1; 6:1 and 7:1) Farida Mutiara Sari, Riesta Primaharinastiti, Esti Hendradi
pH INFLUENCE IN DESALTING PROCESS OF CRUDE PERTUSSIS TOXIN (PT) AND FILAMENTOUS HEMAGGLUTININ (FHA) PURIFICATION FROM <i>Bordetella pertussis</i> BY SEPHADEX G-25 COLUMN CHROMATOGRAPHY Faris Adrianto, Esti Hendradi, Neni Nurainy, Isnaeni
SEPARATION OF COSMETIC PRESERVATIVES USING SILICA-BASED MONOLITHIC COLUMN Febri Annuryanti, Riesta Primaharinastiti, Moch. Yuwono
PREPARATION AND CHARACTERIZATION OF TELMISARTAN-CITRIC ACID CO-CRYSTAL Fikri Alatas, Hestiary Ratih, Sundani Nurono Soewandhie
PATIENTS' AND CAREGIVERS' LIQUID MEDICATION ADMINISTRATION ERRORS Gusti Noorrizka Veronika Achmad, Gesnita Nugraheni
THE POTENCY OF CANARIUM OIL ( <i>Canarium indicum</i> ) AS A MATERIAL FOR STRUCTURED LIPID PRODUCTION Hamidah Rahman, Johnner P Sitompul, Kusnandar Anggadiredja, Tutus Gusdinar
EFFECT OF TREHALOSE ON THERMAL PROPERTIES OF PHOSPHOLIPID-DDA AND TPGS MIXTURES Helmy Yusuf
PREPARATION AND CHARACTERIZATION OF FLUKONAZOLE-β-CYCLODEXTRIN INCLUSION COMPLEXES Hestiary Ratih, Fikri Alatas, Erin Karlina
ISOLATION AND IDENTIFICATION OF ANTIOXIDANT COMPOUND BY BIOPRODUCTION OF ENDOPHYTIC FUNGI OF TURMERIC <i>(Curcuma longa</i> L.) ISOLATE CL.SMI.RF11 Hindra Rahmawati, Bustanussalam, Partomuan Simanjuntak

MODIFICATION PROCESS OF NATURAL CASSAVA STARCH : THE STUDY OF CHARACTERISTICS AND PHYSICAL PROPERTIES
Prasetia, Jemmy A, C.I.S. Arisanti, N.P.P.A. Dewi, G.A.R. Astuti, N.W.N Yulianingsih, I M.A.G. Wirasuta
DRUG USE PROFILE OF DIABETIC PATIENTS IN EAST SURABAYA PRIMARY HEALTH CARE I Nyoman Wijaya, Azza Faturrohmah, Ana Yuda, Mufarriha, Tesa Geovani Santoso, Dina Kartika, Hikmah Prasasti N, Whanni Wido Agustin
GLYCINE MAX DETAM II VARIETY AS PREVENTIVE AND CURATIVE ORGAN DAMAGE DUE TO EXPOSURE TO ,LEAD (Pb) Rika Yulia, Sylvan Septian Ressandy, Gusti Ayu Putu Puspikaryani, I Putu Agus Yulyastrawan, Dewa Ayu Kusuma Dewi
AN ACTIVITY TEST OF MATOA LEAVES EXTRACT AS HEART RATE FREQUENCY REDUCTION WITH
ADRENALINE INDUCTION Ika Purwidyaningrum, Elin Yulinah Sukandar, Irda Fidrianny
EFFORT TO REDUCE COMPRESSIBILITY OF RAMIPRIL THROUGH CRYSTAL ENGINEERING Indra, Sundani N Soewandhi
IN VITRO ALPHA-GLUCOSIDASE INHIBITORY ACTIVITY OF ETHANOLIC LEAF EXTRACT AND FRACTIONS OF <i>Rauvolfia serpentina</i> (L.) Benth. ex Kurz Julie Anne D. Bolaños, Ivan L. Lawag
PERIPLASMIC EXPRESSION OF GENE ENCODING ANTI-EGFRVIII SINGLE-CHAIN VARIABLE FRAGMENT ANTIBODY USING PelB LEADER SEQUENCE IN <i>Escherichia coli</i> Kartika Sari Dewi, Debbie Sofie Retnoningrum, Catur Riani, Asrul Muhamad Fuad
CHARACTERIZATION AND LD <sub>so</sub> VALUE DETERMINATION OF 1,5- <i>bis</i> (3'-ethoxy-4'-hydroxyphenyl)-1,4-pentadiene-3-one (EHP) Lestari Rahayu, Septian, Esti Mumpuni
DEVELOPMENT OF MELOXICAM TRANSDERMAL MATRIX TYPE PATCH USING POLYVINYLPYRROLIDONE, HYDROXYPROPYL METHYLCELLULOSE, AND ETHYL CELLULOSE COMBINATION
Lidya Ameliana, Monica Iwud, Selly Rio
ANTIHEPATITIS C VIRUS ACTIVITY SCREENING ON Harpullia arborea EXTRACTS AND ISOLATED COMPOUND
Lidya Tumewu, Evhy Apryani, Mel Ria Santi, Tutik Sri Wahyuni, Adita Ayu Permanasari, Myrna Adianti, Chie Aoki, Aty Widyawaruyanti, Achmad Fuad Hafid, Maria Inge Lusida, Soetjipto, Hak Hotta
HPLC METHOD PRECISION TO ASSAY OF A-MANGOSTIN IN Mangosteen (Garcinia mangostana L.) FRUIT RIND EXTRACT FORMULATED IN ORAL SOLUTION Liliek Nurhidayati, Siti Sofiah, Ros Sumarny, Kevin Caesar
and the full of the other, the other first caread and the statement and the

PREPARATION AND CHARACTERIZATION OF NARINGENIN-LOADED CHITOSAN NANOPARTICLES FOR CHEMOPREVENTION
Lina Winarti, Lusia Oktora Ruma Kumala Sari
RELATIONSHIP OF KNOWLEDGE AND PATIENT BEHAVIOR ON SELF MEDICATION PIROXICAM ( Studies of Pharmacy in Sukun District , Malang City) Liza Pristianty, Reshtia Eriana Putri, Hidayah Rachmawati
EFFECT OF CHRONIC USE OF ENERGY DRINK ON KIDNEY Mahardian Rahmadi, Zamrotul Izzah, Mareta Rindang A, Aniek Setya B, Suharjono
SCREENING OF SURFACE MODIFIERS TO PRODUCE STABLE NANOSUSPENSION : A GENERAL GUIDANCE
Maria Lucia Ardhani Dwi Lestari
DEVELOPMENT OF SIMPLE POLYPHENOL SENSOR BASED ON SODIUM META PERIODATE AND 3- METHYL-2-BENZOTHIAZOLINONE HYDRAZONE FOR COFFEE SAMPLES
Moch. Amrun Hidayat, Nindya Puspitaningtyas, Agus Abdul Gani, Bambang Kuswandi 181
VALIDATION OF AN HPLC ANALYTICAL METHOD FOR DETERMINATION OF LEVOFLOXACIN IN OPHTHALMIC PREPARATIONS
Mochamad Yuwono, Riesta Primaharinastiti, Ageng Teguh Wardoyo 184
VALIDATION OF SPECTROPHOTOMETRIC METHOD FOR ESTIMATION OF EPERISONE HYDROCHLORIDE
IN TABLET DOSAGE FORM Nia Kristiningrum, Diah Yuli Pangesti
Wa Kristiningrum, Dian full Pangesti
ANTIOSTEOPOROTIC ACTIVITY OF 96% ETHANOLIC EXTRACTS OF ABELMOSCHUS MANIHOT L.MEDIK LEAVES AND EXERCISE ON INCREASING BONE DENSITY OF FEMALE MICE'S FEMORAL TRABECULAR
Niliestria Ayu Faramitha Sholikhah
EFFECT OF -CYCLODEXTRIN ON SPF VALUE AND INHIBITION OF KOJIC ACIDSTYROSINASE ACTIVITY IN VANISHING CREAM BASE FORMULATION (ON SUNSCREEN PRODUCT CONTAINED OXYBENZONE) Noorma Rosita, Diana, Diana Winarita, Tristlana Erawati, Widji Soeratri
ANTIMICROBIAL ACTIVITY OF LACTOBACILLI PROBIOTIC MILK AND GUAVA LEAF ETHANOLIC EXTRACT (Psidium guajava) COMBINATION AGAINST BACTERIAL CAUSE OF DIARRHEA
Nur Putri Ranti, Isnaeni, Juniar Moechtar, Febri Annuryanti
THE INFLUENCES OF PARTICLE SIZE AND SHAPE ON ZETA POTENTIAL OF COENZYME Q10 NANOSUSPENSION
Nuttakorn Baisaeng
1
SYNTHESIS, MOLECULAR DOCKING, AND ANTITUMOR ACTIVITY OF N,N'-Dibenzoyl-N,N'- Dimethylurea AGAINST HUMAN BREAST CANCER CELL LINE (MCF-7)
Nuzul Wahyuning Diyah
EXPRESSION OF ANTI-EGFRVIII SINGLE CHAIN FRAGMENT ANTIBODY (SCFV) ON THE SURFACE OF PICHIA PASTORIS
Pratika Viogenta, Asrul Muhamad Fuad, Suharsono 206

	SUBCLONING OF csf3syn (COLONY STIMULATING FACTOR-3) GENE INTO pGAPZ? AND TRANSFORMATION OF RECOMBINANT VECTOR INTO PICHIA PASTORIS
	Prety Ihda Arfia, Asrul Muhamad Fuad 212
	THE USE OF PERICARP MANGOSTEEN (Garcinia mangostana L.) EXTRACT IN FORMULATION OF CREAM-TYPE O / W
. ·	Rahmah Elfiyani, Naniek Setiadi Radjab, Mia Sagita Sofyan
	CHITOSAN BASED PARTICULATE CARRIER OF DITERPENE LACTON OF SAMBILOTO PREPARED BY IONIC GELATION-SPRAY DRYING :EFFECT OF STIRRING RATE AND NOZZLE DIAMETER Retno Sari, Titin Suhartanti, Dwi Setyawan, Esti Hendradi, Widji Soeratri
	GAS CHROMATOGRAPHY-MASS SPECTROMETRY METHOD VALIDATION FOR PESTICIDES RESIDUES ANALYSIS IN FOOD USING QUECHERS KIT Riesta Primaharinastiti, Setyo Prihatiningtyas, Mochammad Yuwono
	CHARACTERIZATION OF PARACETAMOL ORALLY DISINTEGRATING TABLET USING GELATIN 1% AND 2% AS BINDER AND POLYPLASDONE XL-10 10% AS DISINTEGRANT (Prepared by Freeze Drying Method) Roisah Nawatila, Dwi Setyawan. Bambang Widjaja
	ANTIOXIDANT STUDY OF COSOLVENT SOLUTION OF MANGOSTEEN (Garcinia mangostana L.) RIND EXTRACT IN RATS BY USING MDA PARAMETER Ros Sumarny, Liliek Nurhidayati, Yati Sumiyati, Fransiska Diana Santi
	SCREENING OF SELECTED PHILIPPINE ROOT CROPS FOR ?-Glucosidase INHIBITION Sarah Jane S. Almazora, Ivan L. Lawag
	NIOSOME EMULGEL FORMULATION AND STABILITY TEST OF CINNAMON (Cinnamomum burmanii Nees & Th. Nees) Bark ETHANOLIC EXTRACT AS ANTIOXIDANT Sasanti Darijanto, Fidriani Irda, Widhita P.A.S
	THEOPHYLLINE RELEASE FROM SUSTAINED RELEASE TABLET USING LACTOSA AND PVP K30 AS A
	CHANELLING AGENT Sugiyartono, Retno Sari, Agus Syamsur Rijal, TriMulyani, Agustina Maharani
	EFFORTS TO PRODUCE 1-(BENZOYLOXY)UREA AS ANTICANCER DRUG CANDIDATE Suko Hardjono
	DEVELOPMENT OF PEGylated RAPAMYCIN LITHOCHOLIC ACID MICELLE FOR CANCER THERAPY Aran Tapsiri, Kanokwan Jaiprasert, Rungtip Nooma, Awadsada Sukgasem, Supang Khondee
	FEASIBILITY OF ORAL IMMUNIZATION AGAINST JAPANESE ENCEPHALITIS VIRUS USING CHITOSAN PARTICLES Supavadee Boontha, Worawan Boonyo, Hans E. Junginger, Tasana Pitaksuteepong, Neti Waranuch, Assadang Polnok, Narong Nitatpattana, Sutee Yoksan

THE INFLUENCE OF HYDROXY GROUP AT ORTHO ( o ) AND PARA ( p ) POSITIONS ON METILBENZOAT AGAINST SYNTHESIS OF HIDROKSIBENZOHIDRAZIDA DERIVATIVES Suzana, Adita R, Melanny Ika .S, Juni Ekowati, Marcellino Rudyanto, Hadi Poerwono, Tutuk Budiati
ANTIOXIDANT ACTIVITY TEST OF BEE PROPOLIS EXTRACT (Apis mellifera L.) USING DPPH (1,1- diphenyl-2-picrilhidrazyl) FREE RADICALS SCAVENGING ACTIVITY Titiek Martati, Shahyawidya
CAPSULE FORMULATION and EVALUATION COMBINATION OF AQUEOUS EXTRACT OF Phaleria's (Phaleria macrocarpa (Scheff Boerf)) FRUITS and LEAVES as ANTIHIPERTENSIVE AGENT Titta H Sutarna, Sri Wahyuningsih, Julia Ratnawati, Fahrouk P, Suci Nar Vikasari, Ita Nur Anisa 
MANUFACTURE AND CHARACTERIZATION OF SOLID DISPERSION GLIKLAZID- PVP K90 Titta H Sutarna, Fikri Alatas, Cicih Ayu Ningsih
ANTI-INFLAMMATORY ACTIVITY OF PARA METHOXY CINNAMIC ACID (PMCA) IN NANOEMULSION USING SOYBEAN OIL Tristiana Erawati M, Anneke Indraswari P, Nanda Ghernasih N.C, Noorma Rosita, Suwaldi
Martodihardjo, Widji Soeratri
FORMULATION AND CHARACTERISZATION OF JUICE OF LIME GEL USING CMC-Na BASE Uswatun Chasanah, Esti Hendradi, Inayah
HEPATOPROTECTIVE ACTIVITY OF Bidens pilosa L. IN CARBON TETRACHLORIDE INDUCED HEPATOTOXICITY IN RATS Vina Alvionita Soesilo, C.J. Soegihardjo
CYTOTOXIC ACTIVITY ASSAY AGAINTS HELA CELL LINES OF NOVEL ANTICANCER DRUG : N- (PHENYLCARBAMOYL)ISOBUTIRAMIDE Wimzy Rizqy Prabhata, Tri Widiandani, Siswandono
SIMPLE STEPS PURIFICATION OF RECOMBINANT HUMAN ERYTHROPOIETIN PRODUCED IN CHINESE HAMSTER OVARY CELL CULTURE Yana Rubiyana, Endah Puji Septisetyani, Adi Santoso
 KINETICS STUDY COCRYSTALS KETOCONAZOLE-SUCCINIC ACID PREPARED WITH SLURRY METHOD BASED ON POWDER X-RAY DIFFRACTION (PXRD) Yuli Ainun Najih, Dwi Setyawan, Achmad Radjaram
CONSTRUCTION OF RECOMBINANT IMMUNOTOXIN Anti-EGFRvIII scFv::HPR FUSION PROTEIN AND INDUCIBLE EXPRESSION IN Pichia pastoris AS A TARGETED DRUG CANDIDATE Yuliawati, Asrul Muhamad Fuad
ALTERED PHARMACOKINETIC OF LEVOFLOXACIN BY COADMINISTRATION OF ATTAPULGITE Zamrotul Izzah, Toetik Aryani, Amalia Illiyyin, Budi Suprapti

## Chitosan based particulate carrier of diterpene lacton of sambiloto prepared by ionic gelation-spray drying : Effect of stirring rate and nozzle diameter

**Retno Sari\***, Titin Suhartanti, Dwi Setyawan, Esti Hendradi, Widji Soeratri Faculty of Pharmacy, Airlangga University, Surabaya, INDONESIA *Corresponding author : retnorhd@gmail. com* 

#### INTRODUCTION

Chitosan, a cationic polysaccharide has many advantages as carrier for drug delivery system such as biocompatible, biodegradable and non toxic. Chitosan has amino group that could be crosslinked with polianion such as tripolyphosphate so that the active ingredient will be entrapped (Agnihotri, 2004, Sinha, 2004). Diterpene lactone fraction of sambiloto (*Andrographis paniculata*) has antimalarial activity but it has low solubility in water. Entrapped diterpene lactone into chitosan matrix could improve the bioavailability of the active substance.

The aim of this research is to investigate the effect of process parameter of chitosan carrier preparation : stirring rate (500 rpm and 1000 rpm) during ionic gelation and nozzle diameter (0.5 mm and 1.0 mm) of spray dryer on physical characteristics of diterpene lactone fraction-chitosan particles. Evaluation of morphology, thermal analysis and drug entrapment were conducted.

#### EXPERIMENTAL METHODS

#### Material and Methods

#### Material

Diterpene lactone fraction of sambiloto was obtained from Department of Pharmacognosy and Phytochemistry, Faculty of Pharmacy, Airlangga University, chitosan with deacetylation degree 85% was purchased from Biotech Surindo, Natrium tripolyphosphate, pro analysis grade from Nacalay Tesque. All other reagents used in this experiment were pro analysis grade.

#### Preparation of chitosan particles

Tabel 1. Experimental	design for	particles pre	paration
-----------------------	------------	---------------	----------

Independent variable	Nozzle dia	meter
Stirring speed	1.0 mm	0.5 mm
500 rpm	P1	P3
1000 rpm	P2	P4

Chitosan was dissolved chitosan in of 0,15% acetic acid to make 0,1% chitosan solution. Preparation of diterpen lactone - chitosan particles was done by mixing chitosan solution and diterpene lactone fraction solution and then 0,1% tripolyphosphate solution was added while stirring with two stirring speed.. The mixture was continuously stirred with magnetic stirrer for 2 hours. Subsequently the mixture was dried with Labplant SD-Basic Spray Dryer at 100°C, flow rate 5 ml/min, pressure 2 bar with two different nozzle diameter. The ratio of drug-chitosan-TPP was 4:10:8. *Evaluation of nanoparticles morphology* 

The particles was evaluated by Scanning Electron Microscopy (SEM) FEI Inspect S 50. Particles were dried and coated with gold palladium and then observed for its shape and surface morphology.

#### Thermal analysis

Thermal analysis for diterpen lactone fraction of sambiloto, chitosan and nanoparticles was performed with Differential Thermal Analyzer (DTA) Metler Toledo FP 85. Samples were scanned from 50 to  $250^{\circ}$ C at a rate of  $10^{\circ}$ C/min. *Entrapment efficiency (EE)* 

5 mg sample was dissolved in 10 ml of ethanol then filtered. Solution was analyzed by HPLC Agilent 1100 with mobile phase of methanol: phosphoric acid pH 3 = 50: 50 at wavelength of 228 nm. The assays were performed in triplicate. The entrapment efficiency (EE) of diterpene lactone in chitosan nanoparticles was calculated by this equation :

 $EE = (actual drug/theoritically drug) \times 100\%$ 

#### RESULTS





Figure 1 SEM micrographs of particles of diterpene lactonechitosan prepared with different condition (mag 10.000x)


Sem photograph of particles diterpene lactone - chitosan (figure 1) showed that the particles have spherical shape and smooth surface with wide range particle size.

1st International Conferences on Pharmaceutics and Pharmaceutical Science, Surabaya, 14-15 November 2014

From DTA thermogram (Figure 2) it was indicated that endothermic peak of diterpene lactone appears at 222 °C and chitosan glass transition appears at 146.6 °C. Endothermic peak of diterpene lactone fraction was no longer exist in chitosan particulate system since it had been entrapped in chitosan matrix.



**Figure 2**. DTA thermogram of diterpene lactone (A), chitosan (B) and diterpene lactone-chitosan particles (C)



**Figure 3**. FTIR spectra of diterpene lactone (A), tripolyphosphate (B), chitosan (C), diterpen lactone-chitosan particles (D)

	Drug content $\pm$ SD (%)	EE ± SD (%)
P1	$4.79\pm0.04$	$26.36 \pm 2.42$
P2	$3.84\pm0.04$	$21.11\pm2.04$
P3	$4.38\pm0.02$	$24.12\pm0.82$
P4	$3.82\pm0.03$	$21.01 \pm 1.69$

**Table 2**. Drug content and Entrapment Efficiency (EE) of diterpen lactone- chitosan particles (n=3)

FTIR analysis was performed to confirm the crosslink interaction of chitosan and tripolyphosphate. Absorption band at 1643 cm<sup>-1</sup> attributed to amide bond of chitosan. New band at 1555 cm<sup>-1</sup> indicated hydrogen bond and 1643 cm<sup>-1</sup> band confirmed linkage between  $P_3O_5^{-5}$  of tripolyphosphate and  $NH_3^+$  of chitosan (Figure 3).

From drug entrapment efficiency, it was known that as stirring speed increased from 500 rpm to 1000 rpm, the entrapment of drug become lower decrease from about 24-26% to 21% (Table 2). From statistical analysis of one way Anova with  $\alpha$  0.05, it was known that drug entrapment efficiency of particles prepared with different stirring rate was significantly difference since nozzle diameter didn't affect the entrapment efficiency.

#### CONCLUSION

The result showed that diterpen lactone – chitosan particles prepared by ionic gelation-spray drying with composition and condition in this study has spherical shape with wide range size from 400 nm to 4000 nm. Highest drug entrapment efficiency was obtained from particles prepared with 500 rpm stirring rate and 1,0 mm nozzle diameter.

#### REFERENCES

Agnihotri, S.A., Mallikarjuna, N.N., Aminabhavi, T.M., 2004. Recent advances on chitosan based micronanoparticles in drug delivery. *Journal of Controlled Release*, Vol. 100, p. 5-28

Amaro, M.I., Tajber, L., Corrigan, O.I., Healy, A.M., 2011. Optimisation of spray drying process conditions for sugar nanoporous microparticles (NPMPs) intended for inhalation. *International Journal Pharmaceutics*, Vol. 421 p. 99-109

Bhumkar, Devika R., Pokharkar, Varsha B., 2006. Studies on effect of pH on cross-linking of chitosan with sodium tripolyphophate: a technical note. *AAPS PharmSciTech*, Vol. 7, article 50.

Gupta, Vivek Kumar., Karar, P.K., 2011. Optimization of process variable for the preparation of chitosan/alginate nanoparticles. International journal of pharmacy and pharmaceutical sciences, Vol 3, Suppl 2, p. 78-80.

He, P., Davis, S.S., Illum, L., 1999. Chitosan microsphere prepared by spray drying. *International Journal of Pharmaceutics*, Vol. 187, p. 53-65.

Ko, J.A., Park, H.J., Hwang, S.J., Park, J.B., Lee, J.S., 2002. Preparation and characterization of chitosan microparticles intended for controlled drug delivery. *Int J Pharm*, Vol. 249, p. 165-174.

Sinha, V.R., A.K .Singla, S.Wadhawan, R.Kaushik, R.Kumria, K. Bansai, S.Dhawan. 2004.Chitosan Microspheres as a Potential Carrier for Drugs. *Int. J. Pharm.* Vol. 274, p. 1-33.

1<sup>st</sup> International Conferences on Pharmaceutics and Pharmaceutical Science, Surabaya, 14-15 November 2014