

BAB 7

KESIMPULAN DAN SARAN

7.1 Kesimpulan

Berdasarkan hasil penelitian ini, diperoleh kesimpulan sebagai berikut :

1. Peningkatan konsentrasi HA pada *nanostructure lipid carrier* (NLC) coenzym Q10 mempengaruhi karakteristik fisik (viskositas dan ukuran partikel). Peningkatan kadar HA meningkatkan viskositas dan menurunkan ukuran partikel.
2. Peningkatan kosentrasi HA tidak mempengaruhi stabilitas fisik *nanostructure lipid carrier* (NLC) coenzym Q10.
3. Peningkatan konsentrasi HA dalam sistem *nanostructure lipid carrier* (NLC) coenzym Q10 mempengaruhi penetrasi, dimana peningkatan kadar HA meningkatkan penetrasi.

7.2 Saran

Saran yang dapat diberikan dari penelitian ini adalah :

1. Perlu dilakukan uji iritasi sistem NLC coenzym Q10 dengan kombinasi HA
2. Perlu dilakukan stabilitas NLC coenzym Q10 dengan kombinasi HA dalam waktu penyimpanan yang lebih lama.

DAFTAR PUSTAKA

- Almeida IF, Valentao P, Andrade PB, Seabra RM, Pereira TM, Amaral MH, Costa PC, Bahia MF. 2008. Oak leaf extract as topical antioxidant: free radical scavenging and iron chelating activities and *in vivo* skin irritation potential. **BioFactors** 33: 267–279.
- Annisa, R., Hendradi, E dan Melani, D. 2016. Pengembangan Sistem Nanostructure Lipid Carrier (NLC) Meloxicam dengan Lipid Monostearin dan Miglyol 808 Menggunakan Metode Emulsifikasi. **J Trop. Pharm. Chem.** Vol. 3 : 156-169.
- Baumann, L. and Saghari, S. 2009. Photoaging. In : Baumann, Leslie, editors. **Cosmetic Dermatology**. 2nd. Ed. New York : McGraw-Hill. p.34-41.
- Beama C.A., 2017, Pengaruh Rasio (Lipid Padat Setil Palmitat dan Lipid Cair Minyak Kedelai) Terhadap Stabilitas dan Efektivitas Resveratrol (Dalam Sistem NLC) sebagai Anti Aging, “Tesis”, Universitas Airlangga, Surabaya.
- Benson, HAE. 2012. Skin Structure, Function and Permeation. In : Benson HAE., and Watkinson, AC., (Eds). **Transdermal and Topical Drug Delivery**, New Jersey : Wiley.
- Brown, M.B., dan Jones, S.A. 2005. Hyaluronic Acid : A Unique Topical Vehicle for Localized Delivery of Drugs To The Skin. **JEA DV** 19 : 308 – 318
- Bruge, Francesca, Elisabetta, Damiani, Carmelo, Puglia, Allesia, Offerta, Tatiana, Armenia, Gian, Paolo Littarru, and Tiano. 2013. Nanostructure Lipid Carrier Loaded with Coq10: Effect on Human Dermal Fibroblast Under Normal and UVA-Mediated Oxidative Conditions. **International Journal of Pharmaceutics** 455, p. 348-356.
- Curinga Giuseppe, Rusciani Antonio,. 2014. Hyaluronic Acid for Facial Rejuvenation. Dalam : **Minimally Invasive Procedures for Facial Rejuvenation**. USA: p.7-15.
- Dayan, N. 2008. Delivery System Design in Topically Applied Formulations : An Overview. In : Rosen, MR., (Eds). **Delivery System Handbook for Personal Care and Cosmetic Products: Technology, Application and Formulation**. New york: William Andrew Publishing.
- Depkes RI. 2014. **Farmakope Indonesia** Edisi V. Jakarta : Departemen Kesehatan Republik Indonesia.
- Djuanda Adhi,. 2007. **Ilmu Penyakit Kulit dan Kelamin Edisi V**. FKUI. Jakarta
- Dubey, A., P., P., & J., V. K. 2012. Nanostructured Lipid Carriers: A Novel Topical Drug Delivery Sistem. **International Journal of PharmTech Research** Vol.4 No.2 , p.705-714.
- Farage, M.A. Miller K.W., Maibach, H.I. 2007. Structural characteristic of aging skin: A Review **Journal of Cutaneous and Ocular Toxicology**.

- Farboud Effat Sadat, Saman Ahmad Nasrollahi, Zahra Tabbakhi,. 2011. *Novel Formulation And Evaluation Of A Q10-Loaded Solid Lipid Nanoparticle Cream: In Vitro And In Vivo Studies.*” **International Journal of Nanomedicine**”. Department of Pharmaceutics, School of Pharmacy, Tehran University of Medical Sciences. Hal 611–617
- Gupta, P.K., Pandit, J.K., Kumar, A., Swaroop, P., Gupta, S. 2010. Pharmaceutical nanotechnology Novel nanoemulsion-high energy emulsification preparation, evaluation and application. **The Pharma Research**
- Helfrich YR, Sachs DL, Voorhees JJ. 2008. Overview of skin aging and photoaging. **Dermatologi Nursing** **20** (3): 177-183.
- Huang CC, Wu WB, Fang JY, Chiang HS, Chen SK, Chen BH, Chen YT, Hung CF. 2007. (-)-Epicatechin-3-gallate, a green tea polyphenol is a potent agent against UVB-induced damage in HaCaT keratinocytes. *Molecules* **12**: 1845-1858.
- Hu, F. Q., Jiang, S. P., Du, Y. Z., Ye, Y. Q., & Zeng, S. 2005. Preparation and Characterization of Stearic Acid Nanostructured Lipid Carriers by Solvent Diffusion Method in An Aqueous Sistem. **Colloids and Surfaces B: Biointerfaces** , p.167-173.
- Junqueira, L. C. dan Carneiro, J. 2007. **Histologi Dasar Junquiera : Teks dan Atlas**. Edisi 10. (dr. Frans Dany, Pentj) . Jakarta : Penerbit Buku Kedokteran EGC.
- Jung HA, *et al* ., Antioxidant xanthenes from the pericarp of *Garcinia mangostana* (Mangosteen), **Agric Food Chem.**, 2009; 54 : 2077-2082
- Kovacevic, A., Savic, S., Vuleta, G., Keck, C. M., & Müller, R. H. 2011. Polyhydroxy Surfactants for The Formulation Of Lipid Nanoparticles (SLN nad NLC): Effect on size, Physical Stability and Particle Matrix Structure. **International Journal of Pharmaceutics** , p.163-172.
- Lin, Fu-Hsiung., Jing-Yi Lin, Ravindra D. Gupta, Joshua A. Tournas, James A. Burch, M. Angelica Selim, Nancy A. Monteiro-Riviere, James M. Grichnik, Jan Zielinski, Sheldon R. Pinnell. 2005. Ferulic acid stabilizes a solution of vitamins C and E and doubles its photoprotection of skin. **The Journal of Investigative Dermatology** **125**: 826–832.
- Lee YM, Kim YK, Kim KH, Park SJ, Kim SJ, Chung JH. 2009. A novel role for the TRPV1 channel in UV-induced matrix metalloproteinase (MMP)-1 expression in HaCaT cells. **Journal of Cellular Physiology** **219**(3): 766–775.
- Mäder, K. 2006. Solid Lipid Nanoparticles as Drug Carriers. In V. P. Torchilin, Nanoparticulate as Drug Carrier (pp. 187-205). London: Imperial College Press.
- Mishra, Raj Khumar., Soni, G.C., and Mishra, R.P. 2016. A Review Article. On Nanoemulsion. **World Journal of Pharmacy and Pharmaceutical Science**, Vol 3 issue 9, p. 258-274.
- Mescher, A. L. 2010. *Junqueira’s Basic Histology Text & Atlas : Connective Tissue*. Singapore : The McGraw-Hill Companies, Inc. p. 94-97.

- Muchtadi, D. 2013. *Antioksidan dan Kiat Sehat di Usia Produktif*. Bandung : Alfabeta.
- Müller, R. H., Radtke, M., & Wissing, S. A. 2002. Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC) in Cosmetic and Dermatological Preparation. **Advance Drug Delivery Reviews** , p.S131-S155.
- Nishigori C, Yukari H, Yaeno A, Yoshiki M. 2003. Photoaging and oxidative stress. **Experimental Dermatology** **12** Supl 2: 18–21.
- Necas, J., *et al.* 2008. *Hyaluronic acid (hyaluronan): a rivew*. *Veterinarni Medicina*. 53 (8): 397-411.
- OECD (Organization for Economic Co-operation and Development). 2010. **Guidance Notes on Dermal Absorption**, Australia : The Bussiness and Industry Advisory Committe to the OECD.
- Pangkahila, W. 2007. *Anti Aging Medicine :Memperlambat Penuaan, Meningkatkan Kualitas Hidup*. Jakarta : Penerbit Buku Kompas
- Pavia, Donald L, Garry M Lampman, Georgo S. Kritz, Randall G. Engel 2009, **Introduction to Organic Laboratory Techniques**. Thomson Brooks, p.31
- Puglia C., Blasi P., Rizza L.,Schoubben A., Bonina F., Rossi. 2008. Lipid nanoparticles for prolonged topical delivery: An in vitro and in vivo investigation.- **International Journal of Pharmacy.**, 357, 295-304.
- Quan T, He T, Kang S, Voorhe Es JJ, Fisher GJ. 2004. Solar ultraviolet irradiation reduces collagen in photoaged human skin by blocking transforming growth factor- β type II receptor/smad signaling. **American Journal of Pathology** 163 : 741-751.
- Rosita Noorma, Dewi Melani Haryadi, Tristiana Erawati, Rossa Patria Nanda, Widji Soeratri. 2017. Photostability Study On Character And Antioxidant Activity Of Tomato Extract (*Solanum Lycopersicum L.*) In Nanostructured Lipid Carrier (Nlc) And Conventional Creame. “ **International Journal Of Drug Delivery Technology**”. Pharmaceutics Department Of Faculty Of Pharmacy, Universitas Airlangga, Surabaya. ISSN: 0975 4415. 7(1); 71-74
- Rowe, R.C., Sheskey, P.J., & Quinn, M.E. 2009. *Handbook of Pharmaceutical Excipients* (6th ed.). Grayslake: Pharmaceutical Press and American Pharmacists Association
- Saranraj, P., dan Naidu, M. A. 2013. Hyaluronic Acid Production and Application : A Review. **International Journal of Pharmaceutical & Biological Archieve** 4 (5) : 853 – 859.)
- Singhal, G. B., Patel, R. P., Prajapati, B. G., & Patel, N. A. 2011. Solid Lipid Nanoparticles and Nano Lipid Carriers: As Novel Solid Lipid Based Drug Carrier. **International Research Journal of Pharmacy** Vol.2 , p.40-52.
- Sinko and Singh (Editor), 2011. *Martins Physical Pharmacy and Pharmaceutical Sciences*, Sixth Edition, Lippincott Williams and Wilkins, Baltimore, MD, USA, pp.223-257

- Shah, R., Eldridge, D., Palombo, E., dan Harding, I. 2007. *Lipid Nanoparticle Production, Characterization, and Stability*. London : Springer.
- Shoviantari Fenita, 2017, Efektivitas, Iritabilitas, dan Stabilitas Fisik Coenzym Q10 dalam Sistem Penghantaran Nanoemulsi dan Nanostructured Lipid Carriers sebagai Kosmetika Antiaging, “*Tesis*”, Universitas Airlangga, Surabaya.
- Souto, E. B., & Müller, R. H. 2007. Lipid Nanoparticles (Solid Lipid Nanoparticle and Nanosturctured Lipid Carriers) for Cosmetic, Dermal, and Transdermal Aplication. In D. Thassu, M. Deleers, & Y. Pathak, *Nanoparticulate Drug Delivery Sistem* (pp. 213-229). New York: Informa Healthcare USA, Inc.
- Sun R., G. Zhao., S.Ni., Q. Xia. 2014. Lipid Based Nanocarriers with Different Lipi Compotitions for Topical Delivery of Resveratrol: Comparative Analysis of Characteristic and Performance.
- Sweetman, S.C., 2009, *Martindale The Complete Drug Reference, Thirty Sixth Edition*, Pharmaceutical Press, New York.
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. 2013. Nanostructured Lipid Carriers (NLC): A potential delivery Sistem for Bioactive Food Molecules. **Innovative Food Science and Emerging Technologies** Vol.19 , p.29-43.
- Tosato, V. Zamboni, A. Ferrini, M. Cesari, **The aging process and potential interventions to extend life expectancy**, *Clin. Interv. Aging*;) 2007; 2 (3) pp. 401-412.
- Velnar, T., Bailey, T. and Smrkolj, V. 2009. The Wound Healing Process : an Overview of the Cellular and Molecular Mechanism. **The Journal of International Medical Research**. 37: 1528- 42 Walker, S.L., Hawk, J.L.M.
- Wiraguna, A. A. G. P. 2013. “Pemberian Gel Ekstrak Bulung Boni (*Caulerpa* spp.) Topikal Mencegah Penuaan Kulit Melalui Peningkatan Ekspresi Kolagen, Penurunan Kadar dan Ekspresi MMP-1 Serta Ekspresi 8-OHdG pada Tikus Wistar ang Dipapar Sinar Ultra Violet-B.” (*Disertasi*). Denpasar : Universitas Udayana
- Yaar, M. and Gilchrest, B.A. 2008. Aging of Skin. In: Feedberg, I.M., Eisen, A.Z., A.Z., Wolff,K.,Austen, K.F., Goldsmith, L.A.Katz, S.I., editors. **Fitzpatrick’s Dermatology in General Medicine**. 6th ed. Newyork: Mc Graw-Hill. p. 963-75
- Yuwono, Triwibowo. 2009. *Markomolekul dan Interaksi Molekular*. Biologi Molekular. Jakarta : Penerbit Erlangga, p. 23-37.
- Zhang, L., & Falla, T.J. 2009. Cosmeceuticals and peptides. **Clinics in Dermatology**, 27, 485-494.
- Zhang, Y., Liu, D., Chen, X., Li, J., Li, L., Bian, Z., et al., 2012. Article Secreted Monocytic miR-150 Enhances Targeted Endothelial Cell Migration. *Mol Cell*, 39: 133–144
- Zhuang, C. Y., Li, N., Wang, M., Zhang, X. N., Pan, W. S., Peng, J. J., et al. 2010. Preparation and Characterization of Vinpocetine Loaded Nanstructured Lipid