

Artikel 24

A. Judul: Consciousness Stage Implementation of Mosquito Nest Eradication (MNE) of Dengue Hemorrhagic Fever (DHF)

B. Cover

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS ARTICLE TEMPLATE INDEXING

Home > Health Notions

HEALTH NOTIONS

"Health Notions" is a media for the publication of articles on research, literature review, book review, commentary, opinion, scientific news and letter to editor in the areas of health science and practice such as public health, medicine, dentistry, pharmaceutical, environmental health, nursing, midwifery, nutrition, health technology, clinical laboratories, health education, health information system, health management, and health popular.

http://heanotf.com/index.php/htn

Volume 3 Number 1
January 2019

C. Editorial Board

The screenshot displays the website for the journal "Health Notions". At the top, there is a header with the journal title in a stylized font, a logo, and the ISSN number 2580-4936. Below the header is a navigation menu with links for HOME, ABOUT, LOGIN, REGISTER, SEARCH, CURRENT, ARCHIVES, ANNOUNCEMENTS, ARTICLE TEMPLATE, INDEXING, and STATISTICS. The main content area is titled "EDITORIAL TEAM" and lists the Chief Editor and several Editors, each with their name and affiliation. There is also an Administrator listed. On the right side, there is a "Visit STATISTICS" box with a line graph, a "USER" login section with fields for Username and Password, and an "INFORMATION" section with links for Readers, Authors, and Librarians. At the bottom, there is a "JOURNAL CONTENT" section with a search bar and a search scope dropdown menu.

Health Notions
ISSN 2580-4936
Published by
Humanistic Network for Science and Technology

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS ARTICLE TEMPLATE INDEXING STATISTICS

Home > About the Journal > Editorial Team

EDITORIAL TEAM

CHIEF EDITOR (VALID FROM JANUARY 1, 2020)
Dr. Heru Santoso Wahito NUGROHO, Poltekkes Kemenkes Surabaya (Health Polytechnic of Surabaya), Indonesia

EDITORS (VALID FROM JANUARY 1, 2020)
Joel Rey U. ACOB, Department of Nursing, Visayas State University, Philippines
Dr. Sahrir SILLEHU, Department of Public Health, STIKes (College of Health Science) "Maluku Husada", Indonesia
Tanko Titus AUTA, Department of Nursing, Niger State Ministry of Health, Minna, Nigeria
Wwin MARTININGSIH, Poltekkes Kemenkes Malang (Health Polytechnic of Malang), Indonesia
Somsak THOJAMPA, School of Nursing, Naresuan University, Thailand
Dr. Hadi PRAYITNO, Department of Public Health, Universitas Jember, Indonesia
Dr. Mfuh Anita Y. LUKONG, Department of Nursing Science, Faculty of Allied Health Sciences, College of Health Sciences, Ahmadu Bello University, Nigeria
Victoria KALLUSOPA, School of Nursing, University of Zambia, Zambia
Sangler POLNOK, Faculty of Nursing, Naresuan University, Thailand
Zhanibek YESSIMBEKOV, Food Engineering Department, Shakerim State University, Kazakhstan

ADMINISTRATOR (VALIF FROM JANUARY 1, 2020)
Suparji SUPARJI, Poltekkes Kemenkes Surabaya, Indonesia

"HEALTH NOTIONS" ISSN: 2580-4936 (online version only), published by Humanistic Network for Science and Technology
Cemaria street 25, 001/002, Dure, Ds./Kec. Sukorejo, Ponorogo, East Java, Indonesia, 63453

Visit
STATISTICS

USER
Username
Password
 Remember me
Login

INFORMATION
For Readers
For Authors
For Librarians

JOURNAL CONTENT
Search
Search Scope
All
Search

D. Daftar Isi

Health Notions
ISSN 2580-4936
Published by
Humanistic Network for Science and Technology

HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES ANNOUNCEMENTS ARTICLE TEMPLATE INDEXING STATISTICS

Home > Archives > Vol 1, No 3 (2017)

VOL 1, NO 3 (2017)
JULY-SEPTEMBER
DOI: <https://doi.org/10.33846/hn13>

TABLE OF CONTENTS

ORIGINAL RESEARCH

The Effects of Concentration and Fermentation Time on Quality of Local Microorganism Solutions (LMS) of Stale Rice, Cassava "Tape", Banana Bumps and Cow's Rumen or Rotten Fruits <i>Indisah Indisah, Yuly Permatasari, Nurwijayanti Nurwijayanti</i>	151-154
Database Application of Maternal Health Care Services in The Health District of Southern Timor District <i>Rison Martinus Lopo, Hari Basuki Nababrita, Sumbi Martini</i>	155-163
The Influence of Symbiotic Yogurt on Microscopical Frequent Using Microscopes on the Wistar Rats (<i>Rattus norvegicus</i>) <i>Jipriah Petronella Jingga, Bambang Wijatmodi, Meryana Adhiani</i>	164-169
Identification of Blood Lead Level of Motor Mechanic at Veteran Street, Makassar <i>Mulyadi Mulyadi</i>	PDF 170-177
Consciousness Stage Implementation of Mesquite Nest Eradication (MNE) of Dengue <i>Masruroh Masruroh, Rana (17142)</i>	PDF 178-184

Visit STATISTICS

USER
Username:
Password:
 Remember me

INFORMATION
• For Readers
• For Authors
• For Librarians

JOURNAL CONTENT
Search:
Search Scope: All



Identification of Blood Lead Level of Motor Mechanic at Veteran Street, Makassar <i>Mulyadi Mulyadi</i>	PDF 170-177
Consciousness Stage Implementation of Mosquito Nest Eradication (MNE) of Dengue Hemorrhagic Fever (DHF) <i>Firdausi Ramadhani, Ririh Yudhastuti, Sri Widati</i>	PDF 178-184
Sexual Dysfunction in Post-Episiotomy and Post-Cesarean Mothers <i>Queen Khoirun Nisa Mairo, Evi Yunita Nugrahini</i>	PDF 185-188
Psychosocial Needs of Type-2 Diabetes Mellitus Patients in Semarang City <i>Arief Yanto, Dewi Setyawati</i>	PDF 189-191
The Effect of Playing Stimulation on Children Development <i>Nurlailis Saadah, Budi Yulianto, Suparji Suparji, Sulikah Sulikah</i>	PDF 192-197
Adolescent Attitudes Towards Drug Abuse <i>I Made Nursana</i>	PDF 198-200
Service Agencies Policy and Nurse Motivation as Determinants of Information for Family Patients in Critical Care Unit <i>Moch. Bahrudin, Sutomo Sutomo, Hadi Purwanto</i>	PDF 201-203
Breakfast Intake and Learning Concentration <i>Taufiqurrahman Taufiqurrahman, Viska Karera</i>	PDF 204-207
Development of a "Model for Improving Quality of Life" for Stroke Patients Based on Preventive Efforts <i>Hotmaida Siagian, Yetti Wilda, Dony Sulystiono, Lenni Saragih</i>	PDF 208-210
Knowledge and Social Support as Determinants of Nurse Caring Behavior <i>Sujatmiko Sujatmiko, Nursalam Nursalam</i>	PDF 211-215
Be Wary of Passive Resistance to Health Information Systems <i>Klanting Kasiati</i>	PDF 216-218
Roadshow on Management of Scientific Publication in The Field of Health <i>Klanting Kasiati</i>	PDF 219-220
The Knowledge of NAPZA Effects Toward Students' Oral and Dental Health of Gender-Based <i>Ristya Widi Endah Yani</i>	PDF 221-223
Vegetarian For Maternal and Child Health <i>Mi Nueman Esmirah</i>	PDF 224-227

Design of Chlorinator Using Submersible Pump with Solar Cell for Flowing Water Disinfection <i>Sujangi Sujangi, Rusmiati Rusmiati, Beny Suyanto</i>	PDF 233-237
Effective Microorganism (EM) from Modified Bioinoculant to Increase Biogas Quantity <i>Susi Nurweni, Karno Karno, Beny Suyanto</i>	PDF 238-242
The Simple Machines for Making Organic Fertilizer at School <i>Beny Suyanto, Prijono Sigit</i>	PDF 243-250
Analysis of Environment Management on The Case of Dengue Fever in Sukomoro Sub-district, Magetan District <i>Djoko Windu P. Irawan, Denok Indraswati, Vincentius Supriyono, Trimawan Heru Wijono, Bambang Sunarko</i>	PDF 251-261
Effect of Developmental Stimulation Education to Knowledge and Developmental Stimulation Practice of Pediatric By Parents at PAUD Kalisari Pasar Rebo <i>Syariefah Hidayati, Rohadi Hariyanto, Anita Apriliawati, Sahrir Sillehu, Joel Rey U. Acob, Suparji Suparji</i>	PDF 262-265
Nutrition Status and Immunization as Determinant of Acute Respiratory Infection on Toddlers <i>Atira Atira</i>	PDF 266-272
The Effectiveness of The Malaria Cadres on Drug Intake Supervision, The Use of Mosquito Net and Environmental Modification on Malaria Sufferers at Malaria Endemic Area of Public Health Center of Waipukang, Lembata District, Nusa Tenggara Timur Province, Indonesia <i>Ragu Harming Kristina, Sri Subekti, Yoes Prijatna Dachlan, Santi Martini</i>	PDF 373-382
Service Quality of Jogorogo Community Health Center, Ngawi, Indonesia <i>Subagyo Subagyo</i>	PDF 283-287
Effect of Giving Health Education About Decompression Disease on Knowledge of Traditional Fisherman <i>Ira Sandi Tunny, Sely M. Dahlan, Zein Lukman</i>	PDF 288-290
The Effect of Diabetes Mellitus Gymnastic on The Risk of Diabetic Ulcer <i>Wiwi Rumaolat, Miranda Waas, Jurais Simal</i>	PDF 291-295
Community Behavior in Prevention of Dengue Hemorrhagic Fever through Activities of Eradication of Dengue Fever Mosquito Nests <i>Tuhu Pinardi, Aries Prasetyo</i>	PDF 296-299
How to Write Abstracts for Health Research Articles ? <i>Joel Rey U. Acob</i>	PDF 300



RESEARCH ARTICLE

URL of this article: <http://heanoti.com/index.php/hn/article/view/hn1305>

**Consciousness Stage Implementation of Mosquito Nest Eradication (MNE)
of Dengue Hemorrhagic Fever (DHF)**

Firdausi Ramadhani*, Ririh Yudhastuti*, Sri Widati*

*Faculty of Public Health, Airlangga University, Indonesia

Email: firdausirmd@yahoo.com

ABSTRACT

The main obstacle to efforts to reduce the incidence of dengue fever due to the still not optimal program of Mosquito Nest Eradication (MNE). MNE is unlikely to be completed if community members reached the smallest neighborhood, ie households did not do it. The success of the termination of the chain of transmission of DHF was closely related to the awareness and responsibility of the community to want to maintain the cleanliness of the house and its environment. The main purpose of this research was to describe the public awareness of MNE DHF. This research used quantitative description approach. In this study as respondents were 332 people who were in Kamal Village, Kamal District. From the results of the study, it was found that most Kamal villagers were at the stage of Naïval Consciousness. It was hoped that the community is in the critical consciousness stage to understand their environment. So it needed health education through Health Literacy to increase knowledge which then would generate critical consciousness so that society could do empowerment.

Keywords: MNE, DHF, Critical consciousness, Health literacy

INTRODUCTION

Dengue Hemorrhagic Fever (DHF) is still one of the public health problems in Indonesia. The number of sufferers and the extent of the spreading area is increasing in line with the increasing mobility and population density. In Indonesia, dengue fever was first discovered in the city of Surabaya in 1968, a total of 58 people infected and 24 of them died. Since then, the disease is widespread throughout Indonesia (Ministry of Health, 2010).

World Health Organization (WHO) states Dengue Fever (DF) is still one of the health problems in the world. The number of patients and the extent of the spreading area increases with the increasing mobility and population density. In Indonesia, dengue fever was first discovered in Surabaya in 1968, a total of 58 people infected and 24 of them died. Since then, the disease is widespread throughout Indonesia (Ministry of Health, 2010). DF incidence in Indonesia from 2012-2014 cases of dengue has increased in 2013. In 2014 has decreased cases of dengue fever patients, but the deaths are still relatively high, ie more than 100 people (Ministry of Health, 2014).

Dengue incidence in Indonesia from 2012-2014 has fluctuated. In the year 2013 has increased and in 2014 experienced a decrease in cases, but the dead are still relatively high, ie more than 100 people (Ministry of Health, 2014). Based on East Java Province Health Profile, DHF incidence from 2012-2014, DHF incidence in East Java increased in 2013 and decreased in 2014, but still high compared to 2012 (East Java Province Health Profile, 2012-2014). By 2015 Bangkalan regency is one of five districts in (extraordinary event) EV DHF category in East Java Province. In 2010-2015 the incidence of DHF in Bangkalan District has fluctuated. While the case of dengue fever in Kamal District there in 2013 the incidence of dengue fever is very high, although decreased in 2014. Still high incidence of Dengue Hemorrhagic fever in Kamal District, proving that the spread of virus causes dengue more easily transmitted. Various efforts have been made in the prevention of DHF, and one of them is the MNE.

MNE program has been intensified since 1992. In 2000 it was developed into 3M Plus by using larvasida, maintaining fish and preventing mosquito bites. This PSN was not significantly affected. This is because not all communities are involved in the implementation of MNE (Krianto, 2009). The failure to eradicate DHF as a

whole can occur because not all societies make efforts to eradicate the vectors of transmission of DHF. MNE is unlikely to be completed when community members reach the smallest neighborhoods, ie households do not do so (Koban, 2005). MNE practice is said to run well if someone has done MNE activities in the environment of his house on a regular and continuous basis (Notoatmodjo, 2007). The success of the termination of the chain of transmission of DHF is closely related to the awareness and responsibility of the community to want to maintain the cleanliness of the house and its environment. According to Freire cit. Nuryatno (2008) consciousness is the key that must be owned by the community for change can be achieved. Community awareness and awareness is the key to early dengue fever in a region or region. The most effective way is to avoid mosquito bites by reducing the population. Through awareness of the importance of environmental hygiene, will automatically inhibit the development of larvae, with the concern that the application of efforts to eradicate dengue would be realized, thus would not provide opportunities for mosquitoes to grow. This disease occurs every year in various regions in Indonesia and especially occurs in the rainy season.

Using Freire's human consciousness paradigm, trying to describe people's concern for the environment (Fakih, 2001). Freire theory, is a paradigm that was developed to increase human awareness to be able to identify the problems that exist around. This theory is trying to raise public awareness to care about the problems that occur in the environment. Freire classifies human consciousness into a magical consciousness, naïve consciousness, and critical consciousness. The first phase (magical consciousness), is a state of a human being is not able to understand the reality around him as well as himself. The second phase, naïval consciousness, is the state of consciousness and understanding of the problems that exist in their lives. But they are less able to analyze these issues systematically. The third phase, critical consciousness, is the state of a person has been able to think and identify that the problems faced should be examined more deeply. In this stage, the individual is aware that there must be a change. What is expected is that society is at a critical consciousness stage. The variables include knowing the problem, not believing in the power of destiny, understanding the problem, analyzing the problem, having knowledge about the MNE, identifying the problem, understanding the environment, critical thinking and acting.

The most decisive first step in raising awareness is with a continuous process. The process of awareness is the core process or essence of the educational process itself. If a person has been able to attain a degree of critical awareness of reality, that person begins in the process of understanding and not simply memorization process. The person who understands is not a person who memorizes, because the person declares something based on a comprehension, while the person memorizing only states something mechanically without knowing what the person is saying, from which the person has received the person declared recitation, and for what the person reveals at that time .

Herein lies the significance of the words, because the words one expressed at once represent the world of consciousness, the function of the interaction between action and thought. Expressing the right words, in the right way, is to declare words that are consciously or consciously understood, that is where the meaning of understanding reality means to have "praxis", ie, the union of the function of thinking, speaking and doing so that it has a role in Changing the environment. the person's words and actions are not from others, but from the self the person lives in everyday life.

METHODS

This study aimed to describe the Implementation of Mosquito Nest Eradication (MNE) 3M Plus in Kamal Village, Bangkalan Regency, East Java Province, Indonesia. This research used quantitative descriptive method, which aimed to describe the variables. The population in this study was the Kamal sub-district of 6,256 people, divided into 7 RWs. Determination of samapel jumal used tables Isaac and Michael based on error rate 5% and obtained as many as 332 samples. Data collection was conducted during the period April-June 2016 ..

RESULTS

Tabel 1. Distribution of education level

Education	Frequency	Percentage
Elementary school	71	22
Junior Hight School	67	20
Seneor hight School	155	47
Diploma	5	2
S1	31	9
Total	332	100

From table 1 above it could be seen that most respondents had high school education as much as 47%, some other small elementary school education as much as 22% and junior high as much as 20%.

Tabel 2. Distribution of employment

Employment	Frequency	Percentage
Merchants	10	3
Private entrepreneur	37	11
Student	6	2
Civil servants	11	3
Total	8	2
	332	100

From table 2 above it could be seen that most respondents' work is as housewife, that is as much as 76%, partly as private employee, as much as 11%.




Figure 1. Distribution of respondents based on Paulo Freire's Theory

Based on Figure 1 it could be seen that the average majority of respondents were in sufficient category for each of the consciousness stage variables, and almost part of the respondents were in the less category, but only a small percentage of respondents had good category.




Figure 2. Distribution of respondents based on The Paulo Freire Theory

Based on Figure 2 it could be seen that most of the respondents were at the naive Consciousness stage, and almost half of the respondents were in the Magical consciousness stage and only a small percentage of respondents in the critical consciousness category.

Magical consciousness with the variable knew the problem and did not believe in the power of destiny. The second stage of naival consciousness, with the variables of ability to understand and analyze problem-related problems and had knowledge about the problem. The third stage critical conscientiousness, was the ability to identify problems, understand the state of the environment, critical thinking and action.

DISCUSSION

Magical consciousness was that the respondent knows the problem, more believed in the power of destiny. All is God's will. In this study the subject knew about dengue disease and its causes. More believe in the power of destiny, that people who were sick DHF is the destiny of Allah, but must be prevented from happening, let alone to cause death. Kamal villagers had mostly been aware of dengue fever, knowing the characteristics of DHF, the name and characteristics of DHF mosquitoes. People also did not believe in the power of destiny, meaning people believe that dengue fever could be prevented. However if it was trying to be prevented and died then it is destiny. The second stage of naival consciousness, is the ability to understand and analyze issues related to the problem. In this study the subject began to understand the existing problems, namely the subject knows dengue disease and know the cause but had not understood well the cause. The third stage, critical consciousness, was the ability to understand the state of the environment and take action. In this

study the subjects were able to identify the problem by knowing and understanding the disease causes and know the prevention of dengue disease. Understand the state of the environment by knowing the relationship of cleaning the environment with dengue disease. Know and understand about MNE which includes draining, closing and burying used goods and 3M plus, as well as implementing it independently and continuously or continuously, as an action to prevent dengue disease even without any supervision from anyone.

From the results of research shows that Kamal villagers were mostly in the category of naival consciousness. Naival consciousness, is the ability to understand and analyze issues related to the problem. In this study people had started to know about the problems that exist around, but people did not will they do. Kamal village community has the same opinion that DHF is a problem so it must be handled so as not to spread to others, especially if someone died. So if there was a dengue fever should be immediately taken to the puskesmas. However Kamal villagers consider fogging to be effective in solving problems. People were less aware that doing fogging means giving poison to the surrounding environment. The common chemical fogging done in the natural environment was not effective in shutting down the life cycle of Aedes female mosquitoes (Chua, 2005). In analyzing the problem, Kamal villagers know if DHF occurred during the rainy season. However, it was not followed by observing the surrounding environment. In Indonesia, the bulk factor had a close relationship with mosquito population rate. In the dry season many used goods such as cans, used tires, plastic cups and the like were discarded irregularly disembarang place. The target of disposal of used goods was in the open like empty land. When there was a seasonal change, from the dry season to the rainy season, most of the used goods became a means of rainwater storage which was a means of breeding Aedes Aegypti mosquitoes. The phenomenon of vacant land became a household waste disposal including potential cans as a breeding ground for mosquitoes (Sayavong et al, 2015).

Society was expected to exist at the stage of Critical Consciousness which was the third phase of the development of consciousness theory Paulo Freire. Critical Consciousness is when one has understood critically, self-exposed and does not view the world as a static reality (Freire, 2008). Freire further explained that a person was claimed to have a critical awareness when able to identify problems, understood the state of the environment, act critically, and take action. A deep critical awareness of the situation, would bring people to understand the situation as a reality that can change. According to Minkler, Wallersstein and Wilson (2008) Critical Consciousness was awareness based on reflection and action in making changes. Critical awareness was demonstrated through respect, contextual and integrated knowledge with an emphasis on empowerment (Godman, et al, 2015). At this stage, the individual gained awareness that there must be a change. They also understood his situation and understand the circumstances of his environment. That understanding was obtained through a dialogical process which was then followed by action. In addition, with a deep critical awareness of the situation, would bring people to understand the situation as a reality that can change. With a critical awareness capable of thinking and acting critically, more confident, and open to the ideas of others. Someone had reached the level of Critical Consciousness, then he began to enter the process of understanding and not memorize, then understand the situation and then take action. With Critical Consciousness the community will understand its environment (Freire, 2008). Critical Consciousness would encourage individuals to care and take responsibility for their environment (Mustakova and Possardt, 1998). With Critical Consciousness there was a change in every individual (Darlington, et al 2015).

From the second phase, naival consciousness to the critical conscientious phase was achieved through the educational process (Nuryatno, 2008). Through the educational process, it was hoped that the community would have a higher level of awareness in order to empower individuals, especially in health. Based on the results of the study, the need for health education efforts to increase public knowledge about DHF and MNE. The development of knowledge raises the development of critical awareness that allowed the community to provide empowerment (Goodman, and Cirecie, 2009). Health education can play a role in providing input and encouraging communities to take responsibility and participate in preventing and controlling DHF (Ibrahim et al, 2009). According to Sayavong et al (2015) health education encouraged community participation in terms of handling larvae vector. It was important for health workers to consider information that was not yet known and needed by the community. The needs of the people of a place would be different from the people in other places. It really depended on their background. Increasing knowledge through different educational programs, were as needed needs to raise awareness in preventing DHF (Bota et al, 2014). Health promotion was an effort to change people's behavior, lifestyle and quality of life through better individual and environmental changes (Fertman and Allensworth, 2010). The global strategy of health promotion included empowerment and community participation (Center for Promotion of Health MOH RI and UI, 2009). Health promotion through health education on DHF could be provided by increasing knowledge through Health Literacy. Health Literacy was raising awareness that would result in behavior-oriented prevention. By increasing knowledge through Health Literacy was expected to empower individuals in terms of health. Nutbeam (2006) said that Health literacy had been recognized as one of the determinants of health and became one of the goals of community health development. Health literacy was the ability to obtain, process, and understand basic health information and health services aimed at making the right health decisions, has developed into a health status contributor

(Nutbeam, 2006). Health literacy describes cognitive abilities and social skills that could be interpreted as the motivation and ability of individuals to access, understood and used information in terms of maintaining health. MNE-DBD's Health literacy capability was the basis for behaving independently in reducing dengue cases.

CONCLUSION

From the results of the study could be concluded that most Kamal villagers were at the stage of Naival Consciousness. Naival consciousness, was the ability to understand and analyze issues related to the problem. In this study people had started to know about the problems that existed around, but people let it. Kamal villagers had the same opinion that DHF was a problem that must be addressed so as not to spread to others, especially if there were people who died. So if there was a dengue fever should be immediately taken to the puskesmas. However Kamal villagers considered fogging to be effective in solving problems. People were less aware that doing fogging meant giving poison to the surrounding environment. In analyzing the problem, Kamal villagers knew if dengue occurred in the rainy season.

However, it was not followed by observing the surrounding environment. It was hoped that the community is in the critical consciousness stage to understand their environment.

Based on the results of research, the need for health education efforts through Health Literacy to increase knowledge which then would generate critical consciousness, so that the community was able to do empowerment.

REFERENCES

- Bota I., Ahmed M., Jamali, M.S., Aziz, A. (2014). Knowledge Attitude and Perception Regarding Dengue Fever Among University Students Of Interior Sindh. *Journal of Infection and Public Health*, 7: 218-223.
- Chua, I.L., Chua, I.E., Chua, K.H., Chua. (2005). Effect of Chemical Fogging on Immature Aedes Mosquitoes in Natural Field Conditions. *Singapore Medical Journal International*.
- Departemen Kesehatan RI. (2008). Modul Pelatihan Bagi Pelatih Pemberantasan Sarang Nyamuk Demam Berdarah Dengue (PSN-DBD) dengan Pendekatan Komunikasi Perubahan Perilaku.
- Fertman, C.L., Allensworth, D.D. (2010). *Health Promotion Program*, San Francisco, US: A Wiley Imprint.
- Freire, P. (2000). *Pedagogy of The Oppressed*, New York: Continuum.
- _____ (2008). *Pendidikan Kaum tertindas*, Jakarta: Pustaka LP3ES.
- Goodman, Rachael, D., Olantunji, W., Cirecie, A. (2009). Applying Critical Consciousness: Culturally Competent Disaster Response Outcomes. *Journal of Counseling and Development*, 87(4): 458-465.
- Itrat, A., Khan, A., Javaid, S., Kamal, M., Khan, H., Javed, S., Kaliaa, S., Khan, A.H., Sethi, M.I., Jehan, I, (2006). Knowledge, Awareness and Practices Regarding Dengue Fever among the Adult Population of Dengue Hit Cosmopolitan. URL : www.Plosone.org, 3(7): 1-3.
- Ibrahim, N.K.R., Al-Bar, A., Kordey. M., Al-Fakeeh, A. (2009) Knowledge, Attitudes, and Practices Relating To Dengue Fever Among Females in Jeddah High Schools. *Journal of Infection and Public Health*. 2: 30-40.
- Ministry of Health. (2011). *The Module of Dengue Hemorrhagic Fever Controlling (Modul Pengendalian Demam Berdarah Dengue)*
- Nalongsack, S., Yoshida, Y., Morita, S., Sosouphani, K., dan Sakamoto, J. Knowledge, Attitude and Practice Regarding Dengue Among People In Pakse Laos. (2009). *Nagoya Journal Medicine Sciene*, 71: 29-37.
- Mustakova E and Possardt. (1998). Critical Consciousness: An Alternative Pathway For Positive Personal And Social Development. *Journal of Adult Development*, 5(1).
- Nalongsack, S., Yoshida, Y., Morita, S., Sosouphani, K., dan Sakamoto, J. (2009). Knowledge, Attitude and Practice Regarding Dengue Among People In Pakse Laos. *Nagoya Journal Medicine Science*, 71: 29-37.
- Notoatmodjo, S, (2010). *Health Promotion: Theory and Application (Promosi Kesehatan: Teori dan Aplikasi)*. Jakarta: Rineka Cipta.
- Nutbeam, Don, (2006). Health Literacy as A Public Health Goal: Goal a Challenge For Contemporer Health Education and Communication Strategis Into the 21st Century. *Health Promotion International*. *Oxford University Press*, 15(3).
- Pitner, O.R., Sakamoto, I. (2005). The Role of Critical Consciousness in Multicultural Practice : Examining How Its Strength Becomes Its Limitation. *American Journal of Orthopsychiatry*, 75(4): 664-695.
- Ramadhani F. (2015). The Interest Of Fogging in Eradicating DBD in Kamal District Community Bangkalan. *Proceeding Book, The 47th Asia Pacific Academic Consortium for Public Health Conference*
- Ramadhani F, (2017). Critical Consciousness of Madura Society Against Implementation of Mosquito Nest Eradication as Vector of Dengue Fever. *Dama International Journal of Researchers*, 2: 88-89.
- Respati, K.Y., Keman, S. (2006). Perilaku 3M, Abatisasi dan Keberadaan Jentik Aedes Hubungannya Dengan Kejadian DBD. *Jurnal Kesehatan Lingkungan*, 3(2): 107-18.

- Santos, S.L., Henao, G.P., Silva, M.B., Augusta, L.G. (2012). Dengue in Brazil and Colombia: A Study of Knowledge, Attitudes, and Practices. *Revista da Sociedade Brasileira de Medicina Tropical*, 47(6): 783-787.
- Smith, A.W. (2001). *Conscientizacao: Tujuan Pendidikan Pendidikan Paulo Freire* Penerjemah: Agung Prihantoro, Yogyakarta: Pustaka Pelajar.
- Taksande, A., Laxkar, B. (2012).. Knowledge, Attitude and Practice (KAP) of Dengue Fever in The Rural Area of Central India. *Shiraz Medical Journal*, 13.