

ISBN 978-979-17677-1-2

MANAGEMENT STRATEGY OF ANIMAL HEALTH AND PRODUCTION CONTROL ON ANTICIPATION GLOBAL WARMING FOR ACHIEVEMENT OF MILLENNIUM DEVELOPMENT GOALS



Editors :

Muchammad Yunus
Suzanita Utama
Paridjata Westra
Lilik Maslachah
Epy Muhammad Luqman
Boedi Setiawan
Sri Hidanah

COLLABORATION OF :



FACULTY OF VETERINARY MEDICINE
AIRLANGGA UNIVERSITY



FACULTY OF VETERINARY MEDICINE
UNIVERSITY PUTRA MALAYSIA

Faculty of Veterinary Medicine
Airlangga University
and
Faculty of Veterinary Medicine
Universiti Putra Malaysia
2008





Collaboration between
FACULTY OF VETERINARY MEDICINE AIRLANGGA UNIVERSITY
AND
FACULTY OF VETERINARY MEDICINE UNIVERSITI PUTRA MALAYSIA

CERTIFICATE

this is to certify that

Dr. Sri Hidanah, M.S., Ir.

has participated in

International Seminar
***Management Strategies on Animal Health
and Production Control
in The Anticipation of Global Warming
for The Achievement of Millennium Development Goals***

As

speaker

3th - 4th June, 2008, Surabaya - Indonesia



Prof. Hj. Romziah Sidik, drh., Ph.D.
Dean of Faculty Veterinary Medicine
Airlangga University

Prof. Dr. Bashir Ahmad Fateh Mohamed
Dean of Faculty Veterinary Medicine
Universiti Putra Malaysia

ISBN 978-979-17677-1-2

**MANAGEMENT STRATEGY OF ANIMAL HEALTH AND
PRODUCTION CONTROL ON ANTICIPATION GLOBAL
WARMING FOR ACHIEVEMENT OF MILLENNIUM
DEVELOPMENT GOALS**

Editors :

Muchammad Yunus
Suzanita Utama
Paridjata Westra
Lilik Maslachah
Epy Muhammad Luqman
Boedi Setiawan
Sri Hidanah

COLLABORATION OF :



FACULTY OF VETERINARY MEDICINE
AIRLANGGA UNIVERSITY



FACULTY OF VETERINARY MEDICINE
UNIVERSITY PUTRA MALAYSIA

**Faculty of Veterinary Medicine
Airlangga University
and
Faculty of Veterinary Medicine
Universiti Putra Malaysia
2008**

**PENERBIT DANI ABADI
Surabaya**

Cetakan pertama 2008

Hak Cipta dilindungi Undang-undang.

LIST OF CONTENTS

	Page
Report of Organizing Committee.....	i
Plenary Session	
Climate Change, Agriculture, and our Future	1
Livestock Management Systems in Minimizing the Effect of Global Warming	6
Technology Development for Animal Health and Production System to Anticipate Global Warming Impact	8
New Emerging Disease and Global Warming : "Urun Rembug"	10
Global Warming Effects to the Wildlife Animals Existences	13
Animal Health	
Exploration of Immunogenic Protein of <i>Sarcoptes scabiei</i> var. <i>caprae</i> as a Scabies Diagnostic Kit Candidate on Goat	17
Characterization of Outer Membrane Protein of <i>Brucella Abortus</i> S-19 Using Western-Blotting Technique.....	22
Pharmacokinetics of Diminazene on Healthy Etawa Breed Goats: A Preliminary Exploration Using Single Dosag Regimentation.....	28
Study of Water Fowls in Seashores Around Surabaya as Natural Reservoir Avian Influenza	33
The Immunogenic Protein Membrane MP 38 Protection Capacity on The Tiger Shrimp (<i>Penaeus monodon</i> Fabricus) to Zoothamniosis	38
Total Plate Count (TPC) of <i>Salmonella</i> sp. and <i>Vibrio cholerae</i> Analyzing in Tiger Shrimp (<i>Penaeus Monodon</i> , Fabricius) Which Sold on Traditional Market in Surabaya	43
Stress (Heat Shock) Proteins and Innate Immunity in Noise-Induced Damaged Cochlea.....	47
The Fibrous Thickness in Follicular Walls of The <i>Rattus norvegicus</i> with Polycystic Ovarian Syndrome (PCOS) Compared with Normal Estrous Cyclical Phase	50
Management Strategy of Bones and Joints Diseases in Small Animals.....	52
Transgenic and Knockout Mice in Human Disease Research: Novel Insights into Pathophysiology and Perspectives	60
The Role of Protein Haemagglutinin as Adhesin Molecule of Fimbriae <i>Vibrio alginolyticus</i> That is Recognized by Receptor Membrane Protein of Intestinal <i>Cromileptes altivelis</i> within Pathomechanism Infection of Vibriosis	64

Global Warming Impact Toward Profile of <i>Egg Binding Protein</i> of Human Sperm to Produce Polyclonal Antibody	69
Mouse Sera Immunoglobulin Profile Against Specific Protein of <i>Toxocara cati</i> as a Marker Choice Based on The Antibody Examination	75
Toxoplasmosis on Pigs in Surabaya and Malang Slaughterhouses, East Java	84
The Use of Seed Meal Water-Extracted of Sugar-Apple (<i>Annona squamosa</i>) in The Treatment of Scabies in Goats	88
Immunolocalization of Protein 116 KDa in Human Sperm Membrane	93
An Alternative Method of Expressing <i>Dichelobacter nodosus</i> Fimbriae In <i>Pseudomonas aeruginosa</i>	97
Campylobacteria and <i>Salmonella</i> In Chicken Meat Retailed In Markets	103
The Early Detection of Chicken <i>Eimeria</i> Infection by Examination of IgG and IgM Titre Specific Elisa	106
Tramadol and Pethidine As Post Operative Analgesics in Dogs in Undergoing Skin Grafting.....	112
ANIMAL PRODUCTION	
Sex Determination of Parakeet Birds (<i>Melopsittacus sp.</i>) by Karyotypic Description Using Feather-Pulp Smears Techniques	113
The Advantage of Bovine Demi-Embryo Half Transfer in Population Growth.....	117
Effect of High Quality Feed Supplement and Fermented Rice Straw in The Ration of Lactating Dary Cattle on Milk Production and Composition	122
Detection of Pregnancy Associated Glycoprotein (PAG) in Blood Sera of Pregnant Ettawa Cross Breed Goat	127
Determination of Ovulation Time of Timor Deer Hinds Based on Estrogen and Progesteron Profiles after Synchronization with CIDR.....	132
Effect of Different Levels and Sources of Rumen Degradable Protein on Nitrogen Metabolism in Bali Cows Fed Low Quality Tropical Grass Hay	137
Diallel Crossing for Estimation of General and Specific Combining Abilities for Growth Traits in Four Selected Genetic Groups of Native Chickens.....	142
Feed Intake, Digestibility and Nitrogen Balance of Sheep Fed on Faba Beans Supplements with Different Feeding Frequencies.....	148
Effects of Heat Stress and Attempts to Maintenance Optimal Reproductive Performance of Dairy Cows During Hot Condition in The Tropical Climate.....	153


Antibody Againts to Bovine Zona Pellucida-3 Deglycpsylated (Anti-bZP3dG) on Molecular Mechanism of Sperm–Egg Interaction	158
Modification of Temulawak (<i>Curcuma xanthorrhiza</i> , Roxb) Levels of Tabut Block on Milk Production of FH Cows	161
Transcervical Intra-Ovarian PMSG for Ovarian Hypofunction in Cows.....	165
Genetic Conservation of Local Cattle Through Somatic Cell Banking and in Vitro Growth Culture System (IVG)	170
The Supplementation Influence of Crude Sperm Extract (CSE) on Chemical Activation Medium to Capacity of Parthenogenetic Induction of Matured Oocyte in Vitro	174
The Dominant Contribution of Local Beef Cattle to F1 Brahman Crossbreed Based on DNA Profile from RFLP Analyzed	177
The Effect of Sardine (<i>Sardinella longiceps</i>) Oil as a Source of Methanogenesis Inhibitor Agent on The Rumen Fermentation Product of The Diet Containing Different Level Of Forages	181
Follicular Fluid Using as an Alternative for Oocyte in <i>Vitro</i> Maturation Medium	186
Immunocontraceptive Potential of Crude Goat Zona Pellucida as Rat Population Control on Mice (<i>Mus Musculus</i>) Model	189
Enhancing The Utilization of Alternative Animal Feedstuffs Through New Technologies	193
ANIMAL AND ENVIRONMENT	
Role of Livestock on Global Warming and Its Mitigation Strategies.....	200
A Technical Note on Bio-Control of Ruminant Methanogenesis	207
Quantity and Chemical Composition of Dairy Cattle Manure Raised by Small Holder Farmers at Kemirikebo Group of Girikerto, Turi, Sleman	211
The Quality of Compost Produced from Beef Cattle Manure with Different C/N Ratio ...	215
The Effect of Water Temperature on The Incidence Of <i>Streptococcus agalactiae</i> Infection in Cage-Cultured Tilapia	218
Epidemiology and Control of Leptospirosis in Malaysia	221
Tropical Climate Stressor Decreased Serum and Colostrums Gamma Immunoglobulin (IgG) Concentration of Holsten Friesian (HF) Dairy Cows (An Observation and Analytical Study).....	223
Concentrated Energy and Supplementation of Mycotoxin Binder Improved Isa Brown Laying Performance in The Hot and Humid Environment	229
The Prospect of Effective of Microorganism as Fecal Polution Reductor in Broiler Farm ..	235

POSTER

The Isolate of Insulin Like Growth Factor – I Complex of Caprine Seminal Plasma as a Capacitation Medium for Sperm	238
Fertility Test of Frozen Semen Supplemented with Tyrosin Kinase of Holstein Friesian (HF) Sperm Using <i>in Vitro</i> Fertilization	242
The Effect of Ration Enriched with Corn Oil Enhanced Growth Performance and Immune Response of Broiler	246
Profile of Sperm in Capacitating Earle’s Balanced Salt Solution (EBSS) Medium by Supplemented Heparin And Hypotaurine In Fertilization In Vitro Of Dairy Bull	250
Anti Prolactine Overcomes Heat Stress on Laying Hen	253
Identification and Antimicrobial Susceptibility at Pathogenic Bacteria Isolated From Bovine Mastitis in Dairy Cattle at Surrounding of Suka - Makmur Dairy Cooperation Grati – Pasuruan	261
Processing Liquid Waste from The Slaughterhouse of Surabaya City with Physical and Chemical Treatment	266
Aflatoxin B1 Contaminant of Corn Collected from Farmers and Market in Klaten, Blitar and Tasikmalaya, Java Indonesia.....	271
The Importance Probiotic <i>Lactobacillus plantarum</i> is Strain 10506 and 20506 on Intestinal’s Brush Border Recovery	275
Effect of Fat-Protein Protected on The Some Fermentation Parameters in The Rumen.....	279
Isolation and Characterization of Cellulase From Termite Gut as Degrading Cellulose Enzyme	284
The Addition of Xylanase Enzyme of Rumen Bacteria Production to Increase <i>in Vitro</i> Digestibility of Rice Straw Dry Matter and Crude Fiber.....	290
Molecular Expression of Estrogen Receptor Alpha (ER α) and Interleukin 6 (IL 6) on Acceleration of Healing Process of Long Bone Shaft Fracture by Immediate Repetitive Axial Compression Tension Stabilization (IREACT).....	293
The Effect Experimental Transforming Growth Factor B Isolates to <i>in Vitro</i> Maturation Process Bovine Oocyte	296
The Potency of <i>Curcuma xanthorrhizae</i> Powder in Feed to The Percentge of Carcass Weight and The Percentge of Abdominal Duck	301
Antitumor Activity (in Vitro) of Extracellular Polysaccharide Produced by Ropy <i>Lactobacillus delbrueckii Ssp Bulgaricus</i> Isolated from Fermented Milk.....	304

Induction of Fertile Estrous in Dairy Cows Using Vulvar Submucosal Injection of Prostaglandin F ₂ α	309
Immunolocalization of Inhibin B on <i>Rattus Norvegicus</i> Sertoli Cells Culture by Immunocitochemistry Technique for Developing Male Hormonal Contraception	312
Kinetics Degradation of Crude Protein and Dry Matter of Maize Stalk and Chicken Manure in Haylage Complete Feed	316
Effects of Different Temulawak (<i>Curcuma Xanthorrhiza</i> , Roxb) Levels on The Microbiology of Tabut Block	322
Farm Animals May Act as Sources of <i>Cryptosporidium</i> Infection in Human.....	327
Perlawit Supplement on Body Weight Gain of Bali Cows	329
Isolation, Identification and Purification of Protein of Human Menopause Gonadotropin (hMG) from Women Menopause Using The Level of Protein and Carbohydrate	332
The Use of <i>Pectinase</i> Enzymes from <i>Pseudomonas pseudomallei</i> to Control <i>Microcystis aeruginosa</i> bloom	340
The Effects of Hyperglycaemia on Hypoxia Inducible Factor-1 α Stability in Periodontal Ligament Fibroblast of Rat.....	347
Interleukin-4 (IL-4) Expression in Mice Child Sera Infected of <i>T. gondii</i> During Pregnant Mice	352
The Influence of Temperature on Histological Preview of Mice Testes (<i>Mus Musculus</i>) ...	356
(IGF-1) in Affecting Meat Fat and Protein Synthesis Of Broilers.....	363
The Effect of Leptin on Expression of MAPK (<i>Mitogen Activated Protein Kinase</i>) And MPF (<i>Maturation Promoting Factor</i>) in Oocyte Maturation.....	367
Histopathology Changes of Heart, Lung, Liver and Kidney on Broilers Under Chronic Heat Stress	372
The Relationship Between Breeder's Behavior in Livestock Droppings Management and Environment Quality in Central Lombok Regency.....	376
Utilizing of Cellulolytic Bacterium and Cellulolytic Fungi From Giraffe's Faeces as an Inoculum to Increase The Quality of Rice Straw.....	379
Digestibility and Retention N Rice Straw Fermentation with Inoculum Bacteria and Fungi Cellulolytic in Sheep	384
Environmental Stress Mediated Through P 38 Mitogen Activated Protein Kinase (MAPK) Pathways Induced By Linear Alkylbenzene Sulfonate (LAS)	388

Amebic Liver Abscesses Due to <i>Entamoeba histolytica</i> in Whale: Case Report and Review of The Literature	392
Author's Index	396



Plenary Session



DIGESTIBILITY AND RETENTION N RICE STRAW FERMENTATION WITH INOCULUM BACTERIA AND FUNGI CELLULOLYTIC IN SHEEP

Sri Hidanah

Department of Animal Husbandry, Faculty of Veterinary Medicine, Airlangga University

ABSTRACT

This research aim is to know the effect of rice straw fermentation utilizing, using inoculum bacteria and fungi cellulolytic in sheep towards digestibility and retention N. The research was the main research, using 20 local sheep which were divided into 4 treatments with 5 replications. P0: rice straw + 3% urea + 3% molasses + without isolate, P1 isolate bacterium of *Acetobacter liquefaciens*, P2 isolate yeast of *Geotrichum* sp, and P3 isolate *Acetobacter liquefaciens* and *Geotrichum* sp. The data analyzed by the Variant Analysis and for the difference of mean among treatment, tested with the Duncan's Multiple range Test. The result of the main research was local sheep given feed of rice straw which fermentated by bacterium suspension of *Acetobacter liquefaciens*, yeast of *Geotrichum* sp., and the mixture of *Acetobacter liquefaciens* and *Geotrichum* sp. were able to improve (a) crude fiber, crude protein, organic matter, NDF, and ADF digestibility, but was not have significant effect on ($P > 0.05$) N-balance

INTRODUCTION

Supplying of forage, play an important role and become the elementary problem in development of ruminant livestock. The use of agriculture waste like sugar cane top, rice straw, and corn straw is often made as alternative livestock feed by breeder to overcome the insufficiency of forage. Among the waste of food crop, rice straw play an important thing, beside it is easy to get especially in lowland area, its abundance amount at the time of harvesting. But, as the feed of livestock, rice straw have some insufficiency as its protein rate is too low (3-5% dry matter), the high crude fiber reach 20 - 41,5 % dry matter, and low digestibility, having the character spacions, and also low voluntary feed intake by livestock.

The use of rice straw as livestock feed needs a pretreatment as a mean to improve the nutrition value. One way which can be conducted is by exploiting cellulolytic bacterium and cellulolytic fungi and to conduct the supplementation of substance feed of protein source is well to increase the synthesis protein of rumen microbe, as digestibility of ruminant is very depend on kinds and population of rumen microbe

To demote crude fiber degree in straw, it's very needed the part of livestock woof technologies. Cellulolytic bacterium and cellulolytic fungi utilization as inoculum supposed can demote the crude fiber,

because cellulolytic bacterium and cellulolytic fungi producing cellulase enzyme that impersonate in cellulose solution.

This research aim is to know the effect of rice straw fermentation utilizing, using inoculum bacteria and fungi cellulolytic in sheep towards digestibility and retention N. Based on the background that elaborated, it can be formulated troubleshoot as follows: Is gift rice straw which is inoculated by suspension bacteria *Acetobacter liquefaciens*, *Khamir geotrichum* sp. with mixture *Acetobacter liquefaciens* and *Geotrichum* sp. from giraffe's feces can increase the digestibility value of Dry Matter, Crude Fiber, Crude Protein, Organic Matter, NDF, ADF, and Nitrogen retention in sheep?

MATERIALS AND METHODS

The research was the main research, using 20 local sheep which were divided into 4 treatments with 5 replications. P0: rice straw + 3% urea + 3% molasses + without isolate, P1 : rice straw + 3% urea + 3% molasses + with isolate bacterium of *Acetobacter liquefaciens*, P2 : rice straw + 3% urea + 3% molasses + with isolate yeast of *Geotrichum* sp, and P3 : rice straw + 3% urea + 3% molasses + with isolate *Acetobacter liquefaciens* and *Geotrichum* sp. The data analyzed by the Variant Analysis and for the difference of mean among treatment, tested with the Duncan's Multiple range Test.

RESULTS AND DISCUSSION

The result of the main research was local sheep given feed of rice straw which fermented by bacterium suspension of *Acetobacter liquefaciens*, yeast of *Geotrichum* sp., and the mixture of *Acetobacter liquefaciens* and *Geotrichum* sp. were able to improve (a) crude fiber, crude protein, organic matter, NDF, and ADF digestibility, but was not have significant effect on ($P > 0.05$) N-balance.

In table 1, based on the variant analysis towards rice straw gift treatment which fermented by suspension isolate bacteria *Acetobacter liquefaciens*, *Khamir geotrichum* sp with mixture isolate bacteria *Acetobacter liquefaciens* and *Khamir geotrichum* sp. showed different result ($p < 0.05$) for the digestibility variable of Dry Matter, Crude Fiber, Crude Protein, Organic Matter, NDF, and ADF. While for retention N, it showed a result which is not differ real ($p > 0.05$)

Stipulating the digestibility of feed that include the digestibility of dry matter, crude fiber, crude protein, organic matter, neutral detergent fiber (NDF) and acid detergent fiber, done using the collection total method (Harris, 1970). Isolate bacteria *Acetobacter liquefaciens*, *Khamir geotrichum* sp, with mixture isolate bacteria *Acetobacter liquefaciens* and *Khamir geotrichum* sp. suspension gift treatment can increase the digestibility of Dry Matter, Crude Fiber, Crude Protein, Organic Matter, NDF, and ADF.

According to McDonald *et al.* (1989), digestion is a complex compound severance which is difficult to dissolves to be simple compound which is easy dissolve and producing energy. According to Ensminger and Olentine (1978) marginally manner decides energy is divided in two way, that is total nutrient digestible or total digestible nutrients (TDN) and system calorie. TDN is the quantifying from digestible Crude Protein, digestible Crude Fiber, digestible ETN, and digestible EE, multiplying 2.25; while calorie is energy unit. According to Utomo and Soejono (1988), feed that contain

low EE like rice straw, the TDN can be equaled with digestible organic ingredient (BOT). According to Cullison (1979), feed digestible nutrient countable from nutrient digestibility, multiplying with feed nutrient.

This research showed that organic ingredient (BO) digestibility, occur real enhanced, sheep with straw feed treatment which fermented with mixture suspension isolat bacteria *Acetobacter liquefaciens* and *Khamir geotrichum* sp. produce the highest BO digestibility that is 76.937%, followed successive gift treatment *Khamir geotrichum* sp. as big as 72.884%, bacteria *Acetobacter liquefaciens* as big as 72.011% and without isolate as big as 60.806% and so do to the digestibility of Dry Matter, Crude Fiber, Crude Protein, NDF and ADF. But, the digestibility of Dry Matter, Crude Fiber, Crude Protein, NDF and ADF from this research are stills lower than the Lamid, *et al.* (2005) research result, which is use the mixture of cellulolytic bacteria's rumen liquid in rice straw can increase the Dry Matter digestibility become 58.41%, BO 77.90 %, Crude Protein 75.96%, NDF 72.72% and ADF 74.60%.

The increasing of dry matter digestibility, crude fiber, NDF and ADF in this treatment is guessed because of the *Acetobacter liquefaciens* bacteria suspension gift, *Khamir geotrichum* sp. and the mixture of *Acetobacter liquefaciens* and *Khamir geotrichum* sp. bacteria in rice straw can produce enzyme cellulase. Microorganism is very efficient in degradation essence, chitin and polysaccharide in plants cell wall. This thing can be happen because the microorganism produce enzyme that can digest polysaccharide (Warren, 1996). Enzyme cellulase that comes from bacteria consisted of exocellulase and endocellulase that can hydrolyze cellulose (Irwin *et al.*, 2000). Soejono *et al.* (1987), declare feed digestibility value can be increased by biological that is by hydrolyzing cell wall component using bacteria inoculum, fungi, enzyme, rumen's contents and cow's feces.

Table 1. Average and Contents Deviation Standard of Digestibility dry matter (%), crude fiber (%), crude protein (%) organic Matter (%), NDF (%), ADF (%), and Retention N rice straw which fermented with cellulolytic fungi isolate suspension

Digestibility (%)	Treatments			
	P0	P1	P2	P3
Dry Matter	48.71 ^a ±2.80	55.14 ^b ± 5.27	59.47 ^{bc} ± 2.57	61.16 ^c ± 3.55
Crude Fiber	54.84 ^a ± 4.01	58.95 ^{ab} ± 3.24	62.24 ^b ± 2.29	62.91 ^b ± 3.99
Crude Protein	54.26 ^a ± 4.28	58.78 ^{ab} ±3.55	59.15 ^{ab} ± 2.32	62.54 ^b ± 2.60
Organic Matter	60.81 ^a ± 1.83	72.01 ^b ± 2.99	72.88 ^b ± 2.48	76.94 ^c ± 3.39
NDF	59.33 ^a ± 2.57	64.59 ^b ± 4.99	70.68 ^c ± 1.95	72.44 ^c ± 3.24
ADF	55.44 ^a ± 3.56	62.82 ^b ± 4.72	67.80 ^{bc} ± 4.17	71.03 ^c ± 4.88
Retention N	2.65 ± 0.31	3.03 ± 0.59	3.20 ± 0.86	3.33 ± 0.95

Different superscript in the same column showed real difference (p<0.05)

According to Bisaria and Ghose (1981), cellulolytic bacteria produce, minimal, two units of enzyme cellulase that is enzyme endo- β -1,4 -glucanase that play a part in hydrolyzing cellulose fiber become a short chain, then continued by enzyme exo- β -1,4 -glucanase which break the short chain become a dissolved simple compound.

Acetobacter liquefaciens, *Khamir geotrichum* sp. bacteria suspension with bacteria mixture *Acetobacter liquefaciens* and *Khamir geotrichum* sp. gift treatment in rice straw can increase the digestibility of dry ingredient, but the digestibility of dry matter that is produced is still not achieve feed with high value of digestibility yet, which is according to Fluharty and Dehority (2002), if the digestibility of dry matter feed revolve 65-70% it can be categorized as feed with high value of digestibility.

Acetobacter liquefaciens, *Khamir geotrichum* sp. bacteria suspension with bacteria mixture *Acetobacter liquefaciens* and *Khamir geotrichum* sp. gift treatment in rice straw can increase the digestibility of protein digestibility. In the process of rice straw feed fermentation, also added with urea as Nitrogen source and molasses as energy source, so that the growth and activity of bacteria and khamir can be optimal, so that, it can cause the increasing of protein digestibility.

The mixture of *Acetobacter liquefaciens* and *Khamir geotrichum* sp. bacteria gift in rice straw gives the best result, followed with *Khamir geotrichum* sp. and *Acetobacter*

liquefaciens bacteria. According to Baldwin and Allison (1983), the fermentation of complex carbohydrate, such as cellulose, can be increased by the interaction of the existing microbe. The synergism between fungi with bacteria explainable that fungi in course of digestion physically can remove cell wall surface layer with lignin (for an example is in stick part or twig), which is finally can be penetrated by bacteria henceforth done cell wall degradation (Wang and McAllister, 2003).

The counting of N retention, show positive result, but, it is not differ real between the treatment, even if so, if seen from the average, it can be seen that the increasing of *Acetobacter liquefaciens* isolate bacteria suspension, *Khamir geotrichum* sp. also the mixture of *Acetobacter liquefaciens* and *Khamir geotrichum* sp. bacteria, the average of the N retention are inclination increase. According to Hartadi *et al.* (1991), feed with low protein causes the low consumption of Nitrogen, so that happen negative nitrogen retention, on the contrary, feed with high protein causes high consumption of Nitrogen, so that happen positive nitrogen balance.

CONCLUSION

Local sheep given feed of rice straw which fermented with the mixture of bacterium of cellulolytic *Acetobacter liquefaciens* and cellulolytic yeast of *Geotrichum* sp. gave the best result, followed successively conferral suspension of yeast of cellulolytic *Geotrichum* sp., and conferral

suspension of bacterium of cellulolytic *Acetobacter liquefaciens*.

REFERENCES

- Bedford, M.R. and Partridge, G.G., 2001. Enzymes In Farm Animal Nutrition. CABI Publishing, New York.
- Ensminger M.E., Old field J.E. and W.W. Heinemann, 1990. Feeds and Nutrition. The Ensminger Publishing Company.
- Fujita, Y., I.J. Ito, M. Ueda, H. Fukuda, and A.Kondo, 2004. Synergistic Saccharification, and Direct AFermentation to Ethanol, of Amorphous Cellulose by Use of an Engineered Yeast Strain Codisplaying Three Types of Cellulolytic Enzyme. J. Applied and Environmental Microbiology, Vol.70, no.2. pp. 1207-1212.
- Harris, L.E. 1970. Nutrition Research Techniques for Domestic and Wild Animal, Volume I, United State of America.
- Hartadi, H., S. Reksohadiprodjo ,dan A.D. Tillman, 1997. Tabel komposisi pakan untu Indonesia, cetakan ke 4. Gadjah Mada University Press, Yogyakarta.
- Holt, John G., Krieg Noel R., Sneath, Peter H.A., Staley, James T., Williams, Stanley T., 1994. Bergey`s Manual of determinative Bacteriology. Williams and Wilkins. 428 East Preston Street, Baltimore, USA.
- Liu, J.X. and E.R. Orskov, 2000. Cellulase treatment of Untreated and steam pre-treated rice straw-effect on invitro fermentation characteristics. Anim. Feed Sci. Technol. 88:189-200.
- McAllister, T.A., A.N. Hristov, K.A. Beauchemin, L.M. Rode and K.J. Cheng, 2001. Enzymes in Ruminant Diets. In : Enzymes in Farm Animal Nutrition (ed. M.R. Bedford and G.G. Partridge). CABI Publishing, CAB International, UK . pp.273-298.
- Mc. Donald, P,R.A. Edwards , and J.D.F. Greenhalgh, C.A. Morgán, 2002. Animal Nutrition. Sixth Edition. Pretice Hall. Gosport,London.
- Omed, H.M., D.K. Lovert, and R.F.E. Axford, 2000. Faeces as a source of microbial enzymes for estimating digestibility. I: Forage Evaluation In Ruminant Nutrition. C.A.B.I. Publishing New York.
- Piezza, M.D. Witkowska., R.Stemniewicz and A.Rywinska, 2005. Geotrichum Hydrolytic Activity in Miled Malt and barley Medium. Electronic Journal of Polish Agricultural universities. 8 : 55-57.
- Steel, R.G.D. and J.H. Torrie, 1995. Prinsip dan Prosedur Statistika, suatu pendekatan Biometrik. Terjemahan, PT. Gramedia Pustaka Utama, Jakarta.
- Tillman A.D, H. Hartadi, S. Reksohadiprodjo, S. Prawirokusumo, S. Lebdosukojo, 1991. Ilmu Makanan Ternak Dasar. Cetakan ke 6. Gadjah Mada University Press, Yogyakarta.
- Utomo, R., 2001. Penggunaan Jerami Padi sebagai Pakan Basal : Suplementasi sumber energi dan Protein Terhadap Transsit Partikel Pakan, Sintesis Protein Mikroba, Kecernaan, Dan Kinerja Sapi Potong, Disertasi, Universitas Gadjah Mada Yogyakarta,
- Wang, Y., and T.A. McAllister, 2004. Rumen microbes, enzymes and feed digestion. Agriculture and Agri-Food Canada Research Center, Lethbridge, Alberta, Canada. pp. 1-30.