

**DAFTAR ISI**

	<b>Halaman</b>
SAMPUL DALAM .....	i
LEMBAR PRASYARAT GELAR .....	ii
HALAMAN PENGESAHAN .....	iii
UCAPAN TERIMAKASIH .....	iv
ABSTRAK .....	vi
<i>ABSTRACT</i> .....	vii
LEMBAR PERNYATAAN ORISINALITAS .....	viii
DAFTAR ISI .....	ix
DAFTAR TABEL .....	xii
DAFTAR GAMBAR .....	xiii
DAFTAR LAMPIRAN .....	xv
DAFTAR SINGKATAN .....	xvi
<b>BAB I PENDAHULUAN</b>	
1.1 Latar Belakang .....	1
1.2 Rumusan Masalah .....	5
1.3 Tujuan Penelitian .....	5
1.3.1 Tujuan Umum .....	5
1.3.2 Tujuan Khusus .....	5
1.4 Manfaat Penelitian .....	6
<b>BAB II TINJAUAN PUSTAKA</b>	
2.1 Dopamin .....	7
2.2 Asam Urat .....	9
2.3 Elektroda Pasta Karbon .....	11
2.4 Polimelamin .....	12
2.5 Nanopartikel Emas .....	15
2.6 Modifikasi Elektroda Pasta Karbon (CPE/PM/AuNPs).....	16
2.7 Voltammetri .....	17
2.7.1 Voltammetri Siklis .....	18
2.7.2 Voltammetri Pulsa Differensial (DPV) .....	20
<b>BAB III KERANGKA KONSEPTUAL DAN HIPOTHESIS PENELITIAN</b>	
3.1 Kerangka Konseptual .....	21
3.2 Hipotesis Penelitian .....	23
<b>BAB IV METODE PENELITIAN</b>	
4.1 Tempat dan Waktu Penelitian .....	24
4.2 Alat dan Bahan .....	24

4.2.1	Alat penelitian .....	24
4.2.2	Bahan penelitian .....	24
4.3	Prosedur Penelitian .....	25
4.3.1	Diagram alir penelitian .....	25
4.3.2	Pembuatan elektroda pasta karbon .....	26
4.3.3	Pengaktifan elektroda pasta karbon .....	26
4.3.4	Pembentukan polimelamin pada elektroda (CPE/PM) .....	26
4.3.5	Pembentukan nanopartikel emas pada permukaan elektroda CPE/PM/AuNPs .....	26
4.3.6	Karakterisasi elektroda CPE/PM/AuNPs .....	27
4.3.7	Analisis DA secara voltametri siklis .....	27
4.3.8	Analisis UA secara voltametri siklis .....	27
4.3.9	Penentuan elektrooksidasi DA dengan <i>interference</i> UA .....	27
4.3.10	Penentuan elektrooksidasi UA dengan <i>interference</i> DA .....	27
4.3.11	Pembuatan kurva standar DA .....	28
4.3.12	Pembuatan kurva standar UA .....	28
4.3.13	Optimasi parameter analisis .....	28
4.3.14	Penentuan validitas metode .....	29
4.3.14.1	Linearitas .....	29
4.3.14.2	Sensitivitas .....	29
4.3.14.3	Batas deteksi .....	29
4.3.14.4	Presisi .....	30
4.3.14.5	Akurasi .....	30
4.3.15	Penentuan selektivitas .....	31
4.3.16	Analisis simultan DA dan UA pada sampel urin .....	31

## BAB V METODE PENELITIAN

5.1	Modifikasi elektroda CPE/PM/AuNPs .....	33
5.2	Karakterisasi morfologi elektroda CPE/PM/AuNPs .....	37
5.3	Sifat elektrokimia DA dan UA pada elektroda .....	39
5.4	Pengaruh pH pada analisis UA dan DA .....	40
5.5	Pengaruh laju pindai pada analisis UA dan DA .....	45
5.6	CPE/PM/AuNPs sebagai sensor simultan UA dan DA .....	47
5.7	Validitas metode .....	49
5.7.1	Linearitas dan rentang linear .....	52
5.7.2	Sensitivitas .....	53
5.7.3	Limit deteksi (LOD) .....	53
5.7.4	Akurasi .....	55
5.7.5	Presisi .....	55
5.7.6	Selektivitas .....	55

5.7.7 Analisis DA dan UA pada urin manusia .....	56
BAB VI METODE PENELITIAN	
6.1 Kesimpulan .....	58
6.2 Saran .....	59
DAFTAR PUSTAKA .....	61
LAMPIRAN .....	71

**DAFTAR PUSTAKA**

- Abdelwahab, A. A. dan Shim, Y., 2015, Simultaneous determination of ascorbic acid, dopamine, uric acid, and folic acid based on activated graphene/MWCNT nanocomposite loaded Au nanoclusters, *Sensor and Actuators*, 221: 659- 665.
- Agui, L., Manso, J., Sedenó, P., Pinggaron, J., 2004, Colloidal-gold cysteamie-modified carbon paste electrode as suitable electrode materials for the electrochemical determination of sulphur-containing compounds: Application to the determination of methionine, *Talanta*, 64: 1041-1047.
- Agui, L., Manso, J., Sedenó, P., Pinggaron, J., 2006, Amperometric biosensor for hypoxanthine based on immobilized xanthine oxidase on nanocrystal gold- carbon paste electrode, *Sensors and Actuators B: Chemical*, 113: 272-280.
- Agui, L., Manso, J., Sedenó, P., Pinggaron, J., 2007, *Electrochemical determination of homocysteine at a gold nanoparticle-modified electrode*, *Talanta*, 74: 412-420.
- Amidi, S., Ardakani, H., Aref, M., Ranjbari, E., Sepehri, Bagheri, H., 2017, Sensitive electrochemical determination of rifampicin using gold nanoparticles/ poly-melamine nanocomposite, *Royal Society of Chemistry*, 7: 40111-40118.
- Ardakani, M., Abolhasani, M., Mirjalili, B., Mohseni, M., Firouzabadi, A., Khoshroo, A., 2014, Electrocatalysis of dopamine in the presence of uric acid and folic acid on modified carbon nanotube paste electrode, *Chinese Journal of Catalysis*, 35: 201- 209.
- Arguello, J., Leidens, V. L., Magosso, H. A., Ramos, R, L., Gushikem, Y., 2008, Simultaneous voltammetric determination of ascorbic acid, dopamine and uric acid by methylene blue adsorbed on a phosphorylated zirconia-silica composite electrode, *Electrochimica Acta*, 54: 560-565.
- Ates, M., Sarac, A. S., Turhan, M, Ayaz, N., 2009, Polycarbazole modified carbon fiber microelectrode: surface characterization and dopamine sensor, *Fibers and Polymers*, 10: 46- 52.
- Atta, N.F., dan Kady, M.F., 2010, Novel poly(3methylthiophene)/ Pd,Pt nanoparticle sensor: Synthesis, characterization and its application to the simultaneous analysis of dopamine and ascorbic acid in biological fluids, *Sensors and Actuators B: Chemical*, 145: 299-310.

- Atta, N.F., Galal, A., Attia, M., Azab S.M., 2011, Simultaneous determination of paracetamol and neurotransmitters i biological fluids using a carbon paste sensor modified with gold nanoparticles, *Journal of Materials Chemistry*, 21: 13015-13024.
- Atta, N.F., Kady, M.F., Galal, A., 2010, Simultaneous determination of catecholamines, uric acid, and ascorbic acid at physiological levels using Poly (N-methylpyrrole)/ Pd-nanoclusters Sensor, *Analytical Biochemistry*, 400: 78-88.
- Bard, A. J., Faulkner, L. R., York, N., Brisbane, W., Toronto, S. E., 1994, Electrochemical Methods Fundamentals and Applications, *Electrochemistry*, 2<sup>nd</sup> ed., New York.
- Baroroh, L., Handayani, I. P., Rosi, M., 2017, Effects of Mn<sup>2+</sup> Insertion o the conductivity and capacitance of nanoporous carbon from coconut shell, *e-proceeding of engineering*, 4: 605- 611.
- Baskar, S., Liao, C., Chang, J., Zen, J., 2013, Electrochemical synthesis of electroactive poly(melamine) with mechanistic explanation and its applicability to functionalized carbon surface to prepare nanotube-nanoparticles hybrid, *Electrochimica Acta*, 88: 1-5.
- Becker, M. dan Jolly, M., 2006, Hyperuricemia and associated diseases, *Rheumatic disease clinics of north america*, 32: 275- 293.
- Benedeto, G., Fico, D., Pennetta, A., Mlitesta, C., Nicolardi, G., Lofrumento, D., Nuccio, F., Pesa, V., 2014, A rapid simple method for the determination of 3,4-dihydroxyphenylacetic acid, norepinephrine, dopamine, dan serotonin in mouse brain homogenate by HPLC with fluorimetric detection, *Journal of Pharmaceutical and Biomedical Analysis*, 98: 266- 270.
- Bialokoz, M., dan Borowski, P., 2015, Fluorescence quenching behaviour of uric acid interacting with water-soluble cationic porphyrin, *Journal of Luminescence*, 160: 110- 118.
- Cao, X., Shen, F., Zhang, M., Sun, C., 2014, Rapid and highly-sensitive melamine sensing based on the efficient inner filter effect of Ag nanoparticles on the fluorescence of eco-friendly ZnSe quantum dots, *Sensors and Actuators B: Chemical*, 202: 1175-1182.
- Carrera, V., Sabater, E., Vilanova, E., Sogorb, M., 2007, A simple and rapid HPLC- MS method for the simultaneous determination of epinephrine, norepinephrine, dopamine and 5-hydroxytryptamine: Application to the secretion of bovine chromaffin cell cultures, *Journal of Chromatography*, 847: 88 – 94.

- Chitravathi, S., Sway, B.E., Mamatha, G.P., Sherigara, B.S., 2012, Electrochemical behavior of poly (naphthol green-B)-film modified carbon paste electrode and its application for the determination of dopamine and uric acid, *Journal of Electroanalytical Chemistry*, 667: 66-75.
- Choi, H., Atkison, K., Karlson, E., Willet, W., Curhan, G., 2004, Purine-rich foods, dairy, and protein intake and the risk of gout in men, *The New England Journal of Medicine*, 350: 1093- 1103.
- Choi, H., Liu, S., Curhan, G., 2005, Intake of purine-rich foods, protein, and dairy products and relationship to serum levels of uric acid, *American College of Rheumatology*, 52: 283- 289.
- Choukairi, M., Bouchta, D., Elboughouti, H., De, J. L. H. H., Rodriguez, I. N., 2014, Electrochemical determination of dopamine in serum in presence of uric acid and ascorbic acid at a sonogel-carbon L-cysteine, *International Journal of Innovative Research in Science Engineering and Technology*, 3: 11159- 11166.
- Clinical Biochemistry, 2013, Dopamine (plasma, urine).
- Ding, C., Zhao, F., Ren, R., Lin, J.M., 2009, An electrochemical biosensor for  $\alpha$ -fetoprotein based on carbon paste electrode constructed of room temperature ionic liquid and gold nanoparticles, *Talanta*, 78: 1148-1154.
- Dubey, S., Lahtinen, M., Sillanpaa, M., 2010, Green synthesis and characterizations of silver and gold nanoparticles using leaf extract of *Rosa rugosa*, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 364: 34- 41.
- Ferin R., Pavao, M. L., Baptista, J., 2013, Rapid, sensitive and simultaneous determination of ascorbic acid in human plasma by ion-exclusion HPLC-UV, *Clinical Biochemistry* (Article in Press).
- Fifield, F., dan Haines, P.J. 2000. *Environmental Analytical Chemistry 2<sup>nd</sup> Edition*. Blackwell Science. London.
- Gainetdinov, R., Jones, S.R., Fumagali, F., Wightman, R.M., Caron, M.G., 1998, Re-evaluation of the role of the dopamine transporter in dopamine system homeostasis, *Brain Research Reviews*, 26: 148-153.
- Gonzalez-Garcia, M.B dan Costa-Garcia, A., 2000, Silver electrodeposition catalyzed by colloidal gold on carbon paste electrode: Application to Biotin-Streptavidin Interaction Monitoring, *Biosensors & Bioelectronics*, 15: 663-670.

- Goyal, R. N., dan Rosy, 2015, Gold nanoparticles detected poly-melamine modified glassy carbon sensor for the voltammetri estimation of domperidone in pharmaceuticals and biological fluids, *Talanta*, 14: 53-59.
- Guo, S. dan Wang, E., 2007, Synthesis and electrochemical application of gold nanoparticles, *Anal. Chim. Acta*, 598: 181-192.
- Gupta, P., dan Goyal, R., 2014, Polymelamine modified edge plane pyrolytic graphite sensor for the electrochemical assay of serotonin, *Talanta*, 120: 17-22.
- Hadzri, M., 2006, Stripping Voltammetric methods for the determination of aflatoxin compounds, *Wiley*, 14: 1031-1034.
- Harmita, 2004. Petunjuk Pelaksanaan Validasi I, 117-135.
- Harvey, D., 2000, Chemistry in: Modern Analytical Chemistry. 1<sup>st</sup> ed, *The McGraw- Hill Companies, Inc.*, North America
- He, S., Chen, Z., Yu., Shi, L., 2014. A novel non-enzymatic hydrogen peroxide sensor based on poly-melamine film modified with platinum nanoparticles, *RSC Adv*, 4: 45185- 45190.
- Hendayana, S., 1994, *Kimia Analitik Instrumen Edisi ke-1*, IKIP Semarang Press, Semarang
- Huang, J., Liu, Y., Hou, H., You, T., 2015, Simultaneous electrochemical determination of dopamine, uric acid, and ascorbic acid using palladium nanoparticle-loaded carbon nanofibers modified electrode, *Biosensors and Bioelectronics*, 24: 632-637.
- Ilgin, P., Ozay, O., Ozay, H., 2018, A novel hydrogel containing thioether group as selective support material for preparation of gold nanoparticles: Synthesis and catalytic applications, *Applied Catalysis B: Environmental*.
- Jain, P., Lee, K., El- Sayed, I., El- Sayed, M., 2006, Calculated absorption and scattering properties of gold nanoparticles of different size, shape, and composition: applications in biological imaging and biomedicine, *J. Phys. Chem*, 110: 7238- 7248.
- Kellner, R. J. M., Mermet, M. Otto, dan Widner, H. M., 1998, *Analytical Chemistry*, Weinhein: Willey-VHC.
- Kesavan, S., Ranjith, D., Kumar, Shim, J., 2016, Determination of tetracycline in the presence of major interference in human urine samples using polymelamine/ electrochemically reduced graphene oxide modified electrode, *Sensors and Actuators Chemical*, 241: 455-465.

- Kim, B., and Sigmund, W., 2004, Functionalized multiwall carbon nanotube/gold nanoparticle composites, *Langmuir*, 20: 8239- 8242.
- Kong, D., Zhuang, Q., Han, Y., Xu, L., Wang, Z., Jiang, L., Su, J., Lu, C., Chi, Y., 2018, Simultaneous voltammetry detection of dopamine and uric acid I human serum and urine with a poly (procatamol hydrochloride) modified gassy carbon electrode, *Talanta*, 185: 203- 212.
- Kulchat, S., Boonta, W., Todee, A., Sianglam, P., Ngeontae, W., 2018, A fluorescent sensor based on thioglycolic acid capped cadmium sulfide quantum dots for the determination of dopamine, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 196: 7- 15.
- Kumar, N., Kumar, H., Mann, B., Seth, R., 2016, Colorimetric determination of melamine in milk using unmodified silver nanoparticles, *Spectrochimica Acta Part A: Molecular and Biomelecular Spectroscopy*, 156: 89-97.
- Kutzing, M., dan Firestein, B. L., 2008, Altered uric acid levels and disease states, *Perspectives in Pharmacology*, 324: 1-7.
- Leng, Y., Xie, K., Ye, L., Lu, Z., he, J., 2015, Gold- nanoparticle-based colometric array for detection of dopamine in urie and serum, *Talanta.*, 139: 89-95.
- Li, H., Wang, X., Yu, Z., 2014, Electrochemical biosensor for sensitively simultaneous determination of dopamine, uric acid, guanine, and adenine based on poly-melamine and nano Ag hybridized film-modified electrode, *J Solid State Electrochem*, 18: 105-113
- Li, N.B., Ren W., Luo, H., 2014, Simultaneous voltammetric measurement of ascorbic acid and dopamine on poly(caffeic acid)- modified glassy carbon electrode, *Solid state electrochem*, 12: 693-699.
- Li, S.J., He, J.Z., Zhang, M.J., Zhang, R.X., Lv, X.L., Li, S.H., Pang, H., 2013, Electrochemical Detection of dopamine using water-soluble sulfonated graphene, *Electrochimica Acta*, 102: 58–65.
- Li, X. dan Franke, A. A., 2009, Fast HPLC-ECD analysis of ascorbic acid, dehydroascorbic acid and uric acid, *Journal of Chromatography.*, 877: 853-856.
- Liu, X., Luo, L., Ding, Y., Wu, Q., Wei, Y., Ye, D., 2012, A Highly Sensitive Method for Determination of guanine, adenine, and epinephrine using poly-melamine film modified glassy carbon electrode, *Journal of Electroanalytical Chemistry*, 675: 47-53.

- Luczak, T., 2009, Comparison of electrochemical oxidation of ephinephrine in the presence of interferin ascorbic and uric acids on gold electrodes modified with S-fuctionalized compounds and gold nanoparticles, *Electrochimica Acta*, 54: 5863-5870.
- Maiuolo, J., Oppedisano, F., Gratteri, S., Muscoli, C., Mollace, V., 2016, Regulation of uric acid metabolism and excretion, *International Journal of Cardiology*, 213: 8- 14.
- Mccreery, R. L., 2008. Advanced Carbon Electrode Materials for Molecular Electrochemistry, 2646-2687.
- Memoria, R., Abdullah, M., dan Khairurrijal, 2009, Sintesis nanopori karbon dari tempurung kelapa pada superkapasitor, *Jurnal Nanosains dan Nanoteknologi*, 141: 26-28.
- Miller, J. N., dan Miller, J. C., 2010, Statistics and chemometrics for analytical chemistry. Pearson Education Limited.
- Mu, S., dan Kan, J., 1996, Evidence for the autocatalytic polymerization of aniline, *Electrochim. Acta*, 41: 1491- 1497.
- Nagaralli, B.S., Seetharamappa, J., Melwanki, M.B., 2002, Sensitive spectrophotometric methods for the determination of amoxicillin, ciprofloxacin and piroxicam in pure and pharmaceutical formulations, *Journal of Pharmaceutical and Biomedical Analysis*, 29: 859-864.
- Nagaralli, B.S., Seetharamappa, J., Melwanki, M.B., 2002, Spectrophotometric investigation of the assay of physiologically active catecholamines in pharmaceutical formulations, *Joutnal of AOAC International*, 85: 1288-1292.
- Nikolelis, D.P., Drivelos, D.A., Simantiraki, M.G., Koinis, S., 2004, An optical spot test for the detection of dopamine in human urine using stabilized in air lipid films, *Material Science and Engineriing*, 57: 378-386.
- Niu, X., Chen, C., Zhao, H., Chai, Y., Lan, M., 2012, Novel snowflake-like Pt-Pd bimetallic clusters on screen-printed gold nanofilm electrode for H<sub>2</sub>O<sub>2</sub> and glucose sensing, *Biosensors and Bioelectronics*, 36: 262-266.
- Omana, B., Pardave, M., Hernandez, A., Avendano, S., Romo, M., Silva, M., 2015, Spectrophotometric quantification of the thermodynamic constants of the complexes formed by dopamine and Cu(II) in aqueous media, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 143: 187- 191.
- Palanisamy, S., Ramaraj, S. K., Chen, S. M., Chiu, T. W., Velusamy, V., Yang, T. C. K., Chen, T. W., Selvam, S., 2017, One pot electrochemical synthesis

of poly(melamine) entrapped gold nanoparticles composite for sensitive and low level detection of cathecol, *J. Colloid InterfaceSci*, 496: 364-370.

Pasalic, D., Marinkovic, N., Turkovic, L., 2012, Uric acid as one of the important factors in multifactorial disorders- facts and controversles, *Biochemia Medicaa*, 22: 63-75.

Piermarini, S., Migrioreli, D., Volpe, G., Massoud, R., Pierantozzi, A., Cortese, C., Palleschi, G., 2013, Uricase biosensor based on a screen-printed electrode modified with prussian blue for detection of uric acid in human blood serum, *Sensors and Actuators B.*, 179: 170- 174.

Ping, Q., Yong-nian, N., Serge, K., 2007, Determination ofpesticide ethiom by linear sweep stripping voltammetry, *Chem. Res. Chinese U*, 23: 14-17.

Radenovic, A., Trepagnier, E., Csencsits, R., Downing, K., Liphardt, J., 2008, Fabrication of 10 nm diameter hydrocarbon nanopores, *Journal of Applied Physics*, 93: 183101.

Rana, L., Gupta, R., Tomar, M., Gupta, V., 2018, Highly sensitive love wave acoustic biosensor for uric acid, *Sensors and actuators*, 261: 169- 177.

Raof, J. B., Ojani, R., Rashid- Nadhimi, 2005, Voltammetric determination of ascorbic acid and dopamine in the same sample at the surface of a carbon paste electrode modified with polypyrrole/ ferrocyanide films, *Electrochim Acta*, 50: 4694- 4698.

Reddy, V.M., Rao, P., Reddy V.B., Lavanya M., Venu, M., Madhavi, G., Determination of dopamine in presence of ascorbic acid and uric acid using poly (Spands reagent) modified carbon paste electrode, *Material Science and Engineriing.*, 57: 378-386.

Rosy, dan Goyal, R., 2015, Gold Nanoparticles Decorated poly-melamine modified glassy carbon sensor for the voltammetric estimation of domperidone in pharmaceuticals and biological fluids, *Talanta*, 141: 53-59.

Sabzi, R.E., Rezapour, K., Samadi, N., 2010, Polyaniline-multi-wall-carbon nanotube nanocomposite as a dopamine sensor, *Journal of the Serbian Chemical Society*, 75: 537-549.

Sarikaya, A., Osman, B., Cam, T., Denizli, A., 2017, Molecularly imprinted surface plasmon resonance (SPR) sensor for uric acid determination, *Sensors and Actuators*, 251: 763- 772.

Scholz, F. 2010. *Electroanalytical Methods Guide to Experiments and Applications 2<sup>nd</sup> edition*. Springer. London.

- Senthilkumar, K., dan Zen, J., 2014, Free Chlorine detection based on EC' mechanism at an electroactive polymelamine-modified electrode, *Electrochemistry Communications*, 46: 87-90.
- Shahrokhian, S., Mahdavi, A., Ghalkhani, M., Saberi, R., 2012, Gold electrode modified with self-assembled monolayer of cysteamine functionalized MWCNT and its application in simultaneous determination of dopamine and uric acid, *Electroanalysis*, 24: 425- 432.
- Silva, T.R., dan Viera, L.C., 2016, Biosensor based on gold nanoparticles stabilized in poly (allylamine hydrochloride) and decorated with laccase for determination of dopamine, *Analytst*, 141: 216-224.
- Skoog, D.G., Holler, F.J., Crouch S.T., 1996, *Principles of Instrumental Analysis*, Thomson Brooks/ Cole, Canada.
- Snyder, C. R., dan Taylor, J. D., 2000, *Handbook of HPLC: Theory, measures, and applications*, San Diego.
- Song, H, Wang, Y., Wang, X., Xu, Li., Xiang, J., Sun, W., 2012, Electrochemical detection of hydroquinone with a gold nanoparticle and graphene modified carbon ionic liquid electrode, *Sensors and Actuators B*, 168: 27-33.
- Sroysee, W., Chairam, S., Amatongchai, M., Jarujamrus, P., Tamuang, S., Pimmongkol, S., Chaicharoenwimolkul, L., Somsook, E., 2015, Poly (m-ferrocenylaniline) modified carbon nanotubes-paste electrode encapsulated in nafion film for selective and sensitive determination of fopamine and uric acid in the presence of ascorbic acid, *Journal of Saudi Chemicaal Society*, 22: 173-182.
- Stolerman, Ian P., 2010, *Encyclopedia of psychopharmacology*, Springer, London.
- Su, Y., dan Cheng, S., 2015, Sensitive and selective determination of gallic acid in green tea samples based on an electrochemical platform of poly(melamine) film.
- Suzuki, Y., 2017, Design and synthesis of fluorescent reagents for selective detection of dopamine, *Sensors and Actuators*, 239: 383- 389.
- Tabrizi, A., Ayhan, F., Ayhan, H., 2009, Gold Nanoparticle synthesis and characterisation, *Hacettepe Journal of Biology and Chemistry*, 37: 217-226.
- Tadayon, F. Vahed, S., Bagheri, H., 2016, Au-Pd/ reduced graphene oxide composite as a new sensing layer for electrochemical determination of

- ascorbic acid, acetaminophen and tyrosine, *Materials Science and Engineering*, 68: 805-813.
- Tang, D., Ruo, Y., Chai, Y., 2006, Electrochemical immuno-bioanalysis for carcinoma antigen 125 based on thionine and gold nanoparticles-modified carbon paste interface, *Analytica Chimica Acta*, 564: 158-165.
- Trojanowicz, M., 2014, Application of gold nanoparticles in electroanalysis, *Gold nanoparticles in Analytical Chemistry*, 429- 476.
- Ulubay, S., dan Dursun, Z., 2010, Cu nanoparticles incorporated polypyrrole modified GCE for sensitive simultaneous determination of dopamine and uric acid, *Talanta*, 80: 1461- 1466.
- Vogel, A. I., 1994, *Kimia Analisis Kuantitatif Anorganik*, Jakarta, Penerbit Buku Kedokteran EGC.
- Wang, C., Li, J., Shi, K., Wang, Q., Zou, X., Wang, Y., 2016, Graphene coated by polydopamine/multi-walled carbon nanotubes modified electrode for highly selective detection of dopamine and uric acid in the presence of ascorbic acid, *Journal of Electroanalytical Chemistry*, 770: 56-61.
- Wang, J, 1994, *Analytical Electrochemistry*, VCH Publisher, New York.
- Wang, J, 2006, *Analytical Electrochemistry*, Wiley-VCH Publisher Inc, New York.
- Wempe, M., Jutabha, P., Quade, B., Iwen T., Frick, M., Ross, I., Rice, P., Anzai, N., Endou, H., Developing potent human uric acid transporter 1 (hURAT1) inhibitors, *Journal of Medicinal Chemistry*, 54: 2701-2713.
- Widyaningrum, B. A., 2018, modifikasi elektroda pasta karbon dengan polimelamin/ nanopartikel emas secara voltametri sebagai sensor voltametri dopamin, *Tesis*, Fakultas Sains dan Teknologi Universitas Airlangga, Surabaya.
- Wiench, P., Gonzales, Z., Menendez, R., Gryzb, B., 2018, Beneficial impact of oxygen on the electrochemical performance of dopamine sensors based on N-doped reduced graphene oxides, *Sensors and Actuators*, 257: 143-153.
- Xu, C., Chen, W., Liu, S., Pi, Z., Song, F., Liu, Z., 2015, Study on the treatment effect of polygonum cuspidatum for hyperuricemia in rats using the UPLC-ESI-QTOF/MS metabolomics approach, *RSC Adv*, 7: 6777- 6784.
- Xu, T., Zhang, Q., Zheng, J., Lv, Z., wei, J., Wang, A., Feng, J., 2014, Simultaneous determination of dopamine and uric acid in the presence of

ascorbic acid using Pt nanoparticles supported on reduced graphene oxide, *Electrochimica Acta*, 115: 109-115.

- Xu, X., Lin, Q., Liu, A., Chen, W., Weng, X., Wang, C., Lin, X., 2010, Simultaneous voltammetric determination of ascorbic acid using polybromothymol blue film-modified glassy carbon electrode, *Chem. Pharm.*, 58: 788-793.
- Zen, J., dan Chen, P., 1998, A selective voltammetric method for uric acid and dopamine detection using clay-modified electrodes, *Anal. Chem.*, 69: 5067-5093.
- Zhang, B., Huang, D., Xu, X., Alemu, G., Zhang, Y., Zhan, F., Shen, Y., Wang, M., 2013, Simultaneous electrochemical determination of ascorbic acid, dopamine, and uric acid with helical carbon nanotubes, *Electrochimica Acta*, 91: 261- 266.
- Zhang, K., Chen, X., Li, Z., Wang, Y., Sun, S., Wang, L., Guo, T., Zhang, D., Xue, Z., Zhou, X., Lu, X., 2018, Au-Pt bimetallic nanoparticles decorated on sulfonated nitrogen sulfur co-doped graphene for simultaneous determination of dopamine and uric acid, *Talanta*, 178: 315- 323.
- Zhang, L., Zhang, C., Lian, J., 2007, Electrochemical synthesis of polyaniline nano-networks on p-aminobenzene sulfonic acid functionalized glassy carbon electrode its use for the simultaneous determination of ascorbic acid and uric acid, *Biosensors and Bioelectronics*, 24: 690-695.
- Zhao, H. Z., Mu, H., Bai, Y. H., Yu, H., Hu, Y., 2011, A rapid method for the determination of dopamine in porcine muscle by pre-column derivatization and HPLC with fluorescence detection, *Journal of Pharmaceutical Analysis*, 3: 208-212.
- Zhao, H., Zhang, Y., Yuan, Z., 2002, Determination of dopamine in the presence of ascorbic acid using Poly(hippuric acid) modified glassy carbon electrode, *Wiley*, 14: 1031-1034.
- Zheng, X., Zhou, X., Ji, X., Lin, R., 2013, Simultaneous determination of ascorbic acid, dopamine and uric acid using Poly(4-aminobutyric acid) modified glassy carbon electrode, *Sensors and Actuators B: Chemical*, 178: 359-365.
- Zhou, Y., Tang, W., Wang, J., Zhang G., Chai, S., Zhang, L., Liu, T., 2014, Selective determination of dopamine and uric acid using electrochemical sensor based on Poly(alizarin yellow R) film modified electrode, *Anal. Methods.*, 6: 3474