

DAFTAR PUSTAKA

- Abdelwahab, A. A. dan Shim, Y., 2015, Simultaneous determination of ascorbic acid, dopamine, uric acid, and folic acid based on activated graphene/MWCNT nanocomposite loaded Au nanoclusters, *Sensor and Actuators*, 221: 659- 665.
- Agui, L., Manso, J., Sedenó, P., Pinggaron, J., 2004, Colloidal-gold cysteamie-modified carbon paste electrode as suitable electrode materials for the electrochemical determination of sulphur-containing compounds: Application to the determination of methionine, *Talanta*, 64: 1041-1047.
- Agui, L., Manso, J., Sedenó, P., Pinggaron, J., 2006, Amperometric biosensor for hypoxanthine based on immobilized xanthine oxidase on nanocrystal gold- carbon paste electrode, *Sensors and Actuators B: Chemical*, 113: 272-280.
- Agui, L., Manso, J., Sedenó, P., Pinggaron, J., 2007, *Electrochemical determination of homocysteine at a gold nanoparticle-modified electrode*, *Talanta*, 74: 412-420.
- Amidi, S., Ardakani, H., Aref, M., Ranjbari, E., Sepehri, Bagheri, H., 2017, Sensitive electrochemical determination of rifampicin using gold nanoparticles/ poly-melamine nanocomposite, *Royal Society of Chemistry*, 7: 40111-40118.
- Ardakani, M., Abolhasani, M., Mirjalili, B., Mohseni, M., Firouzabadi, A., Khoshroo, A., 2014, Electrocatalysis of dopamine in the presence of uric acid and folic acid on modified carbon nanotube paste electrode, *Chinese Journal of Catalysis*, 35: 201- 209.
- Arguello, J., Leidens, V. L., Magosso, H. A., Ramos, R, L., Gushikem, Y., 2008, Simultaneous voltammetric determination of ascorbic acid, dopamine and uric acid by methylene blue adsorbed on a phosphorylated zirconia-silica composite electrode, *Electrochimica Acta*, 54: 560-565.
- Ates, M., Sarac, A. S., Turhan, M, Ayaz, N., 2009, Polycarbazole modified carbon fiber microelectrode: surface characterization and dopamine sensor, *Fibers and Polymers*, 10: 46- 52.
- Atta, N.F., dan Kady, M.F., 2010, Novel poly(3methylthiophene)/ Pd,Pt nanoparticle sensor: Synthesis, characterization and its application to the simultaneous analysis of dopamine and ascorbic acid in biological fluids, *Sensors and Actuators B: Chemical*, 145: 299-310.

- Atta, N.F., Galal, A., Attia, M., Azab S.M., 2011, Simultaneous determination of paracetamol and neurotransmitters i biological fluids using a carbon paste sensor modified with gold nanoparticles, *Journal of Materials Chemistry*, 21: 13015-13024.
- Atta, N.F., Kady, M.F., Galal, A., 2010, Simultaneous determination of catecholamines, uric acid, and ascorbic acid at physiological levels using Poly (N-methylpyrrole)/ Pd-nanoclusters Sensor, *Analytical Biochemistry*, 400: 78-88.
- Bard, A. J., Faulkner, L. R., York, N., Brisbane, W., Toronto, S. E., 1994, Electrochemical Methods Fundamentals and Applications, *Electrochemistry*, 2nd ed., New York.
- Baroroh, L., Handayani, I. P., Rosi, M., 2017, Effects of Mn²⁺ Insertion o the conductivity and capacitance of nanoporous carbon from coconut shell, *e-proceeding of engineering*, 4: 605- 611.
- Baskar, S., Liao, C., Chang, J., Zen, J., 2013, Electrochemical synthesis of electroactive poly(melamine) with mechanistic explanation and its applicability to functionalized carbon surface to prepare nanotube-nanoparticles hybrid, *Electrochimica Acta*, 88: 1-5.
- Becker, M. dan Jolly, M., 2006, Hyperuricemia and associated diseases, *Rheumatic disease clinics of north america*, 32: 275- 293.
- Benedeto, G., Fico, D., Pennetta, A., Mlitesta, C., Nicolardi, G., Lofrumento, D., Nuccio, F., Pesa, V., 2014, A rapid simple method for the determination of 3,4-dihydroxyphenylacetic acid, norepinephrine, dopamine, dan serotonin in mouse brain homogenate by HPLC with fluorimetric detection, *Journal of Pharmaceutical and Biomedical Analysis*, 98: 266- 270.
- Bialokoz, M., dan Borowski, P., 2015, Fluorescence quenching behaviour of uric acid interacting with water-soluble cationic porphyrin, *Journal of Luminescence*, 160: 110- 118.
- Cao, X., Shen, F., Zhang, M., Sun, C., 2014, Rapid and highly-sensitive melamine sensing based on the efficient inner filter effect of Ag nanoparticles on the fluorescence of eco-friendly ZnSe quantum dots, *Sensors and Actuators B: Chemical*, 202: 1175-1182.
- Carrera, V., Sabater, E., Vilanova, E., Sogorb, M., 2007, A simple and rapid HPLC- MS method for the simultaneous determination of epinephrine, norepinephrine, dopamine and 5-hydroxytryptamine: Application to the secretion of bovine chromaffin cell cultures, *Journal of Chromatography*, 847: 88 – 94.

- Chitravathi, S., Sway, B.E., Mamatha, G.P., Sherigara, B.S., 2012, Electrochemical behavior of poly (naphthol green-B)-film modified carbon paste electrode and its application for the determination of dopamine and uric acid, *Journal of Electroanalytical Chemistry*, 667: 66-75.
- Choi, H., Atkison, K., Karlson, E., Willet, W., Curhan, G., 2004, Purine-rich foods, dairy, and protein intake and the risk of gout in men, *The New England Journal of Medicine*, 350: 1093- 1103.
- Choi, H., Liu, S., Curhan, G., 2005, Intake of purine-rich foods, protein, and dairy products and relationship to serum levels of uric acid, *American College of Rheumatology*, 52: 283- 289.
- Choukairi, M., Bouchta, D., Elboughouti, H., De, J. L. H. H., Rodriguez, I. N., 2014, Electrochemical determination of dopamine in serum in presence of uric acid and ascorbic acid at a sonogel-carbon L-cysteine, *International Journal of Innovative Research in Science Engineering and Technology*, 3: 11159- 11166.
- Clinical Biochemistry, 2013, Dopamine (plasma, urine).
- Ding, C., Zhao, F., Ren, R., Lin, J.M., 2009, An electrochemical biosensor for α -fetoprotein based on carbon paste electrode constructed of room temperature ionic liquid and gold nanoparticles, *Talanta*, 78: 1148-1154.
- Dubey, S., Lahtinen, M., Sillanpaa, M., 2010, Green synthesis and characterizations of silver and gold nanoparticles using leaf extract of *Rosa rugosa*, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 364: 34- 41.
- Ferin R., Pavao, M. L., Baptista, J., 2013, Rapid, sensitive and simultaneous determination of ascorbic acid in human plasma by ion-exclusion HPLC-UV, *Clinical Biochemistry* (Article in Press).
- Fifield, F., dan Haines, P.J. 2000. *Environmental Analytical Chemistry 2nd Edition*. Blackwell Science. London.
- Gainetdinov, R., Jones, S.R., Fumagali, F., Wightman, R.M., Caron, M.G., 1998, Re-evaluation of the role of the dopamine transporter in dopamine system homeostasis, *Brain Research Reviews*, 26: 148-153.
- Gonzalez-Garcia, M.B dan Costa-Garcia, A., 2000, Silver electrodeposition catalyzed by colloidal gold on carbon paste electrode: Application to Biotin-Streptavidin Interaction Monitoring, *Biosensors & Bioelectronics*, 15: 663-670.

- Goyal, R. N., dan Rosy, 2015, Gold nanoparticles detected poly-melamine modified glassy carbon sensor for the voltammetri estimation of domperidone in pharmaceuticals and biological fluids, *Talanta*, 14: 53-59.
- Guo, S. dan Wang, E., 2007, Synthesis and electrochemical application of gold nanoparticles, *Anal. Chim. Acta*, 598: 181-192.
- Gupta, P., dan Goyal, R., 2014, Polymelamine modified edge plane pyrolytic graphite sensor for the electrochemical assay of serotonin, *Talanta*, 120: 17-22.
- Hadzri, M., 2006, Stripping Voltammetric methods for the determination of aflatoxin compounds, *Wiley*, 14: 1031-1034.
- Harmita, 2004. Petunjuk Pelaksanaan Validasi I, 117-135.
- Harvey, D., 2000, Chemistry in: Modern Analytical Chemistry. 1st ed, *The McGraw- Hill Companies, Inc.*, North America
- He, S., Chen, Z., Yu., Shi, L., 2014. A novel non-enzymatic hydrogen peroxide sensor based on poly-melamine film modified with platinum nanoparticles, *RSC Adv*, 4: 45185- 45190.
- Hendayana, S., 1994, *Kimia Analitik Instrumen Edisi ke-1*, IKIP Semarang Press, Semarang
- Huang, J., Liu, Y., Hou, H., You, T., 2015, Simultaneous electrochemical determination of dopamine, uric acid, and ascorbic acid using palladium nanoparticle-loaded carbon nanofibers modified electrode, *Biosensors and Bioelectronics*, 24: 632-637.
- Ilgin, P., Ozay, O., Ozay, H., 2018, A novel hydrogel containing thioether group as selective support material for preparation of gold nanoparticles: Synthesis and catalytic applications, *Applied Catalysis B: Environmental*.
- Jain, P., Lee, K., El- Sayed, I., El- Sayed, M., 2006, Calculated absorption and scattering properties of gold nanoparticles of different size, shape, and composition: applications in biological imaging and biomedicine, *J. Phys. Chem*, 110: 7238- 7248.
- Kellner, R. J. M., Mermet, M. Otto, dan Widner, H. M., 1998, *Analytical Chemistry*, Weinheim: Willey-VHC.
- Kesavan, S., Ranjith, D., Kumar, Shim, J., 2016, Determination of tetracycline in the presence of major interference in human urine samples using polymelamine/ electrochemically reduced graphene oxide modified electrode, *Sensors and Actuators Chemical*, 241: 455-465.

- Kim, B., and Sigmund, W., 2004, Functionalized multiwall carbon nanotube/gold nanoparticle composites, *Langmuir*, 20: 8239- 8242.
- Kong, D., Zhuang, Q., Han, Y., Xu, L., Wang, Z., Jiang, L., Su, J., Lu, C., Chi, Y., 2018, Simultaneous voltammetry detection of dopamine and uric acid I human serum and urine with a poly (procatamol hydrochloride) modified gassy carbon electrode, *Talanta*, 185: 203- 212.
- Kulchat, S., Boonta, W., Todee, A., Sianglam, P., Ngeontae, W., 2018, A fluorescent sensor based on thioglycolic acid capped cadmium sulfide quantum dots for the determination of dopamine, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 196: 7- 15.
- Kumar, N., Kumar, H., Mann, B., Seth, R., 2016, Colorimetric determination of melamine in milk using unmodified silver nanoparticles, *Spectrochimica Acta Part A: Molecular and Biomelecular Spectroscopy*, 156: 89-97.
- Kutzing, M., dan Firestein, B. L., 2008, Altered uric acid levels and disease states, *Perspectives in Pharmacology*, 324: 1-7.
- Leng, Y., Xie, K., Ye, L., Lu, Z., he, J., 2015, Gold- nanoparticle-based colometric array for detection of dopamine in urie and serum, *Talanta.*, 139: 89-95.
- Li, H., Wang, X., Yu, Z., 2014, Electrochemical biosensor for sensitively simultaneous determination of dopamine, uric acid, guanine, and adenine based on poly-melamine and nano Ag hybridized film-modified electrode, *J Solid State Electrochem*, 18: 105-113
- Li, N.B., Ren W., Luo, H., 2014, Simultaneous voltammetric measurement of ascorbic acid and dopamine on poly(caffeic acid)- modified glassy carbon electrode, *Solid state electrochem*, 12: 693-699.
- Li, S.J., He, J.Z., Zhang, M.J., Zhang, R.X., Lv, X.L., Li, S.H., Pang, H., 2013, Electrochemical Detection of dopamine using water-soluble sulfonated graphene, *Electrochimica Acta*, 102: 58–65.
- Li, X. dan Franke, A. A., 2009, Fast HPLC-ECD analysis of ascorbic acid, dehydroascorbic acid and uric acid, *Journal of Chromatography.*, 877: 853-856.
- Liu, X., Luo, L., Ding, Y., Wu, Q., Wei, Y., Ye, D., 2012, A Highly Sensitive Method for Determination of guanine, adenine, and epinephrine using poly-melamine film modified glassy carbon electrode, *Journal of Electroanalytical Chemistry*, 675: 47-53.

- Luczak, T., 2009, Comparison of electrochemical oxidation of ephinephrine in the presence of interferin ascorbic and uric acids on gold electrodes modified with S-fuctionalized compounds and gold nanoparticles, *Electrochimica Acta*, 54: 5863-5870.
- Maiuolo, J., Oppedisano, F., Gratteri, S., Muscoli, C., Mollace, V., 2016, Regulation of uric acid metabolism and excretion, *International Journal of Cardiology*, 213: 8- 14.
- Mccreery, R. L., 2008. Advanced Carbon Electrode Materials for Molecular Electrochemistry, 2646-2687.
- Memoria, R., Abdullah, M., dan Khairurrijal, 2009, Sintesis nanopori karbon dari tempurung kelapa pada superkapasitor, *Jurnal Nanosains dan Nanoteknologi*, 141: 26-28.
- Miller, J. N., dan Miller, J. C., 2010, Statistics and chemometrics for analytical chemistry. Pearson Education Limited.
- Mu, S., dan Kan, J., 1996, Evidence for the autocatalytic polymerization of aniline, *Electrochim. Acta*, 41: 1491- 1497.
- Nagaralli, B.S., Seetharamappa, J., Melwanki, M.B., 2002, Sensitive spectrophotometric methods for the determination of amoxycillin, ciprofloxacin and piroxicam in pure and pharmaceutical formulations, *Journal of Pharmaceutical and Biomedical Analysis*, 29: 859-864.
- Nagaralli, B.S., Seetharamappa, J., Melwanki, M.B., 2002, Spectrophotometric investigation of the assay of physiologically active catecholamines in pharmaceutical formulations, *Joutnal of AOAC International*, 85: 1288-1292.
- Nikolelis, D.P., Drivelos, D.A., Simantiraki, M.G., Koinis, S., 2004, An optical spot test for the detection of dopamine in human urine using stabilized in air lipid films, *Material Science and Engineriing*, 57: 378-386.
- Niu, X., Chen, C., Zhao, H., Chai, Y., Lan, M., 2012, Novel snowflake-like Pt-Pd bimetallic clusters on screen-printed gold nanofilm electrode for H₂O₂ and glucose sensing, *Biosensors and Bioelectronics*, 36: 262-266.
- Omana, B., Pardave, M., Hernandez, A., Avendano, S., Romo, M., Silva, M., 2015, Spectrophotometric quantification of the thermodynamic constants of the complexes formed by dopamine and Cu(II) in aqueous media, *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 143: 187- 191.
- Palanisamy, S., Ramaraj, S. K., Chen, S. M., Chiu, T. W., Velusamy, V., Yang, T. C. K., Chen, T. W., Selvam, S., 2017, One pot electrochemical synthesis

of poly(melamine) entrapped gold nanoparticles composite for sensitive and low level detection of cathecol, *J. Colloid InterfaceSci*, 496: 364-370.

Pasalic, D., Marinkovic, N., Turkovic, L., 2012, Uric acid as one of the important factors in multifactorial disorders- facts and controversles, *Biochemia Medicaa*, 22: 63-75.

Piermarini, S., Migrioreli, D., Volpe, G., Massoud, R., Pierantozzi, A., Cortese, C., Palleschi, G., 2013, Uricase biosensor based on a screen-printed electrode modified with prussian blue for detection of uric acid in human blood serum, *Sensors and Actuators B.*, 179: 170- 174.

Ping, Q., Yong-nian, N., Serge, K., 2007, Determination ofpesticide ethiom by linear sweep stripping voltammetry, *Chem. Res. Chinese U*, 23: 14-17.

Radenovic, A., Trepagnier, E., Csencsits, R., Downing, K., Liphardt, J., 2008, Fabrication of 10 nm diameter hydrocarbon nanopores, *Journal of Applied Physics*, 93: 183101.

Rana, L., Gupta, R., Tomar, M., Gupta, V., 2018, Highly sensitive love wave acoustic biosensor for uric acid, *Sensors and actuators*, 261: 169- 177.

Raof, J. B., Ojani, R., Rashid- Nadhimi, 2005, Voltammetric determination of ascorbic acid and dopamine in the same sample at the surface of a carbon paste electrode modified with polypyrrole/ ferrocyanide films, *Electrochim Acta*, 50: 4694- 4698.

Reddy, V.M., Rao, P., Reddy V.B., Lavanya M., Venu, M., Madhavi, G., Determination of dopamine in presence of ascorbic acid and uric acid using poly (Spands reagent) modified carbon paste electrode, *Material Science and Engineriing.*, 57: 378-386.

Rosy, dan Goyal, R., 2015, Gold Nanoparticles Decorated poly-melamine modified glassy carbon sensor for the voltammetric estimation of domperidone in pharmaceuticals and biological fluids, *Talanta*, 141: 53-59.

Sabzi, R.E., Rezapour, K., Samadi, N., 2010, Polyaniline-multi-wall-carbon nanotube nanocomposite as a dopamine sensor, *Journal of the Serbian Chemical Society*, 75: 537-549.

Sarikaya, A., Osman, B., Cam, T., Denizli, A., 2017, Molecularly imprinted surface plasmon resonance (SPR) sensor for uric acid determination, *Sensors and Actuators*, 251: 763- 772.

Scholz, F. 2010. *Electroanalytical Methods Guide to Experiments and Applications 2nd edition*. Springer. London.

- Senthilkumar, K., dan Zen, J., 2014, Free Chlorine detection based on EC' mechanism at an electroactive polymelamine-modified electrode, *Electrochemistry Communications*, 46: 87-90.
- Shahrokhian, S., Mahdavi, A., Ghalkhani, M., Saberi, R., 2012, Gold electrode modified with self-assembled monolayer of cysteamine functionalized MWCNT and its application in simultaneous determination of dopamine and uric acid, *Electroanalysis*, 24: 425- 432.
- Silva, T.R., dan Viera, L.C., 2016, Biosensor based on gold nanoparticles stabilized in poly (allylamine hydrochloride) and decorated with laccase for determination of dopamine, *Analytst*, 141: 216-224.
- Skoog, D.G., Holler, F.J., Crouch S.T., 1996, *Principles of Instrumental Analysis*, Thomson Brooks/ Cole, Canada.
- Snyder, C. R., dan Taylor, J. D., 2000, *Handbook of HPLC: Theory, measures, and applications*, San Diego.
- Song, H, Wang, Y., Wang, X., Xu, Li., Xiang, J., Sun, W., 2012, Electrochemical detection of hydroquinone with a gold nanoparticle and graphene modified carbon ionic liquid electrode, *Sensors and Actuators B*, 168: 27-33.
- Sroysee, W., Chairam, S., Amatongchai, M., Jarujamrus, P., Tamuang, S., Pimmongkol, S., Chaicharoenwimolkul, L., Somsook, E., 2015, Poly (m-ferrocenylaniline) modified carbon nanotubes-paste electrode encapsulated in nafion film for selective and sensitive determination of fopamine and uric acid in the presence of ascorbic acid, *Journal of Saudi Chemicaal Society*, 22: 173-182.
- Stolerman, Ian P., 2010, *Encyclopedia of psychopharmacology*, Springer, London.
- Su, Y., dan Cheng, S., 2015, Sensitive and selective determination of gallic acid in green tea samples based on an electrochemical platform of poly(melamine) film.
- Suzuki, Y., 2017, Design and synthesis of fluorescent reagents for selective detection of dopamine, *Sensors and Actuators*, 239: 383- 389.
- Tabrizi, A., Ayhan, F., Ayhan, H., 2009, Gold Nanoparticle synthesis and characterisation, *Hacettepe Journal of Biology and Chemistry*, 37: 217-226.
- Tadayon, F. Vahed, S., Bagheri, H., 2016, Au-Pd/ reduced graphene oxide composite as a new sensing layer for electrochemical determination of

- ascorbic acid, acetaminophen and tyrosine, *Materials Science and Engineering*, 68: 805-813.
- Tang, D., Ruo, Y., Chai, Y., 2006, Electrochemical immuno-bioanalysis for carcinoma antigen 125 based on thionine and gold nanoparticles-modified carbon paste interface, *Analytica Chimica Acta*, 564: 158-165.
- Trojanowicz, M., 2014, Application of gold nanoparticles in electroanalysis, *Gold nanoparticles in Analytical Chemistry*, 429- 476.
- Ulubay, S., dan Dursun, Z., 2010, Cu nanoparticles incorporated polypyrrole modified GCE for sensitive simultaneous determination of dopamine and uric acid, *Talanta*, 80: 1461- 1466.
- Vogel, A. I., 1994, *Kimia Analisis Kuantitatif Anorganik*, Jakarta, Penerbit Buku Kedokteran EGC.
- Wang, C., Li, J., Shi, K., Wang, Q., Zou, X., Wang, Y., 2016, Graphene coated by polydopamine/multi-walled carbon nanotubes modified electrode for highly selective detection of dopamine and uric acid in the presence of ascorbic acid, *Journal of Electroanalytical Chemistry*, 770: 56-61.
- Wang, J, 1994, *Analytical Electrochemistry*, VCH Publisher, New York.
- Wang, J, 2006, *Analytical Electrochemistry*, Wiley-VCH Publisher Inc, New York.
- Wempe, M., Jutabha, P., Quade, B., Iwen T., Frick, M., Ross, I., Rice, P., Anzai, N., Endou, H., Developing potent human uric acid transporter 1 (hURAT1) inhibitors, *Journal of Medicinal Chemistry*, 54: 2701-2713.
- Widyaningrum, B. A., 2018, modifikasi elektroda pasta karbon dengan polimelamin/ nanopartikel emas secara voltametri sebagai sensor voltametri dopamin, *Tesis*, Fakultas Sains dan Teknologi Universitas Airlangga, Surabaya.
- Wiench, P., Gonzales, Z., Menendez, R., Gryzb, B., 2018, Beneficial impact of oxygen on the electrochemical performance of dopamine sensors based on N-doped reduced graphene oxides, *Sensors and Actuators*, 257: 143-153.
- Xu, C., Chen, W., Liu, S., Pi, Z., Song, F., Liu, Z., 2015, Study on the treatment effect of polygonum cuspidatum for hyperuricemia in rats using the UPLC-ESI-QTOF/MS metabolomics approach, *RSC Adv*, 7: 6777- 6784.
- Xu, T., Zhang, Q., Zheng, J., Lv, Z., wei, J., Wang, A., Feng, J., 2014, Simultaneous determination of dopamine and uric acid in the presence of

ascorbic acid using Pt nanoparticles supported on reduced graphene oxide, *Electrochimica Acta*, 115: 109-115.

- Xu, X., Lin, Q., Liu, A., Chen, W., Weng, X., Wang, C., Lin, X., 2010, Simultaneous voltammetric determination of ascorbic acid using polybromothymol blue film-modified glassy carbon electrode, *Chem. Pharm.*, 58: 788-793.
- Zen, J., dan Chen, P., 1998, A selective voltammetric method for uric acid and dopamine detection using clay-modified electrodes, *Anal. Chem.*, 69: 5067-5093.
- Zhang, B., Huang, D., Xu, X., Alemu, G., Zhang, Y., Zhan, F., Shen, Y., Wang, M., 2013, Simultaneous electrochemical determination of ascorbic acid, dopamine, and uric acid with helical carbon nanotubes, *Electrochimica Acta*, 91: 261- 266.
- Zhang, K., Chen, X., Li, Z., Wang, Y., Sun, S., Wang, L., Guo, T., Zhang, D., Xue, Z., Zhou, X., Lu, X., 2018, Au-Pt bimetallic nanoparticles decorated on sulfonated nitrogen sulfur co-doped graphene for simultaneous determination of dopamine and uric acid, *Talanta*, 178: 315- 323.
- Zhang, L., Zhang, C., Lian, J., 2007, Electrochemical synthesis of polyaniline nano-networks on p-aminobenzene sulfonic acid functionalized glassy carbon electrode its use for the simultaneous determination of ascorbic acid and uric acid, *Biosensors and Bioelectronics*, 24: 690-695.
- Zhao, H. Z., Mu, H., Bai, Y. H., Yu, H., Hu, Y., 2011, A rapid method for the determination of dopamine in porcine muscle by pre-column derivatization and HPLC with fluorescence detection, *Journal of Pharmaceutical Analysis*, 3: 208-212.
- Zhao, H., Zhang, Y., Yuan, Z., 2002, Determination of dopamine in the presence of ascorbic acid using Poly(hippuric acid) modified glassy carbon electrode, *Wiley*, 14: 1031-1034.
- Zheng, X., Zhou, X., Ji, X., Lin, R., 2013, Simultaneous determination of ascorbic acid, dopamine and uric acid using Poly(4-aminobutyric acid) modified glassy carbon electrode, *Sensors and Actuators B: Chemical*, 178: 359-365.
- Zhou, Y., Tang, W., Wang, J., Zhang G., Chai, S., Zhang, L., Liu, T., 2014, Selective determination of dopamine and uric acid using electrochemical sensor based on Poly(alizarin yellow R) film modified electrode, *Anal. Methods.*, 6: 3474