

DAFTAR PUSTAKA

- Bhananker, SM, et all, 2007, ‘Anesthesia-Related Cardiac Arrest in Children: Update from Pediatric Perioperative Cardiac Arrest Registry’, *Anesth Analg*, vol 105.
- Bansal, T, Hooda S, 2013, ‘Anesthetic Consideration in Paediatric Patients’, *JIMSA*, vol 26.
- Beltramo, F,et al,2015, ‘Validation of an Ultrasound Cardiac Output Monitor as a Bedside Tool for Pediatric Patients’, *Pediatr Cardiol.*
- Benes J,2010, ‘Intraoperative fluid optimization using stroke volume variation in high risk surgical patients: results of prospective randomized study’, *Critical Care*, vol 14
- Chen J, et all,2016.’Association of Fluid Accumulation with Clinical Outcomes in Critically Ill Children with Severe Sepsis’, *PloS ONE* vol(7).
- Christoph, KH, et all, 2008.’ Assessment of stroke volume variation for prediction of fluid responsiveness using the modified FloTracTM and PiCCOplusTM system’,*Critical care*, vol 12,
- Calzia, E, Ivanyi, Z, Rademacher, P,2005, ‘Determinants of Blood Flow and Organ Perfusion’,In Pinsky *Functional Hemodynamic Monitoring*, Springer-Verlag Berlin Heidelberg,p19-32.
- Duncan, S, McDaniel, GM, Baum, VC,2011, ‘Cardiovascular Physiology’ In Smith’s *Anesthesia for Infants and Children*, Elsevier, Philadelphia,p80-115.

- Demetrios, E,2011, ‘Regulation of Fluids and Electrolytes’ In Smith’s *Anesthesia for Infants and Children*, Elsevier, Philadelphia,p115-156.
- Durand, P,et all,2008, ‘Respiratory Variation in Aortic Blood Flow Predict Fluid Responsiveness in Ventilated Children’, *Intensive Care Med*, vol 34.p888-894..
- Fransisci, G,et all, 2013,’Update on Complications in Pediatrics Anesthesia’, *Pediatric Report*, vol 5.
- Gan, H,et all,2013, ‘Predicting Fluid Responsiveness in Children: A Systematic Review’,*Anest Anal*,vol 117,p1380-92
- Gonzales, LP, et all,2012, ‘Anesthesia-related mortality in pediatric patients: a systematic review’, *Clinics* ,vol 67.
- Juri, T,et all,2017, ‘Pre-anesthetic stroke volume variation can predict cardiac output decrease and hypotension during induction of general anesthesia’, *J Clin Monit Comput.*
- Kawasaki T,2017,’Update on Pediatric Sepsis: A Review’,*Journal of Intensive Care*, Vol (5)47.
- Lee, JY,et all,2014, ‘The Ability of Stroke Volume Variation Measured by a Noninvasive Cardiac Output Monitor to Predict Fluid Responsiveness in Mechanically Ventilated Children’, *Pediatr Cardiol*, vol 24.p289-294.
- Murray, JP, et all, 2000, ‘Anesthesia-related Cardiac Arrest in Children, Initial Findings of the Pediatric Perioperative Cardiac Arrest (POCA) Registry’, *Anesthesiology*, vol 93.

- McGee, WT,2009,’ A Simple Physiologic Algorithm for Managing Hemodynamics Using Stroke Volume and Stroke Volume Variation: Physiologic Optimization Program’,*J Intensive CareMed.*
- McKiernan, CA, Lieberman, SA, 2005. ‘Circulatory Shock in Children: An Overview’, *Pediatrics in Review* Vol.26.
- Neto, EP,et all,2011, ‘Predicting Fluid Responsiveness in Mechanically Ventilated Children Under General Anaesthesia Using Dynamic Parameters and Transthoracic Echocardiography’, *British Journal of Anaesthesia*, vol 6.
- Nogami K, Taniguchi S, 2016, ‘Transient cardiac arrest in a child with Down syndrome during anesthesia induction with sevoflurane: a case report’, *JA Clinical Reports*, vol 2.
- Perdatin,2015,’Pedoman Nasional Pelayanan Kedokteran Anestesiologi dan Terapi Intensif’,Jakarta.
- Roux, O, et all,2011,’Intraoperative use of transoesophageal Doppler to predict response to volume expansion in infants and neonates’, *British Journal of Anaesthesia*, Vol 108,p100–7
- Renner J, et all,2012,’ Prediction of fluid responsiveness in infants and neonates undergoing congenital heart surgery’, *Br J Anaesth*, (108)1
- Schwartz JM, Heitmiller ES,2011, ‘Cardiopulmonary Resuscitation’In Smith’s *Anesthesia for Infants and Children*, Elsevier, Philadelphia,p1200-1249.
- Sugi T, Tatara T, 2016, ‘Relationship between Stroke Volume Variation and Stroke Volume during Major Abdominal Surgery Using Arterial Pulse Contour Analysis’, *J Anesth Clin Res*. vol 7.

Toscani, et all, 2017,’ What is The Impact of The Fluid Challenge Technique on Diagnosis of Fluid Responsiveness? A Systematic Review and Meta-analysis’, *Critical Care*, vol 21.

Vergnaud, E, et all, 2014,’Stroke volume variation and indexed stroke volume measured using bioreactance predict fluid responsiveness in postoperative children’, *British Journal of Anaesthesia*, vol 114.

Yi, L, et all, 2017, ‘Does stroke volume variation predict fluid responsiveness in children: A systematic review and meta-analysis’, *PlosOne*, vol 5.