

DAFTAR PUSTAKA

- Al-kazazz, F.F., Abdulsattar, S.A. dan Mohammed, K., 2014. Study Effect of Wet Cupping on Hematological Parameters and Inflammatory Proteins of Healthy Iraqi Men. *American journal of Phytomedicine and Clinical Therapeutics*, hal.1–6.
- Al-rawi, S. dan Fetters, M.D., 2012. Traditional Arabic & Islamic Medicine: A Conceptual Model for Clinicians and Researchers. *Global Journal of Health Science*, 4(3), hal.164–169.
- Alles, S.R.A., Bandet, M. V, Eppler, K., Noh, M., Winship, I.R., Baker, G., Ballanyi, K. dan Smith, P.A., 2017. Acute anti-allodynic action of gabapentin in dorsal horn and primary somatosensory cortex: Correlation of behavioural and physiological data. *Neuropharmacology*, 113, hal.576–590.
- Amin, B., Hajhashemi, V., Hosseinzadeh, H. dan Abnous, K., 2012. Antinociceptive interaction of a GLT1 activator and a microglia inhibitor alone and in combination in chronic constriction injury model of neuropathic pain. 7(5), hal.2012.
- Anon 2014. Serotonergic Receptors. In: *Pain Management Essential Topics for Examinations*, 1st ed. London: Springer, hal.11–12.
- Araştırılması, İ.E., Khalil, A.M., Al-qaoud, K.M. dan Shaqqour, H.M., 2013. Investigation of Selected Immunocytogenetic Effects of Wet Cupping in Healthy Men Sağlıklı Erkeklerde Islak Kupa Çekiminin Seçilmiş. 3(2), hal.51–57.
- Austin, P.J. dan Moalem-taylor, G., 2010. The neuro-immune balance in neuropathic pain: Involvement of in fl ammatory immune cells , immune-like glial cells and cytokines. *Journal of Neuroimmunology*, 229(1–2), hal.26–50.
- Bäckryd, E., Ghafouri, B., Larsson, B. dan Gerdle, B., 2016. Plasma pro-inflammatory markers in chronic neuropathic pain: A multivariate , comparative , cross-sectional pilot study. 10, hal.1–5.
- Bai, Y., Xu, Y., Zhang, Y., Chen, B., Yu, H., Li, Q. dan Zhang, K., 2015. Management of acupuncture therapy in painful peripheral neuropathy in China. 1(4), hal.1–11.
- Bansode, V., Gore, P., Munjal, N., Sontakke, S., Vyawahare, N. dan Amrutkar, P., 2014. Ameliorative effect of ethyl pyruvate in neuropathic pain induced by chronic constriction injury of sciatic nerve. *Indian Journal of Pain*, 28(2), hal.82.
- Barrot, M., 2012. Review Tests and Models of Nociception and Pain in Rodents.

NSC, 211, hal.39–50.

Beal, B.R. dan Wallace, M.S., 2016. An Overview of Pharmacologic Management of Chronic Pain. *Medical Clinics of North America*, 100(1), hal.65–79.

Belozertseva, I., Nagel, J., Valastro, B., Franke, L. dan Danysz, W., 2016. Pharmacological Reports Optical isomers of phenibut inhibit [H 3] - Gabapentin binding in vitro and show activity in animal models of chronic pain. *Pharmacological Reports*, 68(3), hal.550–554.

Bilal, M. dan Khan, R.A., 2016. Therapeutic Effectiveness of Hijama in Sciatica Pain. *Pharmacology & Pharmacy*, 7, hal.326–330.

Bridges, D., Thompson, S.W.N. dan Rice, A.S.C., 2001. Mechanisms of neuropathic pain. 87(1).

Calvo, M., Dawes, J.M. dan Bennett, D.L.H., 2012. The role of the immune system in the generation of neuropathic pain. *The Lancet Neurology*, 11(7), hal.629–642.

Câmara, C.C., Araújo, C. V, Kelma, K., Sousa, O. De, Brito, G.A.C., Vale, M.L., Raposo, S., Mendonc, F.E., Mietto, B.S., Martinez, A.M.B. dan Oriá, R.B., 2015. Neuroscience Letters Gabapentin attenuates neuropathic pain and improves nerve myelination after chronic sciatic constriction in rats. 607, hal.52–58.

Campbell, J.N. dan Meyer, R.A., 2006. Mechanisms of Neuropathic Pain Review. hal.77–92.

Cao, H., Han, M., Li, X., Dong, S., Shang, Y., Wang, Q., Xu, S., Liu, J., Gao, L., Chirali, I., Zhao, X., Chirali, I., Chen, J., Xu, H., Chen, M., Huang, D., Chen, Y., Liu, X., Xia, J., Cheng, G., Chi, F., Liu, G., Dai, J., Shao, J., Wang, Y., Wang, L., Yin, X., Fang, X., Jin, Y., Feng, W., Fu, C., Bai, Z., Fu, Y., Jin, J., Ge, J., Sun, L., Li, W., Guo, J., Xu, C., Hong, Y., Wu, J., Wang, B., Li, H., He, Y., Huang, G., Li, F., Huang, Y., Huang, J., Li, W., Huang, Z., Li, H., Zhang, Z., Tan, Z., Chen, C., Chen, W., Jiang, H., Hu, D., Chen, H., Jiang, X., Zhuo, R., Jin, M., Xie, Z., Chen, X., Chen, D., Chen, D., Kang, H., Li, M., Li, J., Fan, Y., Li, W., Li, X., Li, Y., Liu, H., Li, Y., Lin, S., Liu, B., Xu, M., Huang, C., Ma, L., Lou, Y., Liang, Z., Liu, J., Zhao, Y., Zeng, R., Kenedy, J., Liu, L., Li, W., Man, W., Liu, Q., Chang, H., Lu, J., Wang, Y., Luo, S., Xie, Y., Ji, D., Ma, C., Zhang, J., Qiu, J., Fan, C., Wei, F., Gao, C., Ren, Y., Shao, M., Liu, T., Song, S., Sun, L., Xu, X., Sun, S., Xu, S., Tang, C., Tao, Q., Lu, H., Wan, X., Wan, X., Wang, Q., Wang, G., Wang, X., Zhou, Z., Wu, Y., Xin, K., Xiong, S., Hu, Y., Gong, L., Xiong, Z., Zhang, G., Xu, L., Yang, X., Xu, M., Xu, S., Xu, S., Xu, W., Zhang, Y., Yang, J., Chen, X., Liu, Y., Xue, W., Wang, J., Wang, G., Yang, J., Guo, L., Xiong, J., Yao, X., You, Y., Lan, C., Liang, W., Yang, Z., Xu,

- S., Jia, J., You, Y., Yang, Z., Sun, D., Lan, C., Zeng, H., Nie, B., Huang, N., Zha, B., Wang, Z., Zhang, F., Liu, X., Zhang, J., Wang, X., Zhou, S., Zhang, J., Diao, J., Yu, S., Zhang, K., Song, S., Zhang, Y., Yan, X., Zhang, Y., Zhao, X., Zheng, J., Wang, G., Lu, Y., Su, J., Zheng, L., Zheng, Z., Liu, Q., Xiao, Y., Jia, S., Chen, L., Li, Q., Zhou, L., Zhou, Y., Cao, H., Zhu, C., Liu, J., Cao, H., Liu, J., Lewith, G., Cao, J., Li, Y., Fu, X., Li, C., Li, C., Fu, X., Jiang, Z., Yang, X., Huang, S., Wang, Q., Niasari, M., Kosari, F., Ahmadi, A., Ludtke, R., Albrecht, U., Stange, R., Uehleke, B., Farhadi, K., Schwebel, D., Saeb, M., Choubsaz, M., Mohammadi, R., Ahmadi, A., Michalsen, A., Bock, S., Lüdtke, R., Rampp, T., Baecker, M., Bachmann, J., Langhorst, J., Musial, F., Dobos, G., Laine, C., Horton, R., DeAngelis, C., Drazen, J., Frizelle, F., Godlee, F., Chirali, I., Luo, H. dan Zhou, Z., 2010. Clinical research evidence of cupping therapy in China: a systematic literature review. *BMC Complementary and Alternative Medicine*, 10(1), hal.70.
- Cao, H., Han, M., Zhu, X. dan Liu, J., 2015. An overview of systematic reviews of clinical evidence for cupping therapy. *Journal of Traditional Chinese Medical Sciences*, 2(1), hal.3–10.
- Cao, H., Li, X. dan Liu, J., 2012. An updated review of the efficacy of cupping therapy. *PloS one*, 7(2), hal.e31793.
- Cao, H., Li, X., Yan, X., Wang, N.S., Bensoussan, A. dan Liu, J., 2014. Cupping therapy for acute and chronic pain management: a systematic review of randomized clinical trials. *Journal of Traditional Chinese Medical Sciences*, 1(1), hal.49–61.
- Carneiro, C., Palmeira, D.A., Ashmawi, H.A. dan Posso, I.D.P., 2011. Sex and Pain Perception and Analgesia. *Brazilian Journal of Anesthesiology*, 61(6), hal.814–828.
- Casanova-García, C., Lerma Lara, S., Pérez Ruiz, M., Ruano Domínguez, D. dan Santana Sosa, E., 2015. Non-pharmacological treatment for neuropathic pain in children with cancer. *Medical Hypotheses*, 85(6), hal.791–797.
- Castel, D., Sabbag, I., Brenner, O. dan Meilin, S., 2016. Peripheral Neuritis Trauma in Pigs: A Neuropathic Pain Model. *The Journal of Pain*, 17(1), hal.36–49.
- Chelini, A., Brogi, S., Paolino, M., Di Capua, A., Cappelli, A., Giorgi, G., Farzad, M., Di Cesare Mannelli, L., Micheli, L., Ghelardini, C. dan Anzini, M., 2017. Synthesis and Biological Evaluation of Novel Neuroprotective Pyridazine Derivatives as Excitatory Amino Acid Transporter 2 (EAAT2) Activators. *Journal of Medicinal Chemistry*, 60(12), hal.5216–5221.
- Chen, G., Park, C.K., Xie, R.G., Berta, T., Nedergaard, M. dan Ji, R.R., 2014. Connexin-43 induces chemokine release from spinal cord astrocytes to

- maintain late-phase neuropathic pain in mice. *Brain*, 137(8), hal.2193–2209.
- Chen, H., 2004. Contemporary Management of Neuropathic Pain. *Mayo Clin Proc*, 79(December), hal.1533–1545.
- Chen, W., McRoberts, J.A. dan Marvizón, J.C.G., 2014. μ -Opioid receptor inhibition of substance P release from primary afferents disappears in neuropathic pain but not inflammatory pain. *Neuroscience*, 267, hal.67–82.
- Chirali, I.Z., 2014. *Traditional Chinese Medicine Cupping Therapy*. Third Edit ed. *Reactions Weekly*, London: Elsevier Ltd.
- Chiu, J.H., 2014. History of Acupuncture. In: L.Y.C.H.E.S. Zen, ed., *Acupuncture for Pain Management*. New York: Springer, hal.3–12.
- Chong, M.S. dan Brandner, B., 2006. Neuropathic agents and pain. New strategies. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*, 60(7), hal.318–322.
- Chudler, E.H. dan Dong, W.K., 1995. The role of the basal ganglia in nociception and pain. 60, hal.3–38.
- Cohen, S.P. dan Mao, J., 2014. Neuropathic pain: mechanisms and their clinical implications. *Bmj*, 348(feb05 6), hal.f7656–f7656.
- Costigan, M., Scholz, J. dan Woolf, C.J., 2010. NIH Public Access. *Annu Rev of Neurosci.*, 32, hal.1–32.
- Cruccu, G. dan Truini, A., 2017. A review of Neuropathic Pain: From Guidelines to Clinical Practice. *Pain and Therapy*, 6(S1), hal.35–42.
- Di, L., Mannelli, C., Maresca, M., Farina, C., Scherz, M.W. dan Ghelardini, C., 2015. NeuroToxicology Full Length Article A model of neuropathic pain induced by sorafenib in the rat : Effect of dimiracetam. 50, hal.101–107.
- Di Lio, A., Benke, D., Besson, M., Desmeules, J., Daali, Y., Wang, Z.J., Edwankar, R., Cook, J.M. dan Zeilhofer, H.U., 2011. HZ166, a novel GABAA receptor subtype-selective benzodiazepine site ligand, is antihyperalgesic in mouse models of inflammatory and neuropathic pain. *Neuropharmacology*, 60(4), hal.626–632.
- Dias, Q.M., Rossaneis, a. C., Fais, R.S. dan Prado, W. a., 2013. An improved experimental model for peripheral neuropathy in rats. *Brazilian Journal of Medical and Biological Research*, 46, hal.1–4.
- Dissanayake, D.W.N. dan Dissanayake, D.M.D., 2016. The physiology of pain: an update and review of clinical relevance. *Journal of the Ceylon College of Physicians*, 46(1–2), hal.19.

- Dohi, T., Morita, K., Kitayama, T., Motoyama, N. dan Morioka, N., 2009. Glycine transporter inhibitors as a novel drug discovery strategy for neuropathic pain. *Pharmacology and Therapeutics*, 123(1), hal.54–79.
- El-Domyati, M. dan Saleh, F., 2013. Evaluation of Cupping Therapy in Some Dermatoses. *Egyptian Dermatology Online Journal*, 9(1), hal.1–15.
- El Sayed, S., Mahmoud, H. dan Nabo, M., 2013. Alternative and Integrative Medicine Medical and Scientific Bases of Wet Cupping Therapy (Al-hijamah): in Light of Modern Medicine and Prophetic Medicine. 2(5).
- Emerich, M., Braeunig, M., Clement, H.W., Lüdtkke, R. dan Huber, R., 2014. Mode of action of cupping — Local metabolism and pain thresholds in neck pain patients and healthy subjects. *Complementary Therapies in Medicine*, 22(1), hal.148–158.
- Farhadi, K., Schwebel, D.C., Saeb, M., Choubsaz, M., Mohammadi, R. dan Ahmadi, A., 2009. The effectiveness of wet-cupping for nonspecific low back pain in Iran: A randomized controlled trial. *Complementary Therapies in Medicine*, 17(1), hal.9–15.
- Fijalkowski, L., Salat, K., Podkowa, A., Zareba, P. dan Nowaczyk, A., 2017. European Journal of Pharmaceutical Sciences Potential role of selected antiepileptics used in neuropathic pain as human GABA transporter isoform 1 (GAT1) inhibitors — Molecular docking and pharmacodynamic studies. 96, hal.362–372.
- Firoozabadi, M.D., Navabzadeh, M., Roudsari, M.K. dan Zahmatkash, M., 2014. Comparative efficacy trial of cupping and serkangabin versus conventional therapy of migraine headaches: A randomized, open-label, comparative efficacy trial. *Journal of research in medical sciences : the official journal of Isfahan University of Medical Sciences*, 19(12), hal.1134–9.
- For, G., Pharmacological, T.H.E., Of, T., Pain, N., The, P., Note, A. dan Neuropathic, S., 2017. Guidelines for the Pharmacological Treatment of Neuropathic Pain (2017).
- Ford, A.P., 2012. In pursuit of P2X3 antagonists : novel therapeutics for chronic pain and afferent sensitization. 8.
- Forde, G., 2016. Managing Chronic Headache Disorders. 100, hal.117–141.
- Fousekis, K. dan Kounavi, E., 2016. The Effectiveness of Instrument-assisted Soft Tissue Mobilization Technique (Ergon© Technique), Cupping and Ischaemic Pressure Techniques in the Treatment of Amateur Athletes Myofascial Trigger Points. *Journal of Novel Physiotherapies*, s3.

- Fu, X., Froicu, D. dan Sinatra, R., 2011. Anatomic and Physiologic Principles of Pain. In: N. Vadivelu, R.D. Urman dan R.L. Hines, ed., *Essentials of Pain Management*. London: Springer, hal.31–44.
- Gabay, E., Wolf, G., Shavit, Y., Yirmiya, R. dan Tal, M., 2011. Chronic blockade of interleukin-1 (IL-1) prevents and attenuates neuropathic pain behavior and spontaneous ectopic neuronal activity following nerve injury. *European Journal of Pain*, 15(3), hal.242–248.
- Gangadharan, V. dan Kuner, R., 2013. Pain hypersensitivity mechanisms at a glance. 895, hal.889–895.
- Gao, X., Kim, H.K., Chung, J.M. dan Chung, K., 2007. Reactive oxygen species (ROS) are involved in enhancement of NMDA-receptor phosphorylation in animal models of pain. 131, hal.262–271.
- Gong, K., Kung, L., Magni, G., Bhargava, A. dan Jasmin, L., 2014. Increased Response to Glutamate in Small Diameter Dorsal Root Ganglion Neurons after Sciatic Nerve Injury. 9(4).
- Guo, D. dan Hu, J., 2014. Review Spinal Presynaptic Inhibition in Pain Control. 283, hal.95–106.
- Guo, T.Z., Wei, T., Huang, T.T., Kingery, W.S. dan Clark, J.D., 2018. Oxidative Stress Contributes to Fracture/Cast-Induced Inflammation and Pain in a Rat Model of Complex Regional Pain Syndrome. *Journal of Pain*, 19(10), hal.1147–1156.
- Hansson, P., 2003. Difficulties in stratifying neuropathic pain by mechanisms. *European journal of pain (London, England)*, 7(4), hal.353–7.
- Heinricher, M.M. dan Morgan, M.M., 1999. Supraspinal Mechanisms of Opioid Analgesis. In: C. Stein, ed., *Opioids in Pain Control Basic and Clinical Aspects*, First. Cambridge University Press, hal.46–69.
- Hidayati, H.B., Kuntoro, Machfoed, M.H., Sugianto, P., Khotib, J. dan Ardianto, C., 2018. Pengukuran Tingkah Laku pada Model Nyeri Neuropatik Perifer: Tikus dengan CCI (Chronic Constriction Injury). *Neurona*, 35, hal.209–213.
- Holdridge, S.V., 2009. Investigating the Effects of Peripheral Nerve Injury on Δ Opioid Receptor Expression and Function: Implications for the Treatment of Chronic Neuropathic Pain by Sarah Victoria Holdridge A thesis submitted to the Department of Pharmacology and Toxicology. Queen's University.
- Hoot, M.R., Sim-Selley, L.J., Selley, D.E., Scoggins, K.L. dan Dewey, W.L., 2011. Chronic neuropathic pain in mice reduces μ -opioid receptor-mediated G-protein activity in the thalamus. *Brain Research*, 1406, hal.1–7.

- Horvath, R.J., Romero-Sandoval, E.A. dan Leo, J. a De, 2010. Inhibition of microglial P2X4 receptors attenuates morphine tolerance, Iba1, GFAP and mu opioid receptor protein expression while enhancing perivascular microglial ED2. *Pain*, 150(3), hal.401–413.
- Hu, A. dan Yang, H., 2014. Comparison of efficacy between electroacupuncture and the combination of collateral bloodletting, cupping, and acupoint application for cervical spondylosis radiculopathy (CRS). *World Journal of Acupuncture - Moxibustion*, 24(3), hal.25–29.
- Inanır, A., Sogut, E., Ayan, M. dan Inanır, S., 2013. Evaluation of Pain Intensity and Oxidative Stress Levels in Patients with Inflammatory and Non-Inflammatory Back Pain. 10(4), hal.185–190.
- Inoue, K., 2006. The function of microglia through purinergic receptors: Neuropathic pain and cytokine release. 109, hal.210–226.
- Inoue, K. dan Tsuda, M., 2012. Purinergic systems, neuropathic pain and the role of microglia. *Experimental Neurology*, 234(2), hal.293–301.
- Jaggi, A.S., Jain, V. dan Singh, N., 2011. Animal models of neuropathic pain. *Fundamental & clinical pharmacology*, 25(1), hal.1–28.
- Jaggi, A.S. dan Singh, N., 2011. Role of different brain areas in peripheral nerve injury-induced neuropathic pain. *Brain Research*, 1381, hal.187–201.
- Jarahi, M., Sheibani, V., Safakhah, H.A. dan Torkmandi, H., 2014. Effects of progesterone on neuropathic pain responses in an experimental animal model for peripheral neuropathy in the rat: a behavioral and electrophysiological study. 256, hal.403–411.
- Jay, G.W., 2007. *Chronic Pain*. New York: Informa Healthcare New York, London.
- Ji, R.R., Xu, Z. dan Gao, Y., 2014. Emerging targets in neuroinflammation-driven chronic pain. *Nature Publishing Group*, (June), hal.1–16.
- Kapur, B.M., Lala, P.K. dan Shaw, J.L. V, 2014. Pharmacogenetics of chronic pain management. *Clinical Biochemistry*, 47(13–14), hal.1169–1187.
- Kellgren, J.H., 2005. Neurophysiology of Pain. In: *Acupuncture, Trigger Points and Musculoskeletal Pain*, 3rd ed. London, hal.45–72.
- Kessler, T.L., 2017. Treatments for neuropathic pain. *Clinical Pharmacist*, 9(12), hal.1–16.
- Khan, H., Eto, B., De Feo, V. dan Gilani, A.-U.-H., 2015a. Evidence Based

- Alternative Medicines in Pain Management. *Evidence-Based Complementary and Alternative Medicine*, 2015, hal.1–2.
- Khan, J., Ramadan, K., Korczeniewska, O., Moin, M., Benoliel, R. dan Eliav, E., 2015b. Neuroscience Letters Interleukin-10 levels in rat models of nerve damage and neuropathic pain. *Neuroscience Letters*, 592, hal.99–106.
- Kim, J.-I., Kim, T.-H., Lee, M., Kang, J., Kim, K., Choi, J.-Y., Kang, K.-W., Kim, A.-R., Shin, M.-S., Jung, S.-Y. dan Choi, S., 2011a. Evaluation of wet-cupping therapy for persistent non-specific low back pain: a randomised, waiting-list controlled, open-label, parallel-group pilot trial. *Trials*, 12(1), hal.146.
- Kim, J.-I., Lee, M.S., Lee, D.-H., Boddy, K. dan Ernst, E., 2011b. Cupping for treating pain: a systematic review. *Evidence-based complementary and alternative medicine : eCAM*, 2011(January 2009), hal.467014.
- Kim, T.-H., Kim, K.H., Choi, J.-Y. dan Lee, M.S., 2014. Adverse events related to cupping therapy in studies conducted in Korea: A systematic review. *European Journal of Integrative Medicine*, 6(4), hal.434–440.
- Knabl, J., Witschi, R., Hösl, K., Reinold, H., Zeilhofer, U.B., Ahmadi, S., Brockhaus, J., Sergejeva, M., Hess, A., Brune, K., Fritschy, J.M., Rudolph, U., Möhler, H. dan Zeilhofer, H.U., 2008. Reversal of pathological pain through specific spinal GABA receptor subtypes. *Nature*, 451(7176), hal.330–334.
- Koltzenburg, M. dan Scadding, J., 2001. Neuropathic pain. *Current opinion in neurology*, 14(5), hal.641–647.
- Krames, E.S., 2014. The role of the dorsal root ganglion in the development of neuropathic pain. *Pain Medicine (United States)*, 15(10), hal.1669–1685.
- Kukkar, A., Bali, A., Singh, N. dan Jaggi, A.S., 2013. Implications and mechanism of action of gabapentin in neuropathic pain. *Archives of Pharmacal Research*, 36(3), hal.237–251.
- Lauche, R., Cramer, H., Hohmann, C., Choi, K.-E., Rampp, T., Saha, F.J., Musial, F., Langhorst, J. dan Dobos, G., 2012. The effect of traditional cupping on pain and mechanical thresholds in patients with chronic nonspecific neck pain: a randomised controlled pilot study. *Evidence-based complementary and alternative medicine: eCAM*, 2012, hal.429718.
- Lauche, R., Schwahn, B., Spitzer, J., Cramer, H., Ostermann, T., Bernardy, K., Dobos, G. dan Langhorst, J., 2015. Efficacy of cupping therapy in patients with the fibromyalgia syndrome – a randomized sham-controlled controlled trial. *Integrative Medicine Research*, 4(1), hal.20.

- Lee, J., 2013. How to erase memory traces of pain and fear. 36(6).
- Lee, M.S., Kim, J. dan Ernst, E., 2011. Is Cupping an Effective Treatment? An Overview of Systematic Reviews. *Journal of Acupuncture and Meridian Studies*, 4(1), hal.1–4.
- Leem, J., 2014. *Long-term effect of cupping for chronic neck pain. Integrative Medicine Research*.
- Lema, M.J., Foley, K.M. dan Hausheer, F.H., 2010. Types and epidemiology of cancer-related neuropathic pain: the intersection of cancer pain and neuropathic pain. *The oncologist*, 15 Suppl 2(suppl 2), hal.3–8.
- Li, R., Shen, L., Yu, X., Ma, C. dan Huang, Y., 2016. Vitamin C enhances the analgesic effect of gabapentin on rats with neuropathic pain ☆. *Life Sciences*, 157, hal.25–31.
- Liu, M., 2014. Clinical research on postherpetic neuralgia treated by floating-acupuncture combined with collateral-bloodletting puncture and cupping. *World Journal of Acupuncture - Moxibustion*, 24(3), hal.35–39.
- Liu, S.-B., Mi, W.-L., Yu, J., Li, Q., Wang, Y.-Q., Wu, G.-C., Yue, N., Wang, Z.-F. dan Jiang, J.-W., 2014. Effects of Chronic Electroacupuncture on Depression- and Anxiety-Like Behaviors in Rats with Chronic Neuropathic Pain. *Evidence-Based Complementary and Alternative Medicine*, 2014, hal.1–10.
- Maeda, S., Kawamoto, A., Yatani, Y., Shirakawa, H., Nakagawa, T. dan Kaneko, S., 2008. Gene transfer of GLT-1, a glial glutamate transporter, into the spinal cord by recombinant adenovirus attenuates inflammatory and neuropathic pain in rats. *Molecular Pain*, 4, hal.1–13.
- Magdalena, Q., 2016. Pharmacological Reports Antinociceptive activity of intraperitoneally administered novel and potent anticonvulsive compound , CY-PROLL-SS , in animal neuropathic pain models. hal.1–7.
- Marzia, A., 2014. The value of wet cupping as a therapy in modern medicine - An Islamic Perspective The value of wet cupping as a therapy in modern medicine - An Islamic Perspective. *Webmed Central*, hal.1–14.
- Mehta, N., Inturrisi, C.E., Horn, S.D. dan Witkin, L.R., 2016. Using Chronic Pain Outcomes Data to Improve Outcomes. *Anesthesiology Clinics*, 34(2), hal.395–408.
- Mehta, P. dan Dhapte, V., 2015. Cupping therapy: A prudent remedy for a plethora of medical ailments. *Journal of Traditional and Complementary Medicine*, 5(3), hal.127–134.

- Michalsen, a, Bock, S., Ludtke, R., Rampp, T., Baecker, M., Bachmann, J., Langhorst, J., Musial, F. dan Dobos, G.J., 2009. Effects of traditional cupping therapy in patients with carpal tunnel syndrome: a randomized controlled trial. *J Pain*, 10(6), hal.601–608.
- Mihai, C., Iulian, V. dan Harsovescu, T., 2014. When pain is useful? - a neuroscience approach. *Procedia - Social and Behavioral Sciences*, 127, hal.671–675.
- Millan, M.J., 1999. The induction of pain an integrative review_ [Prog Neurobiol_ 1999] - PubMed - NCBI. 57(98).
- Mohamed, S., Sayed, E., Abou-taleb, A., Salah, H., Baghdadi, H., Maria, R.A., Sayed, N., Mohamed, M. dan Nabo, H., 2014. Percutaneous excretion of iron and ferritin (through Al-hijamah) as a novel treatment for iron overload in beta-thalassemia major , hemochromatosis and sideroblastic anemia. *Medical Hypotheses*, 83(2), hal.238–246.
- Morin, N., Owolabi, S.A., Harty, M.W., Papa, E.F., Jr, T.F.T., Shaw, S.K., Kim, M. dan Saab, C.Y., 2007. Neutrophils invade lumbar dorsal root ganglia after chronic constriction injury of the sciatic nerve. 184, hal.164–171.
- Murnion, B.P., 2018. Neuropathic pain: Current definition and review of drug treatment. *Australian Prescriber*, 41(3), hal.60–63.
- Nerenz, R.D. dan Tsongalis, G.J., 2018. MINI-REVIEWS Pharmacogenetics of Opioid Use and Implications for Pain Management. (January 2018), hal.622–632.
- Nickel, F.T., Seifert, F., Lanz, S. dan Maihöfner, C., 2012. Mechanisms of neuropathic pain. *European Neuropsychopharmacology*, 22(2), hal.81–91.
- North, R.A., 2004. P2X3 receptors and peripheral pain mechanisms. *Journal of Physiology*, 554(2), hal.301–308.
- O-arciniega, M. De, Díaz-reval, M.I., Cortés-arroyo, A.R., Domínguez-ramírez, A.M. dan López-muñoz, F.J., 2009. Pharmacology, Biochemistry and Behavior Anti-nociceptive synergism of morphine and gabapentin in neuropathic pain induced by chronic constriction injury. *Pharmacology, Biochemistry and Behavior*, 92(3), hal.457–464.
- Okuse, K., 2007. Pain signalling pathways: From cytokines to ion channels. 39(3), hal.490–496.
- Pasero, C., 2004. Pathophysiology of Neuropathic Pain. 5(4), hal.3–8.
- Perret, D. dan Luo, Z., 2009. Targeting voltage-gated calcium channels for neuropathic pain management. *Neurotherapeutics*, 6(4), hal.679–692.

- Perrone, S., Bellieni, C. V., Negro, S., Longini, M., Santacroce, A., Tataranno, M.L., Bazzini, F., Belvisi, E., Picardi, A., Proietti, F., Iantorno, L. dan Buonocore, G., 2017. Oxidative Stress as a Physiological Pain Response in Full-Term Newborns. *Oxidative Medicine and Cellular Longevity*, 2017, hal.3759287.
- Pilat, D., Rojewska, E., Jurga, A.M., Piotrowska, A., Makuch, W., Przewlocka, B. dan Mika, J., 2015. IL-1 receptor antagonist improves morphine and buprenorphine efficacy in a rat neuropathic pain model. *European Journal of Pharmacology*.
- Qasim Ali Al-Rubaye, K., 2012. The Clinical and Histological Skin Changes After the Cupping Therapy (Al-Hijamah). *Journal of the Turkish Academy of Dermatology*, 6(1), hal.1–7.
- Qu, L. dan Ma, C., 2011. Animal Models of Pain After Peripheral Nerve Injury. In: C. Ma dan J.-M. Zhang, ed., *Animal Models of Pain*, 1st ed. New York: Humana Press, hal.69–80.
- Ramos, K.M., Lewis, M.T., Morgan, K.N., Crysdale, N.Y., Kroll, J.L., Taylor, F.R., Harrison, J.A., Sloane, E.M., Maier, S.F. dan Watkins, L.R., 2010. Spinal upregulation of glutamate transporter GLT-1 by ceftriaxone: therapeutic efficacy in a range of experimental nervous system disorders. *Neuroscience*, 169(4), hal.1888–1900.
- Refaat, B., El-Shemi, A.G., Ebid, A.A., Ashshi, A. dan BaSalamah, M.A., 2014. Islamic Wet Cupping and Risk Factors of Cardiovascular Diseases: Effects on Blood Pressure, Metabolic Profile and Serum Electrolytes in Healthy Young Adult Men. *Alternative & Integrative Medicine*, 3(1), hal.1–7.
- Reza, M., Mahdavi, V. dan Ghazanfari, T., 2012. Evaluation of the Effects of Traditional Cupping on the Biochemical, Hematological and Immunological Factors of Human Venous Blood. *A Compendium of Essays on Alternative Therapy*, hal.67–88.
- Rohacs, T., 2016. Advances in Biological Regulation Phosphoinositide signaling in somatosensory neurons. *Advances in Biological Regulation*, 61, hal.2–16.
- Rosenblum, A., Marsch, L.A., Joseph, H. dan Portenoy, R.K., 2009. NIH Public Access. *Opioids and the Treatment of Chronic Pain: Controversies, Current Status, and Future Directions*, 16(5), hal.405–416.
- Rozenfeld, E. dan Kalichman, L., 2016. New is the well-forgotten old: The use of dry cupping in musculoskeletal medicine. *Journal of Bodywork and Movement Therapies*, 20(1), hal.173–178.
- Sagheddu, C., Aroni, S., Felice, M. De, Lecca, S., Luchicchi, A., Melis, M., Lisa,

- A., Romano, R., Palazzo, E., Guida, F., Maione, S. dan Pistis, M., 2015. Neuropharmacology Enhanced serotonin and mesolimbic dopamine transmissions in a rat model of neuropathic pain. 97, hal.383–393.
- Sajid, M.I., 2016. Hijama therapy (wet cupping) - its potential use to complement British healthcare in practice, understanding, evidence and regulation. *Complementary Therapies in Clinical Practice*, 23, hal.9–13.
- Salvat, E., Yalcin, I. dan Barrot, M., 2016. Review Antidepressants and Gabapentinoids in Neuropathic Pain: 338, hal.183–206.
- Samiasih, A., 2013. Peluang Bekam Basah Mencegah Penyakit Jantung Koroner Akseptor KB DMPA (Indikator Lipid dan Respon Imun). hal.187–192.
- Schmidt, Y., Gavériaux-Ruff, C. dan Machelska, H., 2013. M-Opioid Receptor Antibody Reveals Tissue-Dependent Specific Staining and Increased Neuronal M-Receptor Immunoreactivity At the Injured Nerve Trunk in Mice. *PLoS ONE*, 8(11).
- Schwab, J.M., Guo, L. dan Schluesener, H.J., 2005. Spinal cord injury induces early and persistent lesional P2X4 receptor expression. *Journal of neuroimmunology*, 163(1–2), hal.185–9.
- Shi, Y., Zhang, X., Wang, J. Dan Zhao, Z., 2013. Efficacy observation on herpes zoster treated by the comprehensive therapy of blocking, surrounding needling, pricking and cupping combined with bloodletting at Longyan acupoint. *World Journal of Acupuncture - Moxibustion*, 23(4), hal.15–18.
- Shin, K., Kim, J.-E., Kim, S.-P., Kim, A.-R., Jung, S.-Y., Park, H.-J., Seo, B.-N., Kim, J.H. dan Choi, S.-M., 2015. Cupping for Treating Painful Diabetic Neuropathy: A single group before-and-after, preliminary study. *Integrative Medicine Research*, 4(1), hal.96.
- Slominski, A. dan Wortsman, J., 2000. Neuroendocrinology of the Skin. *Endocr Rev*, 21(5), hal.457–487.
- Smith, B.H., Lee, J., Price, C. dan Baranowski, A.P., 2013. Neuropathic pain : a pathway for care developed by the British Pain Society. 111(1), hal.73–79.
- Smith, H.S., 2012. Opioids and neuropathic pain. *Pain physician*, 15(3 Suppl), hal.ES93-110.
- Soo, M., Choi, T., Shin, B., Han, C. dan Ernst, E., 2010. Journal of the Neurological Sciences Cupping for stroke rehabilitation : A systematic review. *Journal of the Neurological Sciences*, 294(1–2), hal.70–73.
- Sorkin, L.S. dan Yaksh, T.L., 2009. Behavioral Models of Pain States Evoked by Physical Injury to the Peripheral Nerve. 6(October), hal.609–619.

- Staikopoulos, V., 2007. Trigeminal Ganglion Neurons. 144(1), hal.208–216.
- Stein, C., 2013. Opioids, sensory systems and chronic pain. *European Journal of Pharmacology*, 716(1–3), hal.179–187.
- Stein, C., Clark, J.D., Oh, U., Vasko, M.R., Wilcox, G.L., Overland, A.C., Vanderah, T.W. dan Spencer, R.H., 2008. Peripheral mechanisms of pain and analgesia. *Brain Research Reviews*, 60(1), hal.90–113.
- Subadi, I., 2014. *Mekanisme penurunan nyeri inflamasi terapi bekam kering dan bekam basah*. Airlangga University.
- Subadi, I., Nugraha, B., Laswati, H. dan Josomuljono, H., 2017. Pain relief with wet cupping therapy in rats is mediated by heat shock protein 70 and β -endorphin. *Iranian Journal of Medical Sciences*, 42(4), hal.384–391.
- Szczudlik, A., Dobrogowski, J., Wordliczek, J., St, A., Przeklasa-muszy, A., Kocot-k, M., Zaj, R., Janecki, M. dan Adamczyk, A., 2014. ScienceDirect Review article Diagnosis and management of neuropathic pain : Review of literature and recommendations of the Polish Association for the Study of Pain and the Polish Neurological Society – Part one. 8, hal.2–11.
- Tabatabaee, A., Zarei, M., Javadi, S.A. dan Mohammadpour, A., 2014. The effects of Wet-Cupping on intensity of headache in Migraine sufferers. 3(2), hal.1–12.
- Tagil, S.M., Celik, H.T., Ciftci, S., Kazanci, F.H., Arslan, M., Erdamar, N., Kesik, Y., Erdamar, H. dan Dane, S., 2014. Wet-cupping removes oxidants and decreases oxidative stress. *Complementary therapies in medicine*, 22(6), hal.1032–6.
- Tansley, S.N., Wong, C., Uttam, S., Mogil, J.S. dan Khoutorsky, A., 2018. Translation regulation in the spinal dorsal horn – A key mechanism for development of chronic pain. *Neurobiology of Pain*, 4(March), hal.20–26.
- Tarique, M., Ansar, A.H. dan Zulkifle, M., 2016. Effects of Hijamat bish shart in Wajauz Zahr (Low back pain) and associated disability. *Indian Journal of Traditional Knowledge*, 15(1), hal.173–176.
- Tham, L.M., Lee, H.P. dan Lu, C., 2006. Cupping: From a biomechanical perspective. *Journal of Biomechanics*, 39(12), hal.2183–2193.
- Tiwari, V., Guan, Y. dan Raja, S.N., 2014. Modulating the delicate glial-neuronal interactions in neuropathic pain: Promises and potential caveats. *Neuroscience and Biobehavioral Reviews*, 45, hal.19–27.
- Ton-that, T.T., 2016. E ffective N on -O pioid T reatment O ptions for L ow B ack

- Pain. 11(4), hal.106–111.
- Toth, C., 2014. Pregabalin: latest safety evidence and clinical implications for the management of neuropathic pain. *Therapeutic advances in drug safety*, 5(1), hal.38–56.
- Tsantoulas, C. dan McMahon, S.B., 2014. Opening paths to novel analgesics : the role of potassium channels in chronic pain. *Trends in Neurosciences*, 37(3), hal.146–158.
- Tu, W., Cheng, R., Cheng, B., Lu, J., Cao, F., Lin, H., Jiang, Y., Wang, J., Chen, H. dan Jiang, S., 2012. Analgesic effect of electroacupuncture on chronic neuropathic pain mediated by P2X3 receptors in rat dorsal root ganglion neurons. *Neurochemistry international*, 60(4), hal.379–86.
- Ueda, H., 2006. Molecular mechanisms of neuropathic pain–phenotypic switch and initiation mechanisms. *Pharmacology & Therapeutics*, 109(1–2), hal.57–77.
- Ueki, T., Kawakami, Z., Kanno, H., Omiya, Y., Mizoguchi, K. dan Yamamoto, M., 2018. Yokukansan, a Traditional Japanese Medicine, Enhances the Glutamate Transporter GLT-1 Function in Cultured Rat Cortical Astrocytes. *Evidence-based Complementary and Alternative Medicine*, 2018.
- Vallejo, R., Tilley, D.M., Vogel, L. dan Benyamin, R., 2010. The Role of Glia and the Immune System in the Development and Maintenance of Neuropathic Pain. 10(3), hal.167–184.
- Vaskilampi, T. dan Hänninen, O., 1982. Cupping as an indigenous treatment of pain syndromes in the finnish cultural and social context. *Social Science & Medicine*, 16, hal.1893–1901.
- Vaysse, L., Sol, J.C., Lazorthes, Y., Courtade-saidi, M., Eaton, M.J. dan Jozan, S., 2011. GABAergic pathway in a rat model of chronic neuropathic pain : Modulation after intrathecal transplantation of a human neuronal cell line. *Neuroscience Research*, 69(2), hal.111–120.
- Verdoorn, T., Zhao, F., Whyment, A., Morton, K., Wei, H., Fang, X., Jeggo, R., Spanswick, D., Wanaski, S. dan Collins, S., 2013. NP260, a novel GABA-A receptor antagonist, dampens neuronal hyperexcitability and relieves mechanical allodynia in a rat model of neuropathic pain. *The Journal of Pain S69*, 14(4), hal.S69.
- Wagner, R., Janjigian, M. dan Myers, R.R., 1998. Anti-inflammatory interleukin-10 therapy in CCI neuropathy decreases thermal hyperalgesia , macrophage recruitment , and endoneurial TNF- α expression. 74, hal.35–42.
- Wang, L., Yuzhou, L., Yingjie, Z., Jie, L. dan Xin, Z., 2015. *Neuroscience Letters*

- A new rat model of neuropathic pain : Complete brachial plexus avulsion. 589, hal.52–56.
- Watson, C., 2014. (303) Increasing endogenous levels of GABA in rat insula decreases various aspects of pain found in a rodent model of chronic neuropathic pain. *The Journal of Pain*, 15(4), hal.S51.
- Wattiez, A., Barrière, D.A., Dupuis, A. dan Courteix, C., 2012. Rodent Models of Painful Diabetic Neuropathy : What Can We Learn from Them? *Diabetes & Metabolism*, hal.5–8.
- Westlund, K.N. dan Willis, W.D., 2015. Pain System. hal.703–731.
- Wilcox, T. dan Hirshkowitz, A., 2015. Neuro-immune-endocrine functions of the skin: an overview. *NIH Public Access*, 85(0 1), hal.1–27.
- Xin, W.-J., Weng, H.-R. dan Dougherty, P.M., 2009. Plasticity in Expression of the Glutamate Transporters GLT-1 and GLAST in Spinal Dorsal Horn Glial Cells following Partial Sciatic Nerve Ligation. *Molecular Pain*, 5, hal.1744-8069-5–15.
- Xu, C., Xu, W., Xu, H., Xiong, W., Gao, Y., Li, G., Liu, S., Xie, J., Tu, G., Peng, H., Qiu, S. dan Liang, S., 2012. Role of puerarin in the signalling of neuropathic pain mediated by P2X3receptor of dorsal root ganglion neurons. *Brain Research Bulletin*, 87(1), hal.37–43.
- Yalcin, I., Barthas, F. dan Barrot, M., 2014. Emotional consequences of neuropathic pain: Insight from preclinical studies. *Neuroscience and Biobehavioral Reviews*, hal.1–39.
- Yamamoto, S., Ushio, S., Egashira, N. dan Kawashiri, T., 2017. Excessive spinal glutamate transmission is involved in oxaliplatin-induced mechanical allodynia : a possibility for riluzole as a prophylactic drug. *Scientific Reports*, (July), hal.1–10.
- Yoon, S.Y., Roh, D.H., Seo, H.S., Kang, S.Y., Moon, J.Y., Song, S., Beitz, A.J. dan Lee, J.H., 2010. An increase in spinal dehydroepiandrosterone sulfate (DHEAS) enhances NMDA-induced pain via phosphorylation of the NR1 subunit in mice: Involvement of the sigma-1 receptor. *Neuropharmacology*, 59(6), hal.460–467.
- Yousuf, M.S. dan Kerr, B.J., 2016. The Role of Regulatory Transporters in Neuropathic Pain. *Advances in Pharmacology*, 75, hal.245–271.
- Zeilhofer, H.U., Ralvenius, W.T. dan Acuña, M.A., 2015. Restoring the Spinal Pain Gate: GABAA Receptors as Targets for Novel Analgesics. In: *Advances in Pharmacology*. hal.71–96.

- Zeng, J., Cui, L. ying, Feng, Y. dan Ding, M. xing, 2016. Electroacupuncture relieves neuropathic pain via upregulation of glutamate transporters in the spinal cord of rats. *Neuroscience Letters*, 620, hal.38–42.
- Zhang, H., Dougherty, P.M., Liu, X.-G., Li, Y. dan Yang, Q., 2018. Morphological and Physiological Plasticity of Spinal Lamina II GABA Neurons Is Induced by Sciatic Nerve Chronic Constriction Injury in Mice. *Frontiers in Cellular Neuroscience*, 12(May), hal.1–8.
- Zhang, R., Zhang, W., Wang, J. dan Guo, J., 2013. The opioid placebo analgesia is mediated exclusively through m-opioid receptor in rat. hal.849–856.
- Zhuang, Z.-Y., Kawasaki, Y., Tan, P.-H., Wen, Y.-R., Huang, J. dan Ji, R.-R., 2007. Role of the CX3CR1/p38 MAPK pathway in spinal microglia for the development of neuropathic pain following nerve injury-induced cleavage of fractalkine. *Brain, behavior, and immunity*, 21(5), hal.642–51.
- Zukarnain, B.S., 2008. Efek Antinociceptif Gabapentin Terhadap Nyeri Neuropati Pada Hewan Coba Mencit. *J. Penelit. Med. Eksakta*, 7, hal.23–30.