

## REFERENCES

- Abdeldjelil M. C., A. Messai, A. Boudebza, and S. Beghoul 2017. Practical Aspects to Generate Cutaneous Experimental Burns in a Rat Model. *Der. Pharma. Chem.* 9(1): 59-67.
- Adamson, R. 2009. Role of Macrophages in Normal Wound Healing: An Overview. *J. Wound Care.* 18(8): 349-351.
- Arief, H. and M. A. Widodo. 2018. The Role of Oxidative Stress in the Wound Healing Process. *J. Ilm. Kedokt. Wijaya Kusuma.* 5(2): 22-29.
- Arimbi., A. Azmijah., R. Darsono., H. Plumeriastuti., T. V. Widiyatno and D. Legowo. 2015. *Buku Ajar Patologi Umum Veteriner.* 2<sup>nd</sup> ed. Airlangga University Press, Surabaya. 99-139.
- Bhaskar, A., K. V. Ramesh and Rajeshwari. 2009. Wound Healing Profile of *Sauropus androgynus* in Wistar Rats. *J. Nat. Remedies.* 9(2): 159-164.
- Busuioc, C. J., F. C. Popescu, G. D. Mogoşanu, I. Lascăr, I. Pirici, O. T. Pop and L. Mogoantă. 2011. Angiogenesis Assessment in Experimental Third Degree Skin Burns: A Histological and Immunohistochemical Study. *Rom. J. Morphol. Embryol.* 52(3): 887–895.
- Cai, Y., Q. Luo., M. Sun. and H. Corke. 2004. Antioxidant Activity and Phenolic Compounds of 112 Traditional Chinese Medicinal Plants Associated with Anticancer. *Life Sci.* 74: 2157-2184.
- Dewi, T. S. 2017. The Effect of Okra (*Albemoschus esculentus*) Extract Ointment on Topically on the Rate Wound Healing Process of Skin Burn on Rat (*Rattus norvegicus*) as Model Animals [Thesis]. Faculty of Veterinary Medicine. Universitas Airlangga. p. 27.
- DiPietro, L. A. 2016. Angiogenesis and Wound Repair: When Enough is Enough. *J. Leukoc. Biol.* 100(5): 979-984.
- Driskell, R. R., C. Clavel, M. Rendl, and F. M. Watt. 2011. Hair Follicle Dermal Papilla Cells at a Glance. *J. Cell. Sci.* 124(8):1179-1182.
- Espinoza J. A., Garcia, V. B. Aguilar-Aragon, E. H. Ortiz-Villalobos, R. A. Garcia-Manzano and B. A. Antonio. 2017. Burns: Definition, Classification, Pathophysiology and Initial Approach. *Gen. Med. (Los Angeles).* 5(5): 1-5.

- Fitriani, L., Melisa, F. Saputra and E. Zaini. 2018. Preliminary Study of Gel from Ethanol Extract of *Usnea sp.* for Burn Wound Healing. *J. Sains Farm. Klin.* 5(2): 83-87.
- Flecknell, P. 2009. *Laboratory Animal Anesthesia*. 3<sup>rd</sup>. ed. Elsevier Inc. New York. 184.
- Gayathramma, K., K.V. Pavani and R. Raji. 2012. Chemical Constituents and Antimicrobial Activities of Certain Plant Parts of *Sauropus Androgynus L.* *Int. J. Pharma. Bio. Sci.* 3(2): 561-566.
- Hall, C., C. Hardin, J. Christopher, Corkins, Z. Alisha Z, Jiwani, J. Fletcher, A. Carlsson and R. Chan. 2018. Pathophysiologic Mechanisms and Current Treatments for Cutaneous Sequelae of Burn Wounds. *Compr. Physiol.* 8(1): 731-405.
- Hestianah, E. P., C. Anwar, S. Kuncorojakti and L. R. Yustinasari. 2016. *Buku Ajar Histologi Veteriner Jilid 1*. PT. Revka Petra Media. Surabaya. 5-9.
- Kaur, L. P. and T. K. Guleri. 2013. Topical Gel: A Recent Approach for Novel Drug Delivery. *Asian J. Biomed. Pharm. Sci.* 3(17): 1-5.
- Khoo, H. E., A. Azlana and A. Ismail. 2015. *Sauropus androgynus* Leaves for Health Benefits: Hype and the Science. *Nat. Prod. J.* 5(2): 115-123.
- Koh, K. J. and L. A. DiPietro. 2011. Inflammation and Wound Healing: The Role of The Macrophage. *Expert Rev. Mol. Med.* 13(23): 1-12.
- Kumar C. Y., R. S. Cotran and S. L. Robbins. 2012. *Robbins Basic Pathology*. 7<sup>th</sup>. ed. Elsevier Inc. New York. 65-84.
- Kumar, R. P. and P. George. 2016. Activity of *Sauropus androgynus L.* Leaf Extract against Inflammation and its Immunomodulatory Effect in Swiss Albino Mice. *Int. J. of Adv. Biotechnol. Res.* 7(2): 621 - 633.
- Kurnianto, S. 2017. Effectiveness of Pegagan Leaf Extract (*Centella asiatica*) 25% with Petai Cina (*Leucaena leucocephala*) 30% for Healing of Burns of White Rat (*Rattus norvegicus*) [M.Kep. Thesis]. Universitas Airlangga. p. 54-55.
- Kusriningrum, R.S. 2012. *Experimental Design*. Airlangga University Press. Surabaya. 43-51.
- Lima, C. C., A. P. C. Pereira, J. R. F. Silva, L. S. Oliveira, M. C. C. Resck, C. O. Grechi, M. T. C. P. Bernardes, F. M. P. Olímpio, A. M. M. Santos, E. K. Incerpi and J. A. D. Garcia. 2009. Ascorbic acid for the Healing of Skin Wounds in Rats. *Braz. J. Biol.* 69(4): 1195-1201.

- Ling, K. H., C. T. Kian and T. C. Hoon. 2009. A Guide to Medicinal Plants. World Scientific Publishing Co. Pte. Ltd. Singapore. 139-140.
- Miranti, A. 2018. The Effect of Standardized Pomegranate Extract (*Punica granatum*) with 40% Ellagic Acid as Topical Ointment for Burn Wound in Rat (*Rattus norvegicus*) on Collagen Formation [Thesis]. Faculty of Veterinary Medicine. Universitas Airlangga Surabaya. p. 32-39.
- Mordor Intelligence. 2017. Indonesia Pet Food Market- Growth, Trends and Forecast (2017-2022). <https://www.mordorintelligence.com/industry-reports/indonesia-pet-food-market>. [February 3, 2019]
- Mustarichie, R., R. Hendriani and D. Triarini. 2018. Anti-alopecia Characteristic of *Sauropus androgynus* (L) Merr. Ethanol Extract and its Fractions. Drug Invent. Today. 10(7): 1302-1309.
- Nahak, G. and R. K. Sahu. 2010. Free Radical Scavenging activity of Multivitamin Plant (*Sauropus androgynus* L. Merr). Researcher. 2(11): 6-14.
- Núñez, S. C., C. M. França, D. F. T. Silva, G. E. C. Nogueira, R. A. Prates and M. S. Ribeiro. 2012. The Influence of Red Laser Irradiation Timeline on Burn Healing in Rats. Lasers. Med. Sci. 28(2):633–641.
- Paul, M. and K. B. Anto. 2011. Antibacterial activity of *Sauropus androgynus* (L.) Merr. Int. J. Plant Sci. 6(1): 189-192.
- Putri, T. A. 2014. Pengaruh Pemberian Ekstrak Daun Cincau (*Cyclea barbata* L. Miers) terhadap Jumlah Fibroblas dan Kepadatan Sabut Kolagen Luka Insisi pada Kulit Mencit [Thesis]. Universitas Airlangga. p. 16.
- Rose, L. F. and R. K. Chan. 2016. The Burn Wound Microenvironment. Adv. Wound Care. 5(3): 106-118.
- Santoso, U. 2013. Katuk, Tumbuhan Multi Khasiat. Badan Penerbit Fakultas Pertanian (BPFP) Unib, Bengkulu. 9.
- Selvi, V. S. and A. Bhaskar. 2012. Anti-inflammatory and Analgesic Activities of the *Sauropus androgynus* (L) Merr. (Euphorbiaceae) Plant in Experimental Animal Models. Pharm. Lett. 4(3):782-785.
- Singh, S., D. R. Singh, K. M. Salim, A. Srivastava, L. B. Singh and R. C. Srivastava. 2011. Estimation of Proximate Composition, Micronutrients and Phytochemical Compounds in Traditional Vegetables from Andaman and Nicobar Islands. Int. J. Food Sci. Nutr. 62(7): 765–773.

- Strudwick, X. L. and A. J. Cowin. 2018. The Role of the Inflammatory Response in Burn Injury. <https://www.intechopen.com/books/hot-topics-in-burn-injuries/the-role-of-the-inflammatory-response-in-burn-injury>. [February 11, 2019]
- Sudjono, T. A., M. Honniasih and Y. R. Pratimasari. 2012. The Influence of Carbomer 934 And HPMC Concentration as Gelling Agent in Gel Formulation of Mucus Snail (*Achatina fulica*) on Healing of Burns on Rabbit Back. *Pharmacon*. 13(1): 6-11.
- Sun, G., Z. Xianjie, S. Yu-I, S. Raul, E. D. Laura, F. Karen, R. Maura, S. Charles, W. H. John and G. Sharon. 2011. Dextran Hydrogel Scaffolds Enhance Angiogenic Responses and Promote Complete Skin Regeneration during Burn Wound Healing. *Proc. Natl. Acad. Sci. U.S.A.* 108(52): 20976-20981.
- Tello, L. H. 2013. Burns in Small Animals. *World Small Animals Veterinary Association World Congress Proceedings 2013*. <https://www.vin.com/doc/?id=5709840>. [February 3, 2019]
- Tiwari, V. K. 2012. Burn wound: How it differs from other wounds?. *Indian J. Plast. Surg.* 45(2): 364-373.
- Tonnesen, M. G., X. Feng and R. A. F. Clark. 2000. Angiogenesis in Wound Healing. *J. Investig. Dermatol. Symp. Proc.* 5(1): 40-46.
- Vorstenbosch, J. and E. W. Buchel. 2017. Thermal Burns: Overview, Pathophysiology, Quantifying Burn Severity. <https://emedicine.medscape.com/article/1278244-overview>. [ June 26, 2018]
- Wang, J. 2018. Neutrophils in Tissue Injury and Repair. *Cell Tissue Res.* 371(3): 531-539.
- Wardiyah, S. 2015. Physical Characteristics Comparison of Cream, Gel and Ointment that Contain Ethyl p-methoxycinnamic from Kencur Rhizome Extract (*Kaempferia galanga* Linn.) [Thesis]. Fakultas Kedokteran dan Ilmu Kesehatan. UIN Syarif Hidayatullah Jakarta. p. 19-26.
- William, W. L. and V. W. Li. 2003. Angiogenesis in Wound Healing, Contemporary Surgery. *Dowden Health Media*. Montvale. 5.
- WHO. 2006. Fact about Injuries: Burns. Geneva, World Health Organization and International Society for Burn Injuries. [www.who.int/violence\\_injury\\_prevention/index.html](http://www.who.int/violence_injury_prevention/index.html). [July 14, 2018]
- Yanhendri, and S. W. Yenny. 2012. Various Topical Preparations in Dermatology. *CDK-194 KalbeMed.* 39(6): 423-430.

- Yoshizawa, K., M. Yuki and A. Tsubura. 2016. Drug-Induced Cutaneous Toxicity. Toxicology - New Aspects to This Scientific Conundrum. <https://www.intechopen.com/books/toxicology-new-aspects-to-this-scientific-conundrum/drug-induced-cutaneous-toxicity>. [September 25, 2018]
- Zachary, J. F. and M. D. McGavin. 2012. Pathologic Basis of Veterinary Disease. 5<sup>th</sup>. ed. Elsevier Inc., New York. 135-979.
- Zatalini, D. F. 2017. Formulation and Activity of HPMC-Chitosan Gel towards Healing Process of IIA-degree Burns in White Rat (*Rattus norvegicus*) Wistar Strain. [Thesis]. Fakultas Kedokteran dan Ilmu-ilmu Kesehatan. Universitas Islam Negeri Maulana Malik Ibrahim Malang. p. 42-61.
- Zhang, G. A. 2008. Application of Topical Drugs in Burn Wound. Zhonghua Shao. Shang. Za. Zhi. 24(5):346-348.
- Zhang, X., L. Lixin, W. Xiaofei, S. T. Yee, T. Lana, C. Ryan, S. G. Mohammed, R. Maura, P. M. Guy, W. H. John and L. S. Gregg. 2010. Impaired Angiogenesis and Mobilization of Circulating Angiogenic Cells in HIF-1a Heterozygous-null Mice After Burn Wounding. Wound Rep. Reg. 18(2): 193–201.