

DAFTAR PUSTAKA

- Baque, Md.A., Shiragi, Md.H.K., Moh, SH., Lee, EJ., and Paek, KY. 2013. Production of biomass and bioactive compounds by adventitious root suspension cultures of *Morinda citrifolia* (L.) in a liquid-phase airlift balloon-type bioreactor. *In Vitro Cell Development Biology Plant*. 49(6):737-749.
- Cai, X., Xu, P., Zhao, P., Liu, R., Yu, L., and Xiang, C. 2014. *Arabidopsis* ERF109 mediates cross-talk between jasmonic acid and auxin biosynthesis during lateral root formation. *Nature Communications*.
- Cheong, J. and Choi, Y.D. 2003. Methyl jasmonate as a vital substance in plants. *Trends in Genetics*. 19(7): 409-413.
- Creelman, R.A. and Mulpuri, R. 2002. The oxylipin pathway in *Arabidopsis*. *The Arabidopsis Book: American Society of Plant Biologists*.
- Cushnie, T.P.T. and Lamb, A.J. 2005. Antimicrobial activity of flavonoids. *Review: International Journal of Antimicrobial Agents*. 26(5):343-356.
- Davies, F.G. 1980. The genus *Gynura* (Compositae) in Malesia and Australia. *Kew Bulletin*. 35(4):711-734.
- Fadli, M.Y. 2015. Benefits of sambung nyawa (*Gynura procumbens*) substance as anticancer. *Article Review: Journal Majority*. 4(5):50-53.
- Faizah, H., Tanjung, M., Purnobasuki, H., and Manuhara, Y.S.W. 2018. Biomass and flavonoid production of *Gynura procumbens* (L.) Merr. adventitious root culture in balloon type bubble bioreactor influenced by elicitation. *Asian Journal of Plant Sciences*. 17(2):107-119.
- Fattorini, L., Hause, B., Gutierrez, L., Velocchia, A., Rovere, F.D., Piacentini, D., Falasca, G., and Altamura, M.M. 2018. Jasmonate promotes auxin-induced adventitious rooting in dark-grown *Arabidopsis thaliana* seedlings and stem thin cell layers by a cross-talk with ethylene signaling and modulation of xylogenesis. *BMC Plant Biology*. 18:182
- Ferreira, M.L.F., Rius, S.P., and Casati, P. 2012. Flavonoids: biosynthesis, biological functions, and biotechnological applications. Review Article: *Frontiers in Plant Science*. 3(222):1-15.
- Georgiev, M.I. 2014. Design of bioreactors for plant cell and organ cultures. *Production of Biomass and Bioactive Compounds Using Bioreactor Technology*. Springer Science.
- Haissig, B.E. 1973. Origins of adventitious roots. *New Zealand Journal of Forestry Science*. 4(2):299-310.
- Ho, T., Lee, J., Jeong, C., Paek, K., and Park, S. 2017. Improvement of biosynthesis and accumulation of bioactive compounds by elicitation in adventitious root culture of *Polygonum multiflorum*. *Application Microbiology Biotechnology*.

- Kaewseejan, N., Sutthikhum, V., and Siriamornpun, S. 2015. Potential of *Gynura procumbens* leaves as source of flavonoid-enriched fractions with enhanced antioxidant capacity. *Journal of Functional Foods*. 12:120-128.
- Katinas, L., Pruski, J., Sancho, G., and Telleria, M.C. 2008. The Subfamily Mutisioideae. *The Botanical Review*. 74(2): 469-716.
- Keng, C.L., Yee, L.S., and Pin, P.L. 2009. Micropropagation of *Gynura procumbens* (Lour.) Merr.: An important medicinal plant. *Journal of Medicinal Plants Research*. 3(3):105-111.
- Kim, Y., Hahn, E., Murthy, H.N., and Paek, K. 2004. Adventitious root growth and ginsenoside accumulation in *Panax ginseng* cultures as affected by methyl jasmonate. *Biotechnology Letters*. 26(21): 1619-1622.
- Koes, R.E., Quattrocchio, F., and Mol, J.N.M. 1993. The flavonoid biosynthetic pathway in plants: function and evolution. Review Article. *Bio Essays*. 16(2): 123-132.
- Kumar, S. and Pandey, A.K. 2013. Chemistry and biological activities of flavonoids: an overview. Review article. *The Scientific World Journal*.
- Lischweski, S., Muchow, A., Guthorl, D., and Hause, B. 2015. Jasmonates act positively in adventitious root formation in petunia cuttings. *BMC Plant Biology*. 15:229.
- Manuhara, Y.S.W. 2014. *Kultur Jaringan Tumbuhan: Kapita Selekta*. Airlangga University Press, Surabaya.
- Manuhara, Y.S.W., Kristanti, A.N., and Utami, E.S.W. 2015. Optimization of culture conditions of *Talinum paniculatum* Gaertn. adventitious roots in balloon type bubble bioreactor using aeration rate and initial inoculum density. *Asian Journal of Biological Sciences*. 8(2): 83-92.
- Manuhara, Y.S.W., Kristanti, A.N., Utami, E.S.W., and Yachya, A. 2015. Effect of sucrose and potassium nitrate on biomass and saponin content of *Talinum paniculatum* Gaertn. Hairy root in balloon-type bubble bioreactor. *Asian Pacific Journal of Tropical Biomedicine*. Hal: 1-6.
- Manuhara, Y.S.W., Kusuma, D.Y., Sari, R.L.K., and Kristanti, A.N. 2017. Biomass production of *Gynura procumbens* adventitious roots in different type of liquid culture. *Biosaintifika Journal of Biology & Biology Education*. 9(3):523-529.
- Martinez-Espla, A., Valero, D., Martinez-Romero, D., Castillo, S., Gimenez, M.J., Garcia-Pastor, M.e., Serrano, M., and Zapata, P.J. 2017. Preharvest application of methyl jasmonate as elicitor improves the yield and phenolic content of artichoke. *Journal of Agricultural and Food Chemistry*. 65: 9247-9254.
- Merindasya, M. 2018. Pengaruh Rasio Sumber Nitrogen terhadap Produksi Biomassa dan Kandungan Flavonoid Akar Adventif *Gynura procumbens*

- (Lour.) Merr dalam Bioreaktor Bergelembung Tipe Balon. *Tesis*. Universitas Airlangga, Surabaya.
- Mou, K.M. and Dash, P.R. 2016. A comprehensive review on *Gynura procumbens* leaves. *International Journal of Pharmacology*. 3(4):167-174.
- Mueller, M.J., Brodschelm, W., Spannagl, E., and Zenk, M.H. 1993. Signaling in the elicitation process is mediated through the octadecanoid pathway leading to jasmonic acid. *Proceeding of the National Academy of Sciences*. 90(16):7490-7494.
- Muthoharoh, L. 2018. Pengaruh Konsentrasi Media terhadap Produksi Biomassa dan Kadar Flavonoid Akar Adventif Sambung Nyawa (*Gynura procumbens* (Lour.) Merr) dalam Bioreaktor Bergelembung Tipe Balon. *Tesis*. Universitas Airlangga, Surabaya.
- Noviyanti, Rine. 2017. Pengaruh Variasi Konsentrasi Asam Amino Fenilalanin dan Tirosin terhadap Biomassa dan Kadar Flavonoid Kultur Akar Adventif Sambung Nyawa (*Gynura procumbens* (Lour.) Merr.) dalam Bioreaktor Bergelembung Tipe Balon. *Tesis*. Universitas Airlangga, Surabaya.
- Paek, KY, Chakrabarty, D., and Hahn, EJ. 2005. Application of bioreactor systems for large scale production of horticultural and medicinal plants. *Plant Cell Tissue Organ Culture*. 81(3):287–300.
- Park, SY. and Paek, KY. 2014. Bioreactor culture of shoots and somatic embryos of medicinal plants for production of bioactive compounds. *Production of Biomass and Bioactive Compounds Using Bioreactor Technology*. Springer Science.
- Patel, H. and Krishnamurthy, R. 2013. Elicitors in plant tissue culture. *Journal of Pharmacognocny and Phytochemistry*. 2(2): 60-65.
- Piatczak, E., Kuzma, L., and Whysokinska, H. 2016. The influence of methyl jasmonate and salicylic acid on secondary metabolite production in *Rehmannia glutinosa* Libosch. hairy root culture. *Acta Biologica Cracoviensia Series Botanica*. 51(1): 57-65.
- Pietta, PG. 2000. Flavonoids as antioxidants. *Journal of Natural Products*. 63(7):1035-1042.
- Pillai, D.B., Jose, B., Satheeshkumar, J., and Krishnan. 2015. Optimization of inoculum density in hairy root culture of *Plumbago rosea* L. for enhanced growth and plumbagin production towards scaling-up in bioreactor. *Indian Journal of Biotechnology*. 14(2): 264-269.
- Pujiasmanto, B. 2010. *Prospek Budidaya Tumbuhan Obat*. Berita Nasional Yogyakarta, Yogyakarta.
- Saiman, M.Z., Natali, R.M., Anna, E.S., Robert, V., and Young, H.C. 2012. Induction, characterization, and NMR-based metabolic profiling of adventitious root culture from leaf explants of *Gynura procumbens*. *Plant Tissue Organ Culture*. 109: 465-475.

- Setiawati, A., Septisetyani, E.P., Wijayanti, T.R., dan Rokhman, M.R. 2007. Sambung Nyawa (*Gynura procumbens* (Lour.) Merr.) sebagai Agen Kemopreventif. Universitas Gajah Mada, Yogyakarta.
- Singh, A. 2015. Micropropagation of plants. *Plant Biology and Biotechnology*. Vol II: *Plant Genomics and Biotechnology*. Springer.
- Suarez, C.M.C. 2013. Application of balloon type bubble bioreactor for micropropagation of *Aloe barbadensis* and *Lilium* hybrid. *Thesis*. Universita Degu Studi Della Tuscia.
- Sudewo, B. 2007. *Tanaman Obat Populer Penggempur Aneka Penyakit*. Agromedia Pustaka, Jakarta.
- Taiz, L. and Zeiger, E. 2003. *Plant Physiology*, 3rd ed. *Annals of Botany*. 91: 750-751. Annas of Botany Company.
- Tan, H.L., Chan, K.G., Pusparajah, P., Lee, L.H., and Goh, B.H. 2016. *Gynura procumbens*: An overview of the biological activities. *Mini Review: Frontiers in Pharmacology*. 7:1-14.
- Tanimoto, E. 2005. Regulation of root growth by plant hormones-roles for auxin and gibberellin. *Critical Reviews in Plant Science*. 24:249-265.
- Thanh, N.T., Murthy, H.N., Yu, K.W., Hahn, E.J., and Paek, K.Y. 2005. Methyl jasmonate elicitation enhanced synthesis of ginsenoide by cell suspension cultures of *Panax ginseng* in 5-l balloon type bubble bioreactors. *Application Microbiology Biotechnology: Biotechnological Products and Process Engineering*. 67: 197-201.
- The Taxonomicon. 2018. Taxon: Species *Gynura procumbens*. *Universal Taxonomic Services*. <http://Taxonomicon.taxonomy.nl/>
- Thorpe, T., Stasolla, C., Yeung, E.C., de Klerk, G-J., Roberts, A., and George, E.F. 2008. The components of plant tissue culture media II: Organic additions, osmotic, and pH effect, and support systems. In George E.F., Hall, M.A.m and de J.. ed *Plant propagation by tissue culture*, 3rd edition, vol 1:115-173. Netherlands.
- Veeresham, C. 2012. Natural products derived from plants as a source of drug. *Journal of Advanced Pharmaceutical Technology & Research*. 3(4):200-201.
- Wan, C., Yu, Y., Zhou, S., Tian, S., and Cao, S. 2011. Isolation and identification of phenolic compounds from *Gynura divaricate* leaves. *Pharmacognosy Magazine*. 7(26):101-108.
- Wang, J., Qian, J., Yao, L., and Lu, Y. 2015. Enhanced production of flavonoids by methyl jasmonate elicitation in cell suspension culture of *Hypericum perforatum*. *Bioresources and Bioprocessing*. 2:5.

- Winkel-Shirley, B. 2001. Flavonoid biosynthesis. A colorful model for genetics, biochemistry, cell biology, and biotechnology. *Plant Physiology*. 126(2):485-493.
- Wongwicha, W., Tanaka, H., Shoyama, Y., and Putalun, W. 2011. Methyl jasmonate elicitation enhances glycyrrhizin production in *Glycyrrhiza inflata* hairy roots cultures. *Zeitschrift fur Naturforschung C*. 66(7-8): 423-428.
- Yi, X.Y., Zuo, J., Tan, C., Xian, S., Luo, S., Chen, S., Yu, L., and Luo, Y. 2016. Kaempferol, a flavonoid compound from *Gynura medica* induced apoptosis and growth inhibition in MCF-7 breast cancer cell. *African Journal of Traditional, Complementary and Alternative Medicines*. 13(4):210-215.
- Zhang YH. dan Zhong, JJ. 1999. Hyperproduction of ginseng saponin and polysaccharide by high density cultivation of *Panax notoginseng* cells *Enzym and Microbial Technology*. 21(1): 59-63.
- Zheng, SY., Li, Y., Jiang, D., Zhao, J., dan Ge, JF. 2012. Anticancer effect and apoptosis induction by quercetin in the human lung cancer cell line A-549. *Molecular Medicine Reports*. 5(3):822-826.