

DAFTAR PUSTAKA

Aakeröy, C.B., Fasulo, M.E., and Desper, J., 2007. Cocrystal or salt: does it really matter?. *Molecular Pharmaceutics*, 4 (3), pp.317-22.

Ainurofiq, A., Mauludin, R., Mudhakhir, D., and Soewandhi, S.N., 2018. Synthesis, characterization, and stability study of desloratadin multicomponent crystal formation. *Research in Pharmaceutical Sciences*, 13(2), pp.93-102.

Alhalaweh, A., 2012. *Pharmaceutical Cocrystals : Formation Mechanisms, Solubility Behaviour and Solid-State Properties*. Dissertation, Lulea University of Technology.

Avouac, B., and Teule, M., 1988. Ketoprofen: The European Experience. *The Journal of Clinical Pharmacology*, 28 (1), pp.S2-S7.

Banerjee, R., Bhatt, P.M., Ravindra, N.V., and Desiraju, G.R., 2005. Saccharin salts of active pharmaceutical ingredients, their crystal structures, and increased water solubilities. *Crystal Growth and Design*, 5 (6), pp.2299-309.

Berry, D.J., and Steed, J.W., 2017. Pharmaceutical cocrystals, salts and multicomponent systems; intermolecular interactions and property based design. *Advanced Drug Delivery Reviews*, 117, pp.3-24.

Berry, D.J., Seaton, C.C., Clegg, W., Harrington, R.W., Coles, S.J., Horton, P.N., Hursthouse, M.B., Storey, R., Jones, W., Friscic, T., and Blagden, N., 2008. Applying Hot-Stage Microscopy to Co-Crystal Screening: A Study of Nicotinamide with Seven Active Pharmaceutical Ingredients. *Crystal Growth and Design*, 8 (5), pp.1697–712.

Bi, Y., Xiao, D., Ren, S., Bi, S., Wang, J., and Li, F., 2017. The Binary System of Ibuprofen-Nicotinamide Under Nanoscale Confinement: From Cocrystal to Coamorphous State. *Journal of Pharmaceutical Sciences*, 106, pp.3150–5.

Bolla, G., and Nangia, A., 2016. Binary and ternary cocrystals of sulfa drug acetazolamide with pyridine carboxamides and cyclic amides. *International Union of Crystallography Journal*, 3, pp.152-160.

Brittain, H. G., 2008. Solubility Methods for the Characterization of New Crystal Forms. In: M. C. Adeyeye, and H. G. Brittain, eds. *Preformulation in solid dosage form development*. New York: Informa Healthcare., pp.323-346.

Brown, R., 2012. *Investigating Pharmaceutical Co-crystals As a Means To Improve The Solubility Of a Drug*. Thesis. University of Kansas.

Byres, M., Cox, P.J., Kay, G., and Nixon, E., 2009. Supramolecular structures of six adenine-carboxylic acid. *CrystEngComm*, 11, pp.135-42

Chadha, R., Arora, Bhandari, S., and Bala, M., 2012. Thermomicroscopy and its pharmaceuticals applications. In: Mendez-Vilas, A., Ed. *Current Microscopy Contributions to Advances in Science and Technology*, Badajoz: Formatex Research Center, pp.1013-24.

Chadha, R., Bhalla, Y., Nandan, A., Chadha, K., and Karan, M., 2017. Chrysin cocrystals: Characterization and evaluation. *Journal of Pharmaceutical and Biomedical Analysis*, 134, pp. 361–71.

Chandramouli, Y., Gandhimathi, R., yasmeen, B. R., Vikram, A., Mahitha, B., and Imroz, S. M., 2012. Review on Cocrystal as An Approach With Newer Implications In Pharmaceutical Field. *International Journal of Medicinal Chemistry & Analysis*, 2 (2), pp.91-100.

Cherukuvada, S., and Row, T.N.G., 2014. Comprehending the Formation of Eutectics and Cocrystals in Terms of Design and Their Structural Interrelationships. *Crystal Growth & Design*, 14, pp. 4187-98.

Chow, S.F., Chen, M., Shi, L., Chow, A.H.L., and Sun, C.C., 2012. Simultaneously Improving the Mechanical Properties, Dissolution Performance, and Hygroscopicity of Ibuprofen and Flurbiprofen by Cocrystallization with Nicotinamide. *Pharmaceutical Research*, 29, pp. 1854-65.

Dabir, T.O., Gaikar, V.G., Jayaraman, S., and Mukherjee, S., 2018. Thermodynamic modeling studies of aqueous solubility of caffeine, gallic acid and their cocrystal in the temperature range of 303 K - 363 K. *Fluid Phase Equilibria*, 456, pp. 65-76.

Daneshfar, A., Baghlani, M., Sarabi, R.S., Sahraei, R., Abassi, S., Kaviyan, H., and Khezelia, T., 2011. Solubility of citric, malonic, and malic acids in different solvents from 303.2 to 333.2 K. *Fluid Phase Equilibria*, 313, pp. 11-5.

Delgado, G.E., and Mora, A.J., Guillén-Guillén, M., Ramirez, J.W., Contreras, J.E., 2012. Crystal Structure Determination and Hydrogen-Bonding Patterns in 2-Pyridinecarboxamide. *Crystal Structure Theory and Applications*, 1, pp.30-4.

Desiraju, G.R., 1995. Supramolecular Synthons in Crystal Engineering – A New Organic Synthesis. *Angewandte Chemie International Edition*, 34 (21), pp. 2311-27.

Dezani, A.B., Pereira, T.M., Caffaro, A.M., Reis, J.M., and Serra, C.H.R., 2013. Equilibrium solubility versus intrinsic dissolution: characterization of lamivudine, stavudine and zidovudine for BCS classification. *Brazilian Journal of Pharmaceutical Sciences*, 49 (4), pp.853-63.

Dhillon, B., Goyal, N.K., Malviya, R., and Sharma, P.K., 2014. Poorly Water Soluble Drugs: Change in Solubility for Improved Dissolution Characteristics a Review. *Global Journal of Pharmacology*, 8 (1), pp.26-35.

Dixit, M., Kulkarni, P.K., and Vaghela, R.S., 2013. Effect of Different Crystallization Techniques on the Dissolution Behavior of Ketoprofen. *Tropical Journal of Pharmaceutical Research*, 12 (3), pp.317-22.

Doyle, W.M., 1991. Principles and Applications of Fourier Transform Infrared (FTIR) Process Analysis. *Process Control Quality*, 2, pp.11-41.

Duerst, M.D., 2007. Spectroscopic Methods of Analysis : Infrared Spectroscopy, In : Swarbrick, J., ed., *Encyclopedia of Pharmaceutical Technology*, Third Ed., Vol.1, New York, Informa Healthcare USA, Inc., pp.3405-17.

Dunitz, J. D., and Gavezzotti, A., 2012. Supramolecular Synthons: Validation and Ranking of Intermolecular Interaction Energies. *Crystal Growth & Design*, 12 (12), pp. 5873-77.

Elder, D.P., Holm, R., and Diego, H.L., 2013. Use of Pharmaceutical Salts and Cocrystals to Address the Issue of Poor Solubility. *International Journal of Pharmaceutics*, 453, pp.88-100.

Evora, A.O.L., Castro, R.A.E., Maria, T.M.R., Silva, M.R., Horst, J.H., Canotilho, J., and Eusébio, M.E.S., 2014. A thermodynamic based approach on the investigation of a diflunisal pharmaceutical co-crystal with improved intrinsic dissolution rate. *International Journal of Pharmaceutics*, 466, pp. 68-75.

Evora, A.O.L., Castro, R.A.E., Maria, T.M.R., Silva, M.R., Horst, J.H., Canotilho, J., and Eusébio, M.E.S., 2016. Co-crystals of diflunisal and isomeric pyridinecarboxamides - a thermodynamics and crystal engineering contribution. *CrystEngComm*, 18, pp. 4749-59.

Filippa, M.A., Melo, G.M., and Gasull, E.I., 2016. Ketoprofen Solubility in Organic Solvents and Aqueous Co-solvent Systems : Interactions and Thermodynamic Parameters of Solvation. *Journal of Pharmaceutical, Chemical and Biological Sciences*, 3(4), pp. 440-53.

Friscic, T., and Jones, W., 2010. Benefits of cocrystallisation in pharmaceutical materials science: an update. *Journal of Pharmacy and Pharmacology*, 62 (11), pp.1547-59.

Gadade, D.D., and Pekamwar, S.S., 2016. Pharmaceutical Cocrystals: Regulatory and Strategic Aspects, Design and Development. *Advanced Pharmaceutical Bulletin*, 6 (4), pp. 479-94.

Gadade, D.D., Kulkarni, D.A., Rathi, P.B., Pekamwar, S.S., and Joshi, S.S., 2017. Solubility Enhancement of Lornoxicam by Crystal Engineering. *Indian Journal of Pharmaceutical Sciences*, 79 (2), pp.277-86.

Gajjar, D., Patel, R., Patel, H., and Patel P.M., 2014. Triazine Based Dendrimer as Solubility Enhancers of Ketoprofen : Effect of Concentration, pH and Generation. *International Journal of Pharmacy and Pharmaceutical Sciences*. 6 (4), pp.357-61.

Gao, H., Wang, Q., Ke, X., Liu, J., Hao, G., Xiao, L., Chen, T., Jiang, W., and Liu, Q., 2017. Preparation and characterization of an ultrafine HMX/NQ co-crystal by vacuum freeze drying method. *RSC Advances*. 7, pp. 46229-35.

Gao, Y., Gao, J., Liu, Z., Kan, H., Zu, H., Sun, W., Zhang, J., and Qian, S., 2012. Cofomer selection based on degradation pathway of drugs: A case study of adefovir dipivoxil-saccharin and adefovir dipivoxil-nicotinamide cocrystals. *International Journal of Pharmaceutics*, 438, pp.327-35.

Gauri, N., Aditi, L., Shikha, A., and Dubey, P. K., 2011. Solubility enhancement of a poorly aqueous soluble drug ketoprofen using solid dispersion technique. *Der Pharmacia Sinica*, 2 (4), pp. 67-73.

Ghosh, A., Talukdar, M., and Roy, U.K., 2015. Stable Drug Designing by Minimizing Drug Protein Interaction Energy Using PSO. Diakses dari <https://arxiv.org/ftp/arxiv/papers/1507/1507.08408.pdf>, pada tanggal 10 April 2018.

Giron, D., 2007. Thermal Analysis of Drugs and Drug Products, In : J. Swarbrick, eds. *Encyclopedia of Pharmaceutical Technology*, Third Ed., Vol.1, New York, Informa Healthcare USA, Inc., pp.3726-29.

Godse, S.Z., Patil, M.S., Kothavade, S.M., and Saudagar, R.B., 2013. Techniques for solubility enhancement of Hydrophobic drugs: A Review. *Journal of Advanced Pharmacy Education & Research*, 3 (4), pp.403-14.

Good, D.J., and Rodríguez-Hornedo, N., 2009. Solubility Advantage of Pharmaceutical Cocrystals. *Crystal Growth & Design*, 9 (5), pp.2252–64.

Grimling, B., Gorniak, A., Meler, J., Szcześniak, M., and Pluta, J., 2014. characterization and Dissolution Properties of Ketoprofen in Binary Solid Dispersion With Chitosan. *Progress on Chemistry and Application of Chitin and Its Derivatives*, 19, pp.23-31.

Grossjohann, C., Eccles, K.S., Maguire, A.R., Lawrence, S.E., Tajber, L., Corrigan, O.I, and Healy, A.M., 2012. Characterisation, solubility and intrinsic dissolution behaviour of benzamide: dibenzyl sulfoxide cocrystal. *International Journal of Pharmaceutics*, 422, pp.24– 32.

Hildebrand, G.E., and Muller-Goymann, C.C., 1997. Ketoprofen Sodium: Preparation and Its Formation of Mixed Crystals with Ketoprofen. *Journal of Pharmaceutical Sciences*, 86 (7), pp. 854-7.

Hong, C., Xie, Y., Yao, Y., Li, G., Yuan, X., and Shen, H., 2014. A Novel Strategy for Pharmaceutical Cocrystal Generation Without Knowledge of Stoichiometric Ratio: Myricetin Cocrystals and a Ternary Phase Diagram. *Pharmaceutical Research*, 32 (1), pp. 47-60.

Horst, J.H., and Cains, P.W., 2008. Co-Crystal Polymorphs from a Solvent-Mediated Transformation. *Crystal Growth and Design*, 8 (7), pp.2537-42.

Hsu, P.C., Lin, H.L., Wang, S.L., and Lin, S.Y., 2012. Solid-state thermal behavior and stability studies of theophylline–citricacid cocrystals prepared by neat cogrinding or thermal treatment. *Journal of Solid State Chemistry*, 192, pp.238–45.

Issa, M.G., and Ferraz, H.G., 2011. Intrinsic Dissolution as a Tool for Evaluating Drug Solubility in Accordance with the Biopharmaceutics Classification System. *Dissolution Technologies*, 7, pp.6-13.

Jamali, F., and Brocks, D.R., 1990. Clinical Pharmacokinetics of Ketoprofen and Its Enantiomers. *Clinical Pharmacokinetics*, 19 (3), pp. 197-217.

Kaival, P., Kulkarni, P.K., Dixit, M., and Kni, A.G., 2011. Influence of surfactants on crystal form of mefenamic acid. *Thai Journal of Pharmaceutical Sciences*, 35, pp. 40-50.

Karagianni, A., Malamatari, M., and Kachrimanis, K., 2018. Pharmaceutical Cocrystals: New Solid Phase Modification Approaches for the Formulation of APIs. *Pharmaceutics*, 10 (1), 18.

Khadka, P., Ro, J., Kim, H., Kim, I., Kim, J.T., Kim, H., Cho, J.M., Yun, G., and Lee, J., 2014. Pharmaceutical particle technologies: An approach to improve drug solubility, dissolution and bioavailability. *Asian Journal of pharmaceutical sciences*, 9, pp.304-16.

Khaleel, N.Y., Abdulrasool, A.A., Ghareeb, M.M., and Hussain, S.A., 2011. Solubility and Dissolution Improvement of Ketoprofen by Solid Dispersion in Polymer and Surfactan Using Solvent Evaporation Method. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3 (4).

Kuleshova, L.N., Hofmann, D.W.M., and Boese, R., 2013. Lattice energy calculation - A quick tool for screening of cocrystals and estimation of relative solubility. Case of flavonoids. *Chemical Physics Letters*, 564, pp. 26-32.

Kumar, S., and Nanda, A., 2017. Pharmaceutical Cocrystals: An Overview. *Indian Journal of Pharmaceutical Sciences*, 79 (6), pp. 858-71.

Kumar, G.S.S., Seethalakshmi, P.G., Bhuvanesh, N., and Kumaresan, S., 2013. Cocrystals of caffeine with formylphenoxyaliphatic acids: Syntheses, structural characterization, and biological activity. *Journal of Molecular Structure*, 1034, pp.302-9.

Li, M., Qiao, N., and Wang, K., 2013. Influence of Sodium Lauryl Sulfate and Tween 80 on Carbamazepine–Nicotinamide Cocrystal Solubility and Dissolution Behaviour. *Pharmaceutics*, 5, pp. 508-24.

Limwikrant, W., Nagai, A., Hagiwara, Y., Higashi, K., Yamamoto, K., and Moribe, K., 2012. Formation mechanism of a new carbamazepine/malonic acid cocrystal polymorph. *International Journal of Pharmaceutics*, 431(1-2), pp.237-40.

Malamatari, M., Ross, S.A., Douroumis, D., and Velaga, S.P., 2017. Experimental cocrystal screening and solution based scale-up cocrystallization methods. *Advanced Drug Delivery Reviews*, 117, pp. 162-177.

Martin, A., Swarbrick, and Cammarata, A., 1993. *Farmasi Fisik*, Diterjemahkan dari bahasa Inggris oleh Yoshita, Jakarta, UI-Press.

McClements, D.J., 2012. Crystals and crystallization in oil-in-water emulsions: Implications for emulsion-based delivery systems. *Advances in Colloid and Interface Science*, 174, pp.1-30.

- Mekkapat, S., Thong-On, B., Rutnakornpituk, B., Wichai, U., and Rutnakornpituk, M., 2013. Magnetic core–bilayer shell complex of magnetite nanoparticle stabilized with mPEG–polyester amphiphilic block copolymer. *Journal of Nanoparticle Research*, 15 (11), pp. 2051,
- Mirza, S., Miroshnyk, I., Heinamaki, J., and Yliruusi, J., 2008. Cocrystal : An Emerging Approach For Enhancing Properties of Pharmaceutical Solids. *Dosis*, 24 (2), pp.90-6.
- Moety, E.M. A., Tariq, M., and Al-Bad, A.A., 1991. Nicotinamide. In: Florey, K., *Analytical Profile of Drug Substances*, Vol. 20, New York, Academic Press, pp.475-555.
- Mohammad, M. A., Alhalaweha, A., and Velagaa, S.P., 2011. Hansen solubility parameter as a tool to predict cocrystal formation. *International Journal of Pharmaceutics*, 407, pp.63–71.
- Mudit, D., Keshavarao, K.P., and Selvam, P., 2011. A Novel Technique to Enhance Solubility and Dissolution of Ketoprofen Using Freeze Drying. *International Research Journal of Pharmacy*, 2 (12), pp.249-52.
- Musumeci, D., Hunter, C.A., Prohens, R., Scuderi, S., and McCabe, J.F., 2011. Virtual cocrystal screening. *Chemical Science*, 2, pp.883-90.
- Nafady, M.M.A.M., 2013. Improvement of the solubility and dissolution of ketoprofen using natural bile salts. *Der Pharmacia Sinica*, 4 (1), pp.67-76.
- Naher et al., 2010 Nonappa, Lahtinen, M., Kolehmainen, E., Haarala, J., and Shevchenko, A., 2013. Evidence of Weak Halogen Bonding: New Insights on Itraconazole and its Succinic Acid Cocrystal. 2013, *Crystal Growth & Design*, 13, pp.346–51.
- Najar, A.A., and Azim, Y., 2014. Pharmaceutical Co-Crystals: A New Paradigm of Crystal Engineering. *Journal of the Indian Institute of Science*, 94 (1), pp. 45-67.
- Neurohr, C., Revelli, A.L., Billot, P., Marchivie, M., Lecomte, S., Laugier, S., Massip, S., and Subra-Paternault, P., 2013. Naproxen–nicotinamide cocrystals produced by CO₂antisolvent. *The Journal of Supercritical Fluids*, 83, pp. 78– 85
- Patil, S., Sherikar, A., Patil,S., and Patil, A., 2010. Improvement of physicochemical characteristics and dissolution profile of poorly water soluble drug : ketoprofen by solid dispersion technique. *International Journal Research Pharmaceutical Science*, 1(4), pp.450-3.
- Patil, S.P., Modi, S.R. and Bansal, A.K., 2014. Generation of 1:1 Carbamazepine: Nicotinamide cocrystals by spray drying. *European Journal of Pharmaceutical Sciences*, 62, pp. 251–7.
- Patil, S., Ujalambkar, V., and Mahadik, A., 2017. Electrospray technology as a probe for cocrystal synthesis: Influence of solvent and cofomer structure. *Journal of Drug Delivery Science and Technology*, 39, PP. 217-22.

Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.R., 2009. *Introduction to Spectroscopy*. 4th ed. Belmont, CA: Brooks-Cole., pp.16-104.

Perlovich G. L., and Manin A. N., 2014. Design of Pharmaceutical Cocrystals for Drug Solubility Improvement. *Russian Journal of General Chemistry*, 84 (2), pp.407-14.

Perlovich, G.L., 2014. Thermodynamic approach to improving solubility prediction of co-crystals in comparison with individual poorly soluble components. *The Journal of Chemical Thermodynamics*, 73, pp. 85–9.

Perpétuo, G.L., Chierice, G.O., Ferreira, L.T., Fraga-Silvac, T.F.C., Venturini, J., Arruda, M.S.P., Bannach, G., and Castro, R.A.E., 2017. A combined approach using differential scanning calorimetry with polarized light thermomicroscopy in the investigation of ketoprofen and nicotinamide cocrystal. *Thermochimica Acta*, 651, pp. 1–10.

Porter III, W.W., Elie, S.C., and Matzger, A.K., 2008. Polymorphism in Carbamazepine Cocrystals. *Crystal Growth and Design*, 8(1), pp.14-6.

Qiao, N., Li, M., Schlindwein, W., Malek, N., Davies, A., and Trappitt, G., 2011. Pharmaceutical cocrystals: An overview, *International Journal of Pharmaceutics*. 419, pp.1-11.

Qing-Ping, T., Shu-Qin, S., Wen-Jing, S., Yina, X., Yan-Hong, S., Hai-Fei, T., Ming-Xing, G., Hua, G., Ling-Ling, Z., and Fu-Ded, R., 2014. Investigation on the Percutaneous Enhancing Permeation Mechanism of Azone for Ketoprofen Based on the Intermolecular Hydrogen-bonding Interaction. *Chinese Journal Structure Chemistry*, 33 (2), pp.304-18.

Rachmaniar, R., Tristiyanti, D., Hamdani, and S., Afifah, 2018. Solubility and dissolution improvement of ketoprofen by emulsification ionic gelation. *AIP Conference Proceedings 1927*, 030024, pp. 1-6.

Rahman, Z., Agarabi, C., Zidan, A.S., Khan, S.R., and Khan, M.A., 2011. Physico-mechanical and stability evaluation of carbamazepine cocrystal with nicotinamide. *AAPS Pharmaceutical Science and Technology*, Vol. 12, No. 2, pp. 693-704.

Rajput, L., Sanphui, P., and Desiraju, G.R., 2013. New Solid Forms of the Anti-HIV Drug Etravirine: Salts, Cocrystals, and Solubility. *Crystal Growth & Design*, 13 (8), pp. 3681-90.

Rasenack, N., and Muller, B. W., 2002. Crystal habit and tableting behavior. *International Journal of Pharmaceutics*, 244, pp. 45-57.

Rencher, S., Karavana, S.Y., and Ozyazici, M., 2009. Bioavailability File: Ketoprofen. *Fabad Journal Pharmaceutical Science*, 34, pp.203-16.

Salman, S., Ardiansyah, A., Nasrul, E., Rivai, H., Ben, E.S., and Zaini, E., 2015. Physicochemical characterization of amorphous solid dispersion of ketoprofen-polyvinylpyrrolidone K-30. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7 (2), pp. 209-12.

Sarkar, A., and Rohani, S., 2015. Cocrystals of Acyclovir with Promising Physicochemical Properties. *Journal of Pharmaceutical Sciences*, 104, pp.98–105.

Sarzi-Puttini, P., Atzeni, F., Lanata, L., Bagnasco, M., Colombo, M., Fischer, F., and D'Imporsano, M., 2010. Pain and ketoprofen: what is its role in clinical practice?. *Reumatismo*, 62 (3), pp.172-88.

Savjani, K. T., Gajjar, A. K., and Savjani, J. K., 2012. Drug Solubility: Importance and Enhancement Techniques. *International Scholarly Research Network Pharmaceutics*, 2012, pp.1-10.

Schultheiss, N., and Newman, A., 2009. Pharmaceutical Cocrystals and Their Physicochemical Properties. *Crystal Growth and Design*, 9, (6), pp.2950-67.

Seefeldt, K., Miller, J., Alvarez-Nunes, F., and Guez-Hornedo, N.R., 2007. Crystallization Pathways and Kinetics of Carbamazepine–Nicotinamide Cocrystals From the Amorphous State by In Situ Thermomicroscopy, Spectroscopy and Calorimetry Studies. *Journal of Pharmaceutical Sciences*, 96, pp.1147–58.

Sehic, S., 2008. *Investigation of Variability of Primary Materials on the Intrinsic Dissolution Behavior of Carbamazepine*. Dissertation, Universitat Basel.

Sekhon, B.S., 2012. Nutraceutical Cocrystals: An overview. *RGUHS Journal Pharmaceutical Science*, 2 (2), pp.16-25.

Setyawan, D., Sari, R., and Yusuf, H., Primaharinastiti, R., 2014. Preparation and Characterization of Artesunate-Nicotinamide Cocrystal By Solvent Evaporation And Slurry Method. *Asian Jurnal of Pharmaceutical and Clinical Research*, 7 (Suppl.1), pp.62-5.

Sevukarajam, M., Thanuja B., Sodanapalli, R., and Nair, R., 2011. Synthesis and Characterization of a Pharmaceutical Co-Crystal: (Aceclofenac: Nicotinamide). *Journal Pharmaceutical Science and Research*, 3(6), pp.1288-93.

Shayanfar, A., Velaga, S., and Jouyban, A., 2014. Solubility of carbamazepine, nicotinamide and carbamazepine–nicotinamide cocrystal in ethanol–water mixtures. *Fluid Phase Equilibria*, 363, pp.97– 105.

Shevchenko, A., Bimbo, L.M., Miroshnyk, I., Haarala, J., Jelinkova, K., Syrjanen, K., Veen, B., Kiesvaara, J., Santos, H.A., and Yliruusi, J., 2012. A new cocrystal and salts of itraconazole: comparison of solid-state properties, stability and dissolution behavior. *International Journal of Pharmaceutics*, 436 (1-2), pp.403-9.

Shohin, I.E., Kulinich, J.I., Ramenskaya, G.V., and Vasilenko, G. F., 2011. Evaluation of In Vitro Equivalence for Drugs Containing BCS Class II Compound Ketoprofen. *Dissolution Technologies*, 18, (3), pp. 26-9.

Shohin, I.E., Kulinich, J.I., Ramenskaya, G.V., Abrahamsson, B., Kopp, S., Langguth, P., Polli, J.E., Shah, V.P., Groot, D.W., Barends, D.M., and Dressman, J.B., 2012. Biowaiver Monographs for Immediate-Release Solid Oral Dosage Forms : Ketoprofen. *Journal of Pharmaceutical Sciences*, 101 (10), pp. 3593–603.

Siswandi, S., Rusdiana, T., and Levita, J., 2015. Virtual screening of co-formers for ketoprofen co-crystallization and the molecular properties of the co-crystal. *Journal of Applied Pharmaceutical Science*, 5 (06), pp. 78-82.

Stahly, G.P., 2007. Diversity in Single- and Multiple-Component Crystals. The Search for and Prevalence of Polymorphs and Cocrystals. *Crystal Growth & Design*, 7 (6), pp.1007-26.

Stoler, E., and Warner, J.C., 2015. Non-Covalent Derivatives: Cocrystals and Eutectics. *Molecules*, 20, pp.14833-48.

Suryanarayanan, R., and Rastogi, S., 2007, X-Ray Powder Diffractometry, In : Swarbrick, J., ed., *Encyclopedia of Pharmaceutical Technology*, Third Ed., Vol.1, New York, Informa Healthcare USA, Inc., pp.4103-416.

Sweetman, S.C., 2009. *Martindale The Complete Drug Reference*, Thirty sixth Ed., London, Pharmaceutical Press, pp. 73.

Taylor, C.R., and Day, G.M., 2018. Evaluating the Energetic Driving Force for Cocrystal Formation. *Crystal Growth & Design*, 18, pp.892-904.

Thakuria, R., Delori, A., Jonesa, W., Lipert, M.P., Roy, L., and Rodríguez-Hornedo, N., 2013. Pharmaceutical cocrystals and poorly soluble drugs. *International Journal of Pharmaceutics*, 453, pp. 101-25.

Thomas, V.H., Bhattachar, S., Hitchingham, L., Zocharski, P., Naath, M., Surendran, N., Stoner, C.L., and El-Kattan, A., 2006. The road map to oral bioavailability: an industrial perspective. *Expert Opinion on Drug Metabolism & Toxicology*, 2(4), pp.591-608.

Tilborg, A., Michaux, C., Norberg, B., and Wouters. J., 2010. Advantages of cocrystallization in the field of solid-state pharmaceutical chemistry: L-Proline and MnCl₂. *European Journal of Medicinal Chemistry*, 45, pp. 3511-7.

Tita, D., Fulias, A., and Tita, B., 2011. Thermal stability of ketoprofen-active substance and tablets. *Journal of Thermal Analytical Calorim*, 105, pp. 501–508.

Vaghela, R., Kulkarni, P.K., Hani, U., Varma, V.N.S.K., and Abhay, R., 2014. Enhancing Aqueous Solubility of Ketoprofen by Fusion Technique Using Suitable Co-formers. *Current Drug Therapy*, 9, pp.199-207.

Velmurugan, V., Palanisamy, P., Subramanian, R., Bhuvanesh, N., Gomathi, S., Muthiah, T.P., Nayagam, B.R.D., and Kumaresan, S., 2015. Single Crystal XRD, Bioevaluation and DFT Analysis of 4-Phenylsulfanylbutyric Acid (4PSBA) and Its Cocrystal with 2-Amino-5-nitropyridine (2A5NP), *American Chemical Science Journal*, 13(4), pp.1-16.

- Vener, M.V., Levina, E.O., Koloskov, O.A., Rykounov, A.A., Voronin, A.P., and Tsirelson, V.G., 2014. Evaluation of the Lattice Energy of the Two-Component Molecular Crystals Using Solid-State Density Functional Theory. *Crystal Growth & Design*, 14 (10), pp.4997-5003.
- Vimalson, D.C., Parimalakrishnan, S., Jeganathan, N.S., and Anbazhagan, S., 2016. Techniques to Enhance Solubility of Hydrophobic Drugs: An Overview. *Asian Journal of Pharmaceutics*, 10(2), pp.67-75.
- Vishweshwar, P., McMahon, J.A., Bis, J.A., and Zaworotko, M.J., 2006. Pharmaceutical Co-Crystals. *Journal of Pharmaceutical Sciences*, 95 (3), pp.499-516.
- Wang, C., Wang, J., Wu, N., Xu, M., Yang, X., Lub, Y., and Zang, L., 2017. Donor-acceptor single cocrystal of coronene and perylene diimide: molecular self-assembly and charge-transfer photoluminescence. *RSC Advances*, 7, pp.2382-87.
- Wang, Z. Zhang, X., Deng, Y., and Wang, T., 2007. Complexation of hydrophobic drugs with hydroxypropyl- β -cyclodextrin by lyophilization using a tertiary butyl alcohol system. *Journal of Inclusion Phenomena and Macrocyclic Chemistry*, 57, pp. 349-54.
- Williams, H.D., Trevaskis, N.L., Charman, S.A., Shanker, R.M., Charman, W.N., Pouton, C.W., and Porter, C.J.H., 2013. Strategies to Address Low Drug Solubility in Discovery and Development. *Pharmacological Reviews*, 65, pp.315-499.
- Yadav, P.S., Kumar, V., Singh, U.P., Bhat, H.R., and Mazumder, B., 2013. Physicochemical characterization and in vitro dissolution studies of solid dispersions of ketoprofen with PVP K30 and D-mannitol. *Saudi Pharmaceutical Journal*, 21, pp. 77-4.
- Yamashita, H., Hirakura, Y., Yuda, M., Teramura, T., and Terad, K., 2013. Detection of Cocrystal formation based on binary phase diagrams using thermal analysis. *Pharmaceutical Research*, 30(1), pp.70-80.
- Yan, Q.L., Zeman, S., Elbeih, A., Song, Z.W., and Malek, J., 2013. The effect of crystal structure on the thermal reactivity of CL-20 and its C4 bonded explosives (I): thermodynamic properties and decomposition kinetics. *Journal of Thermal Analysis and Calorimetry*, 112, pp.823-36.
- Zainuddin, M., 2011. Metodologi Penelitian Kefarmasian dan Kesehatan, Surabaya, Airlangga University Press, h. 99-120.
- Zeng, Q.Z., Ouyang, J., Zhang, S., and Zhang, L., 2017. Structural characterization and dissolution profile of mycophenolic acid cocrystals. *European Journal of Pharmaceutical Sciences*, 102, pp.140-6.
- Zhou, W., Apkarian, R.P., Wang, Z.L., and Joy, D., 2007. *Fundamentals of Scanning Electron Microscopy*. New York : Springer, pp.1-40.