

DAFTAR PUSTAKA

- Abd-el-maeboud, K. H. I., Ibrahim, M. I., Shalaby, D. A. A., & Fikry, M. F., 2009. *Chewing gum stimulates early return of bowel motility after caesarean section*, 1334–1339. <https://doi.org/10.1111/j.1471-0528.2009.02225.x>
- Ahmed, M. R., Ali, W., Ahmed, S., & Khamess, R. E., 2018. *Efficacy of three different regimens in recovery of bowel function following elective cesarean section : a randomized trial*.
- Ajuzieogu, O. V, Amucheazi, A., Ezike, H. A., Achi, J., & Abam, D. S., 2014. *The efficacy of chewing gum on postoperative ileus following cesarean section in Enugu, South East Nigeria: A randomized controlled clinical trial. Nigerian Journal of Clinical Practice*, 17(6), 739–742.
- Akyolcu, N., 2012. *Post operative nursing care. Surgical Nursing I*, 357–358.
- Allgood, M. R., 2018. *Nursing Theorists and Their Work - E-Book*.
- Anggorowati., 2012. *Mobilisasi Dini Dan Penyembuhan Luka Operasi Pada Ibu Post Sectio Caesarea (Sc) Di Ruang Dahlia Rumah Sakit Umum Daerah Kota Salatiga*. In *Prosiding Seminar Nasional & Internasional*.
- Article, O., 2010. *Influence of Chewing gum on Postoperative Bowel Activity after*, 84–87. <https://doi.org/10.1159/000260048>
- Asao, T., Kuwano, H., Nakamura, J., Morinaga, N., Hirayama, I., & Ide, M., 2002. *Chewing gum enhances early recovery from postoperative ileus after laparoscopic colectomy. Journal of the American College of Surgeons*, 195(1), 30–32.
- Astutiningrum, D., Hapsari, El. D., & Purwanta, P., 2016. *Peningkatan parenting self efficacy pada ibu pasca seksio sesaria melalui konseling. Jurnal Ners*, 11(1), 134–141.
- Bare, G., & Smeltzer, C., 2002. *Buku ajar keperawatan medikal bedah Brunner & Suddarth. Jakarta: EGC*.
- Brunner, S., & Suddarth, D., 2002. *Buku ajar keperawatan medikal bedah. EGC, Jakarta*.
- Chertok, I. R., & Shoham-Vardi, I., 2008. *Infant hospitalization and breastfeeding post-caesarean section. British Journal of Nursing*, 17(12), 786–791.

- Ciardulli, A., Saccone, G., Di Mascio, D., Caissutti, C., & Berghella, V., 2018. *Chewing gum improves postoperative recovery of gastrointestinal function after cesarean delivery: a systematic review and meta-analysis of randomized trials. The Journal of Maternal-Fetal & Neonatal Medicine*, 31(14), 1924–1932. <https://doi.org/10.1080/14767058.2017.1330883>
- Craciunas, L., Sajid, M. S., & Ahmed, A. S., 2014. *Chewing gum in preventing postoperative ileus in women undergoing caesarean section: a systematic review and meta analysis of randomised controlled trials. BJOG: An International Journal of Obstetrics & Gynaecology*, 121(7), 793–800.
- Despopoulos, A., & Silbernagl, S., 2003. *Color atlas of physiology*. Thieme,.
- Riera, R., Gjm, P., Cr, M., V, S. V., Souza, D., & Pedrosa, A., 2016. *Chewing gum for enhancing early recovery of bowel function after caesareansection(Review),(10)*.<https://doi.org/10.1002/14651858.CD011562>
- Fitriani, N. L., & Anggorowati, A., 2016. *Hubungan tingkat stres dengan pelaksanaan mobilisasi dini pada ibu post partum normal*. Diponegoro University.
- Fraser, D. M., & Cooper, M. A., 2011. *Buku Ajar Bidan Myles (Myles Textbook for Midwives)*. Edisi.
- Guyton, A. C., & Hall, J. E., 2007. *Buku ajar fisiol kedokteran*. 11th ed. Jakarta: EGC, 882–894.
- Guyton, A. C., & Hall, J. E., 2008. *Metabolisme Karbohidrat Dan Pembentukan Adenosin Tripospat dalam Buku Ajar Fisiologi Kedokteran*. Jakarta: EGC.
- Haryanto, W. C., & Anita, D. C., 2011. *Efektivitas Pemberian Rom Aktif terhadap Pemulihan Peristaltik Usus Pasca Operasi Sectio Caesaria dengan Anestesi Spinal di Bangsal An-nisaa'RSU PKU Muhammadiyah Bantul*. STIKES'Aisyiyah Yogyakarta.
- Hochner, H., Tenfelde, S. M., Ahmad, W. A., & Liebergall-wischnitzer, M., 2015. *Chewing gum and gastrointestinal function following caesarean delivery : a systematicreview and meta-analysis*,1–10. <https://doi.org/10.1111/jocn.12836>
- Huang, H., & He, M., 2015. *Taiwanese Journal of Obstetrics & Gynecology Usefulness of chewing gum for recovering intestinal function after cesarean delivery : A systematic review and meta-analysis of randomized controlled trials. Taiwanese Journal of Obstetrics & Gynecology*, 54(2), 116–121. <https://doi.org/10.1016/j.tjog.2014.10.004>

- Izveren, O. A., & Dal, Ü., 2011. *The early period complications in patients who were performed abdominal surgery intervention and the nursing practices for these complications. Hacet. Univ. Faculty Health Sci. Nurs. J.*, 36–46.
- Jakkaew, B., & Charoenkwan, K., 2013. *Effects of chewing gum on recovery of bowel function following cesarean section: a randomized controlled trial. Archives of Gynecology and Obstetrics*, 288(2), 255–260.
- Kale, N., 2017. *Gynaecology The Study Of Effect Of Sugar Free Chewing Gum On Peristalsis Activity In Post- Caesarean Patients. Umesh Sable*, 5–7.
- Kaneda, H., & Saito, Y., 2007. *Early postoperative mobilization with walking at 4 hours after lobectomy in lung cancer patients*, 493–498. <https://doi.org/10.1007/s11748-007-0169-8>.
- Kehlet, H., 2008. *Postoperative ileus—an update on preventive techniques. Nature Reviews Gastroenterology and Hepatology*, 5(10), 552.
- Keller, D., & Stein, S. L., 2013. *Facilitating Return of Bowel Function after Colorectal Surgery : Alvimopan and Chewing gum*, 1(212), 186–190.
- Kozier, B., Erb, G., Berman, A., & Snyder, S. J., 2010. *Buku ajar fundamental keperawatan: Konsep, proses & praktik*.
- Ladewig, P. W., 2006. *Buku Saku Asuhan Ibu dan Bayi Baru Lahir*. Jakarta: EGC.
- Ledari, F. M., Barat, S., & Delavar, M. A., 2012a. *Chewing gums has stimulatory effects on bowel function in patients undergoing cesarean section : A randomized controlled trial*.
- Ledari, F. M., Barat, S., & Delavar, M. A., 2012b. *Chewing gums has stimulatory effects on bowel function in patients undergoing cesarean section: A randomized controlled trial. Bosnian Journal of Basic Medical Sciences*, 12(4), 265.
- Ledari, F. M., Barat, S., Delavar, M. A., Banihosini, S. Z., & Khafri, S., 2013. *Chewing sugar-free gum reduces ileus after cesarean section in nulliparous women: a randomized clinical trial. Iranian Red Crescent Medical Journal*, 15(4), 330.
- Lee, J. T., Hsieh, M., Cheng, P., & Lin, J., 2016. *The Role of Xylitol Chewing gum in Restoring Postoperative Bowel Activity After Cesarean Section*, 18(2), 167–172. <https://doi.org/10.1177/1099800415592966>.
- Li, S., Liu, Y., Peng, Q., Xie, L., Wang, J., & Qin, X., 2013. *Chewing gum reduces postoperative ileus following abdominal surgery: A metaanalysis of*

- 17 randomized controlled trials. *Journal of Gastroenterology and Hepatology*, 28(7), 1122–1132.
- Liu, Q., Jiang, H., Xu, D., & Jin, J., 2017. *Effect of chewing gum on ameliorating ileus following colorectal surgery: A meta-analysis of 18 randomized controlled trials. International Journal of Surgery*, 47, 107–115. <https://doi.org/10.1016/j.ijssu.2017.07.107>.
- Majid, A., Judha, M., & Istianah, U., 2011. *Keperawatan perioperatif*. Yogyakarta: Goysen Publishing.
- Manuaba., 2008. *Gawat-Darurat Obstetri-Ginekologi & Obstetri-Ginekologi Sosial untuk Profesi Bidan*. Jakarta: EGC.
- Manuaba, I. B. G., 1999. *Operasi Kebidanan Kandungan Dan Keluarga Berencana Untuk Dokter Umum*. Penerbit Buku Kedokteran EGC, Jakarta.
- Mochtar, R., 1998a. *Sinopsis Obstetri: obstetri fisiologi, obstetri patologi*. Jakarta: EGC.
- Mochtar, R., 1998b. *Sinopsis Obstetri Operatif Obstetri Sosial Edisi 2*. Jakarta: EGC.
- Ningrum, D. S., Katuk, M. E., & Masi, G. N. M., 2018. *Pengaruh Mobilisasi Dini Terhadap Peristaltik Usus Pada Pasien Pasca Laparatomi Di Rsu Gmim Pancaran Kasih Manado. Jurnal Keperawatan*, 6(1). Retrieved from <https://ejournal.unsrat.ac.id/index.php/jkp/article/view/19466>
- Noble, E. J., Harris, R., Hosie, K. B., Thomas, S., & Lewis, S. J., 2009. *Chewing gum reduces postoperative ileus? A systematic review and meta-analysis. International Journal of Surgery*, 7(2), 100–105. <https://doi.org/10.1016/j.ijssu.2009.01.006>
- Oxorn, H., & Forte, W. R., 2010. *Ilmu kebidanan: patologi dan fisiologi persalinan*. Penerbit Andi.
- Paper, O., 2013. *Chewing gum : Another Simple Potential Method for More Rapid Improvement of*, 67–74. <https://doi.org/10.1159/000342637>
- Potter & Perry., 2005. *Buku ajar fundamental keperawatan konsep, proses, dan praktik*. Jakarta: EGC.
- Potter, P. A., & Perry, A. G., 2005. *Buku ajar fundamental keperawatan: konsep, proses, dan praktik*. Jakarta: Egc, 1.
- Prawirohardjo., 2006. *Ilmu Kebidanan*. Jakarta: PT Bina Pustaka Sarwono

- Prawirohardjo, S., 2002. *Buku acuan nasional pelayanan kesehatan maternal dan neonatal*. Jakarta: Bina Pustaka.
- Prawirohardjo, S., 2010. *Infeksi Menular Seksual. Dalam: Ilmu Kebidanan. Edisi Ketiga*. Jakarta: PT. Bina Pustaka Sarwono Prawirohardjo, 921–933.
- Rahmawati, E. N., 2011. *Ilmu Praktis Kebidanan*. Jakarta: Victory IntiCipta.
- Renggonowati, A., 2015. *Pengaruh Mobilisasi Dini Terhadap Peristaltik Usus Pasca Operasi Sesar Dengan Anestesi Spinal Di Rsud Tugurejo Semarang. Jurnal Ilmu Keperawatan Dan Kebidanan, 1(6)*.
- Rodian, M., Satari, M. H., & Rolleta, E., 2011. *Efek Mengunyah Permen Karet Yang Mengandung Sukrosa, Xylitol, Probiotik Terhadap Volume, Kecepatan Aliran, Viskositas, pH, Dan Jumlah Koloni Streptococcus Mutans Saliva. Abstrak*.
- Roy, C., & Andrews, H. A., 1999. *The Roy adaptation model* (Vol. 2). Appleton & Lange Stamford, CT.
- Rustianawati, Y., Karyati, S., & Himawan, R., 2013. *Efektivitas ambulasi dini terhadap penurunan intensitas nyeri pada pasien post operasi laparatomi di RSUD Kudus. Jurnal Ilmu Keperawatan Dan Kebidanan, 4(2)*.
- Saifuddin, A. B., 2002. *Buku panduan praktis pelayanan kesehatan maternal dan neonatal*. Jakarta: Yayasan Bina Pustaka Sarwono Prawirohardjo.
- Salamah, S. M., & Sulistyarningsih, S., 2015. *Hubungan Mobilisasi Dini dengan Pemulihan Luka Post Sectio Caesarea di Rumah Sakit Panembahan Senopati Bantul. STIKES' Aisyiyah Yogyakarta*.
- Scott, J. R., & Porter, T. F., 2008. *Cesarean delivery. Danforth's Obstetrics and Gynecology, 491–503*.
- Shang, H., Yang, Y., Tong, X., Ph, D., Zhang, L., Fang, A., ... Ph, D., 2010. *Chewing gum Slightly Enhances Early Recovery from Postoperative Ileus after Cesarean Section : Results of a Prospective , Randomized , Controlled Trial, 1(212), 387–391*.
- Siregar, C. T., 2004. *Kebutuhan Dasar Manusia: Universitas Sumatera Utara: Diakses Dari [Http://Library.Usu.Ac.Id/Download/Fk/Keperawatan-Cholina.Pdf](http://Library.Usu.Ac.Id/Download/Fk/Keperawatan-Cholina.Pdf)*.
- Smeltzer, S., Bare, B., Hinkle, J., & Cheever, K., 2010. *Textbook of Medical-Surgical Nursing, Brunner& Suddarth's*. China.: Lippincott Williams and Wilkins, 889.

- Smeltzer, S. C., & Bare, B. G., 2002. *Buku ajar keperawatan medikal bedah*. Jakarta: EGC, 1223, 21.
- Sriharyanti, D. E., & Arif, S., 2016. *Pengaruh mobilisasi dini rom pasif terhadap pemulihan peristaltik usus pada pasien paska pembedahan dengan anestesi umum di smc rs telogorejo*. *Jurnal Ilmu Keperawatan Dan Kebidanan*, 2(5).
- Su, B. U., Pollock, T. T., Lemanu, D. P., Maccormick, A. D., Connolly, A. B., & Hill, A. G., 2015. *Chewing gum and postoperative ileus in adults : A systematic literature review and meta-analysis*. *International Journal of Surgery*, 14, 49–55. <https://doi.org/10.1016/j.ijvsu.2014.12.032>
- Sukarni, I., & Margareth, Z. H., 2013. *Kehamilan. Persalinan & Nifas*, Penerbit: Nuha Medika, Jakarta.
- Wafaa., 2013. *Effect of sugarless chewing gum on intestinal movement after cesarean section*, 10(4), 3257–3261.
- Wahyuni, A., Nurachmah, E., & Herawati, T., 2013. *Analisis praktik residensi keperawatan medikal bedah pada pasien gangguan sistem kardiovaskuler dengan pendekatan model adaptasi roy di rumah sakit jantung dan pembuluh darah harapan kita Jakarta*. *Jurnal Sains [Internet]*.
- Wen, Z., Shen, M., Wu, C., Ding, J., & Mei, B., 2017. *Chewing gum for intestinal function recovery after caesarean section: a systematic review and meta-analysis*. *BMC Pregnancy and Childbirth*, 17(1), 105.
- Windiarto, N., 2010. *Perbedaan Lama Waktu Pemulihan Peristaltik Usus Pada Pasien Bedah Dengan Anestesi Umum Yang Dilakukan Ambulasi Dini ROM Aktif Dan Pasif Di Rumah Sakit Bhakti Wira Tamtama Semarang*. Universitas Diponegoro.
- Wiyono, N., & Arifah, S., 2008. *Pengaruh Ambulasi Dini Terhadap Pemulihan Peristaltik Usus Pasien Paska Operasi Fraktur Femur Dengan Anestesi Umum Di Rsui Kustati Surakarta*.
- Zhu, Y., Wang, W., Zhang, S., Dai, B., & Ye, D., 2014. *Effects of chewing gum on postoperative bowel motility after caesarean section: a meta-analysis of randomised controlled trials*. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(7), 787–792.