

DAFTAR PUSTAKA

- Aftab, U., M. Ashraf and Z. Jiang. 2006. Low Diet For Broilers. *World Poult. Sci.* 62(4):688-701
- Alif S.M. 2017. Kiat Sukses Beternak Ayam Petelur . Bio Genesis. Yogyakarta. 10-12
- Aksu D. S., Taylan A., and Bulent O. 2010 The Effects of Lower Supplementation Levels of Organically Complexed Minerals (Zinc, Copper and Manganese) Versus Inorganic Forms on Hematological and Biochemical Parameters in Broilers .*Kafkas Univ Vet Fak Derg* 16 (4): 553-559.
- Aviati V., Siti M. M., Tyas Rs. 2014. Kadar Kolesterol Telur Puyuh Setelah Pemberian Tepung Kunyit Dalam Pakan. 58-64
- Badan Standar Nasional.2006. Pakan Ayam Ras Petelur . SNI 01-3928-2006.
- Chandalia M., A Garg., dan D. Luttjohan. 2000. Benefical Effect of High Fiber Intake in Patient with Type 2 Diabetus Melitus. *NEJM* 342:1392-8.
- Coulibaly A, Kouakou B, Chen J. 2011. Phytic acid in cereal grains, healthy or harmful ways to reduce phytic acid in cereal grains and their effects on nutritional quality. *Am J Plant Nutr Fertil Technol.* 1:1-22.
- Cowieson AJ, Acamovic T, Bedford MR. 2006a. Phytic acid and phytase: Implications for protein utilization by poultry. *Poult Sci.* 85:878-885.
- Estiasih, T. dan Ahmadi, K. (2009).Teknologi Pengolahan Pangan. Jakarta: PT. Bumi Aksara. Hal. 236-237.
- Direktorat Jendral Peternakan dan Kesehatan Hewan Kementerian Pertanian. 2017. Statistik Peternakan dan Kesehatan Hewan.
- Greiner, R.. Konietzy. 2011. Phytase : Biochemistry, enzymology, and Characteristic Relevant to Animal Feed Use. USA : CABI, 96-128.
- Harris, W. S. 1997. n-3 Fatty Acid and Serum Lipoprotein: Human Studies. *Am J. Clin. Nutr.* 65 :1645-1654.
- Hidayat, Cecep. 2016. Pemanfaatan Fitase sebagai Upaya Penanggulangan Asam Fitat dalam Pakan *Broiler*. wartazoa. 26(2): 57-68.
- Hidayat C, Sumiati, Iskandar S. 2014. Respon pertumbuhan ayam lokal Sentul G-3 terhadap ransum berkadar dedak tinggi yang diberi suplementasi enzim fitase dan ZnO. *JITV.* 19:193-202.

<https://www.roysfarm.com/digestive-system-of-chicken/>. Diakses pada tanggal 23 April 2019

Jim. L. E. 2013. Metabolisme Lipoprotein. Jurnal Biomedik (JBM). 5(3): 149-156.

Joseph G., Uhi HT., Rukmiasih, Wahyuni I., Hafid H., Parakkasi A., 2002. Status Kolesterol Itik Mandalung dengan Serat Kasar dan Vitamin E.

Kaderi, H. 2015. Arti Penting Kadar Abu pada Bahan. <http://balittra.litbang.pertanian.go.id/> diakses pada 20 Maret 2019

Kathirvelan C, Janani SR, Ramesh J, Pur Ushothaman MR. 2015. Significance of usage of phytase in poultry nutrition. Int J Sci Env Tech. 4:1214-1217.

Ketaren, P.P. 2010. Kebutuhan Gizi Ternak Unggas di Indonesia. Wartazoa 20(4): 172 – 177.

Khattak FM, Pasha TN, Hayat Z, Mahmud A. 2006. Enzymes in poultry nutrition. J Anim Pl Sci. 16:1-7.

Kornegay, E. T. 2001. Digestion of Phosphorus and ther Nutrients: the Role of Phytases and Factors Influencing Their Activity.In: Enzymes In Farm Animal Nutrition. Pp 237-271.

Kumar V, Sinha AK, Makkar HPS, Becker K. 2010. Dietary Roles of Phytate and Phytase in Human Nutrition: A review. Food Chem. 120:945-959.

Kumari . 2017. Sweet Biochemistry : Remembering Structures,Cycles, and Pathway by Mnemonic.

Kusriningrum, R. 2012. Rancangan Percobaan. Universitas Airlangga. Surabaya Hal 43-51.

Lim ,H.S., H. Namkung, J.S Um.,K.R kang, B.S. Kim and I. K. Paik. 2001. The Effect of Phytase Suplementation on the Performans of Broiler Chicken Feed Diet with Different Levels of Non-Phytase Phosporus. Asian-Aust. J Anim. Sci 14(2): 250-257.

Lamid M., Puspaningsih N. N. T., Asmarani O. 2014. Potential of Phytase Enzymes as Biocatalyst for Improved Nutritional Value of Rice Bran for Broiler Feed. J. Appl. Environ. Biol. Sci. 4(3) 377-380.

- Lamid M. A., Al-Arif., S.H. Warsito. 2018. Phytase Enzyme and Lemuru (Sardinella) Oil Supplementation in Layer Feed For Improving Meart Quality. Faculty of Veterinary Medicine. Airlangga University
- Lasunte M. I. 2018. Subtitusi Dedak Padi Berenzim Fitase dalam Pakan Komersial Terhadap Pertambahan Berat Badan dan Konversi Pakan pada Ayam Pedaging. [Skripsi]. Surabaya. Fakultas Kedokteran Hewan. Universitas Airlangga.
- Lestari, I. L., A. Widigdyo, A. N.O. Ari K. 2017. Pengaruh Penambahan Kayu Secang (*Caesalpinia sappan L.*) Dan Minyak Ikan Lemuru Sebagai Aditif Pakan Terhadap Daya Simpan Telur dan Kolesterol Telur. Jurnal Aves. 11(2):38-44
- Lirob H. 2018. Potensi Enzim Fitase pada Dedak Padi Berenzim Fitase terhadap Kandungan Protein Kasar dan Abu. [Skripsi]. Surabaya. Fakultas Kedokteran Hewan. Universitas Airlangga.
- Lokapirnasari, W.P., Sinin A., Bijianti, R., 2018. The Decrease of Cholesterol Levels on Broiler Meat by The Addition of Crude Fish Oil.
- Manoppo, M. R. A., R. Sugihartuti, T.S. Adikara dan Y. Dhamayanti. 2007. Pengaruh Pemberian Crude Chrorella terhadap Total Kolesterol Darah Ayam Broiler. Fakultas Kedokteran Hewan. Universitas Airlangga.
- Mastika,I M. 2000. Ilmu Nutrisi Unggas di Indonesia. Universitas Udayana : Denpasar.
- Mathius, I.W, dan Sinurat, A.P. 2001. Pemanfaatan Bahan Pakan Inonvensional Untuk Ternak. Wartazoa 11(2):20-31 .
- Miller GJ, Miller NE. 1975. Plasma high density lipoprotein concentration and development of ischaemic heart disease Lancet, 1, 16-19.
- Murray,R.K, D.A Bander, K.M Botan, P.J. Kenelly, P.A Weil, and V.W Rodwell. 2003. Harper's Illustrated Biochemistry. 26 ed. International Editions. The mc Graw -Hill Companies. Inc. USA.
- Murray,R.K, D.A Bander, K.M Botan, P.J. Kenelly, P.A Weil, and V.W Rodwell. 2009. Harper's Illustrated Biochemistry. 28 ed. International Editions. The mc Graw -Hill Companies. Inc. USA.
- Murray,R.K, D.A Bander, K.M Botan, P.J. Kenelly, P.A Weil, and V.W Rodwell. 2012. Harper's Illustrated Biochemistry.The mc Graw -Hill Companies. Inc. USA.

- Musa, H., G.H. Chen, J.H. Cheng., G.M. Yousif. 2007. Relation between Abdominal Fat and Serum Cholesterol, Trygliserides, and Lipoprotein Concentrations in Chicken Breeds. Turk. J. Vet. Anim. Sci., 31(6): 375-379. Tubitak.
- Naber E C.1976. The Cholesterol Problem the Egg and Lipid Metabolism in Laying Hen. Poultry Sci. 55:14.
- Natsir M.H., Widodo E., Sjofjan O. 2017. Industri Pakan Ternak. UB Press. Malang. 64-65.
- Newman, R. E., Bryden, W.L., Fleck, E., Ashes, J., Buttemer, W. A., Storlien, L. H., Downing, J. A. 2002. Dietary n-3 and n-6 fatty acids alter avian metabolism: metabolism and abdominal fat deposition. Br. J. Nutr. 88: 11-18.
- Purnamasari, L. and Miswar. 2018. Phytase Enzyme Characteristic of *Bacillus subtilis* to Increase the Quality of Poultry Feed. Journal of Livestock Science and Production. Vol 2(2) : 93-98
- Piao, X.S., I.K. Han, J.H., Kim, W.T. Cho, Y.H. Kim, and C. Liang. 1999. Effects of Kemzyme, Phytase, and Yeast Supplementation on The Growth Performance and Pollution Reduction of Broiler Chicks. Asian-Aust. J. Anim. Sci. 12(1):36-41.
- Reddy, N.R., S.K. Shate and D.K. Shalunke. 1982. Phytase in Legumes and Cereals. Advances in Food Research. 28 1-75.
- Rahmat D. dan R. Wiradimaja. 2011. Pendugaan Kadar Kolesterol Daging dan Telur Berdasarkan Kadar Kolesterol darah pada Puyuh Jepang. Jurnal Ilmu Ternak. 11 (1) : 35-38
- Rusmana, D. 2008. Minyak Ikan Lemuru Sebagai Imunomodulator dan Penambahan Vitamin E untuk Meningkatkan Kekebalan Tubuh Ayam Broiler. [disertasi]. Bogor. Sekolah Pascasarjana. Institut Pertanian Bogor.
- Saragih B. 2011. Kolesterol dan Usaha Usaha Penurunannya. Bimotry. Yogyakarta. Hal 5-12.
- Scanes, C. G., G. Brant, and M. E. Esminger. 2004. Poultry science. 4th edition. Person education Inc., New Jersey.
- Selle PH, Ravindran V. 2007. Microbial phytase in poultry nutrition. Anim Feed Sci Technol. 135:1-4.

- Selle, P.H, Huang, K.H, and Munir, W.I. 2003. Effect of Nutrient Spesification and Xylanase Plus Phytase Supplementation of Wheta Breed Diet on Growth Perfomance and Carcas Traits of Broiler Chick. Asian-Aust. J Anim. Sci 16(10): 1501-1509.
- Sinurat,A.P. 1999. Penggunaan Bahan Pakan Lokal dalam Pembuatan Ransum Ayam Buras.Wartazoa 9(1) 12-20.
- Steiner T, Mosenthin R, Zimmermann B, Greiner R, Roth S. 2007. Distribution of phytase activity, total phosphorus and phytate phosphorus in legume seeds, cereals and cereal by-products as influenced by harvest year and cultivar. Anim Feed Sci Technol. 133:320-334.
- Sudarmono. AS. 2003. Pedoman Pemeliharaan Ayam Ras Petelur . Kaninus. Yogyakarta. 13-18.
- Supadmo. 2000. Penggunaan Minyak Ikan Lemuru dalam Ransum sebagai Sumber Asam Lemak Omega-3 untuk Memperbaiki Kualitas Lemak Daging Broiler. Kumpulan Abstrak Seminar Nasional. Fakultas Peternakan. Universitas Gajah Mada. Yogyakarta.
- Suprijatna, E., A. Umiyati, K. Ruhyat. 2008. Ilmu Dasar ternak Unggas. Penebar Swadaya. Jakarta.
- Uyanik F, Eren M, Tuncoku G. 2001. Effects of supplemental zinc on growth, serum glucose, cholesterol, enzymes and minerals in broilers. Pakistan J Bio Sci, 4 (6): 745-747, 2001.
- Wahju, J. 2004. Ilmu Nutrisi Unggas. Gadjah Mada University Press. Yogyakarta.
- Welty F.K, Lichtenstein A.H, Barret P.H.R. DonnikowskiG.G, Schaefer.1999. Human Apoprotein B-48 and ApoB-100 kinetics with Stable Isotope.
- Widodo, E. 2017.Ilmu Pakan Ternak & Formulasi Pakan Unggas. UB Press. Malang.
- Wijaya,V. Graha, Ismoyowati, dan D.M. Saleh. 2013. Kajian Kadar Kolesterol dan Trisiliserida Darah Berbagai Itik Lokal yang Pakannya Disuplementasi dengan Probiotik. JIP 1(2):661-668.
- Wikia. 2018. Hen. <https://braddlys-double-7.wikia.com> (20 Juli 2018)
- Witariadi,N M., Roni N G K.,Utami P I A. 2014. Penambahan Enzim Kompleks dalam Ransum Berbasis Dedak Padi terhadap Produksi Kadar Kolesterol Telur Lohman Brown. Majalah Perternakan 17(3):107-112.

- Woyengo, T. A., A. J. Cowieson, O. Adeola, and C. M. Nyachoti. 2009. Ileal digestibility and endogenous flow of minerals and amino acids: responses to dietary phytic acid in piglets. *Br. J. Nutr.*, 102(3), 428-433.
- Wu P, Tian JC, Walker CE, Wang FC. 2009. Determination of phytic acid in cereals - A brief review. *Int J Food Sci Technol.* 44:1671-1676.
- Yanuartono, Nururrozi A, dan Indarjulianto S. 2015. Fitat dan fitase : dampak pada hewan ternak. *Jurnal Ilmu-Ilmu Peternakan* 26 (3): 59 – 78.
- Yasin, I. 2010. Pencernaan Serat Kasar pada Unggas. Fakultas Peternakan Undaris Unggaran.