

DAFTAR PUSTAKA

- Barcia, J. M. *et al.* (2017) ‘Does oxidative stress induced by alcohol consumption affect orthodontic treatment outcome?’, *Frontiers in Physiology*, 8(JAN), pp. 1–11. doi: 10.1089/ars.2012.5149.
- Berns, J. S (2018) Patient education: Chronic kidney disease (Beyond the Basics). [Online]. Available at: <https://www.uptodate.com/contents/chronic-kidney-disease-beyond-the-basics/print> [Accessed 4 May 2018].
- Berns, J. S (2018) Patient education: Hemodialysis (Beyond the Basics). [Online]. Available at: <https://www.uptodate.com/contents/hemodialysis-beyond-the-basics/print> [Diakses pada 4 Mei 2018].
- Boaz, M. *et al.* (2000) ‘Secondary prevention with antioxidants of cardiovascular disease in endstage renal disease (SPACE): Randomised placebo-controlled trial’, *Lancet*, 356(9237), pp. 1213–1218. doi: 10.1016/S0140-6736(00)02783-5.
- Buico, A. *et al.* (2009) ‘Oxidative stress and total antioxidant capacity in human plasma’, *Redox Report*, 14(3), pp. 125–131. doi: 10.1179/135100009X392557.
- Cohen, G. and Hörl, W. H. (2012) ‘Immune dysfunction in Uremia-An update’, *Toxins*, 4(11), pp. 962–990. doi: 10.3390/toxins4110962.
- Coombes, J. S. and Fassett, R. G. (2012) ‘Antioxidant therapy in hemodialysis patients: A systematic review’, *Kidney International*. Elsevier Masson SAS, 81(3), pp. 233–246. doi: 10.1038/ki.2011.341.
- de Boer, W. I., Yao, H. and Rahman, I. (2007) ‘Future therapeutic treatment of COPD: Struggle between oxidants and cytokines’, *International Journal of COPD*, 2(3), pp. 205–228.
- Delaney M. P., Price C. P., and Newman D. J. (2006) “Edmund lamb. Kidney disease,” in *Tietz Textbook of Clinical Biochemistry*, pp.1670–1745, Saunders, 4th edition.
- Denic, A., Glassock, R. J. and Rule, A. D. (2016) ‘Structural and Functional Changes With the Aging Kidney’, *Advances in Chronic Kidney Disease*, 23(1), pp. 19–28. doi: 10.1053/j.ackd.2015.08.004.
- Durak, İ. *et al.* (2004) ‘Oxidative Stress in Patients with Chronic Renal Failure: Effects of Hemodialysis’, *Medical Principles and Practice*, 13(2), pp. 84–87. doi: 10.1159/000075634.
- Filiopoulos, V. *et al.* (2009) ‘Inflammation and oxidative stress in end-stage renal disease patients treated with hemodialysis or peritoneal dialysis’, *Int J Artif*

- Organs, 32(12), pp. 872–882. doi: B3A37975-27F7-44F9-8146-504CE391F53B [pii].
- Fiorillo, C. *et al.* (1998) ‘Oxidative Stress and Antioxidant Defenses in Renal Patients Receiving Regular Haemodialysis’, *Clinical Chemistry and Laboratory Medicine*. Edited by S. Ahmad. Boston, MA: Springer US, 36(3), pp. 1–457. doi: 10.1515/CCLM.1998.028.
- Goldberg H. J., Scholey J., and Fantus I. G., (2000) “Glucosamine activates the plasminogen activator inhibitor 1 gene promoter through Sp1 DNA binding sites in glomerular mesangial cells,” *Diabetes*, vol. 49, no. 5, pp. 863–871.
- Hacisevki A. (2008) Effect of hemodialysis on oxidative stress in patients with chronic renal failure. *J Fac Pharm.* 2008;37(2):91-100.
- Imig, J. D. and Ryan, M. J. (2013) ‘Immune and inflammatory role in renal disease’, *Comprehensive Physiology*, 3(2), pp. 957–976. doi: 10.1002/cphy.c120028.
- Jackson, P. *et al.* (1995) ‘Effect of hemodialysis on total antioxidant capacity and serum antioxidants in patients with chronic renal failure’, *Clinical Chemistry*, 41(8), pp. 1135–1138.
- Kidney Health Australia (2015) “Albuminuria” Tersedia di: https://kidney.org.au/cms_uploads/docs/albuminuria-fact-sheet.pdf
- Kidney Health Australia (2015) ‘My kidneys my health’. Tersedia di: http://kidney.org.au/cms_uploads/docs/kha-my-kidneys-my-health.pdf.
- Kuo K. L. dan Tarng, D. C. (2010) “Oxidative stress in chronic kidney disease,” *Adaptive Medicine*, vol. 2, no. 2, pp. 87–94.
- Kusano, C. and Ferrari, B. (2008) ‘Total antioxidant capacity: A biomarker in biomedical and nutritional studies’, *Journal of Cell and Molecular Biology*, 7(1), pp. 1–15.
- Kuzkaya, N. *et al.* (2005) ‘Interactions of peroxynitrite with uric acid in the presence of ascorbate and thiols: Implications for uncoupling endothelial nitric oxide synthase’, *Biochemical Pharmacology*, 70(3), pp. 343–354. doi: 10.1016/j.bcp.2005.05.009.
- Ladi-Akinyemi, T. W. and Ajayi, I. (2017) ‘Risk factors for chronic kidney disease among patients at Olabisi Onabanjo University Teaching Hospital in Sagamu, Nigeria: A retrospective cohort study.’, *Malawi medical journal : the journal of Medical Association of Malawi*, 29(2), pp. 166–170.
- Liakopoulos, V. *et al.* (2017) ‘Oxidative Stress in Hemodialysis Patients: A Review of the Literature’, *Oxidative Medicine and Cellular Longevity*, 2017(Cvd). doi: 10.1155/2017/3081856.

- Liguori, I. *et al.* (2018) 'Oxidative stress, aging, and diseases', *Clinical Interventions in Aging*, Volume 13, pp. 757–772. doi: 10.2147/CIA.S158513.
- Lonnemann, G. (2000) 'Chronic inflammation in hemodialysis: The role of contaminated dialysate', *Blood Purification*, 18(3), pp. 214–223. doi: 10.1159/000014420.
- Masakane, I. (2006) 'Review: Clinical usefulness of ultrapure dialysate - Recent evidence and perspectives', *Therapeutic Apheresis and Dialysis*, 10(4), pp. 348–354. doi: 10.1111/j.1744-9987.2006.00388.x.
- Mayer, B. *et al.* (2003) 'Effect of hemodialysis on the antioxidative properties of serum', *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1638(3), pp. 267–272. doi: 10.1016/S0925-4439(03)00093-0.
- Medscape. (2018) "Do I Need a Microalbumin Urine Test?" [online] Tersedia di: <https://www.webmd.com/diabetes/urine-test-microalbumin#2> [Diakses pada 22 Oktober 2018]
- Moe, S.M., Drueke, T.B., Group, for the K.W., (2017). KDIGO clinical practice guideline for the diagnosis, evaluation, prevention and treatment of chronic kidney disease mineral and bone disorder (CKD-MBD). *Kidney Int* 76, S1–S128. doi:10.1038/ki.2009.18
- Montazerifar, F. *et al.* (2012) 'Effect of peritoneal dialysis on antioxidant defense system and oxidative stress', *Hong Kong Journal of Nephrology*. Elsevier Taiwan LLC, 14(2), pp. 33–37. doi: 10.1016/j.hkjn.2012.09.004.
- National Kidney Foundation (NKF) (2007) 'Hemodialysis: What You Need to Know', *National kidney foundation*, 24, pp. 1–24. doi: 800.622.9010.
- NIDDK. (2018) "Kidney Failure" [online] Tersedia di: <https://www.niddk.nih.gov/health-information/kidney-disease/kidney-failure/all-content> [Diakses pada 4 Mei 2018].
- NIDDK. (2018) "Albuminuria: Albumin in the Urine" [online] Tersedia di: <https://www.niddk.nih.gov/health-information/kidney-disease/chronic-kidney-disease-ckd/tests-diagnosis/albuminuria-albumin-urine> [Diakses pada 22 Oktober 2018]
- Nsonwu-Anyanwu, A., Offor, S. and John, I. (2018) 'Cigarette Smoke and Oxidative Stress Indices in Male Active Smokers', *Reactive Oxygen Species*, 00(15), pp. 1–10. doi: 10.20455/ros.2018.829.
- Of, O. J. O. S. and Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group (2013) 'KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease', *Kidney International Supplements*, 3(1), pp. 4–4. doi: 10.1038/kisup.2012.76.

- Pisoschi, A. M. and Negulescu, G. P. (2012) 'Methods for Total Antioxidant Activity Determination: A Review', *Biochemistry & Analytical Biochemistry*, 01(01), pp. 1–10. doi: 10.4172/2161-1009.1000106.
- Putri, A. Y. and Thaha, M. (2014) 'Role Of Oxidative Stress On Chronic Kidney Disease Progression', *Acta Medica Indonesiana*, 46(3), pp. 244–52.
- Ryan, M., Grayson, L. and Clarke, D. J. (1997) 'The Total Antioxidant Capacity of Human Serum Measured Using Enhanced Chemiluminescence is Almost Completely Accounted for by Urate', *Annals of Clinical Biochemistry: An international journal of biochemistry and laboratory medicine*, 34(6), pp. 688–689. doi: 10.1177/000456329703400615.
- Shafiee, M. *et al.* (2017) 'The Impact of Hemodialysis Frequency and Duration on Blood Pressure Management and Quality of Life in End-Stage Renal Disease Patients', *Healthcare*, 5(3), p. 52. doi: 10.3390/healthcare5030052.
- Sheen, Y.-J. and Sheu, W. H.-H. (2011) 'Metabolic Syndrome and Renal Injury', *Cardiology Research and Practice*, 2011(Table 1), pp. 1–13. doi: 10.4061/2011/567389.
- Society of Nephrology, A. (2018) 'Kidney Disease Information'. Available at: <https://www.asn-online.org/kidneydisease/info/PEM-text.pdf> doi: 10.1016/S1532-0464(03)00012-1
- Stocker, R. and Keaney, J.F.: Role of oxidative modifications in atherosclerosis. *Physiol. Rev.*, 84, 1381–1478, 2004.
- Sugiyono (2007) "Statistik Untuk Penelitian". Bandung: CV. Alfabeta.
- Sundaram, M. S. *et al.* (2014) 'Chronic Kidney Disease — Effect of Oxidative Stress', *Chinese Journal of Biology*, 2014, pp. 1–6.
- Tangvarasittichai, S. (2015) 'Oxidative stress, insulin resistance, dyslipidemia and type 2 diabetes mellitus', *World Journal of Diabetes*, 6(3), p. 456. doi: 10.4239/wjd.v6.i3.456.
- Thaha M., *et al.* (2010) "Action Of N-Acetylcysteine On Asymmetric Dimethylarginine And Albuminuria In Stage 1-4 Nondiabetic Chronic Kidney Disease Patients", *Indonesian Journal of Tropical Disease* Vol. 1. No. 3
- UEDA, S. *et al.* (2007) 'Asymmetric dimethylarginine may be a missing link between cardiovascular disease and chronic kidney disease (Review Article)', *Nephrology*, 12(6), pp. 582–590. doi: 10.1111/j.1440-1797.2007.00840.x.
- Vadakedath, S. and Kandi, V. (2017) 'Dialysis: A Review of the Mechanisms Underlying Complications in the Management of Chronic Renal Failure', *Cureus*, 9(8). doi: 10.7759/cureus.1603.

van der Vaart, H. et al. (2005) 'Acute effects of cigarette smoking on inflammation in healthy intermittent smokers', *Respiratory Research*, 6, pp. 1–11. doi: 10.1186/1465-9921-6-22.

Winarsi, H. (2007) 'Antioksidan Alami & Radikal Bebas : Potensi dan Aplikasinya dalam Kesehatan'. Yogyakarta : Kanisius