

African Journal of Infectious Diseases (AJID)

Vol. 8 Issues 1 & 2

2015

ISSN 2046-0165

Journal articles

Health
in
Africa

Life
is
today

"santé est la richesse"



HOME ABOUT LOGIN REGISTER SEARCH CURRENT ARCHIVES
ANNOUNCEMENTS ONLINE SUBMISSIONS ON NEW SITE EDITORIAL BOARD ATHMSI
ITHENTICATE

[OPEN JOURNAL SYSTEMS](#)

[Journal Help](#)

USER

Username

Password

Remember me

JOURNAL CONTENT

Search

Search Scope

All

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)

FONT SIZE

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

HOSTED BY

PKP|PS
Part of the
PKP Publishing Services
Network

Home > Archives > Vol 12, No 1S (2018)

Vol 12, No 1S (2018)

Special Issue

Table of Contents

Articles

IN VITRO STUDIES ON HEME OXYGENASE-1 AND P24 ANTIGEN HIV-1 LEVEL AFTER HYPERBARIC OXYGEN TREATMENT OF HIV-1 INFECTED ON PERIPHERAL BLOOD MONONUCLEAR CELLS (PBMCs)	FULLTEXT.PDF	1-6
Retno Budiarti, Kuntaman Kuntaman, Muhammad Nasronudin, Muhammad Guritno Suryokusumo, Siti Qamariyah Khairunisa		
GENOTYPING OF HUMAN PAPILLOMAVIRUS IN CERVICAL PRECANCEROUS LESION AND SQUAMOUS CELL CARCINOMA AT DR. SOETOMO HOSPITAL, SURABAYA, INDONESIA	FULLTEXT.PDF	7-12
Gondo Mastutik, Rahmi Alia, Alpha Rahniayu, Anny Setijo Rahaju, Nila Kurniasari, Suhartono Taat Putra		
DETERMINATION OF ENVIRONMENTAL FACTORS AFFECTING DENGUE INCIDENCE IN SLEMAN DISTRICT, YOGYAKARTA, INDONESIA	FULLTEXT.PDF	13-35
Tri Wulandari Kesetyaningsih, Sri Andarini, Sudarto Sudarto, Henny Pramodyo		
ANTIVIRAL ACTIVITY OF Justicia gendarussa Burm.f. LEAVES AGAINST HIV-1 INFECTED MT-4 CELLS	FULLTEXT.PDF	36-43
Agustinus Widodo, Prihartini Widiyanti, Bambang Prajogo		
ACANTHAMOEBA SP.S-11 PHAGOCYTOTIC ACTIVITY ON MYCOBACTERIUM LEPRAE IN DIFFERENT NUTRIENT CONDITIONS	FULLTEXT.PDF	44-48
Sepling Paling, Ratna Wahyuni, DEA Ni'matuzahroh, Dwi Winarni, M. KES Iswahyudi, Linda Astar, Dinar Adriaty, Indropo Agusni, Shinzo Izumi		
CD4+ AND CD8+ T-CELLS EXPRESSING INTERFERON GAMMA IN ACTIVE PULMONARY TUBERCULOSIS PATIENTS	FULLTEXT.PDF	49-53
Betty Agustina Tambunan, Hery Priyanto, Jusak Nugraha, Soedarsono Soedarsono		
THE ROLE OF PSYCHOLOGICAL WELL-BEING IN BOOSTING IMMUNE RESPONSE: AN OPTIMAL EFFORT FOR TACKLING INFECTION	FULLTEXT.PDF	54-61
Abdurachman Latief, Netty Herawati		
ANTIBACTERIAL ACTIVITY OF DRACONTOMELON DAO EXTRACTS ON METHICILLIN-RESISTANT S. AUREUS (MRSA) AND E. COLI MULTIPLE DRUG RESISTANCE (MDR)	FULLTEXT.PDF	62-67
Yuniati Yuniati, Nurul Hasanah, Sjarif Ismail, Silvia Anitasari, Swandari Paramita		
INCREASED APOPTOSIS SKULL OF PUPS BORN TO TOXOPLASMA GONDII- INFECTED MICE ASSOCIATED WITH INCREASED EXPRESSION OF INTERFERON GAMMA, BUT NOT TUMOR NECROSIS FACTOR ALFA	FULLTEXT.PDF	68-71
Lucia Tri Suwanti, Mufasirin Mufasirin		
ADDITION OF ANTI-Toxoplasma gondii MEMBRANE IMMUNOGLOBULIN Y TO REDUCE NECROTIC INDEX IN MICE'S LIVER	FULLTEXT.PDF	72-75
Heni Puspitasari, Lucia T. Suwanti, Mufasirin Djaeri		
SEROPREVALENCE AND RISK FACTOR OF TOXOPLASMOSIS IN SCHIZOPHRENIA PATIENTS REFERRED TO GRHASIA PSYCHIATRIC HOSPITAL, YOGYAKARTA, INDONESIA	FULLTEXT.PDF	76-82
Nina Difla Muflikhah, Supargiyono Supargiyono, Wayan Tunas Artama		
CONCOMITANT SEXUALLY TRANSMITTED DISEASES IN PATIENTS WITH DIAGNOSED HIV/AIDS: A RETROSPECTIVE STUDY	FULLTEXT.PDF	83-89
Densy Violina Hamanti, Afif Nurul Hidayati, Muhammad Miftahussurur		

- [RISK FACTORS OF VULVOVAGINAL CANDIDIASIS IN DERMATO-VENEREOLGY OUTPATIENTS CLINIC OF SOETOMO GENERAL HOSPITAL, SURABAYA, INDONESIA](#) [FULLTEXT.PDF](#)
90-94
Dharin Serebrina Arfiputri, Afif Nurul Hidayati, Samsriyaningsih Handayani, Evy Ervianti
- [COMPARISON OF ANTI BACTERIAL EFFICACY OF PHOTODYNAMIC THERAPY AND DOXYCYCLINE ON AGGREGATIBACTER ACTINOMYCETEMCOMITANS](#) [FULLTEXT.PDF](#)
95-103
Ernie Maduratna Setiawatie, Vina Puji Lestari, Suryani Dyah Astuti
- [EVALUATION OF THE ANTIGENICITY AND IMMUNOGENICITY OF *Eimeria tenella* BY REPRODUCTIVE INDEX AND HISTOPATHOLOGICAL CHANGES OF CECAL COCCIDIOSIS VIRULENT LIVE VACCINE IN BROILER CHICKENS](#) [FULLTEXT.PDF](#)
104-110
Endang Suprihati, Muchammad Yunus
- [DETERMINATION OF EFFECTIVE DOSE OF ANTIMALARIAL FROM CASSIA SPECTABILIS LEAF ETHANOL EXTRACT IN PLASMODIUM BERGHEI-INFECTED MICE](#) [FULLTEXT.PDF](#)
111-115
Wiwied Ekasari, Tutik Sri Wahyuni, Heny Arwati, Nindya T. Putri
- [A NEW COPPER \(II\)-IMIDAZOLE DERIVATIVE EFFECTIVELY INHIBITS REPLICATION OF DENV-2 IN VERO CELL](#) [FULLTEXT.PDF](#)
116-119
Teguh Hari Sucipto, Siti Churrotin, Harsasi Setyawati, Fahimah Martak, Kris Cahyo Mulyatno, Ilham Harlan Amarullah, Tomohiro Kotaki, Masanori Kameoka, Masanori Kameoka, Subagyo Yotoproanto, Soegeng Soegijanto
- [COMPARISON OF MULTIPLEX SINGLE ROUND PCR AND MICROSCOPY IN DIAGNOSIS OF AMOEBIASIS](#) [FULLTEXT.PDF](#)
120-126
BS Sri-Hidajati, Sukmawati Basuki, Suhintam Pusarawati, Kusmartisnawati Kusmartisnawati, Lynda Rossyanti, Sri Wijayanti Sulistyowati, Dwi Peni Kartikasari, Heny Arwati, Indah Tantular, Alpha Fardah, Andy Darma, Retno Handajani, Subijanto Marto Soedarmo
- [CLONING AND EXPRESSION OF MCE1A GENE FROM MYCOBACTERIUM TUBERCULOSIS BEIJING AND H37RV STRAIN FOR VACCINE CANDIDATE DEVELOPMENT](#) [FULLTEXT.PDF](#)
127-132
Desi Indriarini, Andriansjah Rukmana, Andi Yasmon
- [EFFECT OF VARYING INCUBATION PERIODS ON CYTOTOXICITY AND VIRUCIDAL ACTIVITIES OF *Justicia gendarussa* Burm.f. LEAF EXTRACT ON HIV-INFECTED MOLT-4 CELLS](#) [FULLTEXT.PDF](#)
133-139
Prihartini Widiyanti, Bambang Prajogo, Agustinus Widodo
- [IN SILICO SCREENING AND BIOLOGICAL EVALUATION OF THE COMPOUNDS OF *Justicia gendarussa* LEAVES EXTRACT AS INTERFERON GAMMA INDUCER: A STUDY OF ANTI HUMAN IMMUNODEFICIENCY VIRUS \(HIV\) DEVELOPMENT](#) [FULLTEXT.PDF](#)
140-147
Restry Sinansari, Bambang EW Prajogo, Prihartini Widiyanti
- [ISOLATION AND IDENTIFICATION OF BRUCELLA SUIIS IN PIGS AS ZOOONOTIC DISEASE IN ENDEMIC AREAS OF EAST JAVA, INDONESIA](#) [FULLTEXT.PDF](#)
148-151
Emy S Koestanti, Wiwik Misaco, Sri Chusniati, Lilik Maslachah

Intructions for Authors

- [INSTRUCTIONS FOR AUTHORS](#) [FULLTEXT.PDF](#)
152-158
Babatunde O Olagunju

Print ISSN: 2006-0165; eISSN: 2505-0419.

Editorial Policies

- [Focus and Scope](#)
- [Section Policies](#)
- [Peer Review Process](#)
- [Publication Frequency](#)
- [Open Access Policy](#)
- [Archiving](#)
- [African Journal of Infectious Diseases \(AJID\)](#)
- [Editorial Board](#)
- [Policy and Ethics](#)
- [Declaration of conflict of interest](#)

Focus and Scope

The African Journal of Infectious Diseases (AJID) is a journal that publishes papers which make an original contribution to the understanding of infectious diseases. Any paper relating to impact, care, prevention and social planning will be considered for publication. Reports of research related to any aspect of the fields of microbiology, parasitology, infection, and host response, whether laboratory, clinical, or epidemiologic, will be considered for publication. Major Articles, Short Communications, Correspondence, Editorials, and Review articles are considered for publication. Papers will be accepted on the understanding that their contents have not been published or submitted for publication elsewhere. All submitted papers will be refereed by at least two appropriately qualified referees. The Journal welcomes the submission of manuscripts that meet the general criteria of significance and scientific excellence. Papers will be published approximately two to three months after acceptance.

Section Policies

Conference Report

These should be sent to the Editor.

Editors

- Babatunde OLAGUNJU
- Vincent Titanji

Open Submissions Indexed Peer Reviewed

Editorial

Open Submissions Indexed Peer Reviewed

Articles

Regular Articles : should describe original investigations and research works that represent new and significant contributions and advances to the field of Infectious Diseases; such articles should contain 4000-6000 words, 4-8 figures/tables and a maximum of 35-40 references.

The structured abstract should be 200-250 words. Original/Regular Articles are always peer-reviewed.

Editors

- Babatunde OLAGUNJU
- Gbola OLAYIWOLA
- Anthony ONIPEDE

Open Submissions Indexed Peer Reviewed

Review

Review Articles: should bear reviews on major areas or sub-areas in the area of Infectious Diseases. Reviews should describe current, new developments, summarize progress, and analyze published works in the field. Such articles should contain 5000-8000 words, 4-8 figures/Tables and a maximum of 40-50 references. The structured Abstract should be 200-250 words. Review Articles are always peer-reviewed.

Editors

- Babatunde OLAGUNJU
- Anthony ONIPEDE
- Babajide sadiq

Open Submissions Indexed Peer Reviewed

Intructions for Authors

Editors

- Gbola OLAYIWOLA

Open Submissions Indexed Peer Reviewed

Case Report

Case Reports: Case report articles contain reports on Infectious Disease-cases of interest. They should contain a maximum of 1,500 words, 3-4 Tables/Figures and no more than 20 references. Case Reports are peer-reviewed.

Editors

- Babatunde OLAGUNJU
- Ademola OLANIRAN
- Babajide sadiq

Open Submissions Indexed Peer Reviewed

Letter to Editor

These letters should comment on articles previously published in AJID or any other matter of interest to the journal. They should not have Tables or Figures. They should contain 500-750 words in length, and no more than a maximum of 5 references. Letters to the Editors are not peer-reviewed, but the Editor reserves the right to accept or reject any such article. The Editor may also seek expert vies and/or opinions in the field before accepting or rejecting such articles. Short Communications are peer-reviewed.

Editors

- Saajida Mahomed
- Babatunde OLAGUNJU

OPEN JOURNAL SYSTEMS

[JournalHelp](#)

USER

Username

Password

Remember me

JOURNAL CONTENT

Search

Search Scope

Browse

- [By Issue](#)
- [By Author](#)
- [By Title](#)
- [Other Journals](#)

FONT SIZE

INFORMATION

- [For Readers](#)
- [For Authors](#)
- [For Librarians](#)

HOSTED BY

PKP|PS

Part of the

PKP Publishing Services Network

• Ademola OLANIRAN

Open Submissions Indexed Peer Reviewed

Focus and Scope

The African Journal of Infectious Diseases (AJID) is a journal that publishes papers which make an original contribution to the understanding of infectious diseases. Any paper relating to impact, care, prevention and social planning will be considered for publication. Reports of research related to any aspect of the fields of microbiology, parasitology, infection, and host response, whether laboratory, clinical, or epidemiologic, will be considered for publication. Major Articles, Short Communications, Correspondence, Editorials, and Review articles are considered for publication. Papers will be accepted on the understanding that their contents have not been published or submitted for publication elsewhere. All submitted papers will be refereed by at least two appropriately qualified referees. The Journal welcomes the submission of manuscripts that meet the general criteria of significance and scientific excellence. Papers will be published approximately two to three months after acceptance. The Journal is published twice a year.

Editors

• Babatunde OLAGUNJU

Open Submissions Indexed Peer Reviewed

Peer Review Process

Our peer review system uses Aries Editorial Manager System Services (<http://www.editorialmanager.com/ajid/default.aspx>).

Every manuscript submitted to AJID will be initially checked and reviewed by an Editorial Office staff. If it is deemed to be appropriate and within the scope of the journal, the manuscript will be assigned to a sectional editor. If the Sectional Editor judges the article to be suitable for possible consideration for publication in AJID, the manuscript will then be sent to at least two external reviewers who are experts in the study area (using our database of experts in the field). All received manuscripts undergo these processes except (i) Letters to the Editor, (ii) Commentaries, (iii) Editorials and (iv) Meeting Reports-which are based on the Editor's decision who may ask experts in the field on the scientific and ethical merits of their contents.

At the time of submission, authors are requested to provide two-to-three potential reviewers (with their names, affiliations and e-mail addresses) who could expertly review their manuscripts.

However, the Editors reserve the right to choose or not to choose from the authors' suggested reviewers.

AJID uses a single-blind review process. The reviewers' identities are kept confidential, while the identity of the author/authors is made known to the reviewers.

Reviewers are expected to maintain confidentiality about the manuscripts that they review. Authors should receive initial decision on their manuscripts within 4-8 weeks after submission. If revision of the manuscript is required, the authors must submit their revised manuscript within 2-4 weeks of the request.

The Editorial Board may require authors to revise their manuscript/s more than once.

Publication Frequency

Biannual publication

Open Access Policy

AJID is now fully free open access. Free online subscription is available for authors and readers from now. Free online subscription is available for all Volumes of AJID after registration. Printed copies are with subscription fees.

Article Processing Fee (APF) and Extra-Page Charges (EPC) will apply to all manuscripts submitted to AJID including: Original articles, review articles, case reports and short communications. The APF is USD300.00. This includes up to 10 black and white published pages. EPC of USD30.00 will be charged per additional black and white page, while a once-for-all Submission Fee (SF) of USD20.00 will be charged for every manuscript submitted to the journal.

Subscription: Individual Annual subscription fee for printed copies is USD150.00, single copy is USD50.00; Institutions and Libraries USD500.00.

Nigerian Authors can pay their subscription to the journal account in Nigerian Naira at:

Account No. 1017042012
UNITED BANK FOR AFRICA (UBA) PLC
Road 1, OAU Campus, Ile-Ife, Nigeria

International Subscribers could contact the editor at: editor@athmsi.org or may WIRE the transfer alternatively to the journal account: African Traditional Herbal Medicine Supporters Initiative (ATHMSI)

United Bank for Africa PLC, Nigeria

Swift Code: UNAFNGLA

Beneficiary account number: 3001646594

Beneficiary's Name: African Traditional Herbal Practitioners Supporters Initiative (ATHMSI)

Beneficiary address: COJA Villa, 7, Road 1, Otunmaie Square, P. O. Box 2586 Obafemi Awolowo University Post office, Ile-Ife, Nigeria
UBA Branch: Road 1, Obafemi Awolowo University Campus, Ile-Ife, Nigeria

Archiving

This journal utilizes the LOCKSS system to create a distributed archiving system among participating libraries and permits those libraries to create permanent archives of the journal for purposes of preservation and restoration. [More...](#)

African Journal of Infectious Diseases (AJID)

The African Journal of Infectious Diseases (AJID) is a new journal that publishes papers which make an original contribution to the understanding of infectious diseases. Any paper relating to impact, care, prevention and social planning will be considered for publication. Reports of research related to any aspect of the fields of microbiology, parasitology, infection, and host response, whether laboratory, clinical, or epidemiologic, will be considered for publication. Major Articles, Short Communications, Correspondence, Editorials, and Review articles are considered for publication. Papers will be accepted on the understanding that their contents have not been published or submitted for publication elsewhere. All submitted papers will be refereed by at least two appropriately qualified referees. The Journal welcomes the submission of manuscripts that meet the general criteria of significance and scientific excellence. Papers will be published approximately two to three months after acceptance.

Editorial Board

EDITORIAL OFFICE

COJA VILLA, No 7 Road 1, Otun Maye Square, Ajobamidele, Ile-Ife, Osun State, Nigeria

Managing Editor:

Mr. Babatunde O. OLAGUNJU; MSc (COJA VILLA, No 7 Road 1, Otun Maye Square, Ajobamidele, Ile-Ife, Osun State, Nigeria).
bolagunju@athmsi.org

Editorial Assistants:

Ms Omolade OLABOYE and Mr. Hammed IBRAHEEM, (COJA VILLA, No 7 Road 1, Otun Maye Square, Ajobamidele, Ile-Ife, Osun State, Nigeria).

Editors-in-Chief:

Prof. Anthony O. ONIPEDE, B.Sc; MBChB; MSc; FWACP (Lab. Med.)
Department of Medical Microbiology, Obafemi Awolowo University, Ile-Ife, Nigeria.
E-mail: anthony_onipede@yahoo.ca, editor@athmsi.org

Dr. Gbola OLAYIWOLA, BPharm; MSc; PhD.

Department of Clinical Pharmacy and Administration, Obafemi Awolowo University, Ile-Ife, Nigeria.

E-mail: gbolaolayiwola@yahoo.com, editor@athmsi.org

Associate Editors:

Prof. Ademola OLANIRAN; PhD (University of KwaZulu-Natal, Durban, South Africa).
E-mail: olanirana@ukzn.ac.za

Prof. Francesca MANCIANTI; DVM (Faculty of Medicine, University of Pisa, Italy).
E-mail: francesca.mancianti@unipi.it

Dr. Emel SONMEZ; PhD (Anadolu University, Eskisehir, Turkey).
E-mail: emls222224@gmail.com

Prof. Hui WANG; DVM (Chinese Academy of Agricultural Sciences, Gansu, China).
E-mail: wanghui01@caas.cn

Editorial Board:

Dr. Saajida MOHAMED; MMed, FPHM (University of KwaZulu-Natal, Durban, South Africa).
E-mail: mahomeds@ukzn.ac.za

Dr. Frank ONYAMBU; PhD (Kenya Institute of Applied Sciences, Moi University, Kenya).
E-mail: frank.onyambu@iscb.org

Dr. Ezekiel AKINKUNMI; PhD (Obafemi Awolowo University, Ile-Ife, Nigeria).
E-mail: eoakinmi@oauife.edu.ng

Dr. Josyline KABURI; PhD (University of Nairobi, Kenya). E-mail: jeirindi@kemri.org

Dr. Balram OMAR; MD (King George's Medical University, Lucknow, India). E-mail: @gmail.com

Prof. Megbaru ABATE; PhD (Bahir Dar University, Ethiopia). E-mail: mgbeyney@gmail.com

Prof. Chrispinus MULAMBALAH; PhD (Moi University, School of Medicine, Kitale, Kenya). E-mail: csmulambalah@gmail.com
Dr. Alok KUMAR; MD (University of the West Indies, Cave Hill, Jamaica).
E-mail: alokkumar.uwchill@gmail.com

Dr. Sharlene GOVENDER; PhD (Nelson Mandela Metropolitan University, Port Elizabeth, South Africa). E-mail: sharlene.govender@nmmu.ac.za

Dr. Babajide SADIQ; DrPH (Florida A&M University, Tallahassee, USA).
E-mail: babajidesadiq@yahoo.com

Dr. Celsus SENTE; PhD (Makerere University, Kampala, Uganda).
E-mail: csehnte@covab.mak.ac.ug

Prof. Phyllis KANKI; DVM, DSc. (Harvard School of Public Health, Boston, USA).
E-mail: pkanki@hsph.harvard.edu

Prof. Vincent TITANJI; PhD (University of Buea, Cameroon). E-mail: vpk.titanji@yahoo.com

Prof. Ahmed ADU-OPPONG; PhD (Jiann-Ping Hsu College of Public Health, Statesboro, USA).
E-mail: aduoppong@georgiasouthern.edu

Dr. Suresh JOSHI; MD, PhD (Thomas Jefferson University Medical College, Philadelphia, USA).
E-mail: surejoshi@yahoo.com

Policy and Ethics

The author, in his/her covering letter, must declare that the work reported in the manuscript was performed according to the national and international institutional rules concerning animal experiments, clinical studies and biodiversity rights. The importance of the study should also be provided in the covering letter. Authors should submit data that have arisen from animal and human studies in an ethically-guided manner by following the guidelines set up by the World Health Organization (WHO). Authors submitting papers are advised to read online WIPO and WHO guidelines on these subjects. (http://www.wipo.int/tk/en/consultations/draft_provisions/draft_provisions.html and <http://www.who.int/medicines/library/trm/researchdocs.shtml>). Authors should make sure that they have acquired appropriate "prior informed consent" (PIC) of patients or volunteers used in their clinical studies. This means that the onus is on the authors, and not on the journal, regarding this important ethical issue. Moreover, authors should state this as a part of the protocol describing how this type of study or survey is made. Papers that violate these principles will neither be accepted nor considered for publication in AJID.

Declaration of conflict of interest

It is mandatory that authors disclose any actual or potential conflict of interest including any financial, personal or other relationships with other people or organizations that could inappropriately influence, or be perceived to influence their work. Conflict of interest disclosure is required for all manuscripts, and will be published. It is the responsibility of the corresponding author to ensure that all co-authors adhere to this policy.

Print ISSN: 2006-0165; eISSN: 2505-0419.

THE ROLE OF PSYCHOLOGICAL WELL-BEING IN BOOSTING IMMUNE RESPONSE:
AN OPTIMAL EFFORT FOR TACKLING INFECTION

Abdurachman^{1*}, Netty Herawati²

¹Department of Anatomy and Histology, Faculty of Medicine, Universitas Airlangga, Surabaya 60286, Indonesia; ²Department of Psychology, Universitas Trunojoyo, Bangkalan 69162, Indonesia

*Corresponding Author's Email: abdurachman@fk.unair.ac.id; abdurachman1166@gmail.com; rachman1166@yahoo.com

Article History

Received: March, 13, 2017

Revised Received: Sept. 8, 2017

Accepted: Sept. 21, 2017

Published Online: March, 07, 2018

Abstract

Background: Many attempts have been made to improve human body resistance towards infection. These attempts were exemplified by promotion of hygiene and the use of antiseptic ingredients, pharmaceutical compounds, and vaccines. To prove an aspect which intentionally less explored was attempt to boosting the host immune responses by creating a psychological balance, which was important aspect of psychological well-being.

Material and Method: These article reviews searched and compiled using database Google Scholar, from 1995 to latest. Search keywords were: immune response, psychological well-being, psychological ill-being.

Results: Based on literature our findings showed that psychological well-being was proven could increase human body immune response. The evidenced were by improvements of several indicators in saliva, blood and plasma. In other way, psychological ill-being was associated with decreased immune responses. Numerous studies compiled and discussed in review also suggested that improving immune response through psychological well-being could increase living comfort.

Conclusion: The psychological well-being could improve the human body immune responses, enhance resistance towards diseases (including infectious diseases), and create a spiritually and physically more prosperous life.

Keywords: Resistance to Infection, Immune Response, Psychological Well-Being, Psychological Ill-Being, Living Comfort.

Introduction

Humans have been trying and are always aiming to get their life more prosperous. One of the considerably important burden factors making life less prosperous was occurrence of infectious diseases. Infectious diseases have been scourging the world for a long time. Infectious diseases impair quality of life and caused the morbidity which was often lead to mortality (Pappas, et al, 2009). Individual susceptibility to infectious diseases was known to be influenced by host immune responses. Immune responses were the reaction of cells and fluids towards the presence of an entity that was typically not recognized as a constituent of body. The ability of immune response to tackle infectious diseases was thought to be influenced by the psychological status (Cohen, 1996)

Moreover, many attempts have been made to increase the body resilience towards infection. These attempts were exemplified by the promotion of hygiene and the use of antiseptic ingredients, pharmaceutical compounds, and vaccines. One thing that was proposed to be effective and efficient as an effort to improve body immune response was strengthening psychological balance in context of psychological well-being.

Whereas, from the literature review, Cohen et al, (2001) obtained information about correlation of psychological stress and antibody response, included in immunization process. Lutgendorf & Costanzo (2003) conducted a psychological intervention that based on the premise that psychological status could affect the immune response. They were intervened medical psychology to modulate the immune response. Those interventions towards good behavior in the field of health and health of individual teaching methods was more adaptive in interpreting life's challenges, as well as the method of handling the problem was more effectively.

Redwine et al, (2004) found an interesting difference immune response among patients with Alzheimer's who accompanied and Alzheimer patients who did not use the companion. The differences occurred due to changes in their psychological status. Barak (2006) collected data from literature and supports hypothesis that individual was described as having negative affective style, bad they recruit immune cells, and might be at risk to disease far more than those with positive affective style. Freitas et al, (2015a) provides some evidence that inflammatory bowel disease was associated with a change in the sense of coherence, psychological balance and quality of life.

Materials and Methods

These articles reviewed searched and compiled using database Google Scholar, from 1995 to latest conducted using SALSA framework (Search, Appraisal, Synthesis, and Analysis). Search keywords were: immune response, psychological well-being, psychological ill-being.

There are very much literatures. After the selection of 105 literatures, selected 39 literatures is up to date and most appropriate to intent these articles review. Furthermore, a critical study of these 39 literatures was conducted.

Dichotomy of Individual Psychological Status, Psychological Well-Being (PWB) and Contrary Psychological Ill-Being (PIB).

According to Ryff and Keyes (1995), the structure of PWB were:

1. Autonomy,
i.e. I have a high confidence towards my opinion, even if that belief was not in accordance with public opinion.
 2. Environmental Mastery,
i.e. In general, I was personally had a responsibility towards my environment.
 3. Personal Growth,
Which I should feel continue to grow and evolve with experience and new understanding of world. New ideas emerge in tune with passage of time and age.
 4. Positive Relationships towards Others,
Namely being a person who always cast a positive benefit for others, giving, helping and forgiving and praying for others.
 5. The Purpose in Life,
Namely know him and know which direction to go through, how through it in order to reach the goal.
 6. Self-Acceptance
After He realized and knew what needs to be optimized, a point of uniqueness himself and know what should be improved as a point of weakness.
- According to Wilt et al. (2016), religiosity and spirituality were the unique variance in well-being (higher satisfaction of life and better self-esteem, less depression and anxiety), while PIB was the contrary.

Many Studies Show That PWB Could Boost Immune Responses

Ryff and Singer (2013) recommend that the PWB could have a positive impact on health. PWB enhance the immune response. Increased immune response be known by measuring the increase in cortisol response and cortisol awakening response (CAR). Rickard et al, (2016) put forward the thesis that CAR totally reliable as an indicator of increasing the immune response in healthy adolescents. Fredrickson et al, (2015) using the conserved transcriptional response to adversity (CTRA) and to see the expression of gene transcription, where the both of it were increase the regulation of pro-inflammatory-gene nor were down-regulated interferon type I also who linked the antibody to detect presence of PWB impact in enhancing immune response.

Anderson et al. (2010), using indicators of natural killer cell cytotoxicity and multiply of T cells for knowing evidence that PWB has a role to improve the immune response. Zhao et al, (2016) using other indicators. He was using CD3 +, CD4 +, CD8 +, CD4 + / CD8 + ratio and free cortisol levels in serum to find the impact of PWB in enhancing immune response. Another researcher, Wu and Gau (2010), studied the levels of phagocytes. As we know, phagocytes did the first response on inflammatory reaction. Later on, much more of phagocytes could accelerate wound healing. As a result, the time needed for a hospital stay becomes shorter at preschool-age child development. Teaching the primary caregiver was another adequate way to induce PWB. Teaching the primary caregiver adequate at-home wound dressing skills reduced re-admission rates for children with low immunity suffering from the phagocyte deficiency.

Next, Bakke et al, (2002), use natural killer (NK) cells and their number of activities to prove that psychological treatments could positively alter the immune system. Religious coping and social support as an effort towards PWB showed to boost the immune responses in people living with HIV/AIDS (Dalmida et al, 2013). They used CD4 + cell count to prove their findings. Then, the effort to PWB via religious coping was definitely associated with reduced psychological distress, increased health-related quality of life (HRQoL), and better medication adherence (8-item Morisky Medication Adherence

Scale) in inflammatory bowel disease (IBD) (Freitas et al, 2015b). They found that religious coping could decrease the relapse of IBD also, meditation could use as an effort to PWB. Long-term practice of meditation might cut stress reactivity and could be therapeutic benefit in chronic inflammatory conditions that characterized by neurogenic inflammation (Rosenkranz et al, 2016). They used cortisol and alpha amylase levels to quantify size of inflammatory and stress response.

Manczak et al, (2016) found attitude of parents like empathy, provide psychosocial impact and physical impact was very good for children's health. Health improvement is indicated by increasing immune response. Increasing body's immune response identified using blood samples. Blood samples are known to decrease signs of systemic inflammation by measuring the amount of interleukin 1-ra, interleukin 6 and C-reactive protein. The effects of empathy from parents to teens could make the better of emotion regulation. The effect of empathy for parents was parents get a higher self-esteem, also get to know the purpose of his life. These findings show importance of mutual solidarity, mutual understanding, to make conditions of psychosocial and physical condition better. In fact, empathy was also very good when develop to principles medical services and for anyone who involve in medical services

Moreover, the cancer patients were accepted therapy music, especially singing. Music could produce better therapeutic effect. Fancourt et al, (2016a) conducted a study on the three populations of cancer patients. They were examined the impact of singing on mood, stress and immune responses in cancer patients, family of patient and nurses. They used indicator; cortisol, beta-endorphin, oxytocin and ten cytokines, they earn from saliva. Their research proved singing could boosting the mood, also singing was modulate immune component's system. Music could evoke positive mood on acute stress (Koelsch et al, 2016). Then, the music could evoke the PWB. Intervened music in therapy base on discovery of several indicators: serum levels of several immune function mediators (IL-6, TNF- α , leptin and somatostatin), as well as noradrenaline, and two hypothalamic-pituitary-adrenal axis hormones (ACTH and cortisol). Other types of music intervention were group drumming. Researchers found an increased immune response through various indicators obtained through saliva samples such as: cortisol, cytokines and interleukin (IL) -4, IL-6, IL-17, tumor necrosis factor-alpha (TNF- α), and monocyte protein chemoattractant (MCP) -1 (Fancourt et al., 2016b). This study shows the psychological benefits of group drumming and shows the underlying biological effects, supporting the therapeutic potential for mental health.

Whereas, traditional the mind-body method was integrates the roommates slow body movements, breathing, and meditation have a positive impact physically and mentally. One of them was Qigong. Qigong could improve the body's immune response. Indicators obtained from a blood sample for quantification of immune parameters (number and percentage of monocytes, neutrophils, eosinophils, and number of lymphocytes, B lymphocytes, and NK cells). They found statistically significant differences between the experimental and control groups, which experimental group showed a higher value number and percentage of B lymphocytes ($p = 0.006$ and 0.04 , respectively), as well as the values that were lower in percentage of NK cells ($p = 0.05$), compared to controls. Thus, Qigong was an effort towards PWB capable of delivering immunomodulatory effects on components of innate as well as adaptive immune response (Vera et al., 2016).

Other PWB part was affective arousal. Affective arousal also modulates the immune response. Moreno et al. (2016) had evidence through research. They assessed plasma markers of inflammation, including soluble tumor necrosis factor receptor type II (sTNF-RII), C-reactive protein (CRP), and interleukin-1 receptor antagonist. They found that affective arousal has a positive effect on inflammatory process on body. Affective arousal affects the inflammatory activities process on body of breast cancer survivor's.

Kitayama et al, (2016) found an association between meaning of life as sociocultural determinants and PWB using CTRA gene expression. They did study on 106 male workers at a large Japanese information technology firm. They used CTRA gene expression as a marker to detect the role of PWB could enhance immune response, thorough improving regulation process of inflammation and viral resistance. Resume of PWB increase immune response list was in Table 1.

Table 1: PWB increases immune response.

Reference	Type of Study	Outcome (indicators for the body's immune response against infectious diseases)
Ryff and Singer (2008) Rickard et al (2015)	Measurement of cortisol response/ cortisol awakening response (CAR)	Positive impact of PWB on health, CAR as a reliable indicator of immune response in healthy adolescents.
Fredrickson et al (2015)	Conserved transcriptional response to adversity (CTRA) for expression of gene transcription	Increase the regulation of pro-inflammatory interferon type I as well as antibody, reflecting PWB enhanced immune response.
Anderson et al (2010)	Measurement of NK cell cytotoxicity and multiplicity of T cells	PWB has a role to improve immune response.
Zhao et al (2016)	Measurement of CD3 +, CD4 +, CD8 +, CD4 + / CD8 + ratio and free cortisol levels in serum	PWB enhances the immune response.
Wu and Gau (2010)	Assessment on the levels of phagocytes	PWB can increase number of phagocytes in preschoolers which was associated with accelerated wound healing and shorter hospitalization time.
Bakke et al (2002)	Measurement of NK cells and their number of activities	Psychological treatments can positively alter the immune system. Religious coping and social boosted immune responses in people living with HIV/AIDS
Dalmida et al (2013)	Measurement of CD4 + cell count	Religious coping and social support showed to boost immune responses in people living with HIV/AIDS
Rosenkranz et al (2016)	Measurement of cortisol and alpha amylase levels	Long-term practice of meditation may cut stress reactivity and could be therapeutic benefit in chronic inflammatory conditions characterized by neurogenic inflammation
Manczak et al (2016)	Measurement of interleukin 1-ra, interleukin 6 and C-reactive protein	The attitude of the parents in the form of empathy, provide psychosocial impact very good for children's health. Health improvement shown by the immune response
Fancourt ^(b) et al (2016)	Measurement of cortisol, beta-endorphin, oxytocin and ten cytokines	Singing can boost immune response in cancer patients, the family of the patient and the nurses.
Koelsch et al (2016)	Measurement of IL-6, TNF- α , leptin and somatostatin, noradrenaline, ACTH and cortisol	The music can evoke the PWB. PWB boost immune response.
Fancourt ^(b) et al (2016)	Measurement of cortisol, cytokines and interleukin (IL) -4, IL-6, IL-17, tumor necrosis factor-alpha (TNF- α), and monocyte protein chemoattractant (MCP) -1	Group drumming as kind of music intervention can increase immune responses
Vera et al (2016)	Measurement number and percentage of monocytes, neutrophils, eosinophils, B lymphocytes, and NK cells	Qigong can improve the body's immune response
Moreno et al (2016)	Measurement of soluble tumor necrosis factor receptor type II	Affective arousal modulates the immune response

Table 2: PWB decreases immune response

Reference	Type of Study	Outcome (indicators for the body's immune response against infectious diseases)
Kudoh et al (2001)	Measurement of plasma IL-6, IL-8, and TNF- α	The pro-inflammatory cytokine responses decreased in abdominal surgery on patients with schizophrenia
Cohen et al (2001)	Measurement of immunoglobulin A	A secondary antibody response was lower among patients with chronic high-stress levels
Burleson et al (2002)	Measurement subset of leukocytes, mitogen-induced proliferation of lymphocytes, NK cell activity and Epstein-Barr virus (EBV) antibody titer	The effects of stress in reducing the immune response in the first year
Kiecolt-Glasera and Glaserb (2002)	Measurements of healing time of infection and process of wound healing, as happened in burns	Depression can directly decline production of pro-inflammatory cytokines
Salleh (2008)	Measurement of tumor growth factor and NK cells	Chronic stress lowers the immune response.
Salim (2016)	oxidative stress	The mechanisms proposed to explain why PIB lowered immune response
Martin-Suberoa et al. (2016)	Measurement of IL-1 and TNF- α , IL-6 trans-signaling; Th-1 and Th-17-like responses; neopterin and soluble IL-2 receptor levels; haptoglobin and C-reactive protein; albumin, transferrin, zinc; IL-10, transforming growth factor- β	The mechanisms proposed to explain why PIB lowered immune response thorough the way of oxidative, and nitrosative stress. Both seem as co-morbidity and as a contributor
Britvi'c et al. (2015)	The diagnostic of cardiovascular, dermatological, musculoskeletal, pulmonary and metabolic diseases	Posttraumatic Stress Disorder (PTSD) increase suffering somatic diseases
Loewa (2014)	Visual Stress Syndrome (VS)+CFS larger than VS without CFS	PIB, Chronic Fatigue Syndrome (CFS) can increase the body's susceptibility to disease
Riis et al. (2016)	Measurement of IL-1 β , IL-6, IL-8, TNF- α and activity of cortisol	Stress can alter the function of neuroendocrine-immune (NEI) in children, stress increases the risk of disease

Some Studies Show How PIB Lower the Body's Immune Response

Many of the previous studies have shown that PWB improve the immune response, where PIB was contrary also, PIB lowered the immune response. Again, Baum and Posluszny (1999) reminded us that psychological status making an impact on immune response. Cohen et al, (2016) stating the stages of disease model starting from the stress as a trigger of disturbance to equilibrium of body. Stages of disease start from stress, it will stimulate the body's response biologically and behaviorally. Stress also makes people more susceptible to disease.

Kudoh et al, (2001) got results that pro-inflammatory cytokine responses decreased in abdominal surgery on patients with schizophrenia. They took measurements of several indicators: plasma IL-6, IL-8, and TNF- α as a variable. Other evidence was supported a link between psychological stress and suppression of humoral antibody, as happened in immunization action (Cohen et al, 2001). There was evidence that secondary antibody response was lower among patients with chronic high-stress levels (a problem that lasts longer and severe or very negative attitude to life). These responses were found most consistent among adults who have an older age. The moderate response was found in people who were influenced by acute stress or negativity personality. The study was only done by measuring antibody secretory immunoglobulin A that correlated with psychological status. Antibodies immunoglobulin A strongly associated with psychological status if counted at same time. Moreover, the literature supports the association between psychological stress and antibody responses to immunizations. Researchers have some data of antibody reaction for secondary response. The effect of stress on immune response lasts stable. Burleson et al, (2002) examined the effects of stress in reducing immune response at first year. They were measured the several parameters, including a subset of leukocytes, mitogen-induced proliferation of lymphocytes, natural killer cell activity and Epstein-Barr virus (EBV) antibody titer.

In another hand, through literature study, Kiecolt-Glasera and Glaserb (2002) obtaining scientific information that depression could directly decline the production of pro-inflammatory cytokines that affect the spectrum of conditions associated with aging, including cardiovascular disease, osteoporosis, arthritis, type 2 diabetes, certain cancers, diseases of periodontal, weakness and functional decline. In addition, they obtain scientific information that depression might be decrease cellular immune response, causing some consequences which include, prolonged healing time of infection and prolonged process of wound healing, as happened in burns.

Chronic stress was one type of PIB that has an important role in lowering immune system. This role will emerge the diseases as prolonged stress, old to be able to suppress catecholamine and suppressor T-cells. These two roles resulted in suppression of immune system. Decreased immune system would allow the body more susceptible to viral infections. On the other hand, prolonged stress resulting histamine release in large quantities. Histamine excessive the amounts that lead bronchus narrowed, especially in asthmatics. Prolonged stress easier to made people suffering from diabetes mellitus. Diabetes mellitus more likely occur in people who have more weight. Psychological stress could disturb body's insulin balance. It was already well known that long stress could make the concentration of gastric acid change. The changes concentration of gastric acid could cause the stomach ulcers. Even, long stress could cause stress also changed the concentration of acid in stomach, which might cause ulcerative colitis. In blood vessels, long stress had a negative impact. Long stress could cause plaque buildup in arteries (atherosclerosis). Plaque could be increased in people who received a high-fat diet but a higher risk was found in those who had a behavior change. Later on, it was found a stronger correlation between the events of a life filled with stress and mental illness, compared to a correlation of stress and diseases related to the physical. The relationship of stress with mental illness was more powerful in neurosis. They also obtained a strong relationship between stress and depression, as well as schizophrenia, the strongest links were with neurosis (Salleh, 2008). Furthermore, thorough appropriate literature study, he found evidence of link between stress, tumor growth and suppression of NK cells, which were actively involved in preventing metastasis and destroying metastasis which was still in its early stages. Chronic stress lowers the immune response.

There were several mechanisms proposed to explain why PIB lowered immune response. One such mechanism was oxidative stress (Salim, 2016). In other study, Martin-Subero et al, (2016) found spectrum disorders of immune-inflammatory, oxidative, and nitrosative stress (IO & NS) that converts depression, seem as co-morbidity and as a contributor, to process IO & NS. IO & NS interference pattern has same pattern with pathogenesis of IBD. Increased prevalence of depression in IBD associated with lower quality of life, was also associated with increased morbidity. Researchers highlighted the role of depression in modulating pathophysiology of IBD. They reviewed data covering wider and better explain conceptualization the high rates of IBD associated with depression. In general the underlying mechanism of IO & NS between the two disorders evidence increasing the levels of pro-inflammatory cytokines, for example, IL-1 and TNF- α , IL-6 trans-signaling; Th-1 and Th-17-like responses; neopterin and soluble IL-2 receptor levels; positive acute phase reactant (haptoglobin and C-reactive protein); lowering the level of negative acute phase reactant (albumin, transferrin, zinc) and anti-inflammatory cytokines (IL-10 and transforming growth factor- β); increased IO & NS with damage lipids, proteins and DNA; increased production of nitric oxide (NO) and inducible NO synthase; lowering elevated levels of plasma tryptophan but TRYCAT; autoimmune responses; and an increase bacterial translocation.

Britvi'c et al, (2015) through their study found evidence that Posttraumatic Stress Disorder (PTSD) trauma was as a result of ever doing battle on the battlefield that could increase likelihood of suffering somatic diseases. Their study of 1,558 subjects living in southern Croatia: 501 male veterans were exposed to war (PTSD) and the control group (825 males) were characterized by homogeneity that has PTSD but never exposed to the war. Veterans who have PTSD did not depend on how long they spent in war, more often suffer from cardiovascular, dermatological, musculoskeletal, pulmonary and metabolic diseases when compared to control subjects.

Symptoms Meares-Irlen/Visual Stress Syndrome (VS) in subjects diagnosed with chronic fatigue syndrome (CFS) was larger than VS without CFS-group (Loewa, 2014). The results of this study indicate that PIB, could increase the body's susceptibility to disease. CFS makes decreased immune response. Riis et al, (2016) found evidence that stress could alter the function of neuroendocrine-immune (NEI) in children, stress increases risk of disease. They did a research whether psychological distress was moderated by relationship child and mother. They came to conclusion that their findings indicate maternal stress associated with neuroendocrine-immune child relationship in saliva and could change the sensitivity of the inhibitory effects of cortisol on inflammatory process. This desensitization might increase the risk for children to get inflammatory diseases. Those researchers used data from laboratory-based studies of mothers and children of their five-year-old ($n = 125$ mother-child pairs) conducted from 2011 to 2013 in Baltimore, Maryland. They tested the saliva of children to acquire markers of immune function (i.e., cytokines: interleukin IL-1 β , IL-6, IL-8, TNF- α) and the activity of the hypothalamic-pituitary-adrenal (i.e., cortisol). Resume PIB decrease immune response list was in table 2.

PWB is Essential for Living Comfort

PWB was a path to a happy life for each human being (Ryff & Singer, 2013). PWB has a positive effect towards comfort living even though in people suffering from illness, such as HIV / AIDS which is recognized as disease those has a very high mortality rate. PWB, as seen on good quality of social relationships can impact a better life (Mavandadi et al, 2009). Siegel (1988) in book titled "Love, Miracle, and Medicine" reported many cases of HIV / AIDS. People who suffered from HIV/AIDS and changed their living with love to universe (a kind of PWB), could recover completely, and turn to be good evangelist. PWB becomes a way of life to be comfortable, for who suffer from disease, more for healthy people.

Conclusion

PWB boosts the human body immune response. Indicators showed the increasing immune response could observe objectively through many parameters in saliva, blood, and plasma. Increasing body immune response means improving its resistance towards infection. PWB could make the quality life of people be better. PWB made people prosperous, themselves, their families and communities. In addition, psychological well-being could improve the human body immune response, enhance resistance towards diseases (including infectious diseases), and make life more prosperous.

Conflict of interest: The authors declare no conflict of interest with this study.

References

1. Andersen, B. L., Thornton, L. M., Shapiro, C. L., Farrar, W. B., Mundy, B. L., Yang, H. C., & Carson, W. E. (2010). Biobehavioral, immune, and health benefits following recurrence for psychological intervention participants. *Clinical Cancer Research*, 16(12), 3270-3278.
2. Bakke, A. C., Purtzer, M. Z., & Newton, P. (2002). The effect of hypnotic-guided imagery on psychological well-being and immune function in patients with prior breast cancer. *Journal of Psychosomatic Research*, 53(6), 1131-1137.
3. Barak, Y. (2006). The immune system and happiness. *Autoimmunity reviews*, 5(8), 523-527.
4. Baum, A., & Posluszny, D. M. (1999). Health psychology: mapping biobehavioral contributions to health and illness. *Annual review of psychology*, 50(1), 137-163.
5. Britvić, D., Antičević, V., Kaliterna, M., Lušić, L., Beg, A., Brajević-Gizdić, I., Kudrić, M., Stupalo, Z., Krolo, V., & Pivac, N. (2015). Comorbidities with Posttraumatic Stress Disorder (PTSD) among combat veterans: 15 years postwar analysis. *International Journal of Clinical and Health Psychology*, 15(2), 81-92.
6. Burleson, M. H., Poehlmann, K. M., Hawkey, L. C., Ernst, J. M., Berntson, G. G., Malarkey, W. B., Kiecolt-Glaser J. K., Glaser R., Cacioppo J. T. Cacioppo, J. T. (2002). Stress-related immune changes in middle-aged and older women: 1-year consistency of individual differences. *Health Psychology*, 21(4), 321.
7. Cohen, S., & Herbert, T. B. (1996). Health psychology: Psychological factors and physical disease from the perspective of human psychoneuroimmunology. *Annual review of psychology*, 47(1), 113-142.
8. Cohen, S., Miller, G. E., & Rabin, B. S. (2001). Psychological stress and antibody response to immunization: a critical review of the human literature. *Psychosomatic medicine*, 63(1), 7-18.
9. Cohen, S., Gianaros, P. J., & Manuck, S. B. (2016). A stage model of stress and disease. *Perspectives on Psychological Science*, 11(4), 456-463.
10. Dalmida, S. G., Koenig, H. G., Holstad, M. M., & Wirani, M. M. (2013). The psychological well-being of people living with HIV/AIDS and the role of religious coping and social support. *The International Journal of Psychiatry in Medicine*, 46(1), 57-83.
11. Fancourt, D., Williamon, A., Carvalho, L. A., Steptoe, A., Dow, R., & Lewis, I. (2016a). Singing modulates mood, stress, cortisol, cytokine and neuropeptide activity in cancer patients and carers. *ecancermedicalscience*, 10.
12. Fancourt, D., Perkins, R., Ascenso, S., Carvalho, L. A., Steptoe, A., & Williamon, A. (2016b). Effects of group drumming interventions on anxiety, depression, social resilience and inflammatory immune response among mental health service users. *PloS one*, 11(3), e0151136.
13. Fredrickson, B. L., Grewen, K. M., Algoe, S. B., Firestone, A. M., Arevalo, J. M., Ma, J., & Cole, S. W. (2015). Psychological well-being and the human conserved transcriptional response to adversity. *PloS one*, 10(3), e0121839.
14. Freitas, T. H., Andreoulakis, E., Alves, G. S., Miranda, H. L., Braga, L. L., Hyphantis, T., & Carvalho, A. F. (2015a). Associations of sense of coherence with psychological distress and quality of life in inflammatory bowel disease. *World Journal of Gastroenterology: WJG*, 21(21), 6713.
15. Freitas, T. H., Hyphantis, T. N., Andreoulakis, E., Quevedo, J., Miranda, H. L., Alves, G. S., ... & McIntyre, R. S. (2015b). Religious coping and its influence on psychological distress, medication adherence, and quality of life in inflammatory bowel disease. *Revista brasileira de psiquiatria*, 37(3), 219-227.
16. Kiecolt-Glaser, J. K., & Glaser, R. (2002). Depression and immune function: central pathways to morbidity and mortality. *Journal of psychosomatic research*, 53(4), 873-876.
17. Kitayama, S., Akutsu, S., Uchida, Y., & Cole, S. W. (2016). Work, meaning, and gene regulation: Findings from a Japanese information technology firm. *Psychoneuroendocrinology*, 72, 175-181.
18. Koelsch, S., Boehlig, A., Hohenadel, M., Nitsche, I., Bauer, K., & Sack, U. (2016). The impact of acute stress on hormones and cytokines, and how their recovery is affected by music-evoked positive mood. *Scientific reports*, 6.
19. Kudoh, A., Sakai, T., Ishihara, H., & Matsuki, A. (2001). Plasma cytokine response to surgical stress in schizophrenic patients. *Clinical & Experimental Immunology*, 125(1), 89-93.
20. Loew, S. J., Marsh, N. V., & Watson, K. (2014). Symptoms of meares-irlen/visual stress Syndrome in subjects diagnosed with chronic fatigue syndrome. *International Journal of Clinical and Health Psychology*, 14(2), 87-92.

21. Lutgendorf, S. K., & Costanzo, E. S. (2003). Psychoneuroimmunology and health psychology: An integrative model. *Brain, behavior and immunity*, 17(4), 225-232.
22. Manczak, E. M., DeLongis, A., & Chen, E. (2016). Does empathy have a cost? Diverging psychological and physiological effects within families. *Health Psychology*, 35(3), 211.
23. Martin-Subero, M., Anderson, G., Kanchanatawan, B., Berk, M., & Maes, M. (2016). Comorbidity between depression and inflammatory bowel disease explained by immune-inflammatory, oxidative, and nitrosative stress; tryptophan catabolite; and gut-brain pathways. *CNS spectrums*, 21(2), 184-198.
24. Mavandadi, S., Zanjani, F., Ten Have, T. R., & Oslin, D. W. (2009). Psychological wellbeing among individuals aging with HIV: The value of social relationships. *Journal of acquired immune deficiency syndromes (1999)*, 51(1), 91.
25. Moreno, P. I., Moskowitz, A. L., Ganz, P. A., & Bower, J. E. (2016). Positive affect and inflammatory activity in breast cancer survivors: examining the role of affective arousal. *Psychosomatic medicine*, 78(5), 532-541.
26. Pappas, G., Kiriaze, I. J., Giannakis, P., & Falagas, M. E. (2009). Psychosocial consequences of infectious diseases. *Clinical Microbiology and Infection*, 15(8), 743-747.
27. Redwine, L., Mills, P. J., Sada, M., Dimsdale, J., Patterson, T., & Grant, I. (2004). Differential immune cell chemotaxis responses to acute psychological stress in Alzheimer caregivers compared to non-caregiver controls. *Psychosomatic medicine*, 66(5), 770-775.
28. Rickard, N. S., Chin, T. C., & Vella-Brodrick, D. A. (2016). Cortisol awakening response as an index of mental health and well-being in adolescents. *Journal of Happiness Studies*, 17(6), 2555-2568.
29. Riis, J. L., Granger, D. A., Minkovitz, C. S., Bandeen-Roche, K., DiPietro, J. A., & Johnson, S. B. (2016). Maternal distress and child neuroendocrine and immune regulation. *Social Science & Medicine*, 151, 206-214.
30. Rosenkranz, M. A., Lutz, A., Perlman, D. M., Bachhuber, D. R., Schuyler, B. S., MacCoon, D. G., & Davidson, R. J. (2016). Reduced stress and inflammatory responsiveness in experienced meditators compared to a matched healthy control group. *Psychoneuroendocrinology*, 68, 117-125.
31. Ryff, C. D., & Keyes, C. L. M. (1995). The structure of psychological well-being revisited. *Journal of personality and social psychology*, 69(4), 719.
32. Ryff, C. D., & Singer, B. H. (2013). Know thyself and become what you are: A eudaimonic approach to psychological well-being. In *The exploration of happiness* (pp. 97-116). Springer Netherlands.
33. Salim, S. (2016). Oxidative stress: a potential link between emotional wellbeing and immune response. *Current opinion in pharmacology*, 29, 70-76.
34. Salleh, M. R. (2008). Life event, stress and illness. *The Malaysian journal of medical sciences: MJMS*, 15(4), 9.
35. Siegel, B. S. (1988). *Love, Medicine and Miracles*. Random House.
36. Vera, F. M., Manzanque, J. M., Rodríguez, F. M., Bendayan, R., Fernández, N., & Alonso, A. (2016). Acute effects on the counts of innate and adaptive immune response cells after 1 month of taoist qigong practice. *International journal of behavioral medicine*, 23(2), 198-203.
37. Wilt, J. A., Grubbs, J. B., Exline, J. J., & Pargament, K. I. (2016). Personality, religious and spiritual struggles, and well-being. *Psychology of Religion and Spirituality*, 8(4), 341.
38. Wu, C. H., & Gau, B. S. (2010). Nursing care of a preschool-age child with cellulites induced by phagocyte deficiency. *Hu li za zhi, The journal of nursing*, 57(2 Suppl), S16-21.
39. Zhao, X., Cui, L., Wang, W., Su, Q., Li, X., & Wu, J. (2016). Influence of psychological intervention on pain and immune functions of patients receiving lung cancer surgery. *Pakistan journal of medical sciences*, 32(1), 155.