

DAFTAR PUSTAKA

- Akanbi, T. O., Nazamid, S., & Adebawale, A. A. (2009). Functional and pasting properties of a tropical breadfruit (*Artocarpus altilis*) starch from Ile-Ife, Osun state, Nigeria. *International Food Research Journal*, 16(2), 151–157. <http://doi.org/10.3923/pjn.2008.194.201>
- Allen, J. A., & Duke, N. C. (2014). *Species Profiles for Pacific Island Agroforestry Bruguiera gymnorrhiza (large-leafed mangrove)*, (May).
- Amin, M. N. G., Pralelda, S. A., Hasan, M. N., Subekti, S., Saputra, E., Andriyono, S., ... Alamsjah, M. A. (2018). Physicochemical properties of *Bruguiera gymnorrhiza* flour (BGF). *International Food Research Journal*, 25(5).
- Anuradha, K., Naidu, M. M., Manohar, R. S., & Indiramma, A. R. (2010). Effect of vanilla extract on radical scavenging activity in biscuits. *Flavour and Fragrance Journal*, 25(6), 488–492. <http://doi.org/10.1002/ffj.2009>
- AOAC. *Official Methods of Analysis*. 18th edn. Association of Official Analytical Chemists; Arlington, VA, USA: 2005.
- Asmaraningtyas, D. (2014). Kekerasan, warna dan daya terima biskuit yang disubstitusi tepung labu kuning.
- Astawan M. 1999. *Membuat Mi dan Bihun*. Jakarta: Penebar Swadaya.
- Barak, S., Mudgil, D., Khatkar, B. S., Barak, S., Mudgil, D., & Khatkar, B. S. (2014). Effect of Compositional Variation of Gluten Proteins and Rheological Characteristics of Wheat Flour on the Textural Quality of White Salted Noodles **PROTEINS AND RHEOLOGICAL CHARACTERISTICS OF**, 2912. <http://doi.org/10.1080/10942912.2012.675611>
- Bouasla, A., Wójtowicz, A., & Zidoune, M. N. (2017). Gluten-free precooked rice pasta enriched with legumes flours: Physical properties, texture, sensory attributes and microstructure. *LWT - Food Science and Technology*, 75, 569–577. <http://doi.org/10.1016/j.lwt.2016.10.005>
- Blanco Canalis, M. S., Valentinuzzi, M. C., Acosta, R. H., León, A. E., & Ribotta, P. D. (2018). Effects of Fat and Sugar on Dough and Biscuit Behaviours and their Relationship to Proton Mobility Characterized by TD-NMR. *Food and Bioprocess Technology*, 11(5), 953–965. <http://doi.org/10.1007/s11947-018-2063-z>

- Brennan, C. S., Tudorica, C. M., & Kuri, V. (2002). Nutritional and Physicochemical Characteristics of Dietary Fiber. *Journal of Agricultural and Food Chemistry*, 50(2), 347–456.
- Caredda, M., Addis, M., Pes, M., Fois, N., Sanna, G., Piredda, G., & Sanna, G. (2018). Physico-chemical, colorimetric, rheological parameters and chemometric discrimination of the origin of Mugil cephalus' roes during the manufacturing process of Bottarga. *Food Research International*, 108(March), 128–135. <http://doi.org/10.1016/j.foodres.2018.03.039>
- Chávez-Santoscoy, R. A., Gutiérrez-Urbe, J. A., Serna-Saldivar, S. O., & Perez-Carrillo, E. (2016). Production of maize tortillas and cookies from nixtamalized flour enriched with anthocyanins, flavonoids and saponins extracted from black bean (*Phaseolus vulgaris*) seed coats. *Food Chemistry*, 192, 90–97. <http://doi.org/10.1016/j.foodchem.2015.06.113>
- Chen, F., Yang, C., Liu, L., Liu, T., Wang, Y., Wang, L., ... Campanella, O. H. (2017). Differences, Correlation of Compositions, Taste and Texture Characteristics of Rice from Heilongjiang China. *Rice Research: Open Access*, 5(1), 1–5. <http://doi.org/10.4172/2375-4338.1000178>
- Dabas, D. (2016). Polyphenols as colorants. *Advances in Food Technology and Nutritional Sciences*, 1–6. <http://doi.org/10.17140/AFTNSOJ-SE-2-101>
- Djajati, S., & Rosida, D. F. (2015). Pengembangan Produk Olahan Mangrove Dan Perikanan di Kawasan Pantai Wonorejo Surabaya, 381–387.
- Duke NC, Allen JA. 2006. *Bruguiera gymnorrhiza* (large-leafed mangrove). Species Profiles for Pacific Island Agroforestry Apr; Ver 2.I. www.traditionaltree.org
- Erinc, H., Mert, B., & Tekin, A. (2018). Different sized wheat bran fibers as fat mimetic in biscuits: its effects on dough rheology and biscuit quality. *Journal of Food Science and Technology*, 55(10), 3960–3970. <http://doi.org/10.1007/s13197-018-3321-9>
- Gilbert, L., Picard, C., Savary, G., & Grisel, M. (2012). Impact Of Polymers On Texture Properties Of Cosmetic Emulsions : A Methodological Approach. *Journal of Sensory Studies*, 27(5), 392–402. <http://doi.org/10.1111/joss.12001>
- Goyal, S. K., Samsher, & Goyal, R. K. (2010). Stevia (*Stevia rebaudiana*) a bio-sweetener: A review. *International Journal of Food Sciences and Nutrition*, 61(1), 1–10. <http://doi.org/10.3109/09637480903193049>
- Handayani, G. N., Ida, N., & R, A. R. (2014). Pemanfaatan Susu Skim Sebagai Bahan Dasar Dalam Dangke Dengan Bantuan Bakteri Asam Laktat, 2(2).

- Jiamjariyatam, R., Kongpensook, V., & Pradipasena, P. (2015). Effects of amylose content, cooling rate and aging time on properties and characteristics of rice starch gels and puffed products. *Journal of Cereal Science*, 61, 16–25. <http://doi.org/10.1016/j.jcs.2014.10.001>
- Kong, X., Zhu, P., Sui, Z., & Bao, J. (2015). Physicochemical properties of starches from diverse rice cultivars varying in apparent amylose content and gelatinisation temperature combinations. *Food Chemistry*, 172, 433–440. <http://doi.org/10.1016/j.foodchem.2014.09.085>
- Kulthe, A. A., & Pawar, V. D. (2014). Development of high protein and low calorie cookies, 51(January), 153–157. <http://doi.org/10.1007/s13197-011-0465-2>
- Kumar, R., Sharma, P. K., & Mishra, P. S. (2012). A review on the vanillin derivatives showing various biological activities. *International Journal of PharmTech Research*, 4(1), 266–279.
- Li, H., & Gilbert, R. G. (2018). Starch molecular structure: The basis for an improved understanding of cooked rice texture. *Carbohydrate Polymers*, 195(March), 9–17. <http://doi.org/10.1016/j.carbpol.2018.04.065>
- Li, H., Prakash, S., Nicholson, T. M., Fitzgerald, M. A., & Gilbert, R. G. (2016). The importance of amylose and amylopectin fine structure for textural properties of cooked rice grains. *Food Chemistry*, 196, 702–711. <http://doi.org/10.1016/j.foodchem.2015.09.112>
- Manley, D.J.R. (2001). *Biscuit, Cracker, and Cookie Recipes For The Food Industry*. Woodhead Publishing Limited, Abington. England.
- Majzoobi, M., Hedayati, S., Habibi, M., Ghiasi, F., & Farahnaky, A. (2014). Effects of corn resistant starch on the physicochemical properties of Cake. *Journal of Agricultural Science and Technology*, 16(3), 569–576. <http://doi.org/10.1080/10942912.2011.619289>
- Marsigit, W., Bonodikun, & Sitanggang, L. (2017). Pengaruh Penambahan Baking Powder dan Air Terhadap Karakteristik Sensoris dan Sifat Fisik Biskuit Mocaf (Modified Cassava Flour), 7(1), 1–10.
- Matz SA, Matz TD. 1978. *Cookies and Crackers Technology*. Westport Connecticut: The AVI Publishing Company Inc.
- Matz SA. 1978. *Cookies and Cracker Technology*. London: The AVI Publ. Co. Inc.

- Mervina. 2009. Formulasi Biskuit dengan Substitusi Tepung Ikan Lele Dumbo (*Clarias gariepinus*) dan Isolat Protein (*Glycine max*, L.) Sebagai Makanan Potensial Untuk Anak Balita Gizi Kurang. [skripsi]. Fakultas Ekologi Manusia. Institut Pertanian Bogor. Bogor.
- Pathare, P. B., & Opara, U. L. (2013). Colour Measurement and Analysis in Fresh and Processed Foods : A Review. *Food and Bioprocess Technology*, 6(May), 36–60. <http://doi.org/10.1007/s11947-012-0867-9>
- Pereira, D., Correia, P. M. R., & Guiné, R. P. F. (2013). Analysis of the physical-chemical and sensorial properties of Maria type cookies. *Acta Chimica Slovaca*, 6(2), 269–280. <http://doi.org/10.2478/acs-2013-0040>
- Raymundo, A., Fradinho, P., & Nunes, M. C. (2014). Effect of Psyllium fibre content on the textural and rheological characteristics of biscuit and biscuit dough. *Bioactive Carbohydrates and Dietary Fibre*, 3(2), 96–105. <http://doi.org/10.1016/j.bcdf.2014.03.001>
- Rosyadi, E., Widjanarko, S. B., & Ningtyas, D. W. (2014). Pembuatan Lempeng Buah Lindur (*Bruguiera gymnorrhiza*) dengan Penambahan Tepung Ubi Kayu (*Manihot esculenta crantz*), 2(4), 10–17.
- Sato, A., Truong, V. Den, Johanningsmeier, S. D., Reynolds, R., Pecota, K. V., & Yencho, G. C. (2018). Chemical Constituents of Sweetpotato Genotypes in Relation to Textural Characteristics of Processed French Fries. *Journal of Food Science*, 83(1), 60–73. <http://doi.org/10.1111/1750-3841.13978>
- Sari, O.F., 2013. Formula Biskuit Kaya Protein Berbasis *Spirulina* dan Kerusakan Mikrobiologis Selama Penyimpanan. .Skripsi. Program Studi Teknologi Hasil Perairan Fakultas Perikanan dan Ilmu Kelautan IPB. Bogor.
- Salehifar, M., Ardebili, M. S., & Azizi, M. H. (2010). Effect of wheat flour protein variations on sensory attributes, texture and staling of Taftoon bread. *Ciência E Tecnologia de Alimentos*, 30(3), 833–837. <http://doi.org/10.1590/S0101-20612010000300041>
- Silva, M. C. Da, Carvalho, C. W. P. De, & Andrade, C. T. (2009). The effects of water and sucrose contents on the physicochemical properties of non-directly expanded rice flour extrudates. *Ciência E Tecnologia de Alimentos*, 29(3), 661–666. <http://doi.org/10.1590/S0101-20612009000300032>

- Sulistiyawati, Wigyanto, & Kumalaningsih, S. (2012). Produksi Tepung Buah Lindur (*Bruguiera gymnorrhiza* Lamk) Rendah Tanin dan HCN Sebagai Bahan Pangan Alternatif. *Jurnal Teknologi Pertanian*, 13(3), 187–198.
- Van Hoan, N., Mouquet-Rivier, C., & Treche, S. (2010). Effects of starch, lipid and moisture contents on extrusion behavior and extrudate characteristics of rice-based blends prepared with a very-low-cost extruder. *Journal of Food Process Engineering*, 33(3), 519–539. <http://doi.org/10.1111/j.1745-4530.2008.00288.x>
- Wahyuni, S., Sulardiono, B., & Hendarto, B. (2015). Strategi Pengembangan Ekowisata Mangrove Wonorejo Surabaya. *DIPONEGORO JOURNAL OF MAQUARES*, 4(4), 66–70. <http://doi.org/10.18196/agr.116>
- Wicaksono, F. Y., Irwan, W., Wahyudin, A., & Setianingrum, L. W. (2015). Pertumbuhan dan hasil gandum (*Triticum aestivum* L.) yang diberi asam salisilat dan kalsium klorida dengan selang waktu yang berbeda di dataran medium Jatinangor, 14(2), 29–35.
- Winarno FG. 2008 *Kimia Pangan dan Gizi*. Bogor: M-Brio Press.
- Whiteley PR. 1971. *Biscuit Manufactory*. London: Applied Science Publishing
- Yilmaz, E., & Karaman, E. (2017). Functional crackers: incorporation of the dietary fibers extracted from citrus seeds. *Journal of Food Science and Technology*, 54(10), 3208–3217. <http://doi.org/10.1007/s13197-017-2763-9>
- Yusuf, M., Shabbir, M., & Mohammad, F. (2017). Natural Colorants: Historical, Processing and Sustainable Prospects. *Natural Products and Bioprospecting*, 7(1), 123–145. <http://doi.org/10.1007/s13659-017-0119-9>