# CARING BEHAVIORS NURSE BASED ON QUALITY OF NURSING WORK LIFE AND SELF-CONCEPT IN NURSING NURSES IN HOSPITAL

by Publikasi Fkp

Submission date: 12-Mar-2018 04:20PM (UTC+0800)

Submission ID: 929043274

File name: 2\_ah\_yusuf\_JDR\_HAMIM\_Publish\_Okt\_2015.pdf (311.04K)

Word count: 4902

Character count: 26645



ISSN: 2230-9926

Available online at http://www.journalijdr.com

# International Journal of DEVELOPMENT RESEARCH



International Journal of Development Research Vol. 5, Issue, 10, pp. 5803-5808, October, 2015

# Full Length Research Article

# CARING BEHAVIORS NURSE BASED ON QUALITY OF NURSING WORK LIFE AND SELF-CONCEPT IN NURSING NURSES IN HOSPITAL

# 1,\*Nur Hamim, 2Tjipto Suwandi and 3Ah Yusuf

<sup>1</sup>Department of Nursing Management, School of Nursing HafshawatyProbolinggo, Eat Java, Indonesia <sup>2</sup>Department of Occupational Health and Safety, Airlangga University, Faculty of Public Health, Surabaya, Indonesia

<sup>3</sup>Department of Nursing Community and Mental Health, Airlangga University, Nursing Faculty, Surabaya, Indonesia

# ARTICLE INFO

Article History. Received 29th July, 2015 Received in revised form 16th August, 2015 Accepted 13th September, 2015 Published online 31th October, 2015

### Key Words:

Quality of Nursing Worklife, Self-Concept, Nurses Caring Behaviors.

Background and Objectives: Caring Behaviors an attitude of caring, respect and respect for others, it means to give one's attention and learning preferences and how a person thinks and acts. Behavior Caring nurse found the results of the assessment, dissatisfaction inpatients to nursing services reached 24%, not the behavior of Caring, From the data that has been obtained that Caring behaviors of nurses in nursing care in hospitals is still not optimal. The aim in this research was to develop a model of Caring behaviors Based Quality Of Nursing worklife and Self-Concept of nurses in nursing care in hospital.

Methods: The method used was a survey, using designs explanatory, using questionnaires and observations of nurses, samples used were 71 nurses Hospitals in Probolinggo. This study consists of a variable graphous variables namely mursing quality of worklife, and self-

consists of a variable exogenous variables, namely nursing quality of worklife, concept and endogenous variables that Behaviours caring nurse. This research. Using Data Analysis Smart PLS.

Analysis Smart PLS.

Findings: The results showed that 1) Quality Of Nursingworklife effect on Caring Behaviors, 2) Quality Of Nursing worklife effect on Caring Behaviors Nurses, 3) Quality Of Nursing worklife affect the Self-Concept Nurses, 4) Self-Concept has an influence on Caring Behaviors Nurse, 5) Quality Of Nursing worklife and Self-Concell Caring nurse affect the behaviors of nurses in nursing care. Caring Model Behavior based Quality of Nursing Work Life and Self-Concept Nurses in Nursing at the Heavital indigence on the form of the Nursing Work.

Life and Self-ConceptNurses in Nursing at the Hospital indispensable for nurses.

Conclusions: Self-conceptNurses in Nursing at the Hospital indispensable for nurses.

Conclusions: Self-concept in Nursing Work Life and Self-Concept nurse. The new findings: Model Caring Behaviors Self-Concept nurse is there covering Fhysica personal, moral, social and family. Caring behavior in nursing care is influenced by variables Quality of Nursing Work Life and Self-Concept. Life and Self-Concept.

ppyright © 2015 Nur Hamim et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

# INTRODUCTION

Caring is important to nursing. Caring is a unifying focus for the practice of nursing, caring behavior is a concept inherently difficult to do, but it is very important that staff health explore what is of concern (caring), in order to better understand what good treatment, User experience and the results, and how fix, Caring is interpersonal interaction, caring is an interpersonal process

\*Corresponding author: Nur Hamim Department of Nursing Management, HafshawatyProbolinggo, Eat Java, Indonesia Management, School of Nursing

that characterize expert nurses. Caring behavior is also very important for growth and development, improve and enhance the human condition or way of life. Caring contains three things that can't be separated, namely attention, responsibility, and performed with sincerity, Wafika (2009) Caring behavior is also an attitude of caring, respect and respect for others, it means to give one's attention and learning preferences and how a person thinks and acts. Provide care (Caring) is simple, not just an emotional feeling or behavior is simple, because caring Behavior is a concern to achieve better care, so that patients were satisfied with 10; services provided At an organization of health services such as hospitals, Quality of Nursing work Life (QWL) described as strengths, motivate and

increase the productivity of the employees in the work environment in the organization, Dargahi (2007), *Quality of Nursing Work Life* is a management approach continuously directed at improving the quality of work.

The quality in question is the ability to produce goods or services, which are marketed and how to provide continuous service are always tailored to the needs of consumers, so that the goods and services produced is able to compete and won the market. Prog 20 Quality of Nursing Work Life basically looking for ways to improve the quality of life and create jobs, better or achieving high performance, Kheradman et al, (2010) Seeing these conditions, or Caring Nurses Caring Behaviors behaviors of patients is still lacking, and ultimately affect patient satisfaction, according Azizi et al. (2012) the behavior of the nurse caring for the patient can give patient satisfaction, so that patients feel cared for, feel comfortable and safe.

Therefore, the organization should pay attention. Quezz of nursing work life, quality of care received by patients related to the quality of working life is accepted by nurses, Ross (2012). This is overall the responsibility of the organization, but because nurses are the most frequent contact with patients, 2 enty-four hours a day, so it is necessary to focus on the Quality of Work Life nurse. Quality health ca 17 can be seen from the behavior, or skills demonstrated by nurses and doctors and other health care providers apart from the knowledge that they have., Watson (2003) stressed that of all the above elements, Behaviors is the most important in service quality due to the relationship between health providers is a factor that affects the healing process of the client.

Moreover, the nursing profession which is the spearhead of the health service itself. Nurses need to interact and provide direct nursing care, according to the science of nursing has. Implications for the health or the health care system. This is consistent with the ultimate goal of nursing, which helps clients achieve health potential fully. In helping clients achieve fully the potential health nurses should have a holistic approach. In this study objective to be achieved is caring behaviors Develop models based Quality of nursing worklife and Self-Concept nurse at the hospital.

## **MATERIALS AND METHODS**

This study uses survey research methods, the research determined by taking a sample of the population and the use of a questionnaire as a main data collection instruments. Judging from the time this study using cross-sectional design with the nature of the research is to give an explanation (explanatory research), based on the perception of respondents, which explain the causal relationship between variables based on respondents' answers through hypothesis testing. With the goal of finding an explanation of the symptoms that occur are Work Environment, Quality of Nursing worklife and Self-Concept nurses used to compile the module Caring Behaviors based on the theory of Watson (2007). The the module Caring ap 16 ich used was a cross sectional study. In the early stages of this study is to examine the influence, Quality Of Nursing worklife and Self-Concept nurses Caring Behaviors for Nurses in Nursing Hospital.

# RESULTS AND DISCUSSION

Here are the results of research that started from the first step displays the description and the next is the analyst models, respondents drawn as many as 71 nurses at the two hospital administed ion, as in the following Table: Table 1 shows that the Quality of Nursing Work Life Nurses in hospitals Waluyo Jati Kraksaate Probolinggo and hospitals Tongas Probolinggo felt quite, quality of work life of nurses affected by the condition can be seen feel enough for the conditions of work life dimentions, was enough for the conditions of work design dimentions, was enough for the conditions of work context dimensions, 37 nurses (52.11%) was enough for the work conditions of world dimension. The standout was the condition of worklife dimensions and Work World Dimension can affect the quality of work life of nurses

Table 2 shows that the Self-Concept of murses in hospitals Waluyo Jati and hospitals Tongas Kraksaan Probolinggo Probolinggo still felt weak, weak condition of Self-Concept is very much influenced by the condition that 45 nurses (63.38%) feel weak for physical conditions, 59 nurses (83.09%) feel weak for moral condition, 59 nurses (83.09%)

Table 1. Variable Frequency Distribution and Sub Variable Quality of Nursing Work Life Nurse

No.	Vanable Quality of Nursing Work Life (X2)	Category						Tota	al
		Good		Enough		Less		•	
		(f)	(00)	(f)	(00)	(f)	(00)	(f)	(00)
1	Work Life Dimentions	11	15.49	56	78.87	4	5.63	71	100
2	Work Design Dimentions	5	7.04	48	67.61	18	25.35	71	100
3	Work Context Dimentions	5	7.04	48	67.61	18	25.35	71	100
4	Work World Dimension	11	15.49	37	52.11	23	32.39	71	100

Table 2. Variable Frequency Distribution and sub-variables Self-Concept of Nurses Nurses

No.	Variable Self-Concept of Nurses(X3)	Cate	Total	Total			
		Strong		Weak			
		(f)	(%)	(f)	(00)	(f)	(00
1	Physical	26	36.62	45	63.38	71	100
2	Moral	12	16.91	59	83.09	71	100
3	Personal	12	16.91	59	83.09	71	100
4	Social	25	35.21	46	64.79	71	100
5	Family	9	12.68	62	87.32	71.	100

feel weak for *personal condition*, 46 nurses (64.79%) feel weak for *the social* conditions and 62 nurses (87.32%) feel weak for *family* conditions

2.510 (T count> 1.96). So H1 accepted which means the quality of mursing work life affect the nurse caring behaviors.

Table 3. Distribusi Variable Frequency and Table 3 Sub Variables Nurses Caring Behaviors in Hospital

No.	Caring Behavior (Y)	Category							Total	
		Good		Enough		Less				
	N	(f)	(00)	(f)	(%)	(f)	(° a)	(f)	(00	
1	Humanism	7	9.86	36	50.70	28	39.44	71	100	
2	Faith-Hope	10	14.08	51	71.84	10	14.08	71	100	
3	Sensitivity	4	5.63	9	12.68	58	81.69	71	100	
4	Trust	14	19.72	19	26.76	38	53.52	71	100	
5	Expressions	22	30.99	38	53.52	11	15.49	71	100	
6	Problem Solving	4	5.63	38	53.52	29	40.85	71	100	
7	Teaching	14	19.72	42	59.15	15	21.13	71	100	
8	Support	8	11.27	41	57.75	22	30.98	71	100	
9	Human need	9	12.68	40	56.34	22	30.98	71	100	
10	Existential	22	30.99	35	49.28	4	5.63	71	100	

8
Table 4. Coefficient Parameter Path to Construct Latent Effects of Direct and Indirect Between Variables

No.	Causality relationships directly and not directly between exogenous and endogenous	Line parameter coefficient	Sample Mean (M)	Standard Error	Value T- Statistics	Description
1	Effect of Quality of Nursing Work Life (QNWL) againstCaring Behavior	0,014	-0.388	0.228	2,510	Sign
2	Effect of Quality of Nursing Work Life (ONWL) against Self-Concept	0,001	-0.343	0.102	3.346	Sign
3	Influence of Self-Concept of theCaring Behavior	0.024	-0.261	0.115	2.305	Sign

Table 3 shows that the nurse caring behaviors in Probolinggo East Java felt pretty, caring behavior is shown by the nurses are affected by this condition can be seen from 36 nurses (50.70%) was enough for the conditions of humanism, 51 nurses (71.84%) was enough for the condition of faithhope, 58 nurses (81.69%) feel less sensitivity to conditions, 38 nurses (53.52%) felt less for conditions trusts, 38 nurses (53.52%) was enough for the condition expressions, 38 nurses (53.52%) was enough for the conditions of problem solving, 42 nurses (59.15%) was enough for the conditions of teaching, 41 nurses (57.75%) was sufficient to support conditions, 40 nurses (56.34%) was enough for the condition of human need, 35 nurses (49.28%) was enough for the existential condition. So the condition that there can be properly maintained and is one indicator that nursing care should have a relevant basis with activities conducted by nurses

Here are the results of the coefficient parameters of the path to the PLS analysis obtained by weighting inner models by first looking niai T-statistics through the procedure bootstrap standard error by the calculation software Smart PLS version 3.0. The size of the reflective individual is said to be valid if it has a correlation loading (cross loading) to construct latent variables were measured â % ¥ 5% or the value of T-statistics must be greater than 1.96 (two-party test) at the level of significance of  $\hat{1} \pm = 5\%$ . If one of the indicators have a loading value <0.5 or statistical value <1.96 then these variables do not affect each other.

H1 Hypothesis 1: Quality of nursing worklife affect the nurse caring behaviors.

Table 4 shows the influçue of *mursing quality of worklife* for nurses *caring behaviors* with the value of the T-statistic of

Hypothesis H1.2: quality of mursing worklife affect the Self-Concept Nurses.

Table 4 shows the iquence of nursing quality of worklife for nurses Self-Concept with the value of the T-statistic of 3.346 (T count> 1.96). So H1 accepted which means that the quality of nursing worklife of nurses affect the Self-Concept.

Hypothesis H1.3: Self-Concept nurses affect the nurse caring behaviors.

Table 4 shows the influe e Self-Concept Nurses to the nurse caring behaviors with T-statistic values of 2.305 (T count> 1.96). So H1 accepted meaning Self-Concept nurses affect the nurse caring behaviors.

This is consistent with the concept proposed by Pallas and Bauman (2004) that one of the factors that affect large enough to nurse caring behaviors that quality of nursing worklife which is a condition that is balanced between by internal factors and external factors. The internal factor is an environmental condition of nurses who come from individuals and organizations nurses were divided into four parts:

- Individual factors or individual factors, including life at work and at home, staffing, schedule of services, care services and the half-life in work, the needs of the individual, work and career goals, the value of life.
- Social and environmental include role status, management, model of decision-making, communication, interprofessional relationships, and relationships between departments, career development, organizational factors, and environmental factors.
- Operational factor or operational factors include setting work, workload, workflow, service schedules, work

- arrangements, improvement of knowledge, technology and equipment as well as the support material.
- Administrative factor or factors of the administration, including the promotion of careers, salaries and gains, performance assessment, recruitment program.

While external factors are conditions of the quality of work life of nurses who come from outside the organization nurse. Which is divided into three sections covering (1) patient demand on system demands on the health system, (2) health care policy or health policy, (3) labor market nursing labor market. By synergetic internal and external components can realize the shape of the positive behavior of the nurse, the question is caring behavior or caring in behavior. This form of caring behaviors of nurses towards patients (CHS or Community Health Service, 1989) is comprised of (1) As a giver nursing care. The role of the nurse can be done by taking into account the state of the required basic human needs through the provision of nursing care using the nursing process to determine which nursing diagnoses to be planned and implemented appropriate measures in accordance with the level of basic human needs, then be evaluated for its development.

Nursing care is carried out from simple to complex. (2) As an advocate. This role is performed nurses to help patients and families in interpreting a variety of information from the service provider or other information in particular in making approval of nursing actions that are given to the patient, can also serve to maintain and protect the rights of patients which includes the right on tilbest service, the right to information about the disease, the right to self-determination and the right to compensation as a result of negligence. (3) As an educator. This role performed by assisting the patient in raising the level of knowledge of health, symptoms and actions are given, resulting in changes in the behavior of patients after health education (4) As the coordinator This role is carried out by directing, plan and organize the health services of the health care team so that health care providers can be directed and in accordance with the needs of the patient. (5) As a collaborator.

The role of nurses because nurses work here is done through a health team consisting of doctors, physiotherapists, nutritionists and others to attempt to identify the nursing services required include discussion or exchange opinions in determining the shape of the next service. (6) As a consultant. Role here is as a consultation on the issue or nursing action is appropriate destination. This role is carried out at the request of the patient to information concerning the purpose of nursing services provided. (7) As a reformer. Role here can be done by conducting planning, cooperation, systematic and purposeful change in accordance with the method of administration of nursing services.

Quality of Nursingworklife is a level where the nurses are satisfied and able to meet the personal needs and balance through their experience of working to bring success to the purpose of the organization (Brooks and Anderson 2004). In the conceptual model of comprehensive, for the work environment health, especially nurses, showed that the work environment of nurses as a result of a process of interaction

and interrelated between individual, organizational and external factors of mutual support, which focuses on the goal of providing the best for nurses as health care providers, which affects the patient or client and the service system, as its primary purpose so that the need for good interaction between the individual and the environment, especially where nurses work. It can be concluded that the quality of nursing worklife displayed by a nurse effect on themselves and their surroundings in the form of appropriate Self-Concept as a nurse. With its good quality of life as a nurse both in terms of working conditions, wages earned and supportive work environment so that it can influence the how nurses perceive themselves worthy or not as a nurse.

Self-Concept is part of the components that can affect the condition of caring behavior nurses, self-concept is the ability of nurses can menkondisikan herself as a nurse to take advantage of the potential that exists in itself (physical, psychological, social, spiritual) so that the nurse can also influence the maximum in patient care or in other words with a good concept of self-nurses will better the nurse's caring behavior.

Self-Concept is composed of: 1) Academic self-concept, 2) Non Academic self-concept (social, emotional, Self-Concept phisikal) Shavelson et al. (1982) According to Arthur (2006), self-concept is our perception of all aspects of the self that cover physical, social, and psychological aspects, which are based on experiences and interactions v11 others. Self-Concept components, amongothers: (1) Physical, (2) Moral, (3) Personal, (4) Family (5) Social (Fitt and Warren, 1996).

### Conclusion

Quality of nursing work 14 has a significant impact on the nurse's Self-Concept. The results showed Quality of nursing work life less impact on the weak self-concept nurses. Components of Self-Concept nurses, among others, physical, moral, personal, social, and family. The strategy for improving Self-Concept nurses by improving the quality of nursing work life among others through increased participants (involvement of nurses, patients, policy makers), job design (redesign scope work according to the capacity), team building (maximize cooperation among team members). Self-Concept has a significant impact on the nurse caring behaviors. Results showed a weak self-concept have an impact on the lack of nurse caring behaviors. The condition can be a nurse caring behaviors humanist (humanity), faith-hipe (instill confidence and trust), sensitivity (social sensitivity), trust (confidence), (expressing feelings), pressing feelings), problem solving teaching (learning), support (support), expressions (solving issues). human need (human needs), existential (existence).

The strategy for improving caring behavior of nurses based on the improvement of Self-Concept nurses include: an increase in positive self-concept and learning about self-identity, illustration and self-esteem as a nurse. Quality of Nursing work life and Self-Concept Caring nurse has an influence on the bels iors of nurses in nursing care. The discovery of Model Quality of Nursing Work Life and Self-Concept Against Nurses Caring Behavior in Nursing at the Hospital.

### Authors' Contributions

NH designing research and contribute to Conduct Survey data analysis, interpretation of results 21 d manuscript preparation. TS involved in data analysis, interpretation of results and revision of the manuscript, collecting data. AY contribution to the preparation of the manuscript. All authors read and approved the final manuscript.

### Acknowledgements

The authors would like to thank the authorities and personnel of School Nursing Probolinggo, for Reviews their valuable cooperation and supporting this study. In particular thanks to the leadership of General Hospital Probolinggo. East Java, also around the nurse who participated in this research as Respondents.

### REFERENCES

- Arthur, D. and Randle, J. 2007, The Concept of self Professional Nurse: A Review of the Literature From 1992 to 2006, the Australian Journal of Advanced Nursing, Volume 24, number 3.
- Azizi-Fini Ismail, Masoumeh-Sadat Mousavi, AtefehMazroui-Sabdani, and Mohsen AdibHajbaghery. 2012, Correlation BetweenNursesâ € ™ Caring Behaviors and patientsâ € ™ Satisfaction, Midwifery Nurs Stud. 2012; 1 (1)
- Boonrod, W 2009. Quality of Working Life: Perception of Professional Nurse at Phramongkutklao Hospital, J.MedAssoc Thai Vol. Suppl 92, 2009.
- Beth, T., Ulrich, Dana Woods, Karen, A., Hart, RamÃin Lavandero, John Leggett and Diane Taylor, 2007. Critical Care Nurses' Work Environments Value of Excellence in Beacon Units and Magnet Organizations: Critical Care Nurse Vol 27, No. 3, JUNE 2007
- Brooks, B.A. and Anderson, M. A. 2005, Defining quality of nursing work life. Nursing administration Quarterly, 23Nov/Dec.pp.319-26. http://europepmc.org/abstract/MED/16459904/reload=0;jsessionid=KALcl2rlSSkVG8X8Ltj1.18
- Brooks, B.A.J.S. and AB 2007, Assessing the mursing Quality
  Of Work Life. Nursing Quarterly .PP.152157 administration.http://journals.lww.com/naqjournal/Ab
  stract/2007/04000/Assessing\_the\_Quality\_of\_Nursing\_Wo
  rk\_Life.11.aspx
- Cascio, W. A. 2003. Managing Human Resources: Productivity, Quality of Work Life, Profits (6th Edition). Boston: McGraw-Hill / Irwin
- Edition). Boston: McGraw-Hill / Irwin
  Clarke. P.N. and Brooks. B. 2010. Quality of nursing
  worklife. Nursing Science Quarterly, 23 (4), pp.301-305
- Denise Nagle, B. 2009, Caring Defined: A Comparison and Analysis; International Journal for Human Caring, Volume 13, No. 1
- Dargahi, H., NasleSeragi, J. 2007, An Approach Model For employeesâ & TM Quality of work Life (IQWL). Iranian. Jpubl health, Vol. 36, No.4, 2007, pp.81-86
- David Arthur. 2006. The Professional Self-Concept Of Nurses: A Review Of The Literature From 1992 to 2006. Australian Journal of Advanced Nursing 2007 Volume 24, Number 3

- David, N. 2010. Investigating the Relationship between Quality of Work Life and Organizational Commitment amongst Employees in Malaysian Firms; International Journal of Business and Management, Vol. 5, No. 10: October 2010
- Dev Raj, A., Dhruba Kumar G. 2010. Labor legislations for improving the quality of work life in Nepal; International Journal of Law and Management Vol. 52 No. 1, 2010 pp. 40-53 Emerald Group Publishing 1754-243X DOI 10.1108 / 17542431011018534
- Doris, G. 2008. Registered Nursesâ € TM Association of Ontario Healthy Work Environments Best Practice Guidelines Program, 158 Pearl Street, Toronto, Ontario, M5H 1L3 Website: www.rnao.org
- Ghozali, I. 2004. Structural Equation Modeling Concepts and Applications with AMOS program Ver. 5.0. Semarang: Body Publishers - UNDIP.
- Goodman, 2001. The competing framworks Values: Understanding the Impact of an organizational culture on the quality of work life.
- Guna, S. R. 2008. Constructs of Quality of Work Life: A Perspective of Information and Technology Professionals, European Journal of Social Sciences â € "Volume 7, Number 1
- Hall, L.M., 2003. Nursinginteliectual Capital: A theoretical approach for analyzing nursing productivity. Nursing economics.pp.14-19
- Hattie, J.1999. Influences on Student Achievement. Inaugural lecture professoriate, the University of Auckland. http:// www.auckland.ac.nz/staff/index/P=5049
- Heilpern, J. and David, N. 1992. Implementing Total Quality Management: A Process of Cultural Change, â € in Organizational Architecture. San Francisco: Jossey-Bass.
- Hurlock, E.B. 2000. Developmental Psychology; An Approach Throughout Range Life, Translator: Istiwidayanti and Soedjarwo. Jakarta: publisher.
- Kheradman, E. Mohammadreza Valilou, and Lotfi, A. 2010. The Relation Between Quality Of Work Life and Job Performance. Middle est Journal of Scientific research 6 (4): 317-323. 2010. Tabriz .lran
- Khani, A., Jafarpour, M., Dyrekvandmogadam, A. 2008, Quality Of Nursing Work Life, Journal of Clinical diagnostic research December 1, 2, 1169-1174
- Koren, M.E., Czuryło, K., Epsom, R., Gattuso, M., Stark, B., Zastrow, P., Basu, S. 2009. Nursesâ € ™ Work Environment and Spirituality: A Descriptive Study, International Journal of Caring Sciences (2009) September December, Vol 2, Issue 3
- Laura, D. et al, 2011, Quality of Life and Work in Europe Theory, Practice and Policy Selection and editorial matter © M. BÃ ck-Wiklund, T. van der Lippe, L. den Dulk, A. van Doome- Huiskes 2011 Individual chapters © Reviews their respective authors
- MajoreenAryeetey, AminuSanda 2012. Understanding employeesâ € ™ Perspective of Quality of Work Life Indicators in Ghanaian Organizations; International Journal of Contemporary Business Studies Vol 3, No: 3. March 2012 ISSN 2156-7506
- Magnavita, N., Heponiemi, T. 2011. Workplace violence against nursing students and nurses: an Italian experience. J. NursScholarsh. 2011. June; 43 (2): 203-

- 10. doi: 10.1111 / j.1547-5069.2011.01392.x. Epub2011 April 1.
- McLeod, S.A. 2007. Carl Rogers Simply Psychology. Retrieved from http://www.simplypsychology.org/carl-rogers.html
- Miletsky, J. 2003. Cultivating a positive corporate culture: A creative environment produces creative results. In Access dated 12 April 2012
- Milisa Manojlovich, Heather Laschinger 2007, The Nursing worklife Model: Extending And Refining A New Theory; Journal of nursing management, 15, 256-263, (2007)
- Mohi, YQ 2011. Quality of worklife Human Well-being Linkage: Integrated Conceptual Framework: International Journal of Business and Management, Vol. 6, No. 8.
- Nazlee, S. 2013. Investing in Human Relations for Healthy Nursing Practice Environment, Nursesâ € ™ Job Satisfaction and Quality of Nursing Care; American Journal of Nursing Research, 2013, Vol. 1, No. 1, 10-19
- Patricia, A., Potter and Anne, G. Perry, 2010. Fundamentals Of Nursing, 7th Edition, published in Indonesian, MedikaSalemba, Jakarta
- Prompahakul, C., Nilmanat, K and Kongsuwan, W. 2011. Review: Factor Relating to Nursesâ € ™ Caring Behaviors for Dying Patients, Nurse Media Journal of Nursing, 1, 1, January 2011, 15-27.
- Riketta, M, 2002, Attitudinal organizational commitment and job performance: a meta-analysis. Journal of Organizational Behavior, 23 (3), 257-266. http:// dx.doi.org/10.1002/job.141
- Robbins, S. P. 2004. The truth about maneging people: The essence of managing human resources, Interpreting Eli Tanya, PT Index, Jakarta
- Robbins, S.P. and Timothy, A., Judge, 2012. Organizational Behavior, 12th edition, four Salemba, Jakarta
- Robert, L. Mathis, and John H. Jackson, 2011. Human Resources Management, issue 10: Salemba four, Jakarta
- Roos, H.J. 2012. Quality of work life in health services: Magnetism and mentorship, south africa: UNISA
- Rogers, C.R. 1947. Some observations on the organization of personality. American Psychologist, 2, 358-368.
- Rogers, C. and Dymond, R. M. 1999. Psychotherapy and Personality Change. Co-ordinated Research Studies in the Client-Centered Approach Chicage: The University of Chicago Press, 1954. gelesen July 1999

- Scott, D. 2005. Custumer Satisfaction: Practical Tools For Building Important Relationships, Mold 2. Translation, Victori Jaya Abadi, Jakarta
- Senn, L., and Childress, J. 1999. The secret of a winning culture, building high performance teams. Los Angeles and New York: The Leadership Press, pp. 60-66.
- Siron, R., Tasripan. M.A. 2012, A study of the Quality Of Life amongs Managers working in Malaysian industrial companies, ISBN: 978-967-5705-6 11-12 Holiday Villa Beach Resort and Spa, Langkawi Kedah. Malaysia
- Sinha, C. 2012. Factors Affecting the Quality of Work Life: Empirical Evidence From Indian Organizations; Australian Journal of Business and Management Research Vol.1.11 [31-40] February-2012
- Shirey, M.R. 2006. Authentic Leaders Creating Healthy Work Environments for Nursing Practice: AMERICAN Journal of Critical Care, May 2006, Volume 15, No. 3
- Tonges, M. Joel, R. 2011. Translating Caring Theory Into Practice The Carolina Care Mode: The Journal of Nursing Administration Jona Volume 41, Number 9, pp 374-381
- Walton, 1975. Criteria for the Quality of Working Life. In LE. Davis, ABChems and Associates The Quality of Working Life, New York: The Free Press, 1: 91-104
- Watson, J. and Foster, R, 2003. The attending Nurse Caring Model: Integrating Theory, evidence and advanced caringhealing therapeutics for transforming professional practice. Blacwell Publishing Ltd, Journal of Clinical Nursing, 12: 360-365.
- Wondimu, A. and Bruisma, M, 2006. A structural model of Self-Concept, autonomous Motivation and Academic performance in cross-cultural perspective. Electronic journal of Reaseach in Educational Psycology, 10, Vol.4 (3), 2006. ISSN: 1696-2095.pp: 551-576
- Walrath, J. Nyberg, D., Dang, D. 2013. An Assessment of Disruptive Clinician Organizational Behavior, Findings and Implications, Journal of Nursing Care Quality, Vol.28, No. 2, pp. 110-121
- Wafika, A. S., Elizabeth, W., Tagwa, O., Laisamma, T. 2009. Applying Watson's Nursing Theory to Assess Patient Perceptions of Being Cared for in a Multicultural Environment: Journal of Nursing Research â € € VOL. 17, NO, 4 December 2009

\*\*\*\*\*

# CARING BEHAVIORS NURSE BASED ON QUALITY OF NURSING WORK LIFE AND SELF-CONCEPT IN NURSING NURSES IN HOSPITAL

ORIGIN	IALITY REPORT	- County and the coun			
8 SIMILA	% ARITY INDEX	5% INTERNET SOURCES	6% PUBLICATIONS	1% STUDENT	PAPERS
PRIMAF	RY SOURCES				
1	jidc.org Internet Source	Э			1%
2	Triyoga. developmed based He and beha	iftahul, Nursalar "Village health pent into communication in Promotion in its performant of Medical Science."	ost (Ponkesdonity nursing of Model, nursin nce", Internati	es) center- g center, onal	1%
3	eprints.qu				1%
4	ccj.spring	eropen.com			<1%
5	zone.bibli Internet Source	o.laurentian.ca			<1%
6	Almalki, N	Mohammed J, G	erry FitzGera	ld, and	<1%

Michele Clark. "Quality of work life among primary health care nurses in the Jazan region, Saudi Arabia: a cross-sectional study", Human Resources for Health, 2012.

Publication

7	media.proquest.com Internet Source	<1%
8	Munir, Miftachul, Nursalam ,, and R.S. Triyoga. "Ponkesdes Development into Community Nursing Center Based Health Promotion Model, Nursing Center and Behavioral Performance", International Journal of Human Resource Studies, 2015. Publication	<1%
9	Brooks, Beth A. Anderson, Mary Ann. "Defining quality of nursing work life.", Nursing Economics, Nov-Dec 2005 Issue	<1%
10	www.studymode.com Internet Source	<1%
11	BOLTON, BRIAN. "FACTORIAL VALIDITY OF THE TENNESSEE SELF-CONCEPT SCALE", Psychological Reports, 1976.	<1%
12	www.brc.hu Internet Source	<1%

1		
13	tci-thaijo.org Internet Source	<1%
14	www.i-scholar.in Internet Source	<1%
15	ir.dut.ac.za Internet Source	<1%
16	www.researchgate.net Internet Source	<1%
17	rnao.ca Internet Source	<1%
18	www.ijqr.net Internet Source	<1%
19	Hartwell, Karen J. Hanlon, Colleen A. Li. "Individualized real-time fMRI neurofeedback to attenuate craving in nicotine-dependent smokers.(Rese", Journal of Psychiatry and Neuroscience, Jan 2016 Issue Publication	<1%
20	"Self-Definition", Encyclopedia of Quality of Life and Well-Being Research, 2014.  Publication	<1%
21	Jane Mills, Cindy Woods, Helena Harrison, Jennifer Chamberlain-Salaun, Ben Spencer. "Retention of early career registered nurses: the influence of self-concept, practice	<1%

environment and resilience in the first five years post-graduation", Journal of Research in Nursing, 2017

Publication



Dehghan Nayeri, Nahid, Tahmineh Salehi, and Ahmad Ali Asadi Noghabi. "Quality of work life and productivity among Iranian nurses", Contemporary Nurse, 2011.

<1%

Publication

Exclude quotes

On

Exclude matches

Off

Exclude bibliography

On