

Preparation and Physical Characterization of Andrographolide-Chitosan- Alginate Microparticles prepared by Ionic Gelation–Freeze Drying

by Retno Sari

Submission date: 05-Apr-2019 09:17AM (UTC+0800)

Submission ID: 1106186016

File name: 17_RJPT_12_2_2019.pdf (472.39K)

Word count: 2476

Character count: 14542

RESEARCH ARTICLE

17

Preparation and Physical Characterization of Andrographolide-Chitosan-Alginate Microparticles prepared by Ionic Gelation–Freeze Drying

Retno Sari*¹, Sandra Tunggadewi¹⁶, Abhimata Paramanandana¹, Helmy Yusuf¹

¹Department of Pharmaceutics, Faculty of Pharmacy, Universitas Airlangga,
Dharmawangsa Dalam, Surabaya 60268, Indonesia.

*Corresponding Author E-mail: retno-s@ff.unair.ac.id

15 STRACT:

This study aim¹¹ to determine the effect of alginate concentration on physical characterization (morphology, physical state, and encapsulation efficiency) of andrographolide-chitosan-alginate microparticles prepared by ionic gelation- freeze drying method. Andrographolide-chitosan-alginate microparticles were produced with various amount of alginate by ionic gelation method¹⁰ using triphosphosphate (TPP) as crosslinker and maltodextrin as a lyoprotectant. The physical characteristics were evaluated using Scanning Electron Microscopy (SEM), Fourier Transform Infrared Spectrophotometer (FT-IR), Differential Thermal Analyzer (DTA), Powder X-ray diffractometer (PXRD), drug content was evaluated using High Pressure Liquid Chromatography (HPLC). The results showed that andrographolide crystallinity changed after encapsulated inside the microparticles supported by changes in IR spectra, and melting point. Furthermore, increased alginate concentration showed rougher surface morphology. The amount of alginate affected the characteristics of the andrographolide-chitosan-alginate microparticles by altering the crystallinity and lowering melting point. The highest encapsulation efficiency shown by microparticles with 0.5% alginate.

KEYWORDS: Microparticles, andrographolide, chitosan, alginates, ionic gelation.

INTRODUCTION:

Andrographolide from *Andrographis paniculata*, known as one of nature's potential ingredients, has promising therapeutic properties such as anti-inflammatory, antidiarrheal, anti-HIV, antimalarial, hepatoprotectant, anticancer, antioxidant, and antihyperglycemia¹⁻⁴. However, andrographolide development is still limited due to several challenging properties, including unstable in gastrointestinal acid and extreme alkaline environment^{5,6}.

Microparticles are known as object ranged of 1-1000 μm consisted of active pharmaceutical ingredients (API) and microparticle matrixes⁷.

Microparticles are widely used as a protection of API from biological environmental conditions and/or performing sustained release profile by encapsulation the API inside the microparticle system⁷⁻¹¹. Beside its biodegradable and biocompatible nature, combination of chitosan and alginate polymers as a microparticles matrix shows more beneficial effects^{7,12}. Alginate polymers are able to prevent drug burst of the chitosan in acid environment, due to chitosan's high solubility in acid¹³⁻¹⁵. Moreover, alginate polymers are able to swell and prevent chitosan precipitation in alkaline environment^{13,16,17}. Combination of alginate and chitosan as microparticle matrix is also used into performing controlled drug release^{18,19}. Furthermore as a crosslink¹⁸, triphosphosphate (TPP) aims to strengthen bonds between chitosan and alginate. Polyelectrolyte complexes were formed between NH_3^+ from chitosan with HCOO^- from the alginate followed by ionic bonds between the NH_3^+ from the chitosan with $\text{H}_3\text{PO}_4^{4-}$ from the TPP¹⁹⁻²¹.

The physical characteristics of microparticles can be affected by several factors. This study aimed to observe the effect of the alginate concentration on the characteristics of the andrographolide-chitosan-alginate microparticles in terms of particle morphology, physical state, and encapsulation efficiency.

MATERIAL AND METHOD:

Chemical and Reagents:

Andrographolide (RD Health Ingredients Co., Ltd.), Chitosan (Biotech. Co. Ltd., Indonesia); Sodium Alginate (Wako Pure Chemical Industry, Japan), Sodium TPP (Nacalai Tesque, Japan), Maltodextrin (Sorini Agro Asia Corporindo, Indonesia), acetic acid p.a, ethanol p.a, Distilled water.

Microparticles Preparation:

Table 1. Andrographolide-chitosan-alginate microparticle formula

No.	Materials	Formula (F)		
		I	II	III
1.	Andrographolide	100 mg	100 mg	100 mg
2.	Chitosan	500 mg	500 mg	500 mg
3.	Alginate	125 mg	250 mg	375 mg
4.	TPP 15% (pH 5)	50 ml	50 ml	50 ml
5.	Maltodextrin 5%	15 ml	15 ml	15 ml

100 mg of Andrographolide were weighed and dissolved in 20 ml of ethanol, followed by adding 50 ml of 1.0% chitosan solution in 1.5% acetic acid while mixed at 500 rpm for 10 minutes using a magnetic stirrer. Alginate solution was prepared in 50 ml distilled water to produce 0.25%, 0.5% and 0.75% alginate solution. Then the alginate solution was added into 15% TPP solution while mixed at 350 rpm for 5 minutes. The chitosan-andrographolide mixture was sprayed onto the alginate-TPP mixture using a spray gun (nozzle 0.6 mm, pressure 2 bars) while mixed at 500 rpm. The stirring continued for 30 minutes at 1000 rpm. The precipitated particles then were separated and mixed with 5% maltodextrin solution followed by freeze drying (Christ Beta 1-8 K) for 48 hours. Dried microparticles in each formula were then evaluated.

Particle Morphology:

Particle morphology was evaluated using Scanning Electron Microscopy (SEM) FEI Inspect S50 (Japan). Samples were placed on a sample holder and coated with palladium gold with a thickness of 10 nm before being analyzed. The morphological observations were carried out at a voltage of 20 kV and a current of 12 mA.

Fourier Transform Infrared (FT-IR):

The sample was prepared by mixing approximately 3 mg of microparticles with 300 mg of KBr powder then pressed using a hydraulic pump pressed until obtained a transparent disc. The disc was irradiated with infrared light using Jasco FT-IR 5300 (USA) with an observing

wavelength of 4000-450 cm⁻¹.

Differential Thermal Analysis:

The sample ranging 5-7 mg was placed on a crucible aluminum pan and closed using a minimum lit. The thermal observation was performed at a temperature of 50-250°C with a heating rate of 10 °C/min using Differential Thermal Analyzer FP-65 P-900 Thermal (USA).

X-Ray Diffraction (XRD):

Each microparticle crystallinity was analyzed using powder X-ray diffractometer (PAN analytical) with CuKα radiation. The crystallinity was observed in 2θ range of 5-40° at room temperature, at a voltage of 40 kV and the current of 40 mA.

Drug content and Encapsulation Efficiency:

Drug content of microparticle was measured using high performance liquid chromatography Agilent 1100 Series (Germany) using reversed phase column, Lichrospher column 100 RP-18 4 x 250 mm 5 μm observed at a wavelength of 228 nm. Methanol-phosphate acid pH 3 (50:50) was used as the mobile phase with a flow rate of 0.75 ml/min at 30°C.

20 mg of microparticles were sonicated and dissolved in 10 ml ethanol overnight. The solution then filtered using 0.45 μm membrane filter and injected into the column. Samples were replicated triplo. The drug content and encapsulation efficiency was calculated using the formula below:

$$\text{Drug content} = \frac{\text{Drug amount}}{\text{Microparticles weight}} \times 100\%$$

$$\text{Encapsulation efficiency} = \frac{\text{Actual drug amount}}{\text{Theoretical drug amount}} \times 100\%$$

RESULTS AND DISCUSSION:

Morphology observation showed that FI microparticles produced spherical shape with a smooth surface morphology, different results shown by the higher concentration of alginate. Higher concentration of alginate formed coarser surface microparticles, which related to the increased viscosity of the aqueous alginate-chitosan mixture (Figure 1). Furthermore due to the high viscosity, alginate-chitosan mixture and andrographolide-TPP droplets were more difficult to interact and perform crosslink²². Lower concentration of alginates indicated smoother surface due to higher crosslinked bond between alginate, chitosan and TPP which provide a compact surface.




Figure 1. The SEM photographs of andrographolide-chitosan-alginate microparticles with alginate amounts (A) 0.25%, (B) 0.5%, (C) 0.75% at 10000x (1) and 20000x (2) magnifications.

The formation of chitosan-alginate bonds appeared at wave numbers 3000-3700 cm^{-1} (Figure 2. Red Arrow) which became steeper. Which confirmed that more hydrogen bonds occurred between chitosan and alginate²³. In addition, the spectrum at wave numbers 1650 cm^{-1} (Figure 2. Blue Arrow) and 820 cm^{-1} (Figure 2. Purple Arrow) which denoted the NH_3^+ of the chitosan and the mannuronate group of alginate became invisible and shifted to 1645 cm^{-1} and 892 cm^{-1} . This indicated the presence of a multi-interaction between chitosan and alginate through hydrogen and electrostatic bonds²².

Thermal characteristics comparison of andrographolide, chitosan, sodium alginate as well as microparticles with and without andrographolide are shown in Figure 3. Sharp andrographolide peak at 231.6°C was not visible on the microparticle thermograms. Furthermore, the andrographolide microparticles (Figure 3. E-F) showed lower melting points than pure andrographolide (Figure 3. A). This indicated that the andrographolide has been encapsulated in the system²⁴. Various melting point have been shown by F1, F2 and F3 microparticles at 175.1°C, 161.6°C, and 168.2°C, respectively due to the change of crystalline regularity inside the polymer matrix.

Powder X-ray observation showed sharp andrographolide crystalline property at 10° up to 16°. However, the decrease intensity was observed in the andrographolide microparticles diffractogram (Figure 4). Different intensities were caused by changes in the andrographolide crystallinity inside the encapsulated

microparticle system. Furthermore, reduced particle sizes and loss of continuity of the atomic plane could also play a significant role²⁵.




Figure 2. Infrared spectra of (A) Andrographolide, (B) Chitosan, (C) Sodium alginate, (D) Na TPP, (E) microparticles without andrographolide, (F) andrographolide-chitosan-alginate microparticles with alginate amounts of 0.25%, (G) 0.5%, (H) 0.75%




Figure 3. DTA Thermogram of (A) andrographolide, (B) Chitosan, (C) Sodium alginate, (D) Microparticles without andrographolide, andrographolide-chitosan-alginate microparticle with 0.25% (E), 0.5% (F), and (G) 0.75% of alginate.




Figure 4. X-Ray Diffractogram of (A) Andrographolide, (B) Chitosan, (C) Sodium alginate, (D) Microparticles without andrographolide, (E) Andrographolide-Chitosan-Alginate Microsphere with with alginate amounts of 0.25%, 0.5% (F), (G) 0.75%.

Table 2. Drug content and Encapsulation efficiency (EE) of andrographolide-chitosan-alginate microparticle with different alginate concentration 0.25% (F1), 0.50% (F2), 0.75% (F3)

Formula	Drug content \pm SD (%)	EE \pm SD (%)
F I	3.33 \pm 0.28	45.86 \pm 3.48
F II	3.63 \pm 0.14	58.13 \pm 2.17
F III	3.09 \pm 0.16	53.07 \pm 2.80

bonds between alginate and chitosan. In result, a more compact network that could encapsulate and prevent andrographolide diffused out from the system during the manufacture. On the other hand, due to the high viscosity, 0.75% alginate inhibited andrographolide to be entrapped into the microparticle system.

At 0.5% alginate, encapsulation efficiency of the microparticle increased compared to 0.25% alginate, however the encapsulation decreased at alginate concentration of 0.75% (shown in Table 2). This showed that 0.5% alginate could produce more crosslinking

CONCLUSION:

The microparticles of andrographolide with combination of chitosan and alginate was easily produced using ionic gelation followed by freeze drying. The amount of alginate affected the characteristics of the

andrographolide-chitosan-alginate microparticles by changing crystallinity, melting point, and particle morphology. The highest encapsulation efficiency was shown by 0.5% alginate.

CONFLICT OF INTEREST:

No conflict of interest

REFERENCES:

- Jarakumjom K, Nemoto N. Pharmacological Aspects of *Andrographis paniculata* on Health and Its Major Diterpenoid Constituent. 2008;54(4):370-381.
- VK. BSKVPMG. Validated HPTLC Method for the Quantitation of Andrographolide from Raw Material and Pharmaceutical Dosage Form. *Asian J Res Chem.* 2009;2(3):314-317.
- Jadhao M, Wankhade V. Estimation and Quantification of Andrographolide in Herbal Powder and Polyherbal Asava by HPTLC. *Asian J Res Chem.* 2011;4(1):68-70.
- Suneeha A, K.Manasa. Development and Validation of Visible Spectrophotometric Method for Determination of Andrographolide in Kalmegh Plant Extract. *Asian J Pharm Anal.* 2014;4(2):85-88.
- Chellampillai B, Pandurang A. Improved bioavailability of orally administered andrographolide from pH-sensitive nanoparticles. 2011:123-129. doi:10.1007/s13318-010-0016-7.
- Xu J, Ma Y, Xie Y, et al. Design and Evaluation of Novel Solid Self-Nanodispersion Delivery System for Andrographolide. *AAPS PharmSciTech.* 2017;18(5):1572-1584. doi:10.1208/s12249-016-0627-7.
- Senthil SP, Senthilkumar KL, Chandi SR, Ezhilmuthu RP, Saravanan MM, Sandu NR. Formulation and Evaluation of Imatinib Mesylate Microspheres by Chemical Crosslinking Method. *Res J Pharm Technol.* 2012;5(7):934-937.
- Jain V, Garg G, Patil UK, Jain S. Recent Perspectives of Chitosan: A Review. *Res J Pharm Dos Forms Technol.* 2010;2(3):220-224.
- Bisen A, Jain AP, Jain S. Formulation and Evaluation of Zidovudine Loaded Microsphere. *Asian J Res Pharm Sci.* 2013;3(4):200-205.
- Bimbaum DT, Brannon-Peppas L. Microparticle Drug Delivery Systems. In: Brown DM, ed. *Drug Delivery Systems in Cancer Therapy.* Totowa, NJ: Humana Press; 2004:117-135. doi:10.1007/978-1-59259-427-6_6.
- Swarbrick J, ed. *Encyclopedia of Pharmaceutical Technology, Third Edition.* Third Edit. New York: Informa Healthcare USA, Inc.; 2007.
- Irianto, Hari E., Muljanah I. Proses dan Aplikasi Nanopartikel Kitosan Sebagai Penghantar Obat. *Squalen.* 2011;6(1):1-8.
- Sinha VR, Singla AK, Wadhawan S, et al. Chitosan microspheres as a potential carrier for drugs. *Int J Pharm.* 2004;274(1-2):1-33. doi:10.1016/j.ijpharm.2003.12.026.
- Rafeeq M, Junise V, Saraswathi RK, Dilip C. Development and characterization of chitosan nanoparticles loaded with isoniazid for the treatment of Tuberculosis. *Res J Pharm Biol Chem Sci.* 2010;1(4):383-390.
- R. Suresh Kumar*, Subhashish Debnath, GNK Ganesh, L Raju MS and BS. Chitosan Nano Particles by Iontropic Gelation Containing L-Arginine.
- Rastogi R, Sultana Y, Aqil M, et al. Alginate microspheres of isoniazid for oral sustained drug delivery. *Int J Pharm.* 2007;334(1):71-77. doi:https://doi.org/10.1016/j.ijpharm.2006.10.024.
- Tiyaboonchai W. Chitosan Nanoparticles: A Promising System for Drug Delivery. 2003;11(3):51-66.
- R. Suresh Kumar, Subhashish Debnath, GNK Ganesh, L Raju, MK Samantha BS. Alginate-Based Microparticulate Oral Drug Delivery System for Rifampicin. *Res J Pharm Technol.* 2009;2(2):301-303.
- Agnihotri SA, Mallikarjuna NN, Aminabhavi TM. Recent advances on chitosan-based micro- and nanoparticles in drug delivery. *J Control Release.* 2004;100(1):5-28. doi:10.1016/j.jconrel.2004.08.010.
- Ko JA, Park HJ, Hwang SJ, Park JB, Lee JS. Preparation and characterization of chitosan microparticles intended for controlled drug delivery. *Int J Pharm.* 2002;249(1):165-174. doi:https://doi.org/10.1016/S0378-5173(02)00487-8.
- Debnath S, Kumar RS, Babu MN. Iontropic Gelation – A Novel Method to Prepare Chitosan Nanoparticles. *Res J Pharm Technol.* 2011;4(4):492-495. <http://anvpublication.org/HTMLPaper.aspx?Journal=Research Journal of Pharmacy and Technology;PID=2011-4-4-1>. Accessed October 22, 2018.
- Sankalia MG, Mashru RC, Sankalia JM, Sutariya VB. Reversed chitosan-alginate polyelectrolyte complex for stability improvement of alpha-amylase: Optimization and physicochemical characterization. *Eur J Pharm Biopharm.* 2007;65(2):215-232. doi:10.1016/j.ejpb.2006.07.014.
- Jia-hui Y, Yu-min D, Hua Z. Blend films of chitosan-gelatin. *Wuhan Univ J Nat Sci.* 1999;4(4):476. doi:10.1007/BF02832288.
- Manca ML, Zaru M, Ennas G, et al. Diclofenac-beta-cyclodextrin binary systems: physicochemical characterization and in vitro dissolution and diffusion studies. *AAPS PharmSciTech.* 2005;6(3):E464-E472. doi:10.1208/pt060358.
- Setyawan D, Sumirtapura YC, Soewandhi SN, Daryono D, Tj H. Karakterisasi sifat fisik sistem biner eritromisin stearat-sodium starch glycolate akibat pengaruh tekanan kompresi Characterization of physical properties of binary system of erythromycin stearate-sodium starch glycolate by compression force effect. *Maj Farm Indones.* 2011;2211(22):43-49.

Preparation and Physical Characterization of Andrographolide-Chitosan-Alginate Microparticles prepared by Ionic Gelation–Freeze Drying

ORIGINALITY REPORT

10%

SIMILARITY INDEX

7%

INTERNET SOURCES

8%

PUBLICATIONS

0%

STUDENT PAPERS

PRIMARY SOURCES

1	www.tandfonline.com Internet Source	1%
2	www.ncbi.nlm.nih.gov Internet Source	1%
3	Ostrooumov, M.. "A Raman, infrared and XRD analysis of the instability in volcanic opals from Mexico", <i>Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy</i> , 20071215 Publication	1%
4	İskenderoğlu, Canan, Füsün Acartürk, Deniz Erdoğan, and Yeşim Bardakçı. "In vitro and in vivo investigation of low molecular weight heparin–alginate beads for oral administration", <i>Journal of Drug Targeting</i> , 2013. Publication	1%
5	krishikosh.egranth.ac.in Internet Source	1%

"Single Component Drugs", *Epilepsia*, 3/1992

6	Publication	1%
7	www.dovepress.com Internet Source	1%
8	www.insightsociety.org Internet Source	1%
9	repositorio-aberto.up.pt Internet Source	1%
10	www.ingentaconnect.com Internet Source	1%
11	journals.kums.ac.ir Internet Source	<1%
12	kb.psu.ac.th Internet Source	<1%
13	Bothiraja Chellampillai. "Andrographolide, a novel bioactive phytoconstituent encapsulated in sustained release biodegradable nanoparticles", International Journal of Nanotechnology, 2011 Publication	<1%
14	www.tokyo-eiken.go.jp Internet Source	<1%
15	www.thaianatomy.com Internet Source	<1%
16	ff.unair.ac.id	

<1%

17

Nan Xing, Feng Tian, Jian Yang, Yu Kun Li.
"Preparation and Basic Characterizations of
Alginate-Chitosan Hydrogel", Advanced
Materials Research, 2012

Publication

<1%

18

Hamman, Josias H.. "Chitosan Based
Polyelectrolyte Complexes as Potential Carrier
Materials in Drug Delivery Systems", Marine
Drugs, 2010.

Publication

<1%

Exclude quotes Off

Exclude matches Off

Exclude bibliography On