

DAFTAR PUSTAKA

- Aggnur M, Garg S, Veerasha K, Gambhir R, 2014. Oral Health Status, Treatment Needs and Knowledge, Attitude and Practice of Health Care Workers of Ambala, India - A Cross-sectional Study. *Ann Med Health Sci Res* 4(5):676–681. doi:10.4103/2141-9248.141496.
- Ahmadian M, Suh JM, Hah N, Liddle C, Atkins AR, Downes M, Evans RM, 2013. PPAR γ signaling and metabolism: the good, the bad and the future. *Nature Medicine* 19:557–566.
- Almeida PD, Greigio AMT, Machado MAN, Soares AA, Azevedo LR, 2008. Saliva Composition and Functions: A Comperhensive Review. *The Journal Contemporary Dental Practic.* 9: 3.
- Almerich T, Montiel CJM, Bellot AC, Almerich SJM, 2017. Relationship between caries, body mass index and social class in Spanish children. *Gaceta Sanitaria* 31:499–504.
- Amadi CE, Grove TP, Mbakwem AC, Ozoh OB, Kushimo OA, Wood DA, Akinkunmi M, 2018. Prevalence of cardiometabolic risk factors among professional male long-distance bus drivers in Lagos, south-west Nigeria: a cross-sectional study. *Cardiovascular Journal of Africa.* 29(2), 106–114. <https://doi.org/10.5830/CVJA-2018-006>.
- American Academy of Periodontology. 2004. Treatment of Plaque-Induced Gingivitis, Chronic Periodontitis, and Other Clinical Conditions. *Journal of Periodontology* 72:1790–1800.
- Anderson DA, Shapiro JR, Lundgren JD, 2003. The freshman year of college as a critical period for weight gain: An initial evaluation. *Eating Behaviors* 4, 363–367. [https://doi.org/10.1016/S1471-0153\(03\)00030-8](https://doi.org/10.1016/S1471-0153(03)00030-8).
- Animireddy D, Reddy BV, Vallala P, Kotha S, Ankireddy S, Mohammad N, 2014. Evaluation of pH, buffering capacity, viscosity and flow rate levels of saliva in caries-free, minimal caries and nursing caries children: *An in vivo study.* *Contemporary Clinical Dentistry* 5, 324. <https://doi.org/10.4103/0976-237X.137931>.
- Al-Azzawi DSI, Alwan DAM. 2013. Influence of age and gender on salivary flow rate in completely edentulous patients. 10, 5.
- Ashour NA, Ashour AA, Basha S, 2018. Association between body mass index and dental caries among special care female children in Makkah City. *Annals of Saudi Medicine* 38, 508–515. <https://doi.org/10.5144/0256-4947.2017.31.12.1515>
- Alghamdi AA, Almahdy A, 2017. Association between Dental Caries and body mass index in Schoolchildren Aged between 14 and 16 Years in Riyadh, Saudi

- Arabia. *Journal of Clinical Medicine Research*. 9, 981–986. <https://doi.org/10.14740/jocmr2958w>.
- Al-Juboury HA, 2006. Oral health status among a group of dental students in Yemen. *Journal Bagh College of Dentistry* 18, 3.
- Alswat K, Mohamed WS, Wahab MA, Aboelil AA, 2016. The Association between Body mass index and Dental Caries: Cross-Sectional study. *Journal of Clinical Medicine Research* 8, 147–152. <https://doi.org/10.14740/jocmr2433w>.
- Alves C, Brandão M, Andion J, Menezes R, 2010. Use of graduated syringes for measuring salivary flow rate: a pilot study. *Brazilian Dental Journal* 21, 401–404. <https://doi.org/10.1590/S0103-64402010000500004>.
- Al-Qahtani, SM, Elagib, MF, Reddy, NR, Alghamdi, NS, Baldo, SM, Kumar, PM, 2018. Relationship between Obesity and Periodontal Diseases in Saudi Women (Asir Region): A Prospective Study. *The Journal of Contemporary Dental Practice* 19, 969–973. <https://doi.org/10.5005/jp-journals-10024-2367>.
- Al-Zahrani MS, Bissada NF, Borawski EA, 2003. Obesity and Periodontal Disease in Young, Middle-Aged, and Older Adults. *Journal of Periodontology*. 74, 610–615. <https://doi.org/10.1902/jop.2003.74.5.610>.
- Badan Penelitian dan Pengembangan Kesehatan, 2007. Riset Kesehatan Dasar (RISKESDAS) 2007. Laporan Nasional 2007.
- Badan Penelitian dan Pengembangan Kesehatan, 2013. Riset Kesehatan Dasar (RISKESDAS) 2013. Laporan Nasional 2013.
- Badan Penelitian dan Pengembangan Kesehatan, 2018. Riset Kesehatan Dasar (RISKESDAS) 2018. Laporan Nasional 2018.
- Bafti LS, Hashemipour MA, Poureslami H, Hoseinian Z, 2015. Relationship between body mass index and tooth decay in a population of 3–6-year-old children in Iran. *International Journal of Dentistry* 2015: 1–5.
- Banava S, Fattah M, Kharrazifard M, Safaie T, Askarzadeh S, Yazdi MS, Amaechi, BT, Fazlyab M, 2012. Clinical comparison of dental caries by DMFT and ICDA systems. *Journal of Islamic Dental Association of IRAN*. 24, 6.
- Bulhosa J, Barbosa P, Gomes E, Vieira MR, Manso MC, 2015. Association between body mass index and caries among 13-year-old population in Castelo de Paiva, Portugal. *Revista Portuguesa de Estomatologia. Medicina Dentária e Cirurgia Maxilofacial* 56:3–8.
- Carranza NTK. 2015. *Carranza's Clinical Periodontology*. Missouri: Elsevier.
- CDC, 2009. Anthropometry Procedures Manual. *In: NHANES*, editor.
- Carounanidy U, Sathyanarayanan R. 2009. Dental caries - A complete changeover. *Journal of Conservative Dentistry*. 12(2): 46-54.

- Cha E, Akazawa MK, Kim KH, Dawkins CR, Lerner HM, Umpierrez G, Dunbar SB, 2015. Lifestyle habits and obesity progression in *overweight* and obese American young adults: Lessons for promoting cardiometabolic health: Lifestyle habits and obesity progression. *Nursing & Health Sciences*. 17, 467–475. <https://doi.org/10.1111/nhs.12218>.
- Cheung PC, Ip PL, Lam S, Bibby H. 2007. A study on body weight perception and weight control behaviours among adolescents in Hong Kong. 13:6.
- Choi YM, Lee J.Y, Choi J, Joo JY, 2015. Effect of root planing on the reduction of probing depth and the gain of clinical attachment depending on the mode of interproximal bone resorption. *Journal of Periodontal & Implant Science*. 45, 184. <https://doi.org/10.5051/jpis.2015.45.5.184>.
- Chrysanthakopoulos, N, 2016. Prevalence of gingivitis and associated factors in 13-16-year-old adolescents in Greece. *Eur J. Gen Dent* .5, 58. <https://doi.org/10.4103/2278-9626.179536>
- Chung S, 2015. Body mass Index and body composition scaling to height in children and adolescent. *Annals of Pediatric Endocrinology & Metabolism*. 20, 125-129. <https://doi.org/10.6065/apem.2015.20.3.125>.
- Clement K, Vaisse C, Lahlou N, Cabrol S, Pelloux V, Cassuto D, Gourmelen, M, Dina C, Chambaz J and Lacorte JM, 1998. A mutation in the human leptin receptor gene causes obesity and pituitary dysfunction. *Nature*. 392, 398–401.
- Dahiya P, Kamal R, Gupta R, 2012. Obesity, periodontal and general health: Relationship and management. *Indian Journal of Endocrinology and Metabolism* 16, 88. <https://doi.org/10.4103/2230-8210.91200>.
- De Campos MM, Kobayashi FY, Barbosa T de S, Costa S da S, Lucas B de L, Castelo PM, 2014. Characteristics of salivary secretion in normal-weight, *overweight* and obese children: a preliminary study: Salivary composition and excessive fat tissue. *Journal of Odontology*. 102, 318–324. <https://doi.org/10.1007/s10266-013-0103-8>.
- Depkes RI, 2000. Survei Kesehatan Rumah Tangga (SKRT). Jakarta.
- Divakar D, Alanazi SAS, Assiri MYA, Mohammed HS, Zaid AS, Ahmed SAS, Mustafa M. (2019). Association between ENAM polymorphisms and dental caries in children. *Saudi Journal of Biological Sciences*. 26:730–735.
- Diaz de GC, Schoolfield JD, Johnson D, Yeh CK, Chen S, Cappelli DP, Bober-Moken IG, Dang, H., 2014. Co-Relationships between glandular salivary flow rates and dental caries. *Gerodontology*. 31, 210–219. <https://doi.org/10.1111/ger.12028>.
- Duarte RL, Ramos JJ, Drumond, CL, Diniz, PB, Marques, LS, Ramos JML, 2017. Correlation and comparative analysis of the CPQ8-10 and child-OIDP indexes for dental caries and malocclusion. *Braz. Oral Res*. 31. <https://doi.org/10.1590/1807-3107bor-2017.vol31.0111>.

- Du S, Lu B, Zhai F, Popkin BM. 2002. A new stage of the nutrition transition in China. *Public health nutrition*. 5(1A):169–74. <https://doi.org/10.1079/PHN2001290> PMID: 12027281.
- Erdem V, Yildiz M, Erdem T, 2013. The Evaluation of Saliva Flow Rate, pH, Buffer Capacity, Microbiological Content and Indices of Decayed, Missing and Filled Teeth in Behçet's Patients. *Balkan Medical Journal*. 30, 211–214. <https://doi.org/10.5152/balkanmedj.2013.7932>.
- Fejerskov O, Kidd E, Nyvad B, Baelum V. Defining the disease: an introduction. In: Fejerskov O, Kidd E, editors. *Dental caries. The disease and its clinical management*. Oxford: Blackwell Munksgaard; 2008. pp. 3–6.
- Franchini R, Petri A, Migliario M, Rimondini L, 2011. Poor oral hygiene and gingivitis are associated with obesity and *overweight* status in paediatric subjects. *J Clin Periodontol*. 11: 1021–8.
- Fruhstorfer BH, Mousoulis C, Uthman OA, Robertson W, (2016) Socio-economic status and *overweight* or obesity among school-age children in subSaharan Africa - a systematic review. *Clin Obes*. 1: 19–32.
- Gibson R. 2005. *Principle of Nutrition Assessment*. New York: Oxford University.
- Goldberg M. 2011. Dentin structure composition and mineralization. *Frontiers in Bioscience E3*, 711–735. <https://doi.org/10.2741/e281>.
- Hashemi DA, Bahrololoomi DZ, Salarian DS. 2018. Relationship between Early Childhood Caries and Anemia: *A Systematic Review*. 8:14.
- Hasan A, Palmer, RM, 2014. A clinical guide to periodontology: Pathology of periodontal disease. *British Dental Journal*. 216, 457–461. <https://doi.org/10.1038/sj.bdj.2014.299>.
- Hiremath, 2011. *Textbook of Preventive and Community Dentistry*. Bangalore: Elsevier.
- Hruby A, Hu FB, 2015. The Epidemiology of Obesity: A Big Picture. *Pharmaco Economics*. 33, 673–689. <https://doi.org/10.1007/s40273-014-0243-x>.
- Itjingsningsih HW, 2017. *Anatomi Gigi*. Jakarta : Penerbit Buku Kedokteran EGC. Hlm. 31-36.
- Herrera M, Rangil J, Silvestre F, 2017. Association between obesity and periodontal disease. A systematic review of epidemiological studies and controlled clinical trials. *Medicina Oral Patología Oral y Cirugía Bucal*. <https://doi.org/10.4317/medoral.21786>.
- Heymsfield SB, Wadden TA, 2017. Mechanisms, Pathophysiology, and Management of Obesity Longo DL. *New England Journal of Medicine*. 376:254–266.
- Kadouh HC, Acosta A, 2017. Current paradigms in the etiology of obesity. *Techniques in Gastrointestinal Endoscopy*. 19, 2–11.

- Khalilinejad F, Khalilian MR, Rasaei N, Saki A, 2014. Correlation between Oral health status (DMFT) and BMI in Khuzestan Province, Iran during 2012-2013. *Iranian J Publ Health*. 43 : 1458-1460.
- Kantovitz KR, Pascon FM, Rontani, RMP, Gavião MBD, 2006. Obesity and Dental Caries A Systematic Review. *Oral Health Prev Dent*. 4, 8.
- Kidd EAM, Joyston BS, 1992. Dasar-dasar karies: *Penyakit dan penanggulangannya*. Alih Bahasa Sumawinata N. Jakarta: EGC.
- Kidd EAM., 2005. *Essentials of dental caries: the disease and its management*, 3rd edition. Oxford :Univ. Press, Oxford.
- Kozak LP, Koza AR, 2008. UCP1: its involvement and utility in obesity. *International Journal of Obesity* 32:S32–S38.
- Kubota C, Kanazawa M, Hama Y, Komagamine Y, Minakuchi, S, 2017. Association between chewing-stimulated salivary flow under the effects of atropine and mixing ability assessed using a color-changeable chewing gum. *Journal of Prosthodontic Research*. 61, 387–392. <https://doi.org/10.1016/j.jpor.2016.12.009>.
- Lacruz RS, Habelitz S, Wright JT, Paine ML, 2017. Dental Enamel Formation and Implications for Oral Health and Disease. *Physiological Reviews*. 97, 939–993. <https://doi.org/10.1152/physrev.00030.2016>
- Lee L, and Sanders RA, 2012. Metabolic Syndrome. *Pediatrics in Review*. Vol. 33 : 10.
- Li LW, Wong HM, McGrath CP, 2017. Longitudinal Association between Obesity and Dental Caries in Adolescents. *The Journal of Pediatrics*. 189, 149-154.e5. <https://doi.org/10.1016/j.jpeds.2017.06.050>.
- Li LW, Wong HM, Gandhi A, McGrath CP, 2018. Caries-related risk factors of obesity among 18-year-old adolescents in Hong Kong: a cross-sectional study nested in a cohort study. *BMC Oral Health*. 18. <https://doi.org/10.1186/s12903-018-0657-5>.
- Loe H, 1967. The Gingival index, the Plaque Index and the Retention Systems. *J Periodontol*. 38(6) DOI: 10.1902/jop.1967.38.6.610.
- Masood M, Reidpath DD (2017). Effect of national wealth on BMI: An analysis of 206,266 individuals in 70 low-, middle- and high-income countries Eriksson K (ed). *PLOS ONE* 12:e0178928.
- Martinez MEA, Zandona AF. (2013). The Impact of Gender on Caries Prevalence and Risk Assessment. *Dental Clinics of North America*. 57:301–315.
- Marya CM, 2011. *A Textbook of Public Health Dentistry*. New Delhi: Jaypee.
- Marsicano JA, Peres A, Ceneviva, R., 2012. Evaluation of oral health status and salivary flow rate in obese patients after bariatric surgery. *European Journal of Dentistry* 7.

- Mod er T, Blomberg CC, Wondimu B, Julihn A, Marcus C, 2010. Association Between Obesity, Flow Rate of Whole Saliva, and Dental Caries in Adolescents Obesity. *Nature Publishing Group*. 18, 2367–2373. <https://doi.org/10.1038/oby.2010.63>.
- Mojarad F, Maybodi MH, 2009. Association Between Dental Caries and Body Mass Index Among Hamedan Elementary School Children in 2009. *Journal of Dentistry* 8, 8.
- Motlagh MG, Kohestani A, 2000. An investigation on DMFT and DMFS of first permanent molars in 12-year-old blind children in residential institutes for blinds in Tehran. *Journal of Dentistry* 1, 6.
- Mozaffari MS, Abdelsayed R, Zakhary I, El-Salanty M, Liu J.Y., Wimborne, H., El-Marakby, A., 2011. Submandibular gland and caries susceptibility in the obese Zucker rat: Salivary gland and caries in obesity. *Journal of Oral Pathology & Medicine* 40, 194–200. <https://doi.org/10.1111/j.1600-0714.2010.00965.x>
- Moreno QLA, Espinoza, Bedon PS, Guzm n AM . 2018. Dental caries in the peruvian police population. *Journal section: Community and Preventive Dentistry* :5.
- Muhammad H, van Baak M, Mariman E, Sulistyoningrum D, Huriyati E, Lee Y, Wan Muda W, 2019. Dietary Inflammatory Index Score and Its Association with Body Weight, Blood Pressure, Lipid Profile, and Leptin in Indonesian Adults. *Nutrients*. 11(1), 148. <https://doi.org/0.3390/nu11010148>.
- Nascimento GG, Seerig LM, Vargas-Ferreira F, Correa FOB, Leite FRM, Demarco FF (2013). Are obesity and *overweight* associated with gingivitis occurrence in Brazilian schoolchildren?. *Journal of Clinical Periodontology*. 40:1072–1078.
- Natalina, Masulili SLC, Harsas NA, Subekti I, Auerkari, EI, 2016. Gingival Crevicular Fluid Levels of Resistin and Adiponectin in Chronic Periodontitis with Type 2 Diabetes Mellitus. *J. Od International Dental and Medical Research*. Vol. 39: 330.
- Nihtila A, West N, Lussi A, Bouchard P, Ottolenghi L, Senekola E, Senekola E, Llodra JC, Viennot S, Bourgeois D. 2016. Oral health behavior and lifestyle factors among *overweight* and non-*overweight* young adults in Europe: a cross-sectional questionnaire study. *Healthcare*. 4(2):21.
- Noviani N. 2010. Faktor-faktor Yang berhubungan Dengan Status Karies Gigi (DMFT) Santri Pesantren Al Ashriyyah Nurul Iman Pasuruan Bogor Tahun. Thesis. Jakarta. Universitas Indonesia.
- Ofei F, 2005. Obesity-Preventable Diseases. *Ghana Medical journal*. 39, 4.
- Papargyri P, Zapanti E, Salakos N, Papargyris L, Bargiota A, Mastorakos G, 2018. Links between HPA axis and adipokines: clinical implications in paradigms

- of stress-related disorders. *Expert Review of Endocrinology & Metabolism*. 13, 317–332. <https://doi.org/10.1080/17446651.2018.1543585>.
- Pengpid S, Peltzer K, 2017. The Prevalence of *Underweight, overweight/Obesity* and Their Related Lifestyle Factors in Indonesia, 2014–15. *AIMS Public Health*. 4(6): 633–649. <https://doi.org/10.3934/publichealth.2017.6.633>.
- Peraturan Gubernur Jawa Timur, Upah Minimum Kabupaten/Kota Di Jawa Timur Tahun 2018. Diakses dari <https://spn.or.id/dppspn/PERGUB-UMK-2018-JATIM.pdf>, pada tanggal 22 Juli 2018.
- Peterson PE, Baez RJ, 2003. *World Health Organization. Oral health surveys: basic methods*. 5.
- Pigeyre M, Yazdi FT, Kaur Y, Meyre D . 2016. Recent progress in genetics, epigenetics and metagenomics unveils the pathophysiology of human obesity. *Clinical Science*. 130:943–986.
- Poobalan A, Aucott L, 2016. Obesity Among Young Adults in Developing Countries: A Systematic Overview. *Current Obesity Reports*. 5, 2–13. <https://doi.org/10.1007/s13679-016-0187-x>.
- Poletta FA, Mereb JC, Resick JM, Brandon CA, Orioli IM, Castilla EE, Marazita ML, Seymen F, Costa MC, Granjeiro JM, Trevilatto PC, Vieira AR. Enamel formation genes influence enamel microhardness before and after cariogenic challenge. *PLoS ONE*. 2012;7:e45022.
- Pon LW, Mirlalini K, Mohd Nasir MT, 2004. Body image perception, dietary practices and physical activity of *overweight* and normal weight Malaysian female adolescents. *Mal J Nutr* 10(2): 131 – 147.
- Prpić J, Kuiš D, Glažar I., Pezelj RS, 2013. Association of Obesity with Periodontitis, Tooth Loss and Oral Hygiene in Non-smoking Adults. *Central European Journal of Public Health* 21, 196–201. <https://doi.org/10.21101/cejph.a3829>.
- Rachmi CN, Li M, Alison BL, 2017. *Overweight* and obesity in Indonesia: prevalence and risk factors—a literature review. *Public Health*. 147, 20–29. <https://doi.org/10.1016/j.puhe.2017.02.002>.
- Radić M, Benjak T, Dečković Vukres V, Rotim Ž, Filipović Zore I (2015). Presentation of DMF Index in Croatia and Europe. *Acta Stomatologica Croatica* 49:275–284.
- Rashmi GS. 2014. *Textbook of Dental Anatomy, Physiology and Occlusion*. Gujarat: Jaypee Brothers Medical Publishers.
- Reeves AF, Rees JM, Schiff M, Hujoel P, 2006. Total Body Weight and Waist Circumference Associated With Chronic Periodontitis Among Adolescents in the United States. *Archives of Pediatrics & Adolescent Medicine*. 160. <https://doi.org/10.1001/archpedi.160.9.894>.
- Roa I, del Sol M, 2018. Obesity, salivary glands and oral pathology. *Colombia Medica*. 280–287. <https://doi.org/10.25100/cm.v49i4.3919>.

- Rodrigues DL, Jorge RJ, Drumond CL, Diniz PB, Marques LS, Jorge RML, 2017. Correlation and comparative analysis of the CPQ8-10 and child-OIDP indexes for dental caries and malocclusion. *Brazilian Oral Research* 3.
- Sadeghi M, 2007. Prevalence and bilateral occurrence of first permanent molar caries in 12-year-old students. *Journal of Dental Research Dental Clinics:Dental Prospect* 1: 86-92 .
- Sánchez S, García C, Duque LMX, Juárez CT, Cortés AR, Reyes BS, 2007. Anthropometric measures and nutritional status in a healthy elderly population. *BMC Public Health*. 7. <https://doi.org/10.1186/1471-2458-7-2>.
- Sastroasmoro S, Ismael S, 2017. *Dasar-dasar Metodologi Penelitian Klinis. Edisi ke-5*. Jakarta: Sagung Seto.
- Septyaningrum N. 2013. Hubungan antara indeks massa tubuh, lingkar perut dan rasio lingkar pinggang panggul dengan kadar gula darah. Fakultas Kesehatan Masyarakat Universitas Airlangga.
- Serio FG, 2009. The Pathogenesis and Treatment of Periodontal Disease. The Academy of Dental Therpeitocs and Stomatology.
- Shaffer JR, Carlson JC, Stanley BOC, Feingold E, Cooper M, Vanyukov MM, Maher BS, Slayton RL, Willing MC, Reis SE, McNeil DW, Crout RJ, Weyant RJ, Levy SM, Vieira AR, Marazita ML. 2015. Effects of enamel matrix genes on dental caries are moderated by fluoride exposures. *Human Genetics* 134:159–167.
- Sheiham A, James, WPT, 2014. A reappraisal of the quantitative relationship between sugar intake and dental caries: the need for new criteria for developing goals for sugar intake. *BMC Public Health*.14. <https://doi.org/10.1186/1471-2458-14-863>.
- Shimazaki Y, Fu B, Yonemoto K, Akifusa S, Shibata Y, Takeshita T, Ninomiya T, Kiyohara Y, Yamashita Y, 2017. Stimulated salivary flow rate and oral health status. *Journal of Oral Science*. 59, 55–62. <https://doi.org/10.2334/josnugd.16-0372>.
- Shimizu T, Ho B, Deeley K, Briseño-Ruiz J, Faraco IM, Jr, Schupack BI, Brancher JA, Pecharki GD, Küchler EC, Tannure PN, Lips A, Vieira TC, Patir A, Yildirim M, Shaffer JR, Carlson JC, Stanley BOC, Feingold E, Cooper M, Vanyukov MM, Maher BS, Slayton RL, Willing MC, Reis SE, McNeil DW, Crout RJ, Weyant RJ, Levy SM, Vieira AR, Marazita ML (2015). Effects of enamel matrix genes on dental caries are moderated by fluoride exposures. *Human Genetics* 134:159–167.
- Ślotwińska SM, Ślotwiński R, 2015. Review paper Host response, obesity, and oral health. *Central European Journal of Immunology*. 2, 201–205. <https://doi.org/10.5114/ceji.2015.52834>.
- Snell RS, 2008. *Anatomi Klinis Berdasarkan Sistem*. Diterjemahkan dari bahasa Inggris oleh: Sugiharto L. Jakarta: EGC.

- Smith CH, Boland B, Daureawoo Y, Donaldson E, Small K, Tuomainen J. 2013. Effect of aging on stimulated salivary flow in adults. *J Am Geriatr Soc.* 61, 805-808.
- Song IS, Han K, Ryu JJ, Park JB, 2017. Obesity is inversely related to the risks of dental caries in Korean adults. *Oral Diseases* 23, 1080–1086. <https://doi.org/10.1111/odi.12693>.
- Torres T, Company JM, Arcís C, Silla JM, 2017. Relationship between caries, body mass index and social class in Spanish children. *Gaceta Sanitaria* 31, 499–504. <https://doi.org/10.1016/j.gaceta.2016.09.005>
- Tripathi S, 2010. Relationship between obesity and dental caries in children - A preliminary study. *J. Int Oral Health.* 2, 8.
- Tiwari M, 2011. Science behind human saliva. *Journal of Natural Science, Biology and Medicine.* *Journal of Natural Science, Biology and Medicine.* 2, 53. <https://doi.org/10.4103/0976-9668.82322>.
- Vallogini, G, Nobili, V, Rongo, R, De Rosa, S, Magliarditi, S, D'Antò, V, Galeotti, A,. Evaluation of the relationship between obesity, dental caries and periodontal disease in adolescents. *European Journal of Paediatric Dentistry* 2017; 268–272. <https://doi.org/10.23804/ejpd.2017.18.04.02>
- Vantipalli U, Avula SJ, Enuganti S, Bandi S, Kakarla P, Kuravadi R, 2017. Effect of three commercially available chewing gums on salivary flow rate and pH in caries-active and caries-free children: An in vivo study. *Journal of Indian Society of Pedodontics and Preventive Dentistry.* 35, 254. https://doi.org/10.4103/JISPPD.JISPPD_256_16.
- Verma P, Verma, KG, Rishi S, Sachdeva S, Juneja S, Rout P, 2013. Correlation between Body Mass Index, Dental Caries and Frequency of Sugar Consumption in Adult Population of Rajasthan State, India. *Journal of Indian Academy of Oral Medicine and Radiology.* 4.
- WHO/IASO/IOTF, 2002. The asia-pasific perspective: redefining obesity and its treatment. Hongkong:world health organization, international obesity task force, international association for the study of obesity. Available at: www.wpro.who.int/nutrition/documents/docs/Redefiningobesity.pdf.
- Wu S, Ding Y, Wu F, Li R, Hu Y, Hou J, Mao P, 2015. Socio-economic position as an intervention against *overweight* and obesity in children: a systematic review and meta-analysis. *Sci Rep.* 5:11354.
- Wyatt HR, 2013. Update on Treatment Strategies for Obesity. *The Journal of Clinical Endocrinology & Metabolism.* 98, 1299–1306. <https://doi.org/10.1210/jc.2012-3115>.
- Yang P, Zhou Y, Chen B, Wan HW, Jia GQ, Bai, HL, Wu XT, 2009. *overweight*, obesity and gastric cancer risk: Results from a meta-analysis of cohort studies. *European Journal of Cancer* 45. 2867–2873. <https://doi.org/10.1016/j.ejca.2009.04.019>.

- Yamamoto K, Kurihara M, Matsusue Y, Imanishi M, Tsuyuki M, Kirita T. 2009. Whole saliva flow rate and body profile in healthy young adults. *Arch Oral Biol.* 54, 464-469
- Ziemer DC, Kolm P, Foster JK, Weintraub WS, Vaccarino V, Rhee MK, Varughese RM, Tsui CW, Koch DD, Twombly JG, Venkat Narayan KM, Phillips LS, 2008. Random Plasma Glucose in Serendipitous Screening for Glucose Intolerance: Screening for Impaired Glucose Tolerance Study 2. *Journal of General Internal Medicine.* 23, 528–535. <https://doi.org/10.1007/s11606-008-0524-1> .