

DAFTAR PUSTAKA

Alarifi A dan Nylen ES, 2000. Editorial: Dislodging sacred dogmas in combating systemic stress: The case for steroid. Ann Saudi Med, 20; 358-9.

Badan Pusat Statistik, 2016. Diunduh dari
<https://www.bps.go.id/Subjek/view/id/12>

Bakker J, Nijsten M dan Jansen T, 2013. Clinical use of lactate monitoring in critically ill patients. Ann Intensive care, 3: 12-20.

Ballesteros Y, Lopez-Herce J dan Gonzalez R, *et al*, 2014. Relationship between hyperglycemia, hormone disturbances, and clinical evolution in severely hyperglycemic post surgery critically ill children: an observational study. BMC Endocrine Disorders, 14:1-8.

Barton RN, 1985. Neuroendocrine mobilization of body fuels after injury. Brit Med, 41:218-22.

Barquist E dan Kirton O, 1997. Adrenal insufficiency in the surgical intensive care unit patient. J Trauma, 42: 27-31.

Bassin S, Smith TL dan Bleck TP, 2002. Clinical Review: Status Epilepticus. Crit care, 6: 137-42.

Bayu T, Martuti S dan Salimo H, 2018. Perbandingan prediktor mortalitas skor PRISM III dan PELOD 2 pada anak sakit kritis non bedah. Sari Pediatri, 19(5):284-9.

Berghe G, 2000. Novel insights into the neuroendocrinology of critical illness. Eur J Endocrinol, 143:1-13.

- Beishuizen A, Thijs LG, Haanen C dan Vermes I, 2001. Macrophage migration inhibitory factor and hypothalamopituitary-adrenal function during critical illness. *J Clin Endocrinol Metab*, 86: 2811-6.
- Bhadoria P dan Bhagwat A, 2008. Severity scoring systems in pediatric intensive care units. *Indian J anaesthesia*, 52: 663-75.
- Bone RC, Sprung CL dan Sibbald WJ, 1992. Definitions for sepsis and organ failure. *Crit Care Med*, 20:724-6.
- Boonen E, Vervenne H dan Meersseman P *et al*, 2013. Reduced cortisol metabolism during critical illness. *N Engl J Med*, 368: 1477–88.
- Bordbar MR, Taj-aldini R dan Karamizadeh Z, *et al*, 2012. Thyroid function and stress hormones in children with stress hyperglycemia. *Endocr*, 42:653-57.
- Branco RG, Garcia PC, Piva JP, Casartelli CH, Seibel V dan Tasker RC, 2005. Glucose level and risk of mortality in pediatric septic shock. *Pediatr Crit Care Med*, 6:470-2.
- Braams RR, Koppeschaar HP, Van de Pavoordt HD dan Van Vroonhoven TJ, 1998. Adrenocortical function in patients with ruptured aneurysm of the abdominal aorta. *Intensive Care Med*, 24:124-7.
- Breuner CW dan Orchinik M, 2002. Plasma binding proteins as mediators of corticosteroid action in vertebrates. *J Endocrinol*, 175:99-112.
- Bridges EJ dan Dukes MS, 2005. Cardiovascular aspect of septic shock, pathophysiology, monitoring and treatment. *Crit Care Nurse*, 25: 14-38.
- Caurter EV, Polonsky KS dan Scheen AJ, 1997. Roles of circadian rhythmicity and sleep in human glucose regulation. *Endocr Rev*, 18: 716-38.

- Carrasco GA dan Van de Kar LD, 2003. Neuroendocrine pharmacology of stress. *Eur J Pharmacol*, 463: 235–72.
- CDC, 2000. CDC growth chart. Centre of Disease and Prevention. Diunduh dari: <https://www.cdc.gov/growthcharts/index.htm>
- Cely CM, Arona P, Quartin AA, Kelt DH dan Schein RMH, 2004. Relationship of baseline glucose homeostasis to hyperglycemia during medical critical illness. *CHEST* 126:879-87.
- Chrousos GP, 1995. The hypothalamic-pituitary-adrenal axis and immune-mediated inflammation. *N Engl J Med*, 332:1351–62.
- Clement S, Braithwaite SS, Magee MF, Ahman A, Smith EP, Schafer RG dan Hirsch IB, 2004. Management of diabetes and hyperglycemia in hospitals. *Diabetes care*, 27:553-79.
- Corwin E.J dan Klein L.C, 2009. Homeostasis and stress response. In: Corwin E.J (eds). *Handbook of pathophysiology*. Edisi 3. USA: Lippincott Williams & Wilkins, pp 179-93.
- Cudlin, 1999. Recognition of stages of montane norway spruce response to multiple stress impact using crown and branch structure transformation analysis. *Phyton* (Horn, Austria), 39:149-53.
- David E, Schteingart. 2005. Pankreas: Metabolisme glukosa dan diabetes melitus. Dalam: Sylvia AP, Lorraine MW. Patofisiologi konsep klinis proses penyakit. Edisi ke 6. EGC, hlm 1259-72.
- Den Brinker M, 2005. Acute stress response in critically ill children, endocrine aspects. Den Haag: CIP-gegevens Koninklijke Bibliotheek, 7-25.

- Dungan KM, Braithwaite SS dan Preiser JC, 2009. Stress hyperglycemia. Lancet, 23: 1798-1807.
- El-Sherbini SA, Marzouk H, El-Sayed dan Hosam-AlDin S, 2018. Etiology of hyperglycemia in critically ill children and the impact of organ dysfunction. Rev Bras Ter Intensiva, 30(3): 286-293.
- Esposito K, Nappo F dan Marfella R, 2002. Inflammatory cytokine concentration are acutely increased by hyperglycemia in humans: role of oxidative stress. Circulation, 106:2067-72.
- Faustino EV dan Apkon M, 2005. Persistent hyperglycemia in critically ill children. J Pediatr, 146:30-4.
- Farrokhi F, Smiley D dan Umpierrez GE, 2011. Glycemic control in non-diabetic critically ill patients. Best Pract Res Clin Endocrinol Metab, 3:813-24.
- Finney SJ, Zekveld C dan Elia, 2003. Glucose control and mortality in critically ill patients. JAMA, 290(15):2041-7.
- Frost P dan Wise M, 2007. Recognition and early management of the critically ill ward patient. Br J Hosp Med, 10:180-82.
- Goldhill DR dan McNarry AF, 2004. Physiological abnormalities in early warning scores are related to mortality in adult inpatients. Br J Anaesth 92: 882–4.
- Goldstein D.S, 2003. Cathecholamines and stress. Endocrine Regulations, 37:69-80.
- Gonzalez H, Nardi O dan Annane D, 2006. Relative adrenal failure in the ICU: an identifiable problem requiring treatment. Crit Care Clin, 22: 105–118.
- Grace RD dan Poovazhagi V, 2017. Stress hyperglycemia: clinical profile and outcome in critically ill children. Int J Contemp Pediatr, 4:2175-79.

- Guyton AC dan Hall JE, 2000. The Autonomic nervous system and the adrenal medulla. In Guyton AC, Hall JE (eds), Textbook of medical physiology. Philadelphia, WB Saunders, pp 697-708.
- Gurlek A, Dagdelen S, Atmaca A, Yildiz BO dan Geldik O, 2002. Glucose homeostasis and neuroendocrine regulation in critical Illness. Turkish J Endocrinol Metab, 2: 47-58.
- Gupta P, Natarajan G dan Agarwal K, 1997. Transient hyperglycemia in acute childhood illnesses: to attend or ignore?. Indian J Pediatr, 64:205-10
- Hartwig MS dan Wilson LM, 2006. Anatomi dan fisiologi system saraf. Dalam: Price SA, Wilson LM, penyunting. Patofisiologi konsep klinis proses-proses penyakit. Edisi ke 6, Jakarta: EGC, hlm 1006-43.
- Haji-Michael PG, Ladriere L dan Sener A, 1999. Leukocyte glycolysis and lactate output in animal sepsis and ex vivo human blood. Metabolism, 48:779–85.
- Hamrahan AH, Oseni TS dan Arafah BM, 2004. Measurements of serum free cortisol in critically ill patients. N Engl J Med, 350: 1629–38.
- Harp JB, Yancopoulos GD dan Gromada J, 2016. Glucagon orchestrates stress-induced hyperglycemia. Diabetes Obes Metab, 18:648-53.
- Heimburger DC, 1997. Hospital associated malnutrition. In Heimburger DC, Weinser RL. Handbook of clinical nutrition. 3th ed. United States of America: Mosby pp 169-81.
- Indyk JA, Candido-Vitto C dan Wolf IM, *et al*, 2013. Reduced glucocorticoid receptor protein expression in children with critical illness. Horm Res Paediatr, 79: 169–178.

- Joosten KF, De Kleijn ED, Westerterp M, De Hoog M, Van Eijck, FC dan Hop CJ, 2000. Endocrine and metabolic responses in children with meningococcal sepsis: striking differences between survivors and nonsurvivors. *J Clin Endocrinol Metab*, 85:3746-53.
- JS Park, SH Kim, SS Sheen, SM Jeong dan YJ Lee, 1998. Effectiveness of the PRISM III score for predicting mortality in pediatric intensive care neurologic patients. *Crit care*, 2: 161-3.
- Khardori, R. dan Castillo, D, 2012. Endocrine and Metabolic Changes During Sepsis: an update. *Med Clin North Am*, 96:1095-105.
- Kim SH dan Park MJ, 2017. Effects of growth hormone on glucose metabolism and insulin resistance in human. *Ann Pediatr Endocrinol Metab* 22:145-52.
- Klein G, Hojsak J, Schmeidler J dan Rapaport R, 2008. Hyperglycemia and outcome in the pediatric intensive care unit. *J Pediatr*, 153:379-84.
- Kowalak J, Welsh W dan Mayer B, 2011. Basic of pathophysiologi. Dalam: Kowalak J, Welsh W, Mayer B, editor. Professional guide to pathophysiologi. USA: Lippincot Williams & Wilkins, pp 1-3.
- Komisi resusitasi pediatrik UKK ERIA IDAI, 2018. Kumpulan materi pelatihan resusitasi pediatrik tahap lanjut. Unit kerja koordinasi emergensi dan rawat intensif anak ikatan dokter anak Indonesia, hlm 1-9.
- Kwon YS, Suh GY, Kang EH, Koh WJ, Chung MP dan Kim H, 2007. Basal serum cortisol levels are not predictive of response to corticotropin but have prognostic significance in patients with septic shock. *J Korean Med Sci*, 22: 470-5.

- Lamberts SW, Bruining HA dan de Jong FH, 1997. Corticosteroid therapy in severe illness. *N Engl J Med*, 337:1285-92.
- Marik PE dan Bellomo R, 2013. Stress hyperglycemia: an essential survival response!. *Crit Care*, 17:1-7.
- Marik PE, Pastores SM dan Annane D, *et al*, 2008. Recommendations for the diagnosis and management of corticosteroid insufficiency in critically ill adult patients: consensus statements from an international task force by the American College of Critical Care Medicine. *Crit Care Med*, 36: 1937–49.
- Manning HL dan Schwartzstein RM, 1995. Pathophysiology of dyspnea. *N Eng J Med*, 333:1547-52.
- McKiernan CA dan Lieberman SA, 2005. Circulatory shock in children: an overview. *Pediatr Rev*, 26;451-9.
- McCown KC, Malhotra A dan Bistrian BR, 2001. Endocrine and metabolic dysfunction syndromes in the critically ill-stress induced hyperglycemia. *Crit Care Clin* 17:1-11.
- McCown KC, Malhotra A dan Bistrian BR, 2001. Endocrine and metabolic dysfunction syndromes in the critically ill-stress induced hyperglycemia. *Chest* 115: 64s-70s.
- McCann UG, Finck CM dan Meguid MM. 2002. Metabolic response in injury and critical illness. In Deitch, E. A. Vincent J-L & Windsor A (Eds). *Sepsis and multiple organ dysfunction*. London: W.B. Saunders, pp 73-81.
- Mechanick JI, 2006. Metabolic mechanisms of stress hyperglycemia. *J Parenter Enteral Nutr*, 30(2):157–63.

- Mehta NM dan Jaksic T, 2008. The critically ill child. In: Nutrition in Pediatrics. 4th ed. Hamilton, Ontario, Canada: BC Decker Inc, pp 663-73.
- Mizock BA, 2001. Alteration in fuel metabolism in critical illness: hyperglycemia. Best Pract Res Clin Endocrinol Metab, 15: 533-51.
- Mohammadi M, Mohebbi MR dan Naderi F, 2003. CSF glucose concentrations in infants with febrile convulsion and the possible effect of acetaminophen. Indian Pediatr, 40:1183-6.
- Mungan NO, Yildizdas D, Yapicioglu H, Topaloglu AK, Yuksel B dan Ozer G, 2004. Growth hormone and insulin-like growth factor 1 levels and their relation to survival in children with bacterial sepsis and septic shock. J Paediatr Child Health, 40: 221–6.
- Noberta S, Triratna S, Aditiawati A dan Husin S, 2013. Association between hyperglycemia and organ dysfunction in shock patients. Paediatrica Indonesiana, 1:26-31.
- Oelkers W, 1996. Adrenal insufficiency. N Engl J Med, 335(16):1206-12.
- Olff M, Frijing J dan Kubzansky L, *et al*, 2013. The role of oxytocin in social bonding, stress regulation and mental health: An update on the moderating effects of context and interindividual differences. Psychoneuroendocrinology, 38:1883-94.
- Oltmanns KM, Gehring H, Rudolf S, Schultes B, Rook S dan Schweiger U, 2004. Hypoxia causes glucose intolerance in humans. Am J Respir Crit Care Med, 169:1231-7.

- Ontoseno T, 2005. Sindroma renjatan di bidang kardiologi anak (Shock Syndrome In Pediatric Cardiology). In Continuing Education Ilmu Kesehatan Anak XXXV hal 164-96.
- Patki VK dan Chougule SB, 2014. Hyperglycemia in critically ill children. Indian J Crit Care Med, 18:8-13.
- Parvizi J dan Damasio A, 2003. Neuroanatomical correlates of brainstem coma. Brain, 126:1524-36.
- Perrot D, Bonneton A, Dechaud H, Motin J dan Pugeat M, 1993. Hypercortisolism in septic shock is not suppressible by dexamethasone infusion. Crit Care Med, 21:396-401.
- Pope J dan McBride J. 2004. Respiratory failure in children. Pediatr Rev, 25: 160-7.
- Pollack M, Patel K dan Ruttmann U, 1996. PRISM III: an updated Pediatric Risk of Mortality score. Crit Care Med, 24:743-52.
- Pollack MM, Holubkov R dan Funai T, *et al*, 2015. The Pediatric Risk of Mortality Score: Update 2015. Pediatr Crit Care Med, 17(1): 2-9.
- Preissig CM dan Rigby MR, 2009. Hyperglycemia results from beta-cell dysfunction in critically ill children with respiratory and cardiovascular failure: a prospective observational study. Crit care, 13:1-9.
- Reichlin S, 1993. Neuroendocrine-Immune Interactions. N Engl J Med, 329: 1246-53.
- Rothwell PM dan Lawler PG, 1995. Prediction of outcome in intensive care patients using endocrine parameters. Crit Care Med, 23:78-83.

- Sabo-Graham T dan Seay AR, 1998. Management of status epilepticus In Children. Pediatr Rev, 19:305-9.
- Sam S, Corbridge TC, Mokhlesi B, Comellas AP dan Molitch ME, 2004. Cortisol levels and mortality in severe sepsis. Clin Endocrinol, 60:29–35.
- Samartin S dan Chandra RK, 2001. Obesity, overnutrition and the immune system. Nutrition Research, 21:243-62.
- Sarthi M, Lodha R, Vivekanandhan S dan Arora NK, 2007. Adrenal status in children with septic shock using low-dose stimulation test. Pediatr Crit Care Med, 8:1-6.
- Selye, 1955. Stress and disease. Acta Inc Med Publ, 500-14.
- Scott L, Weiss MD, Jamin Alexander BA, Michael SD dan Agus MD, 2010. Extreme Stress Hyperglycemia During Acute Illness in a Pediatric Emergency Department. Pediatr Emerg Care, 26(9): 626–632.
- Schteingart D, 2005. Pankreas: metabolisme glukosa dan diabetes melitus. In: Sylvia AP, Lorraine MW. Patofisiologi konsep klinis proses-proses penyakit. 6th Edition. EGC, hlm 1259-72.
- Schmeling DJ dan Coran AG, 1990. The hormonal and metabolic response to stress in neonate. Pediatr Surg Int, 5:307-21.
- Sharshar T, Annane D, de la Grandmaison GL, Brouland JP, Hopkinson NS dan Francoise G, 2004. The neuropathology of septic shock. Brain Pathol, 14: 21–33.
- Shraga YL, Hamiel OP, Hazan VM, Hostovsky LT, Eini ZM, Geva LL dan Paret G, 2016. Elevated Baseline Cortisol Levels Are Predictive of Bad Outcomes in Critically Ill Children. Pediatr Emer Care, 00:1-5.

- Shraga YL dan Hamiel OP, 2013. Critical Illness-Related Corticosteroid Insufficiency in Children. *Horm Res Paediatr*, 80:309–317.
- Shulman RG, Bloch G dan Rothman DL, 1995. In vivo regulation of muscle glycogen synthase and the control of glycogen synthesis. *Proc Natl Acad Sci USA*, 92:8535–42.
- Siegel JH, Cerra FB dan Coleman B, 1979. Physiological and metabolic correlations in human sepsis. Invited commentary. *Surgery*, 86: 163-93.
- Srinivasan V, Spinella PC, Drott HR, Roth CL, Helfaer MA dan Nadkarni V, 2004. Association of timing, duration, and intensity of hyperglycemia with intensive care unit mortality in critically ill children. *Pediatr Crit Care Med*, 5:329-36.
- Stumvoll M, Chintalapudi U dan Perriello G, 1995. Uptake and release of glucose by the human kidney. *Eur J Clin Invest*, 96:2528-33.
- Venkatesh B, Mortimer RH, Couchman B dan Hall J, 2005. Evaluation of random plasma cortisol and the low dose corticotropin test as indicators of adrenal secretory capacity in critically ill patients: a prospective study. *Anaesth Intensive Care*, 32:201-9.
- Vermes I dan Beishuizen A, 2001. The hypothalamic-pituitary adrenal response to critical illness. *Best Pract Res Clin Endocrinol Metab*, 15: 495-511.
- Verhoeven J, Brinker M, Hokken-Koelega, Hazelzet J dan Joosten K, 2011. Pathophysiological aspects of hyperglycemia in children with meningococcal sepsis and septic shock: a prospective, observational cohort study. *Crit care*, 15:1-10.

- Visser TJ, 1996. Pathways of thyroid hormone metabolism. *Acta Med Austriaca*, 23:10-6.
- Wahidiyat I dan Sastroasmoro S, 2014. Pemeriksaan klinis pada bayi dan anak. Edisi 3. Jakarta: Sagung Seto, hlm 187.
- Waardenburg D, Jansen TC, Vos GD dan Buurman WA, 2006. Hyperglycemia in children with meningococcal sepsis and septic shock: the relation between plasma levels of insulin and inflammatory mediators. *J Clin Endocrinol Metab*, 91: 3916–21.
- Weissmann C, 1990. The metabolic response to stress; an overview and update. *Anesthesiology*, 73:308-27.
- Weiss SL, Alexander J dan Agus MS, *et al*, 2010. Extreme Stress Hyperglycemia During Acute Illness in a Pediatric Emergency Department. *Pediatr Emerg Care*, 26:626-32.
- Wisanti R, Azis AL dan Pratono NP, 2004. Stress hyperglycemia in critical ill children. *Konika*, XIII, 1-7.
- Widmer IE, Puder IJ, Konig C, Pargger H, Zerkowski HR dan Girard J. 2005. Cortisol respons in relation to the severity of stress and illness. *J clin endocrinol metab*, 90: 4579-86.
- Wintergerst KA, Buckingham B, Gandrud L, Wong BJ, Kache S dan Wilson DM, 2006. Association of hypoglycemia, hyperglycemia, and glucose variability with morbidity and death in the pediatric intensive care unit. *Pediatrics*, 118(1):173–9.

Wisanti R, Azis AL dan Pratono NP, 2006. Hubungan antara hyperglycemic stress dengan kegawatan dan status gizi pada anak sakit kritis. Karya Akhir Ilmu Kesehatan Anak UNAIR, 1-87.

World Health Organization, 2007. WHO child growth chart. Diunduh dari:

<http://www.who.int/childgrowth/standards/en/>

Yehya N, Vogiatzi MG, Thomas NJ dan Srinivasan V, 2016. Cortisol correlates with severity of illness and poorly reflects adrenal function in pediatric acute respiratory distress syndrome. J Pediatr, 177: 212–18.

Yung M, Wilkins B, Norton L dan Slater A, 2008. Glucose control, organ failure, and mortality in pediatric intensive care. Pediatr Crit Care Med, 9(2):147–52

Zabidi L, Supriatna M dan Mexitalia M, 2015. Kadar Kortisol Serum sebagai Indikator Prognosis Sepsis pada Anak. Sari Pediatri, 17(2):101-6.