

DAFTAR PUSTAKA

- Adewuya, A. O. (2005) 'The maternity blues in Western Nigerian women: Prevalence and risk factors', *American Journal of Obstetrics and Gynecology*, 193(4), pp. 1522–1525. doi: <https://doi.org/10.1016/j.ajog.2005.02.085>.
- Aghamohammadi, A. and Rajabi, A. (2012) 'P-465 - Relation between unintended pregnancy among teenagers and post-partum blues', *European Psychiatry*, 27, p. 1. doi: [https://doi.org/10.1016/S0924-9338\(12\)74632-1](https://doi.org/10.1016/S0924-9338(12)74632-1).
- Alifah, F. N. (2016) 'Hubungan Faktor Psikososial Terhadap Kejadian Post Partum Blues di Ruang Nifas RSUD dr. Abdoer Rahem Situbondo'.
- Astutik, R. Y. (2015) *Buku Ajar Asuhan Kebidanan Masa Nifas dan Menyusui*. Jakarta: Cv Trans Indo Media.
- Barimani, M. *et al.* (2018) 'Childbirth and parenting preparation in antenatal classes', *Midwifery*. Elsevier Ltd, 57(October 2017), pp. 1–7. doi: 10.1016/j.midw.2017.10.021.
- Bastan, H. and Hall, J. (2012) *Midwifery Essentials Postnatal*. Volume 4. Jakarta: EGC.
- Bobak, Lowdermilk and Jensen (2005) *Asuhan Keperawatan Maternitas*. Jakarta: EGC.
- C. Hapgood, C., S. Elkind, G. and Wright, J. (1988) *Maternity Blues, Australian and New Zealand Journal of Psychiatry*. doi: 10.3109/00048678809161211.
- C Hapgood, C., S Elkind, G. and J Wright, J. (1988) *Maternity blues: Phenomena and relationship to later post partum depression, The Australian and New Zealand journal of psychiatry*.
- Cox, E. J. L., Holden, J. M. and Sagovsky, R. (1987) 'The Edinburgh Postnatal Depression Scale'.
- Fatmawati, D. A. (2015) 'faktor risiko yang berpengaruh terhadap kejadian postpartum blues', *jurnal EduHealth*, 5(2), pp. 82–93.
- Gonidakis, F. *et al.* (2007) 'Maternity blues in Athens, Greece:: A study during the first 3 days after delivery', *Journal of Affective Disorders*, 99(1), pp. 107–115. doi: <https://doi.org/10.1016/j.jad.2006.08.028>.
- Hidayat, A. A. A. (2007) *Metode Penelitian Kebidanan Teknik Analisis Data*. Jakarta. Available at: Salemba Medika.

- Irawati, D. and Yuliani, F. (2014) 'Pengaruh Faktor Psikososial dan Cara Persalinan Terhadap Terjadinya Post Partum Blues pada Ibu Nifas', 6(1), pp. 1–14.
- Kartono, K. (2007) *Psikologi wanita 2 mengenal wanita sebagai ibu dan nenek*. Bandung: Mandar Maju.
- Kaur, K. (2017) 'Puerperal Blues / Baby Blues / Postpartum Blues', 6(6), pp. 2229–2230. doi: 10.1111/j.1447-0756.1998.tb00052.
- Kaźmierczak, M. *et al.* (2017) 'Mood disorders after childbirth', *Polish Annals of Medicine*, 24(2), pp. 111–116. doi: <https://doi.org/10.1016/j.poamed.2016.02.003>.
- Khotimah, H. (2014) 'usia dan paritas dengan postpartum blues di RSUD Bangil Pasuruan', (May). Available at: <https://docplayer.info/62026460-Usia-dan-paritas-dengan-postpartum-blues-di-rsud-bangil-pasuruan-2014-hosnol-khotimah-subject-postpartum-blues-usia-paritas-description.html>.
- Kingston, D. *et al.* (2012) 'Comparison of Adolescent , Young Adult , and Adult Women ' s Maternity Experiences and Practices', *Pediatrics*, 129(5). doi: 10.1542/peds.2011-1447.
- Kurniasari, D. and Astuti, yetti A. (2015) 'Hubungan Antara Karakteristik Ibu, Kondisi Bayi dan Dukungan Sosial Suami dengan Postpartum Blues pada Ibu dengan Persalinan SC di Rumah Sakit Umum Ahmad Yani Metro tahun 2014', *jurnal Kesehatan Holistik*, 9(3), pp. 115–125.
- Kustiningsih, Y. P. (2017) *Bagaimana Menghadapi Gangguan Mood Masa Nifas?* Yogyakarta: Deepublish. Available at: <https://books.google.co.id/books?id=AqpcDwAAQBAJ>.
- Lewis, L. (ed.) (2015) *Fundamentals of Midwifery A Textbook for Students*. United Kingdom: John Wiley & Sons, Ltd.
- M'Bailara, K. *et al.* (2005) 'Le baby blues : caract risation clinique et influence de variables psycho-sociales', *L'Enc phale*, 31(3), pp. 331–336. doi: [https://doi.org/10.1016/S0013-7006\(05\)82398-X](https://doi.org/10.1016/S0013-7006(05)82398-X).
- Macdonald, S. and Magill-Cuerden, J. (eds) (2011) *Mayes' Midwifery*. Fourteenth.
- Maliszewska, K. *et al.* (2016) 'Relationship, social support, and personality as psychosocial determinants of the risk for postpartum blues', *Ginekologia Polska*, 87(6), pp. 442–447. doi: 10.5603/GP.2016.0023.
- Manjunath, N., Venkatesh, G. and Rajanna (2011) 'Postpartum blue is common in

- socially and economically insecure mothers’, *Indian Journal of Community Medicine*, 36(3), pp. 231–233. doi: 10.4103/0970-0218.86527.
- Mansyur, N. and Dahlan, A. K. (2014) *Buku Ajar Asuhan Kebidanan Masa Nifas*. Malang: Selaksa Media.
- Murbiah and Oktariani, M. (2016) ‘Faktor-faktor yang berhubungan dengan potpartum blues di rumah sakit muhammadiyah palembang’, pp. 114–120.
- Murtiningsih, A. (2012) *Mengenal Baby Blues Dan Pencegahannya*. Jakarta: Niaga Swadaya.
- Nirwana, A. B. (2011) *Psikologi Ibu Bayi dan Anak*. Yogyakarta: Nuha Medika.
- O’Hara, M. W. *et al.* (1991) ‘Prospective Study of Postpartum Blues: Biologic and Psychosocial Factors’, *Archives of General Psychiatry*, 48(9), pp. 801–806. doi: 10.1001/archpsyc.1991.01810330025004.
- O’Hara, M. W. and Wisner, K. L. (2014) ‘Perinatal mental illness: Definition, description and aetiology’, *Best Practice & Research Clinical Obstetrics & Gynaecology*, 28(1), pp. 3–12. doi: <https://doi.org/10.1016/j.bpobgyn.2013.09.002>.
- Paramasatya, I. (2018) ‘Hubungan Antara Usia dan Paritas dengan Kejadian Baby Blues Syndrome’.
- Pitt, B. (1973) ‘Maternity Blues’, *British Journal of Psychiatry*. Cambridge University Press, 122(569), pp. 431–433. doi: 10.1192/bjp.122.4.431.
- Pop, V. J. M. *et al.* (2015) ‘A new concept of maternity blues : Is there a subgroup of women with rapid cycling mood symptoms?’, *Journal of Affective Disorders*. Elsevier, 177, pp. 74–79. doi: 10.1016/j.jad.2015.02.015.
- Rai, S., Pathak, A. and Sharma, I. (2015a) ‘Postpartum psychiatric disorders: Early diagnosis and management’, *Indian journal of psychiatry*. Medknow Publications & Media Pvt Ltd, 57(Suppl 2), pp. S216–S221. doi: 10.4103/0019-5545.161481.
- Rai, S., Pathak, A. and Sharma, I. (2015b) ‘Postpartum psychiatric disorders: Early diagnosis and management’, *Indian Journal of Psychiatry*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4539865/>.
- Robertson, E., Celasun, N. and Stewart, D. E. (2008) ‘Maternal mental health & child health and development’, *WHO*, p. 16. Available at: http://www.who.int/mental_health/prevention/suicide/mmh&chd_chapter_1.pdf.
- Séjourné, N. *et al.* (2008) ‘Influence de certaines variables psychologiques, psychosociales et obstétricales sur l’intensité du baby blues’, *L’Encéphale*,

34(2), pp. 179–182. doi: <https://doi.org/10.1016/j.encep.2007.07.010>.

Setyowati, U. R. (2006) 'Study of the Postpartum Blues Incident's Factors'. Available at: <http://repository.unair.ac.id/18857/>.

Smith, M. and Segal, J. (2018) 'Postpartum Depression and the Baby Blues'. Available at: <https://www.helpguide.org/articles/depression/postpartum-depression-and-the-baby-blues.htm/>.

Stables, D. and Rankin, J. (2010) *Physiology in childbearing with anatomy and related biosciences*. Third. London: Bailliere Tindall Elsevier.

Stone, S. D. and Menken, A. E. (2008) *stone and menken 2008*. New York: Springer Publishing Company.

Syahdrajat, T. (2018) *Panduan Penelitian Untuk Skripsi Kedokteran Dan Kesehatan*. Jakarta: Pedhe Offset.

Varney, H., Kriebs, Jan M. and Gegor, C. L. (2008) *Buku-Ajar Asuhan Kebidanan Vol.2*. 4th edn. Jakarta: EGC.